

SONY®

DIGITAL CAMCORDER

DNW-7/7P

DNW-9WS/9WSP

DNW-90/90P

DNW-90WS/90WSP

BETACAM SX

Power HAD

MAINTENANCE MANUAL Part 1

1st Edition (Revised 3)

Serial No. 10001 and Higher
(DNW-7/9WS/90/90WS)

Serial No. 40001 and Higher
(DNW-7P/9WSP/90P/90WSP)

⚠ 警告

このマニュアルは、サービス専用です。

お客様が、このマニュアルに記載された設置や保守、点検、修理など行くと感電や火災、人身事故につながる可能性があります。

危険をさけるため、サービストレーニングを受けた技術者のみご使用ください。

⚠ WARNING

This manual is intended for qualified service personnel only.

To reduce the risk of electric shock, fire or injury, do not perform any servicing other than that contained in the operating instructions unless you are qualified to do so. Refer all servicing to qualified service personnel.

⚠ WARNUNG

Die Anleitung ist nur für qualifiziertes Fachpersonal bestimmt.

Alle Wartungsarbeiten dürfen nur von qualifiziertem Fachpersonal ausgeführt werden. Um die Gefahr eines elektrischen Schlages, Feuergefahr und Verletzungen zu vermeiden, sind bei Wartungsarbeiten strikt die Angaben in der Anleitung zu befolgen. Andere als die angegebenen Wartungsarbeiten dürfen nur von Personen ausgeführt werden, die eine spezielle Befähigung dazu besitzen.

⚠ AVERTISSEMENT

Ce manuel est destiné uniquement aux personnes compétentes en charge de l'entretien. Afin de réduire les risques de décharge électrique, d'incendie ou de blessure n'effectuer que les réparations indiquées dans le mode d'emploi à moins d'être qualifié pour en effectuer d'autres. Pour toute réparation faire appel à une personne compétente uniquement.

Voor de klanten in Nederland


Dit apparaat bevat een MnO₂-Li batterij voor memory back-up.

Raadpleeg uw leverancier over de verwijdering van de batterij op het moment dat u het apparaat bij einde levensduur afdankt.

Gooi de batterij niet weg, maar lever hem in als KCA.

X-RAY RADIATION WARNING

Be sure that parts replacement in the high voltage block and adjustments made to the high voltage circuits are carried out precisely in accordance with the procedures given in this manual.



Bij dit produkt zijn batterijen geleverd. Wanneer deze leeg zijn, moet u ze niet weggooien maar inleveren als KCA.

Table of Contents

Manual Structure

Purpose of this manual	5
Contents	5
Relative manual	6

1. Service Overview

1-1. Operating Conditions	1-1
1-2. Supplied Accessories	1-1
1-3. Location of Main Parts and Function of Printed Circuit Boards	1-2
1-3-1. Location and Function of Printed Circuit Boards	1-2
1-3-2. Location of Main Parts	1-4
1-3-3. Location and Function of Sensors	1-6
1-4. Matching Connectors	1-8
1-5. Signal Input and Output	1-9
1-6. Removal/Installation of Cabinet	1-12
1-7. Removal/Installation of Cassette Compartment	1-14
1-8. Pulling Out and Inserting the Plug-in Boards	1-15
1-9. Switch/Slit Land Settings on the Boards	1-16
1-9-1. AXM-14 Board	1-16
1-9-2. CNB-1 Board	1-17
1-9-3. DVP-1 Board	1-18
1-9-4. DVP-2 Board	1-19
1-9-5. TC-80 Board	1-20
1-9-6. MDC-5 Board	1-22
1-9-7. DCP-1 Board	1-23
1-9-8. TG-164 Board (for DNW-9WS/9WSP/90/90P/90WS/ 90WSP only)	1-24
1-10. Ejecting the Cassette Tape Manually	1-25
1-11. Inserting the Cassette Tape when the Outside Panel is Removed	1-26
1-12. Cleaning when the Heads are Clogged	1-26
1-12-1. Cleaning by Cleaning Tape	1-26
1-12-2. Cleaning by Cleaning Cloth	1-27
1-13. Backup Battery	1-28
1-14. Removal/Installation of Flexible Card Wires	1-28
1-15. Fixtures	1-29
1-15-1. Extension Boards	1-29
1-15-2. Fixtures	1-30

2. Error Code

2-1.	Error Code	2-1
2-1-1.	Warning Indicators	2-1
2-1-2.	Error Codes	2-1
2-2.	Error Messages	2-2

3. Maintenance Mode

3-1.	Setup Menu	3-1
3-2.	DIAG Menu	3-24

4. Block Diagram and Circuit Description

5. Electrical Alignment

5-1.	General Information for Electrical Adjustment	5-1
5-1-1.	Note for Adjustment	5-1
5-1-2.	Equipment/Fixtures	5-1
5-1-3.	Initial Setting for Switches	5-1
5-2.	ENC Level Adjustment	5-2
5-3.	TEST OUT Adjustment	5-2
5-4.	VA Gain Adjustment	5-3
5-5.	White Shading Adjustment	5-4
5-6.	Gamma Correction Adjustment	5-5
5-7.	Black Set Adjustment	5-6
5-8.	Flare Adjustment	5-6
5-9.	Manual Knee and White Clip Adjustments	5-7
5-10.	Crispening Adjustment	5-8
5-11.	Level Dependent Adjustment	5-8
5-12.	H/V Ratio Adjustment	5-9
5-13.	Detail Level Adjustment	5-9
5-14.	Skin Tone Adjustment	5-10
5-15.	Zebra Adjustment	5-11
5-16.	Automatic Iris Adjustment	5-12

6. Electrical Alignment (Only for DNW-9WS/9WSP/90WS/90WSP)

6-1.	General Information for Electrical Adjustment	6-1
6-1-1.	Note for Adjustment	6-1
6-1-2.	Equipment/Fixtures	6-1
6-1-3.	Initial Setting for Switches	6-2
6-2.	ENC Level Adjustment	6-3
6-3.	TEST OUT Level Adjustment	6-3
6-4.	VA Gain Adjustment	6-4
6-5.	White Shading Adjustment	6-5
6-6.	Gamma Correction Adjustment	6-6
6-7.	Black Set Adjustment	6-7
6-8.	Flare Adjustment	6-7
6-9.	Manual Knee and White Clip Adjustments	6-8
6-10.	Crispening Adjustment (16:9)	6-9
6-11.	Level Depandent Adjustment (16:9)	6-9
6-12.	H/V Ratio Adjustment (16:9)	6-10
6-13.	Detail Level Adjustment (16:9)	6-10
6-14.	Crispening Adjustment (4:3)	6-11
6-15.	Level Depandent Adjustment (4:3)	6-11
6-16.	H/V Ratio Adjustment (4:3)	6-12
6-17.	Detail Level Adjustment (4:3)	6-12
6-18.	Skin Tone Adjustment	6-13
6-19.	Zebra Adjustment	6-14
6-20.	Automatic Iris Adjustment	6-15

7. Periodic Maintenance and Inspection

7-1.	Cleaning	7-1
7-1-1.	General Information for Cleaning	7-1
7-1-2.	Cleaning of Tape Running Surface of Upper Drum and Video Heads	7-3
7-1-3.	Cleaning of Tape Running Surface of Lower Drum and Lead Surface	7-4
7-1-4.	Stationary Heads Cleaning	7-5
7-1-5.	Cleaning of Tape Running System and Tape Cleaner	7-6
7-2.	Periodic Check	7-7
7-2-1.	Hours Meter	7-7
7-2-2.	Periodic Check List	7-8
7-3.	Cares After Using at Special Environment	7-9

Manual Structure

Purpose of this manual

This manual is maintenance manual of Digital Camcorder DNW-7/7P/9WS/9WSP/90/90P/90WS/90WSP.

This manual describes the maintenance information of this unit, and the information on primary services such as the error message and cleaning procedures.

Contents

The following is a summary of the sections for understanding the contents of this manual.

Section 1 Service Overview

Explains the locations of main part, the functions of printed circuit board, the removal and installation of cabinet, and the measures against trouble.

Section 2 Error Code

Explains the error messages.

Section 3 Maintenance Mode

Explains the SETUP menu (ENG mode) and DIAG menu of this unit.

Section 4 Block Diagram and Outline of Circuit

Describes the overall block diagram and the circuit descriptions.

Section 5 Electrical Alignment

Explains the general information for electrical adjustments and the electrical adjustments of camera system.

Section 6 Electrical Alignment (Only for DNW-90WS/90WSP)

Explains the general information for electrical adjustments and the electrical adjustments of camera system.

Section 7 Periodic Maintenance and Inspection

Explains the cleaning procedures and periodic checks.

Relative manual

Besides this "Maintenance Manual Part 1", the following manuals are available for this unit.

- **Operation Manual (Supplied with this unit.)**

This manual is necessary for application and operation of this unit.

- **Maintenance Manual Part 2 (Not supplied with this unit.)**

This manual describes the information items (adjustments, board layouts, schematic diagrams, detailed parts list, etc.) that premise the service based on parts. If this manual is required, please contact Sony's service organization.

- **BVF-V10/V10CE or BVF-V20W/V20WCE**

- **Maintenance Manual (Not supplied with this unit.)**

This manual describes the service information of the viewfinder.

If this manual is required, please contact Sony's service organization.

Section 1

Service Overview

1-1. Operating Conditions

Operating temperature : 0 to 40 °C

Humidity : 25 to 85 % (Relative humidity)

Storage temperature : -20 to 60 °C

Use under special environment (Measure for cold area)

The unit is guaranteed its operation under the temperature of 0 to 40 °C. When the unit is used under 0 °C, cover-cloth against the cold is recommended to use.

1-2. Supplied Accessories


Description	Part No.	Quantity
Shoulder belt	A-6772-374-B	1
Microphone	1-542-295-11	1
XLR cap (2)	3-741-726-03	2
XLR cap (1)	3-741-727-03	2
Screw P2.6 × 5	7-627-556-58	3
Operation manual	—	1 *1
	—	3 *2
Maintenance manual Part 1	—	1

*1: For DNW-7/90/90WS

*2: For DNW-7P/90P/90WSP

1-3. Location of Main Parts and Function of Printed Circuit Boards

1-3-1. Location and Function of Printed Circuit Boards



System	Board name	Function name
CCD BLOCK	BI-96	CCD Imager (R, G, B)
	CN-1183	Connector Board for BI-96
	DR-291	CCD Driver
	PA-186	Pre-amp(Sample & Hold)
	TG-161 ^{*1}	Timing Generator
	TG-164 ^{*2}	Timing Generator
	VA-167	Video Amp
CAMERA/VIDEO	CN-1193 ^{*3}	Connector Board for DCP-1
	RC-61 ^{*4}	Rate (16:9 to 4:3) Converter
	DCP-1	Camera Processor
	DVP-1	RF, Digital Audio Processor, Timing Clock Generator, System Controller for VTR Block
	DVP-2	Digital Bit Reduction Decoder, Digital Encoder, Digital Decoder
	ES-11	Composite Encoder
	TC-80	Analog Audio Processor, Time Code Generator
DRUM/SERVO	HN-224	Harness, TC Amp
	MDC-5	Servo Controller
	MDR-1	Drum Motor Driver
MICROPHONE	AIF-8	Lens Control, Mic Amp
	MA-68	Camera Mic Pre-amp
	SW-789	Mic Level, Auto White/Black Switch, VTR Start/Stop Switch, Shutter On/Off Select Switch
POWER SUPPLY	DC-87	Battery DC Filter
	PS-390	Power Supply (Light)
	RE-118	Regulator, Switching Control
	RE-119	Regulator
CONNECTOR BOX	AL-40	Audio CH-2 Line Out Amp
	AXM-14	Connector (AUDIO IN/OUT), Audio Pre-amp
	CNB-1	Circuit Breaker, Audio CH-1 Line Out Amp
	CO-22	Connector (VBS OUT)
	DC-88	External DC Filter
	IO-117	Connector (GEN LOCK IN, TEST OUT, TC IN, TC OUT)
OTHERS	CI-12	40-pin Adaptor Interface
	HP-70	Earphone
	KY-293	Function Key
	LP-86	Back Tally, Back Tally Switch
	PSW-33	Power Switch
	RX-26	Audio Pre-amp for Wireless Microphone
	SW-780	Switch Panel
	SW-808	Rotary Encoder Switch
	SW-823	Menu and Light Auto/Manual Switch
	MB-627	Mother Board


*1: For DNW-7/7P only

*2: For DNW-9WS/9WSP/90/90P/90WS/90WSP only

*3: For DNW-7/7P/90/90P only


*4: For DNW-9WS/9WSP/90WS/90WSP only

1-3-2. Location of Main Parts



- ① : CCD block
- ② : Fan motor
- ③ : Tension regulator arm
- ④ : S5 tape guide
- ⑤ : Tension regulator guide (S4 tape guide)
- ⑥ : S3 tape guide
- ⑦ : Full erase head
- ⑧ : Tape cleaner
- ⑨ : CTL head
- ⑩ : S2 tape guide (on S slider)
- ⑪ : S1 tape guide (on S slider)
- ⑫ : Slip ring
- ⑬ : Drum
- ⑭ : Video head cleaner
- ⑮ : Brush
- ⑯ : T1 tape guide (on T slider)
- ⑰ : T2 tape guide (on T slider)
- ⑱ : TC head
- ⑲ : Capstan motor
- ⑳ : Manual eject knob
- ㉑ : Threading motor
- ㉒ : Pinch roller
- ㉓ : T3 tape guide
- ㉔ : T4 tape guide
- ㉕ : Timing belt
- ㉖ : T reel table
- ㉗ : T soft brake
- ㉘ : Gear
- ㉙ : S soft brake
- ㉚ : S reel table
- ㉛ : Tension regulator band

1-3-3. Location and Function of Sensors



- ① : Temperature sensor
This sensor detects the temperature and then the fan motor is rotated.
- ② : Cassette-in sensor
This sensor detects the existence of a cassette.
- ③ : REC inhibit sensor
This sensor detects the REC inhibiting plug of the cassette tape.
- ④ : Tape end sensor
This sensor detects the end of the tape that runs in the forward direction.
- ⑤ : Full top sensor
This sensor detects whether the cassette tape is the full top.
- ⑥ : Condensation sensor
This sensor detects whether the dew condensation occurs in the unit.
- ⑦ : Tape top sensor
This sensor detects the end of the tape that runs in the reverse direction.
- ⑧ : Function cam sensor
This sensor detects the rotation position of a cam.
- ⑨ : Take-up reel table rotating sensor
This sensor detects the rotation of the take-up reel table. The FG output signal of this sensor is input to a servo circuit so as to calculate the winding diameter of the tape.
- ⑩ : Cassette lock sensor (switch)
This sensor detects that the cassette compartment was locked.
- ⑪ : Cassette ID sensors
 - ID1 : Tape type sensor
This sensor detects the tape type either an oxide or a metal.
 - ID2 : Tape thickness sensor
Using a tub on the back side of the cassette tape, this sensor detects the thickness of the tape wound on a cassette tape that is being inserted into the unit.
 - ID3 : Reel hub diameter sensor
The reel hub diameter of a cassette tape varies depending on the length of the tape wound on the cassette tape. The reel hub diameter sensor detects the reel hub diameter by the tab on the back side of the cassette tape.
 - ID4 to ID6 : Tape format sensors
These sensors detect the type of the cassette tape (for Betacam SX, Betacam SP and so on).
- ⑫ : Supply reel table rotating sensor
This sensor detects the rotation of the supply reel table. The FG output signal of this sensor is input to a servo circuit so as to calculate the winding diameter of the tape.

1-4. Matching Connectors

When external cables are connected to the connector during maintenance, the hardware listed below (or the equivalents) must be used.

Panel Indication	Matching Connector/Cable	
	Name of Connector/Cable	Part No.
AUDIO IN CH-1/CH-2	XLR 3-pin, male	1-508-084-00 (for SY)
	XLR 3-pin, female	1-508-083-00 (for J)
AUDIO OUT	Audio cable (XLR 5-pin – XLR 3-pin, 2m)	SONY CCXA-53 or equivalent
GENLOCK IN TC IN TC OUT TEST OUT VIDEO OUT	BNC	1-560-069-11
DC IN	XLR 4-pin, female	1-508-362-00
DC OUT 12 V	DIN 4-pin, male	1-566-425-11
MIC IN +48 V	XLR 3-pin, male	1-508-084-00
REMOTE	6-pin, male	1-560-078-00
EARPHONE	Mini jack	Standard product
LIGHT	Power tap [OE]	ANTONBAUER 33710 or equivalent

1-5. Signal Input and Output

INPUT


GENLOCK IN	1.0 V p-p, 75 Ω
TC IN	0.5 V to 18 V p-p, 10 k Ω
MIC IN	-60 dBu
AUDIO IN CH-1, CH-2	-60 dBu/+4 dBu (0 dBu = 0.775 Vrms)

OUTPUT

TEST OUT	1.0 V p-p, 75 Ω , unbalanced
TC OUT	1.0 V p-p, 75 Ω
VIDEO OUT	1.0 V p-p, 75 Ω , unbalanced
EARPHONE	$-\infty$ to -18 dBu, adjustable, 8 Ω
AUDIO OUT	0 dBm (600 Ω terminated)

DC IN: XLR 4-pin, male


<External View>



Pin No.	Signal
1	GND
2	-
3	-
4	EXT DC (DC 11 to 17 V)

BATT IN: 5-pin, male


<External View>



Pin No.	Signal
1	BATT IN (-)
2	BATT IND
3	BATT REM
4	LIGHT CONT
5	BATT IN (+)

DC OUT 12V: DIN 4-pin, female

<External View>



Pin No.	Signal
1	UNREG GND
2	-
3	-
4	UNREG +12 V (11 to 17 V, 0.1 A MAX)

AUDIO OUT: XLR5-pin, male


<External View>



Pin No.	Signal
1	GND
2	CH1 (X)
3	CH1 (Y)
4	CH2 (X)
5	CH2 (Y)

VF: 20-pin, female


<External View>



Pin No.	Signal
1	VTR SAVE
2	ABNORMAL
3	16:9/4:3
4	REC (L)
5	COLOR VF DET
6	CCIR/EIA
7	DISPLAY ON
8	G TALLY
9	—
10	Y (X)
11	ZEBRA ON
12	VIDEO (X)
13	AUDIO CTL
14	B-Y (X)
15	R-Y (X)
16	BATT IND
17	REC/TALLY
18	+9.3 V
19	GND
20	UNREG

REMOTE: 6-pin, female

<External View>



Pin No.	Signal
1	SD (RM)
2	SD (RM) I/O
3	UNREG GND
4	RM TEST (X)
5	RM TEST (G)
6	UNREG +12 V

LIGHT: 2-pin, female


<External View>



Pin No.	Signal
1	LIGHT +12 V (30W MAX)
2	GND

LENS: 12-pin, female

<External View>




Pin No.	Signal
1	RET (SW)
2	VTR TRIG
3	LENS GND
4	AUTO +5 V
5	IRIS CONT
6	UNREG +12 V
7	IRIS POSITION
8	REMOTE/LOCAL
9	EXTENDER
10	ZOOM POSITION
11	N.C
12	N.C

1-6. Removal/Installation of Cabinet

Notes

- Be sure to turn off the power, then pull out the power cord and/or battery before performing the following procedure. If not, damage to internal circuit may result.
- The standard tightening torques of main screws used in this unit are as follows:
M1.4 (+) screw : $9 \times 10^{-2} \text{ N} \cdot \text{m}$ (0.9 kgf·cm)
M2 (+), M3 (+) and hexagon screws : $19 \times 10^{-2} \text{ N} \cdot \text{m}$ (1.9 kgf·cm)



Tightening torque: $80 \times 10^{-2} \text{ N} \cdot \text{m}$ (8.1 kgf·cm)

Front Lid

Loosen the two screws fully and remove the front lid.
(Stoppers are provided for these screws.)

Note

Insert the rib of the front lid firmly into the groove during installation.

Outside panel

1. Remove the front lid.
2. Loosen the four screws fully and remove the outside panel.
(Stoppers are provided for these screws.)

Note

Insert the hook section of the outside panel firmly into the guide shaft of the cassette compartment during installation.

Inside Panel

1. Loosen the four screws fully and open the inside panel in the direction indicated by the arrow. (Stoppers are provided for these screws.)


Notes

- Be careful not to bend the two flexible wires intentionally.
 - When opening, hook the inside panel on the protection cover of connector box to avoid damage to the cabinet.
2. Disconnect connectors CN27 and CN30 on the MB-627 board.
 3. Remove the flexible card wires from connectors CN101 and CN102 on the TC-80 board. (Refer to section 1-14.)
 4. Remove the two hinges.


Connector Box

Removal

1. Remove the front lid, inside panel, and outside panel.
2. Loosen the two screws fully and slide the shoulder pad forward. (Stoppers are provided for these screws.)
3. Remove the four screws, then remove the connector box.



4. Disconnect connectors CN104 and CN105 on the CNB-1 board.



Cautions during Installation

1. Connect the connector CN20 on the MB-627 board securely to the connector CN101 on the CNB-1 board in the connector box.
2. Connect the connectors CN104 and CN105 on the CNB-1 board, after attaching the connector box to the unit.
3. Be careful not to get caught the harness in the rib.


1-7. Removal/Installation of Cassette Compartment

Notes

- Be sure to turn off the power, then pull out the power cord and/or battery before performing the following procedure. If not, damage to internal circuit may result.
- The cassette compartment can be removed even if it comes up or goes down.


Removal

1. Remove the front lid and outside panel.
(Refer to section 1-6.)
2. Remove the three screws, hold the position of the cassette compartment shown in the figure, and remove it in the direction indicated by the arrow.




Installation


1. Adjust the position of the joint arm so that the clearance between the white roller's outer circumference of a joint arm and the end face of the mechanical deck assembly is 0.5 mm.




2. Raise the white lock roller of the cassette compartment so that it comes up.



3. Move the cam plate (A) on the right side of the cassette compartment in the direction of the arrow with fingers as far as it will go.



4. Hold the position of the cassette compartment shown in the figure and attach two cassette guide pins in the chassis so that they are put in the round holes of the stage.
At that time, confirm that the other white roller of the joint arm positioned in step 1 is put in the notch of the cam plate (A) on the right side.
5. Push the lever of the cassette compartment and confirm that the stage smoothly moves up and down.
If not, re-confirm steps 1 to 4.
6. Attach the cassette compartment with three screws.




1-8. Pulling Out and Inserting the Plug-in Boards

Be careful attention so that the parts on the board are not damaged and the board is positioned and oriented correctly when pulling out and inserting the plug-in boards.
Replace each board after confirming the setting of switches and slit lands. (Refer to section 1-9.)
For the adjustment after board replacement, refer to "5. General Information for Electrical Alignment" of the Maintenance Manual Part 2 Vol-1.

Pulling out the plug-in board

1. Open the levers and disconnect the plug-in board from the connectors on the MB-627 board.
2. Pull out the plug-in board.



Inserting the plug-in board


1. Insert the plug-in board along the board guide rails.
2. Connect the connectors of the plug-in board to the connectors on the MB-627 board securely. Be sure to insert the plug-in board with levers in a horizontal position.

1-9. Switch/Slit Land Settings on the Boards

Note

For the factory-use switch and slit land, do not change the switch and slit land settings.

1-9-1. AXM-14 Board




Slit Lands

Ref. No.	Name	Description	Factory setting
SL300	AUDIO OUT Select	OPEN : Outputs from the XLR 5-pin connector. SHORT: Outputs from the XLR 3-pin connector. ^{*2}	OPEN
SL301	AUDIO OUT Select	OPEN : Outputs from the XLR 3-pin connector. ^{*2} SHORT: Outputs from the XLR 5-pin connector.	SHORT ^{*1}

*1: This slit land is short-circuited by the traces on the board. Therefore, the traces must be cut using a knife when the setting is changed.

*2: The modification of the unit is necessary for change of the connector.

1-9-2. CNB-1 Board



Slit Land

Ref. No.	Description	Factory setting
SL1	Destination Select OPEN : For except Japan SHORT : For Japan	OPEN (for except Japan) SHORT (for Japan)

Note

Set SL1 according to the destination during board replacement.

SL101 Power supply select


Slit short : Supplies electric power from the battery to the unit automatically when the external power supply voltage is lower than the battery voltage.

Slit open : Supplies electric power from the external power supply to the unit irrespective of the voltage level of the external power supply when the electric power is supplied from the external power supply.

Power supply select

Slit		Input voltage EXT DC > BATT	Input voltage EXT DC < BATT
SL101	SHORT	EXT DC	BATT
	OPEN (Factory setting)	EXT DC	EXT DC

1-9-3. DVP-1 Board




Switches

Ref. No	Name	Description	Factory setting
S1-1	Destination Select	OFF : NTSC ON : PAL	OFF (for NTSC) ON (for PAL)
S1-2	Model Select	OFF : DNW-7/7P/9WS/9WSP/90/90P/90WS/ 90WSP ON : DNV-5	OFF
S1-2 to 8	—	Not used	OFF
S2-1 to 3	—	Factory use	OFF
S2-4	Model Select	ON : DNW-9WS/9WSP/90/90P/90WS/90WSP OFF : DNV-5, DNW-7/7P	ON (for DNW-9WS/ 9WSP/90/90P/90WS/ 90WSP) OFF (for DNV-5, DNW-7/7P)
S3-1 to 8	—	Not used	OFF

Slit lands

Ref. No.	Description	Factory setting
SL1	Factory use	OPEN
SL2	Factory use	SHORT
SL3	Factory use	SHORT

1-9-4. DVP-2 Board




Switches

Ref. No.	Name	Description	Factory setting
S401-1	—	Factory use	OPEN
S401-2	—	Not used	OPEN

Slit Lands

Ref. No.	Description	Factory setting
SL601	Factory use	OPEN
SL602	Factory use	SHORT

1-9-5. TC-80 Board



Switches

Ref. No.	Name	Description	Factory setting
S102	CH-1 Front MIC LEVEL Control	Selects whether to control CH-1 audio level of rear input by using the front MIC LEVEL control. ON : Enables OFF : Disables	OFF
S104	CH-1 Limiter	CH-1 Limiter OFF/ON	OFF
S204	CH-2 Limiter	CH-2 Limiter OFF/ON	OFF
S501	CH-1 Output Limiter	CH-1 Output Limiter OFF/ON (+10 dB limit)	ON
S601	CH-2 Output Limiter	CH-2 Output Limiter OFF/ON (+10 dB limit)	ON

Slit Lands

Headroom Level Select for Input Signal (Factory setting:20 dB)

Audio Channel	Ref. No.	Head room (dB)		
		20	18	16
CH1 *1	SL102	OPEN	SHORT	OPEN
	SL103	OPEN	OPEN	SHORT
AGC CH1	SL105	OPEN	OPEN	SHORT
	SL106	OPEN	SHORT	OPEN
CH2 *1	SL202	OPEN	SHORT	OPEN
	SL203	OPEN	OPEN	SHORT
AGC CH2	SL205	OPEN	OPEN	SHORT
	SL206	OPEN	SHORT	OPEN
AGC CH3	SL301	OPEN	SHORT	OPEN
	SL302	OPEN	OPEN	SHORT
AGC CH4	SL401	OPEN	SHORT	OPEN
	SL402	OPEN	OPEN	SHORT

*1: This switch setting is enable to select when the AUDIO SELECT switch on the inside panel is selected MANU.

Headroom Level Select for Output Signal (Factory setting:20 dB)

Audio Channel	Ref. No.	Head room (dB)		
		20	18	16
CH1	SL501 *1	OPEN	SHORT	OPEN
	SL502 *1	OPEN	OPEN	SHORT
CH2	SL601 *1	OPEN	SHORT	OPEN
	SL602 *1	OPEN	OPEN	SHORT

*1: TC-80 board number suffix : -12 and higher

Ref. No.	Name	Description	Factory setting
SL506	CH1 Monitor Select	<p>OPEN : Selects the output signal of the CH-1 outputs connector using the MONITOR select switch on the inside panel. Set SL506 and SL905 are the different positions.</p> <p>SHORT : Outputs the CH-1 signal to the CH-1 output connector.</p>	SHORT*2


*2: This slit land is short-circuited by the traces on the board. Therefore, the traces must be cut using a knife when the setting is changed.

Setting the Audio Output Level (Factory setting:0 dBm)

Audio Channel	Ref. No.	Output Level (dBm)			
		+4	0		
CH1	SL507	SHORT	OPEN	←	Set the same positions.
	SL508	SHORT	OPEN		
CH2	SL607	SHORT	OPEN	←	Set the same positions.
	SL608	SHORT	OPEN		

Ref. No	Name	Description	Factory setting
SL702	—	Factory use	SHORT
SL703	—	Factory use	SHORT
SL704	—	Factory use	SHORT
SL706	—	Factory use	SHORT
SL707	—	Factory use	SHORT
SL905	CH1 Monitor Select	<p>SHORT : Selects the output signal of the CH-1 output connector using the MONITOR select switch on the inside panel. Set SL506 and SL905 are the different positions.</p> <p>OPEN : Outputs the CH-1 signal to the CH-1 output connector.</p>	OPEN

1-9-6. MDC-5 Board




Switches

Ref. No.	Description	Factory setting
S108	Adjustment Mode Select	—
S109	Adjustment Start	—
S110-1	Adjustment Mode ON/OFF	OFF
S110-2	Tracking Adjustment	OFF
S111-1	Board Adjustment Mode OFF/ON	OFF
S111-2	Not used	OFF
S300	Factory use	—

Slit Lands

Ref. No.	Description	Factory setting
SL100	Factory use	SHORT
SL102	Factory use	SHORT
SL103	Factory use	OPEN
SL300	Factory use	SHORT

1-9-7. DCP-1 Board




Switches

Ref. No.	Name	Description	Factory setting
S1	ENG Disable Select	ON : Disables OFF : Enables	OFF
S2	Character Select	Selects whether to display the character on the viewfinder and TEST OUT connector. 1: Both viewfinder and TEST OUT connector 2: Viewfinder only 3: TEST OUT connector only (For the character to be displayed on neither the viewfinder nor TEST OUT connector, set off the DISPLAY switch of the viewfinder.)	2
S4-1	—	Factory use	OFF
S4-2	Remote Connector	ON : Connects except RM-P9 and VA-DN1. OFF : Connects RM-P9 or VA-DN1.	OFF
S4-3	VF CAM Select	ON : Outputs the camera signal on the viewfinder when the OUTPUT switch is set BARS. OFF : Outputs the color bars signal on the viewfinder when the OUTPUT switch is set BARS.	OFF
S4-4	CAM Mode	OFF : Uses the VTR START button as the INCOM TALK ON button. ON : Uses the VTR START button as the RET 2 button. (When S4-4 is set ON, use the VTR SAVE/STBY switch as the INCOM TALK ON button.)	OFF
S4-5 to 7	—	Not used	OFF
S4-8	Data reset	ON : Resets in the setting menu when the power is turn on. OFF : Uses in normal times.	OFF

1-9. Switch/Slit Land Settings on the Boards
1-9-8. TG-164 Board (for DNW-9WS/9WSP/90/90P/90WS/90WSP only)

1-9-8. TG-164 Board (for DNW-9WS/9WSP/90/90P/90WS/90WSP only)



Switch

Ref. No.	Name	Description
S1	Model Select	4:3 16:9
S2 ^{*1}	Model Select	FIT IT

*1: Board suffix -13 and higher. (When board suffix is -11 or -12, not use for DNW-9WS/9WSP.)

Model Select


Model	S1	S2
DNW-9WS/9WSP	16:9	IT
DNW-90/90P	4:3	FIT
DNW-90WS/90WSP	16:9	FIT

1-10. Ejecting the Cassette Tape Manually

Note

Be sure to turn off the power, then pull out the power cord and/or battery before performing the following procedure. If not, damage to internal circuit may result.

1. Open the cover of the outside panel shown in the figure.
2. Turn the gear clockwise while pushing a gear downward until the front lid opens using a Philips screwdriver. Then confirm that the tape is taken up the cassette reel.
3. The front lid opens. The cassette tape can then be ejected.



Notes

- Never turn the gear no further after the front lid opened.
If the gear is turned moreover, gear phase will be out of order, and then the operation timing of the cleaning roller will be shifted.
When performing the phase adjustment of the gear, refer to section 3-3-4. Timing Belt (Threading) Replacement of maintenance manual part2 volume 1.
- Closing the front lid
In the state mentioned above, the front lid cannot be closed and locked. Turn on the power, then close the front lid.

If the above operation cannot be executed, perform the following procedures.


1. Remove the front lid and outside panel.
(Refer to section 1-6.)
2. Put the cassette compartment into the cassette-up state with the cassette lid of the cassette tape raised.
(For more details, refer to section 1-7.)
3. Remove the cassette tape taking care that the tape does not get damage.

1-11. Inserting the Cassette Tape when the Outside Panel is Removed

1. Place the cassette compartment into the up state. (Refer to section 1-7.)
2. Insert a cassette tape in the cassette compartment.
3. Insert a screwdriver into the hole of cassette compartment shown in the figure, move it in the direction indicated by the arrow until it locks into place.

Note

Never push the lid arm (L) when placing the cassette compartment into the down state. The lid arm (L) become deformed, and the front cover can not be locked when the outside panel is installed.



1-12. Cleaning when the Heads are Clogged

If the video heads are clogged, clean the heads as the following procedures.

If the video heads are still clogged after cleaning by the cleaning tape, clean them by cleaning cloth.

1-12-1. Cleaning by Cleaning Tape

Note

Make sure to use the cleaning tape BCT-5CLN. If cleaning is performed by other kind of cleaning tape, unusual wearing or damage of the video heads, may occur.

1. Insert the cleaning tape BCT-5CLN in the unit.
2. Press the PLAY button.
Head cleaning starts.
3. After 5 seconds, press the EJECT button.
4. The cleaning tape will be ejected.

Note

Be sure to take out the cleaning tape after cleaning to avoid damages to the heads.

5. Confirm that the head clog is clear.

1-12-2. Cleaning by Cleaning Cloth

Notes

- Turn off the power before cleaning.
- Each block in the mechanical deck consist of precision parts and are adjusted precisely. Be careful not to damage each part and to apply an excessive force during cleaning.
- Do not touch the greased portions during cleaning. If grease attaches to a cleaning cloth, replace the cleaning cloth by a new one. If a cleaning cloth smeared with grease is used, grease may attach to the places where it should not.
- Do not insert a cassette tape before a cleaning fluid completely evaporate after cleaning.
- Be sure to rotate the upper drum counterclockwise during cleaning. Clean the upper drum along the circumference. If the upper drum is cleaned in the vertical direction, the rotary heads may be damaged.

Tools


- Cleaning cloth : 3-184-527-01
- Cleaning fluid : 9-919-573-01

Note

Never use a cotton swab to clean the rotary heads.

Cleaning the Video Heads

1. Remove the front lid and outside panel.
(Refer to section 1-6.)
2. Press the cleaning cloth moistened with cleaning fluid slightly against the position of the rotary heads installation height.
3. Rotate the upper drum slowly in the counterclockwise direction by hands and clean it.
4. After cleaning, wipe the upper drum with dry cleaning cloth.



Cleaning the Stationary Heads and Tape Guides

1. Remove the front lid and outside panel.
(Refer to section 1-6.)
2. Wipe the stationary heads and tape guides using the cleaning cloth moistened with cleaning fluid.
3. After cleaning, wipe the stationary heads and tape guides with dry cleaning cloth.

1-13. Backup Battery

The lithium battery for data backup operation is mounted on the TC-80 board. Replace the lithium battery every five years. For more details of the replacement, refer to "1-3. Lithium Battery Replacement" of the Maintenance Manual Part 2 Vol-1.


1-14. Removal/Installation of Flexible Card Wires

Notes

- Be sure to turn off the power, then pull out the power cord and/or battery before performing the following procedure. If not, damage to internal circuit may result.
- Two 30-pin flexible card wires are used between the MB-627 and the TC-80 boards. Be careful not to break these flexible card wires. This shortens the wire life.

Removal

1. Slide portions A in the direction indicated by the arrows, unlock it, then pull out the flexible card wire.



Installation

1. Check that the conductive surface of the flexible card wire is not soiled with dust.
2. Slide portions A in the direction indicated by the arrows and insert the flexible card wire tightly into each connector with the conductive surface of these wire put down.

Note

Be careful not to insert the flexible card wire obliquely.

3. Slide portions A in the reverse direction of the arrows and lock each connector.

1-15. Fixtures

1-15-1. Extension Boards

Extension boards are optionally available to check and adjust the boards in the table below. Use the extension boards in the procedure below, then perform to check and adjust the boards.

Extension board	Board to be checked and adjusted
EX-501	DVP-1, DVP-2
	DCP-1, ES-11, CN-1193 *1, RC-61 *2
EX-541, EX-542	MDC-5

*1: For DNW-7/7P/90/90P only


*2: For DNW-9WS/9WSP/90WS/90WSP only

Using the EX-501 board

1. Remove the board to be extended (DVP-1 or DCP-1 board).
2. Connect the EX-501 board to the connector on the MB-627 board.
3. Connect the board (DVP-1 or DCP-1) to be extended to the EX-501 board.


Note

When to remove the connected board from the EX-501 board, insert the tip of a flat-blade screwdriver into the section marked with "EJECT", turn the screwdriver, and remove the board.



Using the EX-541 and EX-542 boards


1. Remove the DVP-1 and DCP-1 boards.
2. Remove the eight screws, then remove the shield cover on the MDC-5 board.
3. Connect the EX-541 board to connectors CN3 and CN4 on the MB-627 board.
4. Connect the EX-542 board to connectors CN1 and CN2 on the MB-627 board.



5. Connect the DVP-1 board to the EX-541 board.
6. Connect the DCP-1 board to the EX-542 board.
7. Install the two stays in the hooks and fix the DVP-1 and DCP-1 boards shown in the figure.

Note


When to remove the connected boards from the EX-541 and EX-542 boards, insert the tip of a flat-blade screwdriver in the section marked with "EJECT", turn the screwdriver, and remove the board.



1-15-2. Fixtures

Fig. No.	Description	Name	For use
1	A-8315-553-A	HN-255 Assembly (TP Tool)	Video tracking adjustment
	A-8315-552-A	IF-701 Assembly (EQ Tool)	Equalizer adjustment
2	A-8312-804-A	Extension Board Assembly (EX-501/541/542, Stays)	Plug-in board check/adjustment
	A-8277-713-A	EX-501 Extension Board	
	A-8277-714-A	EX-541 Extension Board	
	A-8277-715-A	EX-542 Extension Board	
3	J-6026-100-A	Resolution Chart (4:3)	Camera adjustment
	J-6395-320-A	Resolution Chart (16:9) *	
	J-6026-110-A	Burst Chart	
	J-6026-130-A	Gray Scale Chart (4:3)	
4	J-6394-080-A	Gray Scale Chart (16:9) *	
5	J-6029-140-B	Pattern Box, PTB-500	
6	J-6035-070-A	IC External Tool (ICT-2101)	Extraction of IC (PLCC type)
7	J-6080-840-A	Inspection Mirror	Video tracking adjustment
8	J-6152-450-A	Wire Clearance Check Gauge	Clearance check
9	J-6322-420-A	Tape Guide Adjustment Driver (45)	Tape path adjustment
	J-6322-420-3	TG Driver Spare Bit (45)	
10	J-6323-530-A	Stop Washer Fastening Tool	Installation of stop washer
11	J-6323-890-A	FWD Back Tension Measuring Cassette	FWD back tension adjustment
12	J-6324-150-A	Reel Table Height Adjustment Tool	Reel height adjustment
13	J-6325-110-A	Torque Driver Bit (for M1.4)	Tightening screws
	J-6325-380-A	Torque Driver Bit (for M2)	
14	J-6325-400-A	Torque Driver Bit (for 3 kg)	
15	J-6326-120-A	Hexagonal Bit	
16	J-7032-610-A	Cassette Reference Plate	Reel height adjustment
17	3-184-527-01	Cleaning Cloth	Cleaning
18	3-703-358-08	Parallel Pin	Mechanical adjustment
19	7-651-000-10	Grease, SGL-601 (50 g)	Lubricant
	7-651-000-11	Grease, SGL-801 (50 g)	
20	7-661-018-18	Oil	
21	7-700-736-05	Hexagonal Wrench (d = 1.5 mm)	Removal of screws
22	8-960-075-01	Alignment Tape, SR5-1	Digital video/audio adjustment (NTSC)
	8-960-075-11	Alignment Tape, SR2-1	Video tracking adjustment (NTSC)
	8-960-075-51	Alignment Tape, SR5-1P	Digital video/audio adjustment (PAL)
	8-960-075-61	Alignment Tape, SR2-1P	Video tracking adjustment (PAL)
23	9-919-573-01	Cleaning Fluid	TTP cleaning
—	7-432-114-11	Locking compound	
—	Product	Blank Tape, BCT-30MA or Betacam SX Video Cassette, BCT-60SX	For recording
		Cleaning Tape, BCT-5CLN	Cleaning
		Screw Locking Compound	


*1: For DNW-9WS/9WSP/90WS/90WSP only



Section 2

Error Code

2-1. Error Code



2-1-1. Warning Indicators

The warning indicator on the LCD screen lights if any fault occurs during the power-on sequence or normal operation. And the tally indicator on the viewfinder, back tally and warning indicators blink at the same time.

- RF** : Lights if video heads are clogged.
- SERVO** : Lights if the servo fails.
Lights if the communication error is occurred between system control IC (DVP-1 board) and servo IC (MDC-5 board)
- HUMID** : Lights if there is condensation in the unit.
- SLACK** : Lights if the tape is not winding properly or the following troubles (refer to "Error Codes") are occurred.

2-1-2. Error Codes

When "SLACK" of the warning indicator lights, error causes and its operating status are displayed on the LCD display.

E-XX.XX		
MODE	F: REW SEARCH	
0: POWER ON	ERROR CAUSE	
1: REC	00: Drum drive voltage abnormality	24: Capstan speed abnormality (high speed)
2: REC PAUSE	11: Detects no drum FG	32: Detects no S reel FG
3: THREAD	12: Detects no drum PG	42: Detects no T reel FG
4: UNTHREAD	20: Capstan drive voltage abnormality	51: Fuction cam rotation overtime in the forward direction
5: STOP	21: Detects no capstan FG-A	52: Fuction cam rotation overtime in the reverse direction
8: PLAY	22: Detects no capstan FG-B	53: Tape top sensor overtime
9: FF	23: Capstan rotation abnormality in forward and reverse directions	54: Full top sensor overtime
A: REW		55: End sensor overtime
b: REC REVIEW		70: Servo NVRAM checksum error
c: CUE UP		71: Communication error between servo CPUs
E: FF SEARCH		

2-2. Error Messages

The error message is superimposed on the viewfinder screen if any fault occurs during the power-on sequence or normal operation.

Error message	Operation	Remedy
STORED DATA:NG	Blinks on the viewfinder screen during the power-on sequence.	The white and/or black balance memory data have been lost. Adjust the white and black balance again.
CAM?	Displayed during the power-on sequence or normal operation.	A fault has been detected in the camera. Consult the Sony service engineer.
VTR?	Displayed during the power-on sequence or normal operation.	A fault (HUMID or SLACK) has been detected in the VTR. Check the warning indicators on the LCD display.

Section 3

Maintenance Mode

3-1. Setup Menu

This unit has the SETUP menu required for the settings and adjustments of the camera.

This section describes the ENG mode.


Data structure

The menu has the following data structure.

Set value of the data (or adjust value) = fixed data in the unit (absolute value) + set value of the ENG mode (relative value)
+ set value of the USER mode (relative value)

- When adjustment is performed using the ENG mode, the values of items adjusted in the USER mode become 0.
- The set values of the USER mode and ENG mode are stored separately in the setup card.

Switch description



1. MENU switch

- OFF : Terminate the SETUP menu.
Usually, set to OFF.
- ON : Execute the SETUP menu.
- PAGE : Search page of the SETUP menu.
- CANCEL/PRST: Cancel the setting value (during level control) or reset to the factory-setting value.
- ITEM : Select item.

2. Rotary encoder

Rotary encoder uses to change the set value of selected item or to decide the changed setting value.

Operation

The SETUP menu is set to the USER mode when shipped from the factory.

Perform the following procedures to enter the ENG mode.

1. Turn the main power off.
2. Set the switch S4-1 on the DCP-1 board to OFF.
3. Set the switch S1 on the DCP-1 board to OFF.
4. While holding the rotary encoder down, turn the main power on.

Setting Change (MENU switch operation)

1. To select the page, throw the MENU switch to PAGE. The page will be shifted to the next page every time the switch is thrown to PAGE.
2. To select the item, throw the MENU switch to ITEM. The cursor pointing the item will be shifted to the next item every time the switch is thrown to ITEM. By pressing the rotary encoder, selected item is entered.
3. To change the setting value, turn the rotary encoder.
4. To exit from the SETUP menu, set the MENU switch to OFF.

Setting Change (Rotary encoder operation)

1. To select the page, turn the rotary encoder until the desired page is appeared and press it down.
2. To select the item, turn the rotary encoder until the cursor pointing the item is shifted to the desired item and press it down.
(When pressing the rotary encoder down with the cursor pointing the title of item, the menu display will be returned to the state in procedure 1.)
3. To change the setting value, turn the rotary encoder.
4. When pressing the rotary encoder down again, the menu display will be returned to the state in procedure 2
5. To exit from the SETUP menu, set the MENU switch to OFF.

Note

When the unit is externally controlled by the remote control unit RM-P9, some functions cannot be controlled. (Refer to pages 3-17 to 3-23.)

Pages configuration of the SETUP menu

Viewfinder screen (Factory default setting)	Description
*** MARKER 1/2 ***	
SAFETY ZONE : ON Sets the safety zone marker display to ON or OFF.
SAFETY AREA : 90 % Sets the safety zone area to 80 %, 90 % or 100 %.
CENTER : ON Sets the center marker display to ON to OFF.
CENTER H Moves the center marker horizontally.
CENTER V Moves the center marker vertically.
*** MARKER 2/2 ***	
BOX CURSOR : OFF Sets the box cursor display to ON or OFF. *1
BOX WIDTH Changes the width of the box cursor.
BOX HEIGHT Changes the height of the box cursor.
BOX H Moves the box cursor horizontally.
BOX V Moves the box cursor vertically.
** VF DISPLAY 1/2 **	
DISP MODE : 3 Set whether to display the items partially or to display no item. (1/2/3) For details, refer to the Operation Manual.
EXTENDER : ON Sets the extender display to ON or OFF.
ZOOM : ON Sets the zoom position display to ON or OFF.
** VF DISPLAY 2/2 **	
FILTER : ON Sets the filter display to ON or OFF.
WHITE : ON Sets the white balance display to ON or OFF.
GAIN : ON Sets the gain selection value display to ON or OFF.
SHUTTER : ON Sets the shutter speed/mode display to ON or OFF.
TAPE : ON Sets the tape remaining display to ON or OFF.
AUDIO : ON Sets the CH-1 audio level display to ON or OFF.
IRIS : ON Sets the iris value display to ON or OFF.
*** MASTER GAIN ***	
Sets the gain corresponding to the LOW, MIDDLE, HIGH and TURBO positions of the gain selector switch.	
LOW : 0 dB	Selects a GAIN value from -3, 0, 3, 6, 9, 12, 18, 24, 30, 36, or 42 dB .
MID : 9 dB	Selects a TURBO value from -3, 0, 3, 6, 9, 12, 18, 24, 30, 36, or 42 dB.
HIGH : 18 dB	<div>Note</div> When the gain selection value is changed, the BLACK SET adjustment (Section 8-13) is required.
TURBO : 36 dB	
*** SHOT ID ***	
Sets the shot ID of a maximum of twelve characters using alphanumeric character, symbol, and space.	
ID-1 :	□□□□□□□□□□□□
ID-2 :	□□□□□□□□□□□□
ID-3 :	□□□□□□□□□□□□
ID-4 :	□□□□□□□□□□□□

*1 : The box cursor is not functioned in the following conditions (DNW-9WS/9WSP/90WS/90WSP only).

1. Set the "BOX/4:3 LIMITS" to 4:3 at WIDE SCREEN page.
2. Set the "BOX/4:3 LIMITS" to 4:3, and "VF ASPECT" to 16:9A or 16:9B at WIDE SCREEN page.

Viewfinder screen (Factory default setting)		Description
* SHOT DATA DISP. *		Sets the contents of the shot data to be recorded on tape
DATE	: OFF Sets whether to display/record the date. (ON/OFF only)
TIME	: OFF Sets whether to display/record the time. (ON/OFF only)
MODEL NAME	: OFF Sets whether to display/record the model name (ON/OFF only)
SERIAL NO.	: OFF Sets whether to display/record the serial No. (ON/OFF only)
CASSETTE NO.	: OFF Sets whether to display/record the cassette No.. (ON/OFF only)
SHOT NO.	: OFF Sets whether to display/record the shot No.. (ON/OFF only)
ID SELECT	: OFF Sets whether the any specific shot ID displays/records. (OFF/ID1/ID2/ID3/ID4)
*** SHUTTER SPEED ***		Sets the shutter speed/mode selection range.
EVS	: ON Enhanced Vertical Definition mode (DNW-7 only) Super Enhanced Vertical Definition mode (DNW-90/90WS only)
CLS	: ON CLS : Clear scan mode ECS : Extended clear scan mode (DNW-90/90WS only)
1/100 (for NTSC) or 1/60 (for PAL)	: ON Shutter speed 1/100 (for NTSC) or 1/60 (for PAL) second in the standard mode
1/125	: ON Shutter speed 1/125 second in the standard mode
1/250	: ON Shutter speed 1/250 second in the standard mode
1/500	: ON Shutter speed 1/500 second in the standard mode
1/1000	: ON Shutter speed 1/1000 second in the standard mode
1/2000	: ON Shutter speed 1/2000 second in the standard mode
*** ! LED ***		
MASTER GAIN	: ON Sets whether to light the ! indicator LED on the viewfinder when the gain is set except 0 dB.
SHUTTER	: ON Sets whether to light the ! indicator LED on the viewfinder when the SHUTTER selector switch is set to ON.
WHITE PRESET	: OFF Sets whether to light the ! indicator LED on the viewfinder when the white balance memory is set to PRESET.
ATW RUN	: OFF Sets whether to light the ! indicator LED on the viewfinder when the ATW (automatic homing white balance) is operating.
EXTENDER ON	: ON Sets whether to light the ! indicator LED on the viewfinder when the lens extender is used.
FILTER 2,3,4	: OFF Sets whether to light the ! indicator LED on the viewfinder when the FILTER selector is set except 1. (Standard setting is 1.)
A. IRIS OVERRIDE	: OFF Sets whether to light the ! indicator LED on the viewfinder when the reference value of the automatic iris adjustment is set to any value other than the standard value.
*** SETUP CARD ***		
READ (→ CAM)	 Reads data from the setup card.
WRITE (→ CARD)	 Writes data to the setup card.
ID EDIT	 Sets ID of the setup card.
WRITE PROTECT	 Sets the WRITE PROTECT function of the setup card . (ENG mode only)

Viewfinder screen (Factory default setting)		Description
** FUNCTION 1/2 **		
TEST OUT	: ENC	<p>..... Selects the ENC, R, G or B signal of the video signal output from the TEST OUT connector.</p> <p>Note</p> <p>When the R-G/B-G SEL item on the OP MODE page is set to ON, the R-G and B-G items are added enabling to select R-G and B-G.</p>
DETAIL	: ON	<p>..... Sets whether to add the detail signal for resolution improvement to the video signal.</p> <p>Note</p> <p>The level adjustment for this item is performed on the "LEVEL 1" page.</p>
APERTURE	: ON	<p>..... Sets the aperture correction to ON or OFF.</p>
SKIN TONE DTL	: OFF	<p>..... Sets whether to activate the skin tone detail circuit.</p> <p>Note</p> <p>The level adjustment for this item is performed on the "LEVEL 2" page.</p>
MATRIX	: OFF (for NTSC) : ON (for PAL)	<p>..... Sets whether to activate the linear matrix circuit.</p> <p>The highly color saturation can be obtained when this item is set to ON.</p> <p>Note</p> <p>The level adjustment for this item is performed on the "LEVEL 8" page.</p>
GAMMA	: ON	<p>..... Sets whether to implement the gamma correction so that the overall characteristic of signals from the camera to monitor display is "GAMMA = 1".</p> <p>Note</p> <p>The level adjustment for this item is performed on the "LEVEL 3" and "LEVEL 6" pages.</p>
CHROMA	: ON	<p>..... Sets whether to add the chroma signal.</p> <p>Note</p> <p>The level adjustment for this item is performed on the "LEVEL 4" page.</p>
TEST SAW	: OFF	<p>..... Sets whether to close the lens forcibly and add the TEST SAW waveform to the video signal circuit.</p> <p>This signal is used for the video signal system adjustment.</p>
CROSS COLOR FLT (for NTSC only)	: OFF	<p>..... Sets whether to reduce the cross color of a video signal. The cross color is reduced when this item is set to ON.</p>

Viewfinder screen (Factory default setting)		Description
** FUNCTION 2/2 **		
GENLOCK	: ON Sets whether to synchronize the internal reference signal with the external input video signal supplied to the GENLOCK IN connector.
CAM RET.	: OFF Sets whether to display the return video signal input to the GENLOCK IN connector on the viewfinder screen when the RET button is pressed ON.
FILTER INH.	: OFF Sets whether to interlock the white balance correction value to the filter position. ON : The white balance correction value is not interlocked to the color temperature conversion filters ; The memory A and the memory B store one adjustment value respectively. OFF : The white balance correction values for the respective color temperature conversion filters are stored in the memories A and B. Four for memory A and four for memory B, total eight values can be stored.
FIELD/FRAME	: FLD Sets the type of the CCD data read-out system. FLD : Field read mode. Normally set to this position. FRM : Frame read mode. This position is selected when improved vertical resolution is desired.
<div style="border: 1px solid black; padding: 2px; display: inline-block;">Note</div> <p>The frame read mode has more image lag than the field read mode.</p>		
A. IRIS OVERRIDE	: OFF Sets whether to activate the auto iris override function. When this item is set to ON, the reference value of the auto iris adjustment can be changed using the rotary encoder when menu is set to OFF. (Five steps : Irises off -1/2, -1/4, 0, +1/4, and +1/2)
DYNALATITUDE	: OFF Sets whether to active the dynalatitude function. Detects a high contrast signal that white and/or black level becomes flat, and correct to the suitable contrast. (Four steps : OFF, LOW, MID and HI)
* WIDE SCREEN *		(DNW-9WS/9WSP/90WS/90WSP only)
16:9/4:3 MODE	: 16:9 Sets the aspect ratio of the video signal output from the VIDEO OUT and TEST OUT connectors.
VF ASPECT	: AUTO Sets the aspect ratio on the viewfinder. AUTO : Sets the aspect ratio set by 16:9/4:3 MODE setting. 4:3 : Sets the aspect ratio to 4:3 regardless of 16:9/4:3 MODE setting. 16:9A : Sets the aspect ratio to 16:9 regardless of 16:9/4:3 MODE setting (displays the area of 4:3 mode with the marker). 16:9B : Sets the aspect ratio to 16:9 regardless of 16:9/4:3 MODE setting (video level is cut in half out of the safety zone area on the VF screen).
BOX/4:3 LIMITS	: BOX Sets the function of the box cursor. BOX : Operates as the normal cursor function. 4:3 : Displays the area of 4:3 mode when the 16:9/4:3 MODE set to 16:9.
"16:9" BARS ID	: OFF Sets whether to add the "16:9" character in the color bars signal generated in this unit when the 16:9/4:3 MODE set to 16:9.
"16:9" VF ID	: OFF Sets whether to add the "16:9" character on the VF screen when the 16:9/4:3 MODE set to 16:9.

Viewfinder screen (Factory default setting)	Description
** VF SETTING **	
ZEBRA 1 DETECT : 0 Sets the center level of the zebra 1 pattern.
ZEBRA 1 APT : 0 Sets the width of the zebra 1 pattern.
ZEBRA 2 DETECT : 0 Sets the lower-limit level of the zebra 2 pattern. The upper-limit level is the white clip level.
ZEBRA SELECT : 1 Sets the zebra patterns ZEBRA1/ZEBRA2/both.
<div>Note</div> <p>The zebra detection level can be measured on waveform monitor when the TEST OUT is set to any position other than ENC and the zebra switch on VF is set to ON.</p>	
VF VDTL LEVEL : 0 Set the level of the V detail signal of the video outputting to the viewfinder.
* LEVEL 1 *	
DETAIL LEVEL : 0 Sets the total level of the detail signal.
V DTL LEVEL : 0 Sets the level of the V detail. The H/V ratio is adjusted using this item.
APERTURE LEVEL : 0 Sets the high-frequency correction level.
KNEE APERTURE : 0 Sets the detail level after the gamma correction.
V DTL BLK CLIP : 0 Sets the clipping level in the negative (–) direction of the V detail.
DTL BLK CLIP : 0 Sets the clipping level in the negative (–) direction of the H detail.
LEVEL DEPEND. : MIN Sets the level of the skin tone detail amount in the low level.
CRISPENING : 4 Sets the crispening level of the detail signal.
H DTL FREQ. : 4 Sets frequency (amount) of the H detail.
* LEVEL 2 *	
SUPPRESS LEVEL : MIN	<div></div> <p>..... Sets the skin tone detail range and amount.</p> <p>X : Component of red</p> <p>Y : Component of blue</p>
X : 0	
Y : 0	
dX : 0	
dY : 0	
SKIN TONE DTL : OFF Sets whether to activate the skin tone detail function.
<div>Note</div> <p>This item is the same as the "SKIN TONE DTL" item on the "FUNCTION 1/2" page.</p>	
SKIN TONE IND. : OFF Sets whether to display the skin tone detection area.
Disable this item during the color bars output.	
The indicator is automatically set to OFF when the POWER switch to OFF.	
Sets this item to OFF when the ZEBRA SELECT set to 2.	
SKIN TONE DET. : OFF Set the skin tone automatic detection.

Viewfinder screen (Factory default setting)		Description
* LEVEL 3 *		
MASTER BLACK	: 0 Sets the black level.
MASTER GAMMA	: 0 Sets the gamma correction curve.
KNEE POINT 1	: 0 Used for the manual knee adjustment. Sets the knee point and slope.
KNEE SLOPE 1	: 0	
KNEE POINT 2	: 0 Used for the manual knee adjustment. Sets the knee point and slope.
KNEE SLOPE 2	: 0	
KNEE SELECT	: 1 Sets the knee patterns KNEE1/KNEE2/OFF. The knee correction is forcibly canceled regardless of DCC ON/OFF setting when this item is set to OFF. Sets the knee correction set by KNEE POINT 1/KNEE SLOPE 1 setting when this item is set to 1.
WHITE CLIP	: ON The white clip is forcibly canceled when this item is set to OFF. Used for the video system adjustment.
WHT CLIP LEV.	: 0 Sets the white clip level.
* LEVEL 4 *		
BURST LEVEL	: 0 Used for the chroma adjustment of the encoder.
BURST PHASE	: 0 Used for the chroma adjustment of the encoder. (for PAL only)
R-Y	: ON Sets whether to add the R-Y signal to the encoder circuit.
B-Y	: ON Sets whether to add the signal to the encoder circuit.
R-Y LEVEL	: 0 Used for the R-Y adjustment of the encoder. *1
B-Y LEVEL	: 0 Used for the B-Y adjustment of the encoder. *1
<div style="border: 1px solid black; padding: 2px; margin: 5px 0;"> Note </div> <p>The setting of the "CHROMA" item on the "FUNCTION 1/2" page has priority over the ON/OFF setting of the "R-Y" and "B-Y" items. When the CHROMA is set to ON, it automatically returns to ON by turning the power switch to ON/OFF even if the R-Y or B-Y item is to OFF. This item does not returns to ON when the "CHROMA" item is set to OFF.</p>		
* LEVEL 5 *		
RGB LEVEL	: 0 Sets the R/G/B video level. *1
RGB SYNC LEV.	: 0 Sets the R/G/B sync level.
RGB SETUP LEV.	: 0 Sets the R/G/B setup level.
ENC Y LEVEL	: 0 Sets the encoder output Y level. *1
ENC SYNC LEV.	: 0 Sets the encoder output sync level.
ENC SETUP LEV.	: 0 Sets the encoder output setup level.

*1 : This level can be set in the 4:3/16:9 mode separately using DNW-90WS/90WSP.

Viewfinder screen (Factory default setting)		Description
* LEVEL 6 *		
R BLACK	: 0] Sets the R/G/B black level.
G BLACK	: 0	
B BLACK	: 0	
R GAMMA	: 0] Sets the R/G/B gamma correction curve.
G GAMMA	: 0	
B GAMMA	: 0	
BLACK STRETCH	: 2 Stretch or compress the black gain.
TEST OUT	: ENC Sets the type of the video signal output from the TEST OUT connector.
<div>Note</div>		
Same as TEST OUT item of the "FUNCTION 1/2" page.		
* LEVEL 7 *		
R FLARE	: 0] Sets the R/G/B flare correction amount.
G FLARE	: 0	
B FLARE	: 0	
FLARE	: ON Sets whether to activate the flare correction function.
TEST OUT	: ENC Sets the type of the video signal output from the TEST OUT connector.
<div>Note</div>		
Same as TEST OUT item of the "FUNCTION 1/2" page.		
* LEVEL 8 *		
MATRIX TABLE	: A Selects the matrix setting.
	: B (for PAL)	When shipped from the factory, the same matrix is assigned for both A and B. The matrix coefficient can be freely changed to obtain a customers' desired color reproducibility.
R-G	: 0] Sets the matrix coefficient.
R-B	: 0	
G-R	: 0	
G-B	: 0	
B-R	: 0	
B-G	: 0	
MATRIX	: OFF Sets whether to activate the linear matrix circuit.
	: ON (for PAL)	<div>Note</div>
Same as MATRIX item of the "FUNCTION 1/2" page.		

Viewfinder screen (Factory default setting)		Description
* LEVEL 9 *		
H PHASE	: -37 (PAL : -32) Sets the H phase of the camera in the external genlock mode.
SC PHASE	: 0 Sets the SC phase of the camera in the external genlock mode.
SC 0/180 SELECT	: 0 Inverts the SC phase of the camera in the external genlock mode. (Selects either 0 or 180 degrees.)
SC-H	: 0 Sets the INT SC phase reference level.
IRIS SET	: 0 Sets the auto iris reference level.
IRIS MODE	: 0 Sets the auto iris control level.
	 The more this set value increase, it approaches the average. The less this set value decreases, it approaches the peak. Monitor the level bar at the upper right on the viewfinder screen for this setting item to check that it approaches the peak level or average level. The "P" indication on the left of the level bar means the peak level. The "A" indication on the right of the level bar means the average level.
IRIS WEIGHT	: 0 Sets the valid range of the auto iris. (The larger number make the valid range narrower.)
IRIS SPEED	: 0 Sets the auto iris response speed.
CLIP HIGH LIGHT	: OFF Limits the auto iris detection to 100% for the subject of high brightness (video level: 100% or more)
* W-SHAD._G *		
H SAW	: 0]
H PARA	: 0	
V SAW	: 0	
V PARA	: 0	
H SAW (EXT)	: 0]
H PARA (EXT)	: 0	
V SAW (EXT)	: 0	
V PARA (EXT)	: 0	
SHAD COMP	: ON Sets whether to activate the shading correction on G signal.
TEST OUT	: ENC Sets the type of the video signal output from the TEST OUT connector.
<div style="border: 1px solid black; padding: 2px; display: inline-block;">Note</div>		
Same as TEST OUT item of the "FUNCTION 1/2" page.		

Viewfinder screen (Factory default setting)		Description
* W-SHAD._R *		
H SAW	: 0 Sets the manual white shading correction amount of R signal.
H PARA	: 0	
V SAW	: 0	
V PARA	: 0	
H SAW (EXT)	: 0 Sets the manual white shading correction amount of R signal during the extender mode.
H PARA (EXT)	: 0	
V SAW (EXT)	: 0	
V PARA (EXT)	: 0	
SHAD COMP	: ON Sets whether to activate the shading correction on R signal.
TEST OUT	: ENC Sets the type of the video signal output from the TEST OUT connector.
		Note
		Same as TEST OUT item of the "FUNCTION 1/2" page.
* W-SHAD._B *		
H SAW	: 0 Sets the manual white shading correction amount of B signal.
H PARA	: 0	
V SAW	: 0	
V PARA	: 0	
H SAW (EXT)	: 0 Sets the manual white shading correction amount of B signal during the extender mode.
H PARA (EXT)	: 0	
V SAW (EXT)	: 0	
V PARA (EXT)	: 0	
SHAD COMP	: ON Sets whether to activate the shading correction on B signal.
TEST OUT	: ENC Sets the type of the video signal output from the TEST OUT connector.
		Note
		Same as TEST OUT item of the "FUNCTION 1/2" page.
* B-SHAD._G *		
H SAW	: 0 Sets the manual black shading correction amount of G signal.
H PARA	: 0	
V SAW	: 0	
V PARA	: 0	
SHAD COMP	: ON Sets whether to activate the shading correction on G signal.
TEST OUT	: ENC Sets the type of the video signal output from the TEST OUT connector.
		Note
		Same as TEST OUT item of the "FUNCTION 1/2" page.

Viewfinder screen (Factory default setting)		Description
* B-SHAD._R *		
H SAW	: 0] Sets the manual black shading correction amount of R signal.
H PARA	: 0	
V SAW	: 0	
V PARA	: 0	
SHAD COMP	: ON Sets whether to activate the shading correction on R signal.
TEST OUT	: ENC Sets the type of the video signal output from the TEST OUT connector.
<div>Note</div> Same as TEST OUT item of the "FUNCTION 1/2" page.		
* B-SHAD._B *		
H SAW	: 0] Sets the manual black shading correction amount of B signal.
H PARA	: 0	
V SAW	: 0	
V PARA	: 0	
SHAD	: ON Sets whether to activate the shading correction on B signal.
TEST OUT	: ENC Sets the type of the video signal output from the TEST OUT connector.
<div>Note</div> Same as TEST OUT item of the "FUNCTION 1/2" page.		
* DCC ADJ. *		
D RANGE	: 6 Sets the dynamic range during dynamic contrast control. (0 : approximately 300 %, 6 : approximately 600 %)
POINT	: 0 Sets the minimum knee point during dynamic contrast control.
GAIN	: 0 Sets the knee slope value during dynamic contrast control.

Viewfinder screen (Factory default setting)		Description
* OPERATION MODE 1 *		
R-G/B-G SEL.	: OFF Sets whether to add the R-G and B-G signals to the TEST OUT setting of the setup menu.
GAMMA TABLE	: A (PAL : B) Selects the characteristics of the gamma correction. More distinct black gradation is obtained when this item is set to B. Normally setting to A. A : Sony standard gamma curve B : High gain gamma curve
LOW LIGHT	: OFF Sets the starting level of the LOW LIGHT display on viewfinder. OFF : No display 1 : Approx. 10 % 2 : Approx. 15 % 3 : Approx. 20 %
BARS SELECT	: 1 Sets the type of built-in color bars signal 1 : SMPTE color bars 2 : EBU color bars (PAL)/Full color bars (NTSC) 3 : SNG color bars
WHITE B	: AWB Sets the function of white balance (B-CH) AWB : Auto white balance ATW : Auto tracing white balance
BATT WARNING	: 10% Sets the blinking (alarm) starting level of the remaining amount of battery in ANTON BAUER Inc., battery. 10% : Starts blinking when the remaining amount of battery voltage reaches about 0.67 V. 20% : Starts showing the 20% display when the remaining amount of battery voltage reaches about 1.33 V, and starts blinking at about 1.0 V.
WIDE AWB	: ON Widens the adjustment range of auto white balance.
ZEBRA	: OFF Sets this item when a VF without the zebra switch is used. A zebra pattern is forcibly displayed on the viewfinder screen regardless of the VF zebra switch setting when this item is set to ON.
* OPERATION MODE 2 *		
TIME CODE DISP	: OFF Sets whether to output the time code to the TEST OUT connector and viewfinder screen. VF : Outputs the time code to the viewfinder only. TEST : Outputs the time code to the TEST OUT connector only. BOTH : Outputs the time code to the viewfinder and TEST OUT connector. OFF : Outputs no time code.
* SG ADJ. *		
H BLKG WIDTH	: 0 Sets the H blanking width.
V BLKG	: 20 H Selects the V blanking width. (19 H, 20 H, or 21 H)
(For NTSC only)		
REC TALLY	: UPPER Selects which LED is made to be lit when REC tally signal is input. UPPER : Only the upper-middle LED BOTH : The upper-middle and lower-middle LEDs

Viewfinder screen (Factory default setting)		Description
* ENC ADJ. *		
BURST START	: 0 Adjusts the burst start position.
BURST STOP	: 0 Adjusts the burst end position.
R-Y CAR. BAL.	: 0 Adjusts the carrier balance of encoder.
B-Y CAR. BAL.	: 0 Adjusts the carrier balance of encoder.
SYNC START	: 0 Adjusts the start position of the synchronizing signal.
SYNC STOP	: 0 Adjusts the end position of the synchronizing signal.
INT FSC FREQ.	: 0 Adjusts the fsc frequency.
* DATA RESET *		
USER	 Resets the data set in the USER mode.
ENGINEER	 Resets the data set in the USER and ENG modes.
<div style="border: 1px solid black; padding: 2px; display: inline-block;">Note</div> <p>The adjustment data of the white balance and black balance are cleared in each reset mode. The TEST OUT output is set to ENC. The TEST SAW is canceled and the camera picture is output.</p>		
* MENU SELECT 1 *		
Sets whether to display the pages on the left in the USER mode.		
MARKER 1/2	: ON	
MARKER 2/2	: OFF	
VF DISP. 1/2	: ON	
VF DISP. 2/2	: ON	
MASTER GAIN	: ON	
SHOT ID	: ON	
SHOT DATA DISP.	: ON	
SHUTTER SPEED	: OFF	
I LED	: OFF	
SETUP CARD	: ON	
* MENU SELECT 2 *		
Sets whether to display the pages on the left in the USER mode.		
VF SETTING	: OFF	
LEVEL -1	: OFF	
LEVEL -2	: OFF	
LEVEL -3	: OFF	
LEVEL -4	: OFF	
LEVEL -5	: OFF	
LEVEL -6	: OFF	
LEVEL -7	: OFF	
LEVEL -8	: OFF	
LEVEL -9	: OFF	

Viewfinder screen (Factory default setting)	Description			
<hr/>				
* MENU SELECT 3 *	Sets whether to display the pages on the left in the USER mode.			
W-SHAD._G	: OFF			
W-SHAD._R	: OFF			
W-SHAD._B	: OFF			
B-SHAD._G	: OFF			
B-SHAD._R	: OFF			
B-SHAD._B	: OFF			
FUNCTION 1/2	: OFF			
FUNCTION 2/2	: OFF			
WIDE SCREEN	: ON	(DNW-9WS/9WSP/90WS/90WSP only)		
<hr/>				
* MENU SELECT 4 *	Sets whether to display the pages on the left in the USER mode.			
DCC ADJUSTMENT	: OFF			
OPERATION MODE 1	: OFF			
OPERATION MODE 2	: ON			
SG ADJUSTMENT	: OFF			
ENC ADJUSTMENT	: OFF			
DATA RESET	: OFF			
<hr/>				
* MEASUREMENT MODE *	Automatically makes various settings required to measure the following specifications (when this item is set to ON).			
S/N	: OFF S/N	DETAIL	: OFF
			APERTURE	: OFF
			CHROMA	: OFF
			GAMMA	: OFF
			MATRIX	: OFF
			FLARE	: OFF
MODULATION	: OFF MODULATION (modulation degree)	DETAIL	: OFF
			APERTURE	: OFF
			GAMMA	: OFF
			MATRIX	: OFF
			FLARE	: OFF
RESOLUTION	: OFF RESOLUTION	MATRIX	: OFF
SENSITIVITY	: OFF SENSITIVITY	KNEE	: OFF
			WHITE CLIP	: OFF
REGISTRATION	: OFF REGISTRATION	DETAIL	: OFF
			APERTURE	: OFF
MASTER BLACK	: 0 Adjusts master black.		
TEST OUT	: ENC Sets the type of the video signal output from the TEST OUT connector.		
<div>Note</div>				
Same as TEST OUT item of the FUNCTION 1/2 page.				
<hr/>				
* WHT PRESET *	Used for the manual adjustment when the white balance memory is preset.			
R WHT PRESET	: 0 Sets the FILTER selector to 1 (3200 K), shoots the light source (pattern box) of the required color temperature, and sets the levels in channels R and B so that the white balance is adjusted.		
B WHT PRESET	: 0			
<div>Note</div>				
Check the WHITE BAL switch on the inside panel to PRST.				

Setup menu check sheet

<CANCEL>	Yes or No is displayed to indicate whether the value set by the UP/DOWN button can be canceled using the CANCEL/PRST switch.
<PRESET>	Yes or No is displayed to indicate whether the factory default value can be returned using the CANCEL/PRST switch.
<SETUP C>	Yes or No is displayed to indicate whether data can be written in the setup card.
<RM-P9>	M, P, or No is displayed to indicate whether this item can be operated when remote control unit RM-P9 is connected. M (MENU) : Can be operated at the bottom of the RM-P9. P (PANEL) : Can be operated in the front of the RM-P9. No : Cannot be operated by the RM-P9.
<F-SET>	Sets the factory default value.
<C-SET>	Write the setting state of the customer.

PAGE	ITEM	CANCEL	PRESET	SETUP C	RM-P9	F-SET	C-SET
MARKER 1/2	SAFETY ZONE	NO	NO	YES	M	ON	
	SAFETY AREA	NO	NO	YES	M	90%	
	CENTER	NO	NO	YES	M	ON	
	CENTER H	YES	YES	YES	M		
	CENTER V	YES	YES	YES	M		
MARKER 2/2	BOX CURSOR	NO	NO	YES	M	OFF	
	BOX WIDTH	YES	YES	YES	M		
	BOX HEIGHT	YES	YES	YES	M		
	BOX H	YES	YES	YES	M		
	BOX V	YES	YES	YES	M		
VF DISPLAY 1/2	DISP MODE	NO	NO	YES	M	3	
	EXTENDER	NO	NO	YES	M	ON	
	ZOOM	NO	NO	YES	M	ON	
VF DISPLAY 2/2	FILTER	NO	NO	YES	M	ON	
	WHITE	NO	NO	YES	M	ON	
	GAIN	NO	NO	YES	M	ON	
	SHUTTER	NO	NO	YES	M	ON	
	TAPE	NO	NO	YES	M	ON	
	AUDIO	NO	NO	YES	M	ON	
	IRIS	NO	NO	YES	M	ON	
MASTER GAIN	LOW	NO	YES	YES	M	0dB	
	MID	NO	YES	YES	M	9dB	
	HIGH	NO	YES	YES	M	18dB	
	TURBO	NO	YES	YES	M	36dB	
SHOT ID	ID1	YES	YES	YES	M	(Blank)	
	ID2	YES	YES	NO	M	(Blank)	
	ID3	YES	YES	NO	M	(Blank)	
	ID4	YES	YES	NO	M	(Blank)	
SHOT DATA DISP.	DATE	NO	NO	YES	M	OFF	
	TIME	NO	NO	YES	M	OFF	
	MODEL NAME	NO	NO	YES	M	OFF	
	SERIAL NO.	NO	NO	YES	M	OFF	
	CASSTTE NO.	NO	NO	YES	M	OFF	
	SHOT NO.	NO	NO	YES	M	OFF	
	ID SELECT	NO	NO	YES	M	OFF	
SHUTTER SPEED	EVS	NO	NO	YES	P	ON	
	CLS	NO	NO	YES	P	ON	
	1/100 (1/60)	NO	NO	YES	P	ON	
	1/125	NO	NO	YES	P	ON	
	1/250	NO	NO	YES	P	ON	
	1/500	NO	NO	YES	P	ON	
	1/1000	NO	NO	YES	P	ON	
	1/2000	NO	NO	YES	P	ON	

PAGE	ITEM	CANCEL	PRESET	SETUP C	RM-P9	F-SET	C-SET
! LED	MASTER GAIN	NO	NO	YES	M	ON	
	SHUTTER ON	NO	NO	YES	M	ON	
	WHITE PRESET	NO	NO	YES	M	OFF	
	ATW RUN	NO	NO	YES	M	OFF	
	EXTENDER ON	NO	NO	YES	M	ON	
	FILTER 2,3,4	NO	NO	YES	M	OFF	
	A. IRIS OVERRIDE	NO	NO	YES	M	OFF	
SETUP CARD	READ (→ CAM)	—	—	—	M		
	WRITE (→ CARD)	—	—	—	M		
	ID EDIT	—	—	—	M		
	WRITE PROTECT	—	—	—	M	OFF	
FUNCTION 1/2	TEST OUT	NO	YES	NO	M	ENC	
	DETAIL	NO	NO	YES	P	ON	
	APERTURE	NO	NO	YES	M	ON	
	SKIN TONE DTL	NO	NO	YES	M	OFF	
	MATRIX	NO	NO	YES	M	OFF (PAL:ON)	
	GAMMA	NO	NO	YES	M	ON	
	CHROMA	NO	NO	YES	M	ON	
	TEST SAW	NO	NO	YES	P	OFF	
	CROSS COLOR FLT	NO	NO	YES	M	OFF (NTSC only)	
FUNCTION 2/2	GENLOCK	NO	NO	YES	M	ON	
	CAM RET.	NO	NO	YES	M	OFF	
	FILTER INH.	NO	NO	YES	NO	OFF	
	FIELD/FRAME	NO	NO	YES	M	FLD	
	A. IRIS OVERRIDE	NO	NO	YES	P	OFF	
	DYNALATITUDE	NO	NO	YES	M	OFF	
WIDE SCREEN	16:9/4:3 MODE	NO	NO	YES	M	16:9	
	VF ASPECT	NO	NO	YES	M	AUTO	
	BOX/4:3 LIMITS	NO	NO	YES	M	BOX	
	"16:9" BARS ID	NO	NO	YES	M	OFF	
	"16:9" VF ID	NO	NO	YES	M	OFF	
VF SETTING	ZEBRA1 DETECT	YES	YES	YES	M	0	
	ZEBRA1 APT.	YES	YES	YES	M	0	
	ZEBRA2 DETECT	YES	YES	YES	M	0	
	ZEBRA SELECT	NO	NO	YES	M	1	
	VF VDTL LEVEL	NO	NO	YES	M	0	

PAGE	ITEM	CANCEL	PRESET	SETUP C	RM-P9	F-SET	C-SET
LEVEL 1	DETAIL LEVEL	YES	YES	YES	P	0	
	V DTL LEVEL	YES	YES	YES	M	0	
	APERTURE LEVEL	YES	YES	YES	M	0	
	KNEE APERTURE	YES	YES	YES	M	0	
	V DTL BLK CLIP	YES	YES	YES	M	0	
	DTL BLK CLIP	YES	YES	YES	M	0	
	LEVEL DEPEND	YES	YES	YES	M	MIN	
	CRISPENING	NO	NO	YES	M	4	
	DTL FREQ	NO	NO	YES	M	4	
LEVEL 2	SUPPRESS LEVEL	YES	YES	YES	M	MIN	
	X	YES	YES	YES	M	0	
	Y	YES	YES	YES	M	0	
	dX	YES	YES	YES	M	0	
	dY	YES	YES	YES	M	0	
	SKIN TONE DTL	NO	NO	YES	M	OFF	
	SKIN TONE IND.	NO	NO	NO	M	OFF	
	SKIN TONE DET.	NO	NO	NO	M	OFF	
LEVEL 3	MASTER BLACK	YES	YES	YES	P	MIN	
	MASTER GAMMA	YES	YES	YES	P	0	
	KNEE POINT 1	YES	YES	YES	P	0	
	KNEE SLOPE 1	YES	YES	YES	M	0	
	KNEE POINT 2	YES	YES	YES	NO	0	
	KNEE SLOPE 2	YES	YES	YES	NO	0	
	KNEE SELECT	NO	NO	YES	NO	1	
	WHITE CLIP	NO	NO	YES	M	ON	
	WHT CLIP LEV.	YES	YES	YES	M	MIN	
LEVEL 4	BURST LEVEL	YES	YES	YES	M	0	
	BURST PHASE	YES	YES	YES	M	0 (PAL only)	
	R-Y	NO	NO	NO	M	ON	
	B-Y	NO	NO	NO	M	ON	
	R-Y LEVEL	YES	YES	YES	M	0 *1	
	B-Y LEVEL	YES	YES	YES	M	0 *1	
	R-Y LEVEL	YES	YES	YES	M	0 *2	
	B-Y LEVEL	YES	YES	YES	M	0 *2	
LEVEL 5	RGB LEVEL	YES	YES	YES	M	0 *1	
	RGB SYNC LEV.	YES	YES	YES	M	0	
	RGB SETUP LEV.	YES	YES	YES	M	0	
	ENC Y LEVEL	YES	YES	YES	M	0 *1	
	ENC SYNC LEV.	YES	YES	YES	M	0	
	ENC SETUP LEV.	YES	YES	YES	M	0	
	RGB LEVEL	YES	YES	YES	M	0 *2	
	ENC Y LEVEL	YES	YES	YES	M	0 *2	

*1:DNW-7, DNW-9WS/9WSP/90WS/90WSP (4:3 mode) only

*2:DNW-90, DNW-9WS/9WSP/90WS/90WSP (16:9 mode) only

PAGE	ITEM	CANCEL	PRESET	SETUP C	RM-P9	F-SET	C-SET
LEVEL 6	R BLACK	YES	YES	YES	P	0	
	G BLACK	YES	YES	YES	M	0	
	B BLACK	YES	YES	YES	P	0	
	R GAMMA	YES	YES	YES	M	0	
	G GAMMA	YES	YES	YES	M	0	
	B GAMMA	YES	YES	YES	M	0	
	BLACK STRETCH	NO	NO	YES	M	2	
	TEST OUT	NO	YES	NO	M	ENC	
LEVEL 7	R FLARE	YES	YES	YES	M	0	
	G FLARE	YES	YES	YES	M	0	
	B FLARE	YES	YES	YES	M	0	
	FLARE	NO	NO	YES	M	ON	
	TEST OUT	NO	NO	NO	M	ENC	
LEVEL 8	MATRIX TABLE	NO	NO	YES	M	A	
	R-G	YES	YES	YES	M	0	
	R-B	YES	YES	YES	M	0	
	G-R	YES	YES	YES	M	0	
	G-B	YES	YES	YES	M	0	
	B-R	YES	YES	YES	M	0	
	B-G	YES	YES	YES	M	0	
	MATRIX	YES	YES	YES	M	OFF (PAL:ON)	
LEVEL 9	H PHASE	YES	YES	YES	M	0	
	SC PHASE	YES	YES	YES	M	0	
	SC 0/180 SELECT	NO	NO	YES	M	0	
	SC-H	YES	YES	YES	M	0	
	IRIS SET	YES	YES	YES	P	0	
	IRIS MODE	YES	YES	YES	M	0	
	IRIS WEIGHT	NO	NO	YES	M	2	
	IRIS SPEED	NO	NO	YES	M	0	
	CLIP HIGH LIGHT	NO	NO	YES	M	OFF	
W-SHAD_G	H SAW	YES	YES	YES	M	0	
	H PARA	YES	YES	YES	M	0	
	V SAW	YES	YES	YES	M	0	
	V PARA	YES	YES	YES	M	0	
	H SAW (EXT)	YES	YES	YES	M	0	
	H PARA (EXT)	YES	YES	YES	M	0	
	V SAW (EXT)	YES	YES	YES	M	0	
	V PARA (EXT)	YES	YES	YES	M	0	
	SHAD COMP.	NO	NO	YES	M	ON	
	TEST OUT	NO	YES	NO	M	ENC	

PAGE	ITEM	CANCEL	PRESET	SETUP C	RM-P9	F-SET	C-SET
W-SHAD._R	H SAW	YES	YES	YES	M	0	
	H PARA	YES	YES	YES	M	0	
	V SAW	YES	YES	YES	M	0	
	V PARA	YES	YES	YES	M	0	
	H SAW (EXT)	YES	YES	YES	M	0	
	H PARA (EXT)	YES	YES	YES	M	0	
	V SAW (EXT)	YES	YES	YES	M	0	
	V PARA (EXT)	YES	YES	YES	M	0	
	SHAD COMP.	NO	NO	YES	M	ON	
	TEST OUT	NO	YES	NO	M	ENC	
W-SHAD._B	H SAW	YES	YES	YES	M	0	
	H PARA	YES	YES	YES	M	0	
	V SAW	YES	YES	YES	M	0	
	V PARA	YES	YES	YES	M	0	
	H SAW (EXT)	YES	YES	YES	M	0	
	H PARA (EXT)	YES	YES	YES	M	0	
	V SAW (EXT)	YES	YES	YES	M	0	
	V PARA (EXT)	YES	YES	YES	M	0	
	SHAD COMP.	NO	NO	YES	M	ON	
	TEST OUT	NO	YES	NO	M	ENC	
B-SHAD._G	H SAW	YES	YES	YES	M	0	
	H PARA	YES	YES	YES	M	0	
	V SAW	YES	YES	YES	M	0	
	V PARA	YES	YES	YES	M	0	
	SHAD COMP.	NO	NO	YES	M	ON	
	TEST OUT	NO	YES	NO	M	ENC	
B-SHAD._R	H SAW	YES	YES	YES	M	0	
	H PARA	YES	YES	YES	M	0	
	V SAW	YES	YES	YES	M	0	
	V PARA	YES	YES	YES	M	0	
	SHAD COMP.	NO	NO	YES	M	ON	
	TEST OUT	NO	YES	NO	M	ENC	
B-SHAD._B	H SAW	YES	YES	YES	M	0	
	H PARA	YES	YES	YES	M	0	
	V SAW	YES	YES	YES	M	0	
	V PARA	YES	YES	YES	M	0	
	SHAD COMP.	NO	NO	YES	M	ON	
	TEST OUT	NO	YES	NO	M	ENC	
DCC ADJ.	D RANGE	NO	NO	YES	M	6	
	POINT	YES	YES	YES	P	0	
	GAIN	YES	YES	YES	M	0	

PAGE	ITEM	CANCEL	PRESET	SETUP C	RM-P9	F-SET	C-SET
OPERATION MODE 1	R-G/B-G SEL	NO	NO	YES	M	OFF	
	GAMMA TABLE	NO	NO	YES	M	A (PAL:B)	
	LOW LIGHT	NO	NO	YES	M	OFF	
	BARS SELECT	NO	NO	YES	M	1 (PAL:2)	
	WHITE B	NO	NO	YES	NO	AWB	
	BATT WARNING	NO	NO	YES	M	10%	
	WIDE AWB	NO	NO	YES	M	ON	
	ZEBRA	NO	NO	YES	M	OFF	
	REC TALLY	NO	NO	YES	M	UPPER	
OPERATION MODE 2	TIME CODE DISP.	NO	NO	YES	M	OFF	
SG ADJ.	H BLKG WIDTH	YES	YES	YES	M	0	
	V BLKG	NO	NO	YES	M	20H (NTSC only)	
ENC ADJ.	BURST START	YES	YES	YES	M	0	
	BURST STOP	YES	YES	YES	M	0	
	R-Y CAR. BAL.	YES	YES	YES	M	0	
	B-Y CAR. BAL.	YES	YES	YES	M	0	
	SYNC START	YES	YES	YES	M	0	
	SYNC STOP	YES	YES	YES	M	0	
	INT FSC FREQ.	YES	YES	YES	M	0	
DATA RESET	USER	—	—	—	NO		
	ENGINEER	—	—	—	NO		
MENU SELECT 1	MARKER 1/2	NO	NO	YES	M	ON	
	MARKER 2/2	NO	NO	YES	M	OFF	
	VF DISP. 1/2	NO	NO	YES	M	ON	
	VF DISP. 2/2	NO	NO	YES	M	ON	
	MASTER GAIN	NO	NO	YES	M	ON	
	SHOT ID	NO	NO	YES	M	ON	
	SHOT DATA DISP.	NO	NO	YES	M	ON	
	SHUTTER SPEED	NO	NO	YES	M	OFF	
	! LED	NO	NO	YES	M	OFF	
	SETUP CARD	NO	NO	YES	M	ON	
MENU SELECT 2	VF SETTING	NO	NO	YES	M	OFF	
	LEVEL 1	NO	NO	YES	M	OFF	
	LEVEL 2	NO	NO	YES	M	OFF	
	LEVEL 3	NO	NO	YES	M	OFF	
	LEVEL 4	NO	NO	YES	M	OFF	
	LEVEL 5	NO	NO	YES	M	OFF	
	LEVEL 6	NO	NO	YES	M	OFF	
	LEVEL 7	NO	NO	YES	M	OFF	
	LEVEL 8	NO	NO	YES	M	OFF	
	LEVEL 9	NO	NO	YES	M	OFF	

PAGE	ITEM	CANCEL	PRESET	SETUP C	RM-P9	F-SET	C-SET
MENU SELECT 3	W-SHAD._ G	NO	NO	YES	M	OFF	
	W-SHAD._ R	NO	NO	YES	M	OFF	
	W-SHAD._ B	NO	NO	YES	M	OFF	
	W-SHAD._ G	NO	NO	YES	M	OFF	
	W-SHAD._ R	NO	NO	YES	M	OFF	
	W-SHAD._ B	NO	NO	YES	M	OFF	
	FUNCTION 1/2	NO	NO	YES	M	OFF	
	FUNCTION 2/2	NO	NO	YES	M	OFF	
	WIDE SCREEN	NO	NO	YES	M	ON (DNW-9WS/9WSP/90WS/ 90WSP only)	
MENU SELECT 4	DCC ADJ.	NO	NO	YES	M	OFF	
	OPERATION MODE 1	NO	NO	YES	M	OFF	
	OPERATION MODE 2	NO	NO	YES	M	ON	
	SG ADJ.	NO	NO	YES	M	OFF	
	ENC ADJ.	NO	NO	YES	M	OFF	
	DATA RESET	NO	NO	YES	M	OFF	
MEASUREMENT MODE	S/N	—	—	—	NO	OFF	
	MODULATION	—	—	—	NO	OFF	
	RESOLUTION	—	—	—	NO	OFF	
	SENSITIVITY	—	—	—	NO	OFF	
	REGISTRATION	—	—	—	NO	OFF	
	MASTER BLACK	—	—	—	NO	0	
	TEST OUT	NO	YES	NO	M	ENC	
WHT PRESET	R WHT PRESET	YES	YES	YES	NO	0	
	B WHT PRESET	YES	YES	YES	NO	0	

3-2. DIAG Menu


The DIAG menu is used for the maintenance menu setting and troubleshooting of the DNV-5.







Notes



- Use the DIAG menu in the state in which the tape transport stopped.
- Do not execute the DIAG menu when remote control RM-P9 is connected. The self-diagnosis function and remote control function are not normally activated when the self-diagnosis is executed.




Operation



1. DIAG menu activation
Push the DIAG switch on the inside panel with the tip of a clip so as to display the DIAG menu on the LCD display.
2. PAGE selection
Press the ADVANCE button and select the PAGE.
To increment the menu number, press the ADVANCE button.
To decrement the menu number, press the ADVANCE and HOLD buttons simultaneously.
After selection, Press the SHIFT button.
Select the PAGE repeatedly until the desired ITEM is found.
3. ITEM selection
Press the ADVANCE button and select the ITEM.
After selection, press the SHIFT button.
4. ITEM setting
Press the ADVANCE button to change the set value.
After change, press the SHIFT button.
5. DIAG menu termination
Press the DIAG switch.









LCD Display (factory setting)	Description
DIAG 0 HOURS METER 	The contents below are displayed. (For more details, refer to 6-3-1, "Hours Meter".)
1. DRUM RUNNING 2. TAPE RUNNING 3. OPERATION 4. THREADING 5. DRUM RUN-2 6. TAPE RUN-2 7. OPERATION-2 8. THREADING-2 Total drum rotating hours Total tape running hours Total power-on time Total number of threading Drum rotating hour (Customer-resetable) Tape running hour (Customer-resetable) Power-on time (Customer-resetable) The number of threading (Customer-resetable)
DIAG 1 TIME 	Internal timer setting. 1. Sets the hour. 2. Sets the minute. 3. Sets the second.
DIAG 2 DATE 	Internal timer date setting. 1. Sets the month (for NTSC) /day (for PAL). 2. Sets the day (for NTSC) /month (for PAL). 3. Sets the year.
DIAG 3 BATTERY VOLTAGE BEFORE END 	Displays and sets the battery before end voltage. (For the setting, refer to the Operation Manual.) Battery before end voltage setting 11.0 to 13.0 V (in units of 0.1 V) "0" is displayed on the LCD when the setting is OK. "E" is displayed on the LCD when the setting is NG.
DIAG 4 BATTERY VOLTAGE END 	Displays and sets the battery end voltage. (For the setting, refer to the Operation Manual.) Battery end voltage setting 10.5 to 11.5 V (in units of 0.1 V) "0" is displayed on the LCD when the setting is OK. "E" is displayed on the LCD when the setting is NG.
DIAG 5 VITC INSERT LINE 	Displays and sets the VITC insertion line. 12 to 19 lines (For NTSC) 9 to 22 lines (For PAL)








LCD Display (factory setting)	Description
DIAG 6-1	
VTR MODE SEL-1	
	<ol style="list-style-type: none"> V/AU OUT : Sets the video and audio output. <ul style="list-style-type: none"> 0 : Outputs the PB/EE signal. 1 : Outputs the EE signal. AU OUT (F/R) : Sets the audio output during FF/REW. (Valid when V/AU OUT is set to 0.) <ul style="list-style-type: none"> 0 : Outputs the EE signal. 1 : Outputs no signal. AU OUT CH : Sets the audio output channel. <ul style="list-style-type: none"> 0 : CH1/2 1 : CH3/4 AU REC CH3/4 : Selects the source during recording in CH3/4. (Valid when no camera adapter (CA-701) is connected or when AU ADAPTER ENABLE is disabled.) <ul style="list-style-type: none"> 0 : Front MIC input (CH3) and wireless receiver input (CH4). 1 : Records the same signal as in CH1/2. 2 : Not use CH3/4.
DIAG 6-2	
VTR MODE SEL-2	
	<ol style="list-style-type: none"> AU REC EMPH : Sets the audio emphasis (during recording) to ON or OFF. <ul style="list-style-type: none"> 0 : OFF 1 : ON AU SG (1 kHz) : Sets whether to generate a 1 kHz test signal when a color-bar signal is generated from the internal signal generator. <ul style="list-style-type: none"> 0 : Not generates. 1 : Generates when the CH1 AUDIO SELECT switch on the inside panel is set to AUTO. 2 : Generates. AU SG LEVEL : Sets the level of a 1 kHz test signal. <ul style="list-style-type: none"> 0 : -20 dBu (600 Ω) 1 : -18 dBu (600 Ω) 2 : -16 dBu (600 Ω) AU ADAPTER : Sets whether to connect the camera adapter (CA-701). <ul style="list-style-type: none"> 0 : Connects. 1 : Not connect.

LCD Display (factory setting)	Description
<p>DIAG 6-3</p> <p>VTR MODE SEL-3</p> 	<ol style="list-style-type: none"> 1. TC OUT : Sets the time code output. <ul style="list-style-type: none"> 0 : Outputs PB/TCG. 1 : Outputs TCG. 2. EXT-LK UBIT : Sets the LTC UB set value when the time code is locked externally. <ul style="list-style-type: none"> 0 : Internally set value 1 : External LTC value 3. EXT-LK DF/NDF : Sets the DF/NDF (NTSC only). <ul style="list-style-type: none"> 0 : Conforms to the DF/NDF switch setting on the inside panel. 1 : Conforms to the external LTC setting. 4. WATCH AUTO ADJ : Sets the internal timer automatic time correction (according to the user's bit of the unit connected to TC OUT). <ul style="list-style-type: none"> 0 : Corrects. 1 : Not correct. 5. UB WATCH MIX : Sets whether to output the time of an internal timer to the LTC UB. <ul style="list-style-type: none"> 0 : Not output. 1 : Outputs.
<p>DIAG 6-4</p> <p>VTR MODE SEL-4</p> 	<ol style="list-style-type: none"> 1. REC TALLY BLINK : Sets whether the TALLY lamp blinks during battery before end and tape before end. <ul style="list-style-type: none"> 0 : Blinks. 1 : Lights. 2. LIGHT OFF NEAR END : Sets whether to turn off the light during battery before end. <ul style="list-style-type: none"> 0 : Turns off forcibly. 1 : Not turn off.
<p>DIAG 6-5</p> <p>VTR MODE SEL-5</p> 	<ol style="list-style-type: none"> 1. REC START/STOP TONE : Sets whether to output a sound when the REC START/STOP button is pressed. <ul style="list-style-type: none"> 0 : Outputs no sound. 1 : Outputs a sound. 2. SHOT NO. RESET : Sets whether to reset the shot number automatically during tape-threading. <ul style="list-style-type: none"> 0 : Resets automatically. 1 : Not reset. 3. SHOT TIME DISP : Sets the format of the time displayed on the LCD. <ul style="list-style-type: none"> 0 : Month Day : Hour Minute 1 : Day Month : Hour Minute 2 : Day : Hour Minute Second

LCD Display (factory setting)	Description
<p>DIAG 6-6</p> <p>VTR MODE SEL-6</p> 	<ol style="list-style-type: none"> 1. LTC UBIT : Sets the data recorded in the user bits of LTC. <ul style="list-style-type: none"> 0 : Fixed data (Conventional-type user bits) 1 : Time of internal timer (in real time) 2 : Shot data 2. LTC UB-MARKER : Sets whether to write the mark below in the user bits of LTC. <ul style="list-style-type: none"> REC start mark Shot mark 1 Shot mark 2 0 : Conform to the menu setting below. 1 : Writes all marks. 2 : Writes nothing. 3. REC START MARKER (Valid when the LTC UB-maker is set to SW.) <ul style="list-style-type: none"> 0 : Writes. 1 : Not write. 4. SHOT MARKER 1 (Valid when the LTC UB-marker is set to SW.) <ul style="list-style-type: none"> 0 : Writes. 1 : Not write. 5. SHOT MARKER 2 (Valid when the LTC UB-marker is set to SW.) <ul style="list-style-type: none"> 0 : Writes. 1 : Not write.
<p>DIAG 6-7</p> <p>VTR MODE SEL-7</p> 	<ol style="list-style-type: none"> 1. VITC UBIT : Sets the data recorded in the user bits of VITC. <ul style="list-style-type: none"> 0 : Fixed data (Conventional-type user bits) 1 : Time of internal timer (in real time) 2 : Shot data 2. SHOT DATA : Sets the data length of the VITC shot data. <ul style="list-style-type: none"> 0 : Record data of date, time, model ID, serial No., cassette No., shot No. 1 : Record data of date, time, model ID, serial No., cassette No., shot No., shot ID 1 to 4.

LCD Display (factory setting)	Description
<div>DIAG 7</div> <div>WATCH REVISION</div> <div><div>7</div><div>XXX</div></div>	Sets the corrected value of an internal timer (the number of frames a day).
<div>DIAG 8</div> <div>LCD/LAMP CHECK</div> <div><div>8</div></div>	<div>Sets the LCD light check.</div> <div>All the lamps are turned on or off every time the SHIFT button is pressed.</div>
<div>DIAG 9</div> <div><div><div>9x</div><div>XXXX</div></div><div><div>STATE CODE</div><div>TRUBLE CODE</div></div></div>	<div><div>1. SLACK DATA 1</div><div>2. SLACK DATA 2</div><div>3. SLACK DATA 3</div><div>4. SLACK DATA 4</div></div> <div><div>Slack trouble code 1 (latest)</div><div>Slack state code 1 (latest)</div><div>Slack trouble code 2</div><div>Slack state code 2</div><div>Slack trouble code 3</div><div>Slack state code 3</div><div>Slack trouble code 4</div><div>Slack state code 4</div></div> <div><div>• Contents of slack trouble code</div><div>10 : Abnormal drum drive voltage</div><div>11 : No drum FG output</div><div>12 : No drum PG output</div><div>20 : Abnormal capstan drive voltage</div><div>21 : No capstan FG-A output</div><div>22 : No capstan FG-B output</div><div>23 : Abnormal forward/reverse rotation of capstan</div><div>24 : Abnormal capstan speed (high-speed)</div><div>32 : No S reel FG output</div><div>42 : No T reel FG output</div><div>61 : Time over the forward rotation time of function cam</div><div>62 : Time over the reverse rotation time of function cam</div><div>63 : Time over the tape top sensor</div><div>64 : Time over the full top sensor</div><div>65 : Time over the end sensor time</div><div>70 : Servo NVRAM checksum error</div><div>71 : Communication error between servo CPUs</div></div> <div><div>• Contents of slack state code</div><div>00 : Power-on initialization</div><div>1x : No cassette and standby state</div><div>2x : Record</div><div>3x : Stop</div><div>4x : FF/REW</div><div>5x : Playback</div><div>6x : REC PAUSE</div><div>7x : REC REVIEW</div><div>8x : Threading/unthreading</div></div>

LCD Display (factory setting)	Description
<p>DIAG D-1</p> <p>PG EQ ADJ DATA-1</p> 	<p>Displays the equalizer adjustment data (A-CH).</p> <ol style="list-style-type: none"> 1. A-CH FREQ 2. A-CH PHASE 3. A-CH GAIN
<p>DIAG D-2</p> <p>PG EQ ADJ DATA-2</p> 	<p>Displays the equalizer adjustment data (A-CH).</p> <ol style="list-style-type: none"> 1. A-CH ENV 2. A-CH PLL
<p>DIAG D-3</p> <p>PG EQ ADJ DATA-3</p> 	<p>Displays the equalizer adjustment data (B-CH).</p> <ol style="list-style-type: none"> 1. B-CH FREQ 2. B-CH PHASE 3. B-CH GAIN
<p>DIAG D-4</p> <p>PG EQ ADJ DATA-4</p> 	<p>Displays the equalizer adjustment data (B-CH).</p> <ol style="list-style-type: none"> 1. B-CH ENV 2. B-CH PLL
<p>DIAG D-5</p> <p>PG EQ ADJ DATA-5</p> 	<p>Displays the equalizer adjustment data (C-CH).</p> <ol style="list-style-type: none"> 1. C-CH FREQ 2. C-CH PHASE 3. C-CH GAIN
<p>DIAG D-6</p> <p>PG EQ ADJ DATA-6</p> 	<p>Displays the equalizer adjustment data (C-CH).</p> <ol style="list-style-type: none"> 1. C-CH ENV 2. C-CH PLL

LCD Display (factory setting)	Description
DIAG D-7 PG EQ ADJ DATA-7 	Displays the equalizer adjustment data (D-CH). 1. D-CH FREQ 2. D-CH PHASE 3. D-CH GAIN
DIAG D-8 PG EQ ADJ DATA-8 	Displays the equalizer adjustment data (D-CH). 1. D-CH ENV 2. D-CH PLL
DIAG E-1 REC CURRENT DATA-1 	Displays the REC current adjustment data. 1. A-CH 2. B-CH
DIAG E-2 REC CURRENT DATA-2 	Displays the REC current adjustment data. 1. C-CH 2. D-CH
DIAG F PB VIDEO ADJ DATA 	Displays the PB video adjustment data. 1. VIDEO LEVEL 2. INT BURST FRQ
DIAG G-1 REC VIDEO ADJ DATA-1 	Displays the REC video adjustment data. 1. Not used 2. R-Y DELAY 3. B-Y DELAY
DIAG G-2 REC VIDEO ADJ DATA-1 	Displays the REC video adjustment data. 1. Y LEVEL 2. R-Y LEVEL 3. B-Y LEVEL

Section 4

Block Diagram and Circuit Description

Circuit Description

(1) Camera process system (DCP-1 and ES-11 boards)

- DCP-1 board

The DCP-1 board consists of the following blocks:

- (1) Receiver of R/G/B signals from the CCD block, A/D converters for R/G/B signals, Digital processor to convert to the digital component signals, and D/A converter so as to output the Y/R-Y/B-Y/VF signals to the ES-11 board.
- (2) Driver block which adds the character data to the composite signal supplied from the ES-11 board, and outputs the added signal.
- (3) Rate converter
- (4) Signal processor for viewfinder

The analog R/G/B signals which are input from the CCD block are passed through the respective pre-filters having the corresponding sampling frequencies (WIDE/NORMAL), then are converted by the A/D converter to the 10-bit digital R/G/B signals of 14 MHz (NORMAL) or 18 MHz (WIDE) rate respectively.

The digital R/G/B signals after A/D conversion are input to the pre-process IC. This IC detects the average value and peak value of the video signals detected which are required by the AUTO operation system of the camera such as auto black balance, auto white balance and auto iris and so on.

The pre-process IC outputs the black and white shading correction signals (G BSH, R BSH, B BSH/G WSH, R WSH and B WSH), feed-back clamp control signal (G FB, R FB and B FB) and TEST SAW signal to the CCD block.

The digital G and R signals output from the pre-process IC are passing through the 1H delay lines to generate the V details, and input to the processor IC. But digital B signal output from the pre-process IC is input to the processor IC directly.

In the processor IC, the digital R/G/B signals are up-converted to 28 MHz (NORMAL) or 36 MHz (WIDE) signal respectively, the matrix and the detail signals are added, the flare compensation, pedestal control, gamma correction, knee correction and white clip are applied, then converted to the digital component signals (Y, R-Y and B-Y).

The processor IC has the function of the output signal switch circuit which switches between the built-in color signal and the main line signal. The processor IC also has the Y, R/G/B video outputs circuit for viewfinder. The output signals of the processor IC are D/A converted and sent to the VF or TEST OUT terminal. The viewfinder output circuit has the signal selector function which enables monitoring the video signal supplied to the GENLOCK IN connector or the RET video signal when a CCU is connected, using the monitor select IC.

The digital component signal output from the processor IC is passed through the CN-1193 board^{*1}, and input to the rate converter and D/A converter. The digital component signal is rate-converted to 27 MHz by rate converter, and output to the DVP-1 board. The other digital component signal is D/A converted, and resultant analog component signals (Y, R-Y, B-Y) are output to ES-11 board.

The average value and peak value of the video signal which are detected in the pre-process IC are sent to the camera CPU and the control CPU via I/O expander through the 4-bit LSI data bus.

After processing the detected values by the camera CPU, the control data is sent to the processor IC and VA-167 board in CCD block through data bus and SAD (CCD) signal.

The control CPU performs the various controls of the camera block in accordance with the commands stored in the ROM. The control CPU decodes the variable control data which are detected in pre-process IC, function switch command and analog data, and then outputs the various control signals.

The control CPU writes the status information and the self-diagnostics information to the character generator and outputs these data as the character data.

Connection with the external equipment such as RMP9 (optional) and VA-DN1 (optional) is made possible by the transmitter/receiver IC.

- ES-11 board

The ES-11 board consists of the two major circuit: one is the circuit which generated the composite signal from the D/A converted analog component signal supplied from the DCP-1 board, and the other circuit which is the sync generator circuit generating the various sync signals for comcorder.

Almost adjustments are performed by electronic control using setup menu.

The ES-11 board has the sync separator IC and PLL IC so that the camera block is sync-locked to the external input video signal supplied from the GENLOCK IN terminal.

*1: In DNW-9WS/9WSP/90WS/90WSP, this circuit operated as follows:

In the 4:3 mode, the digital component signal from the processor IC is stretched by down-converting from 18 MHz to 13.5 MHz, then is re-sampled by 18 MHz and is output.

(2) Digital signal system

(DVP-1 (1/2) board, DVP-2 board, and drum assembly)

- Signal processing during recording

The parallel video data supplied from the camera is compressed to a data rate of approximately 1/10 using an SX encoder after addition of the VITC signal.

The compressed video data is input to the ECC encoder where an outer ECC is added to the video data and track-interleaved.

The serial audio data (A/D DATA 1/2 and 3/4) supplied from the TC-80 board is also input to the ECC encoder where an outer ECC is added and the audio data is field-shuffled. The video data and audio data are multiplexed and inner-ECC-encoded by the ECC encoder.

The resultant data is then sent to the drum as the four-channel parallel record data.

The Betacam SX Camcorder records the video and audio signals on magnetic tape in a Betacam SX format.

The Betacam SX Camcorder uses the four rotary heads which have an azimuth angle in the opposite direction to each other, and are paired. Every rotation of the drum records the four helical tracks. Every five rotations of the drum i.e., the twenty helical tracks record the four frame data.

*The Betacam format of the PAL system records the two frame data with three rotations, i.e., twelve helical tracks.

- Signal processing during playback

The four-channel parallel PB data sent from the drum is inner-corrected by the inner ECC decoder.

The parallel PB data is then deinterleaved and sent to the outer ECC decoder where the video data is outer-corrected and sent to the SX decoder.

The SX decoder perform the bit rate reduction decoding of the playback video data so that the original data rate is restored.

The errors that cannot be corrected by the ECC decoder are sent to the memory where separate error correction is performed. This data feedback to the camera block.

Audio data is outer-corrected, error-corrected, then converted of its clock rate using FIFO memory. The audio data is sent to the audio data processor in the form of two-channel serial audio data (CONFI AU 1/2 and 3/4).

The NTSC Betacam SX system is equipped with a five-field sequence generator which controls the five-field sequence of audio playback data.

The digital data processing in each IC is performed under communication with the system control CPU.

(3) Audio system

(AXM-14 board (1/2), CNB-1 board (1/2), TC-80 board (1/2), RX-26 board, MA-68 board and AIF-8 board)

The audio system of the Betacam SX recorder has the configuration of the four input channels and the two output channels.

The CH-1 and CH-2 have the "AUDIO IN" switches which select their input signals from either the LINE/MIC input (rear input) signals coming from the XLR connectors on the rear panel, or the camera MIC input signal (front MIC input: CH-3) coming from the camera, or the wireless audio input signal (CH-4) coming from the slot-in wireless receiver, to be recorded on tape.

The selected input signal is A/D converted and sent to the audio data processor as the AU A/D data (1/2 and 3/4). The output signal from the audio data processor is D/A converted. The CH-1 and CH-2 signals are output from the 5-pin XLR connector.

The earphones and internal speakers have the "MONITOR" switch which selects either CH-1, MIX, or CH-2 signal to be output the earphones and internal speakers.

(4) System control

(DVP-1 board (2/2), TC-80 board (2/2), KY-293 board, HN-224 board (1/2), and AXM-14 board (2/2))

Among the captioned circuit boards of the system control block, the DVP-1 board controls its peripheral boards and the entire system, while the TC-80 board controls the system unique to the machine such as time code, display, and key panel.

• DVP-1 board (2/2)

The DVP-1 board (2/2) has the system control CPU that is the center of the system control. A 16-bit CPU operating on a clock speed of 20 MHz, is used for the system control CPU because it handles large volumes of data such as communication with digital processors. Regarding communication, the interface of the DVP-1 board is established after the parallel bus is level-shifted (from 5V → 3.3 V) because the parallel bus interface system such as digital processor ICs, operates on 3.3 V. The serial interface system can be interfaced directly with the SIO of the CPU. However, because the CPU must establish serial communication with the SERVO MPU and TC MPU in addition to the SIO. The SIO is shared and is switched to either SCI (DPR) or SCI (SV) or SCI (TC) by the SCI selector.

For the serial communication with the CT MPU, another SIO is used for interface because the CT MPU uses the different synchronization system against VTR. An I/O expander covers an insufficient I/O port.

• TC-80 board (2/2)

The TC MPU on the TC-80 board (2/2) controls TC IC (LTC reader and generator) while communicating with the system control CPU in serial communication. The TC MPU also controls the LCD module, key matrix, and character generator via the I/O expander.

A backup power supply using a lithium battery is provided to back up the generators and real-time data.

(5) Servo control block

(MDC-5 board and HN-224 board (2/2))

- **MDC-5 board**

The MDC-5 board has the two MPUs. MPU1 controls the mode control and capstan servo system while communicating with the system control CPU in serial communication. MPU2 controls the drum servo system while interfacing with MPU1.

The drum motor and capstan motor are controlled by the PWM switching drive of the feedback servo between FG and PG pulses and between FG and CTL pulses, respectively. The threading motor is controlled by a bidirectional motor driver.

(6) Power supply system

(CNB-1 board (2/2), RE-118 board, and RE-119 board)

- **CNB-1 board (2/2)**

The input DC 12 V from the battery pack or DC IN connector is input to the CNB-1 board (2/2) where the input 12 V passes through a breaker and turned on or off by the POWER switch and is output as an UNREG 12 V. This output voltage is sent not only to the camera and VTR blocks but also to the RE-119 board.


- **RE-118 and RE-119 boards**

The RE-118 and RE-119 boards make up a DC-DC converter. The UNREG 12 V supplied from the CNB-1 board (2/2) is converted to the various output DC voltages which are sent to the camera and VTR.


The converter system uses an highly efficient synchronous type PWM switching regulator system.


The PWM switching regulator is equipped with a short-circuit protection circuit which turns off all outputs when any of the output power is shorted to GND. The PWM switching regulator is also equipped with the cut-off circuit which shuts down the output power when the input voltage is decreased below the guaranteed operating voltage.

Block Diagram



OVERALL (1/2)





OVERALL (2/2)

Section 5

Electrical Alignment

5-1. General Information for Electrical Adjustment

5-1-1. Note for Adjustment

Before adjustment, set the main POWER switch to on and the VTR switch to SAVE, then warm up the camera for about 10 minutes.

Be sure to set the main POWER switch of the external DC power supply to off before extracting the plug-in board.

Indication at the top right on the viewfinder screen.

In adjustment on the setting menu, a bar sometimes appears at the top right on the viewfinder screen. The bar indicates the current setting state and adjustable range for the selected item.

5-1-2. Equipment/Fixtures

- Oscilloscope
Tektronix 2465 or equivalent
- Waveform monitor/Vectorscope
Tektronix 1750/1751 or equivalent
- Monitor
Sony BVM-1410/1411P or equivalent
- Pattern box (PTB-500, 90 - 240 Vac)
J-6029-140-B
- Gray scale chart (4:3)
J-6026-130-A

5-1-3. Initial Setting for Switches

Execute the camera system alignment using the ENG mode in the SETUP menu. When the setting mode is changed ENG, set switches as follows.

1. Set the POWER switch to off.
2. S4-1 (DCP-1 board) → OFF
3. S1 (DCP-1 board) → OFF
4. While holding down the rotary encoder, turn the power ON

Note

When adjustment is performed in the ENG mode, the values of items adjusted in the USER mode become 0.

Initial Setting

Before performing adjustment, set switches as follows. If the setting of the GAIN switch is changed from the factory set value, reset it to its original value by referring to the operation manual.

Inside panel :

VTR SAVE/STBY switch	→ STBY
GAIN switch	→ L (0 dB)
OUTPUT/DCC switch	→ CAM/OFF
MENU switch	→ OFF
WHITE BAL switch	→ PRST

Front panel :

SHUTTER switch	→ OFF
Filter selector	→ 1

Lens :

LENS	→ MANU
IRIS	→ (CLOSE)

SETUP menu :

- MASTER GAIN

LOW	→ 0 dB
MID	→ 9 dB
HIGH	→ 18 dB
- FUNCTION 1/2

TEST OUT	→ ENC
DATAIL	→ ON
SKIN TONE DTL	→ OFF
MATRIX	→ OFF
GAMMA	→ ON
CHROMA	→ ON
TEST SAW	→ OFF
- FUNCTION 2/2

GENLOCK	→ ON
CAM RET	→ OFF
FILTER INH	→ ON
- LEVEL 3

KNEE SELECT	→ ON
WHITE CLIP	→ ON
- LEVEL 4

R-Y	→ ON
B-Y	→ ON

5-2. ENC Level Adjustment

Preparation


- OUTPUT/DCC switch (inside panel) → BARS
- On the setting menu, set as follows.
PAGE : LEVEL 7
ITEM : TEST OUT → ENC

Adjustment procedure

Equipment : Waveform monitor
Test point : VIDEO OUT connector

1. On the setting menu, adjust as follows.

PAGE : LEVEL 5
ITEM : ENC SYNC LEVEL
Spec. : $A = 40 \pm 1$ IRE (NTSC)
 $A = 300 \pm 7$ mV (PAL)



2. On the setting menu, adjust as follows.

PAGE : LEVEL 5
ITEM : ENC SETUP LEVEL
Spec. : $B = 7.5 \pm 0.5$ IRE (NTSC)
 $B = 0 \pm 3$ mV (PAL)

3. On the setting menu, adjust as follows.

PAGE : LEVEL 5
ITEM : ENC Y LEVEL
Spec. : $C = 100 \pm 2$ IRE (NTSC)
 $C = 700 \pm 14$ mV (PAL)

5-3. TEST OUT Adjustment

Preparation

- OUTPUT/DCC switch (inside panel) → BARS
- On the setting menu, set as follows.
PAGE : LEVEL 7
ITEM : TEST OUT → R, G or B

Adjustment procedure

Test point : TEST OUT connector

1. On the setting menu, adjust as follows.


PAGE : LEVEL 5
ITEM : RGB SYNC LEVEL
Spec. : $A = 40 \pm 2$ IRE (NTSC)
 $A = 300 \pm 14$ mV (PAL)

2. On the setting menu, adjust as follows.

PAGE : LEVEL 5
ITEM : RGB SETUP LEVEL
Spec. : $B = 7.5 \pm 0.5$ IRE (NTSC)
 $B = 0 \pm 3$ mV (PAL)

3. On the setting menu, adjust as follows.

PAGE : LEVEL 5
ITEM : RGB Y LEVEL
Spec. : $C = 100 \pm 2$ IRE (NTSC)
 $C = 700 \pm 14$ mV (PAL)



Setting after adjustment

- On the setting menu, set as follows.
PAGE : LEVEL 7
ITEM : TEST OUT → ENC

5-4. VA Gain Adjustment

Note


- Use a reflective chart (Reflection rate : 89.9 %) in this adjustment as possible. Adjust the color temperature to 3200 K exactly. If a pattern box is used, check it's state before use. Set the luminous intensity of the chart to 2000 lx.

Preparation


- OUTPUT/DCC switch (inside panel) → CAM/ON
- Shoot a gray-scale chart in the full underscan's picture frame.
- WHITE BAL switch (inside panel) → PRST
- AUTO W/B BAL switch (front panel) → BLK
(Perform the automatic black balance adjustment.)

Adjustment procedure

- Equipment : Oscilloscope
Test point : TP1/VA-167
Setting point : ● Lens IRIS
Spec. : $A = 320 \pm 8 \text{ mV}$




- On the setting menu, set as follows.
PAGE : FUNCTION 1/2
ITEM : TEST OUT → G
- Equipment : Waveform monitor
Test point : TEST OUT connector
(inside panel)
Adj. point : ●RV201/VA-167
Spec. : $B = 100 \pm 2 \text{ IRE (NTSC)}$
 $B = 700 \pm 10 \text{ mV (PAL)}$



- On the setting menu, set as follows.
PAGE : FUNCTION 1/2
ITEM : TEST OUT → ENC
ITEM : GAMMA → OFF

- Select portion C by using the waveform monitor.




- Set the waveform monitor to the CHROMA mode.

- Equipment : Waveform monitor
Test point : TEST OUT connector
(inside panel)
Adj. point : ●RV101/VA-167
●RV301/VA-167
Spec. : Minimize carrier leak D by using the variable resistors alternately.



Setting after adjustment

- On the setting menu, set as follows.
PAGE : FUNCTION 1/2
ITEM : GAMMA → ON



VA-167 Board (Aside)

5-5. White Shading Adjustment

Preparation


- Lens IRIS → AUTO
- Shoot a fully occupied white area of pattern box in the underscan's picture frame.
- Waveform monitor setting
LUM mode
VOLT FULL SCALE range → 0.5

Adjustment procedure

Test point : TEST OUT connector

1. On the setting menu, set as follows.
PAGE : W-SHAD_G
ITEM : TEST OUT → G
2. Make the waveform to flat by UP and/or DOWN button on the inside panel according to the table below.
3. Adjust the shading for R and B channels in the same way.

TEST OUT	H SAW	V SAW	H PARA	V PARA
G W-SHAD_G	W-SHAD_G	W-SHAD_G	W-SHAD_G	W-SHAD_G
TEST OUT→G	H SAW	V SAW	H PARA	V PARA
R W-SHAD_R	W-SHAD_R	W-SHAD_R	W-SHAD_R	W-SHAD_R
TEST OUT→R	H SAW	V SAW	H PARA	V PARA
B W-SHAD_B	W-SHAD_B	W-SHAD_B	W-SHAD_B	W-SHAD_B
TEST OUT→B	H SAW	V SAW	H PARA	V PARA



4. Set the lens to EXTENDER and adjust in the same way.

TEST OUT	H SAW	V SAW	H PARA	V PARA
G W-SHAD_G	W-SHAD_G	W-SHAD_G	W-SHAD_G	W-SHAD_G
TEST OUT→G	H SAW	V SAW	H PARA	V PARA
	(EXT)	(EXT)	(EXT)	(EXT)
R W-SHAD_R	W-SHAD_R	W-SHAD_R	W-SHAD_R	W-SHAD_R
TEST OUT→R	H SAW	V SAW	H PARA	V PARA
	(EXT)	(EXT)	(EXT)	(EXT)
B W-SHAD_B	W-SHAD_B	W-SHAD_B	W-SHAD_B	W-SHAD_B
TEST OUT→B	H SAW	V SAW	H PARA	V PARA
	(EXT)	(EXT)	(EXT)	(EXT)


Setting after adjustment

- On the setting menu, set as follows.
PAGE : W-SHAD_B
ITEM : TEST OUT → ENC

5-6. Gamma Correction Adjustment

Preparation


- OUTPUT/DCC switch (inside panel) → CAM/ON
- Shoot a gray-scale chart in the full underscan's picture frame.
 Setting point : ● Lens IRIS
 Spec. : A (white level) = 100 ± 2 IRE




- On the setting menu, set as follows.
 PAGE : LEVEL 6
 ITEM : TEST OUT → G

Adjustment procedure


1. On the setting menu, adjust as follows.
 PAGE : LEVEL 3
 ITEM : MASTER GAMMA
 Spec. : B = 63 ± 2 IRE (NTSC)
 B = 420 ± 14 mV (PAL)



2. On the setting menu, set as follows.
 PAGE : FUNCTION 1/2
 ITEM : TEST OUT → ENC
 ITEM : TEST SAW → ON
3. On the setting menu, adjust as follows.
 PAGE : LEVEL 6
 ITEM : R GAMMA
 Spec. : Adjust the illuminated spot at the center of the vectorscope.



4. On the setting menu, adjust as follows.
 PAGE : LEVEL 6
 ITEM : B GAMMA
 Spec. : Adjust the illuminated spot at the center of the vectorscope.
5. Repeat steps 3 and 4 several times, adjust the illuminated spot at the center of the vectorscope.
6. Make sure that the carrier leak at the portion B is not observed.



Setting after adjustment

- On the setting menu, set as follows.
 PAGE : FUNCTION 1/2
 ITEM : TEST SAW → OFF

5-7. Black Set Adjustment

Preparation

- Lens IRIS → CLOSE
- On the setting menu, set as follows.
PAGE : LEVEL 6
ITEM : TEST OUT → G

Adjustment procedure

Test point : TEST OUT connector

- On the setting menu, adjust as follows.
PAGE : LEVEL 3
ITEM : MASTER BLACK
Spec. : $A = 10 \pm 1$ IRE (NTSC)
 $A = 20 \pm 7$ mV (PAL)




Setting after adjustment

- On the setting menu, set as follows.
PAGE : LEVEL 6
ITEM : TEST OUT → ENC
- MENU switch (inside panel) → OFF
- AUTO W/B BAL switch (front panel) → BLK
(Perform the automatic black balance adjustment.)

5-8. Flare Adjustment

Preparation


- OUTPUT/DCC switch (inside panel) → CAM/ON
- Shoot a gray-scale chart in the full underscan's picture frame.
Test point : TEST OUT connector (inside panel)
Setting point : ● Lens IRIS
Spec. : Open the lens iris by one step from the reference setting (NTSC : 100 ± 2 IRE, PAL : $A = 700 \pm 14$ mV).




Adjustment procedure

Test point : TEST OUT connector

- On the setting menu, set as follows.
PAGE : LEVEL 7
ITEM : G FLARE → 0
- Select portion C by using the waveform monitor.



- On the setting menu, adjust as follows.
PAGE : LEVEL 7
ITEM : R FLARE
Spec. : Minimize the carrier leak at portion B



- On the setting menu, adjust as follows.
PAGE : LEVEL 7
ITEM : B FLARE
Spec. : Minimize the carrier leak at portion B.
- Repeat steps 3 and 4 several times.

5-9. Manual Knee and White Clip Adjustments

Preparation

- OUTPUT/DCC switch (inside panel) → CAM/OFF
- WHITE BAL switch (inside panel) → PRST
- GAIN switch (inside panel) → M (9 dB)
- On the setting menu, set as follows.
 - PAGE : FUNCTION 1/2
 - ITEM : TEST SAW → ON
 - PAGE : LEVEL 3
 - ITEM : WHITE CLIP → OFF

Adjustment procedure

Test point : TEST OUT connector

1. On the setting menu, set as follows.
 - PAGE : LEVEL 3
 - ITEM : KNEE SLOPE 1 → MIN
2. On the setting menu, adjust as follows.
 - PAGE : LEVEL 3
 - ITEM : KNEE POINT 1
 - Spec. : $A = 85 \pm 2$ IRE (NTSC)
 - $A = 595 \pm 14$ mV (PAL)
3. GAIN switch (inside panel) → H (18 dB)
4. On the setting menu, set as follows.
 - PAGE : LEVEL 3
 - ITEM : WHITE CLIP → ON
 - ITEM : KNEE SLOPE 1 → MAX
5. On the setting menu, adjust as follows.
 - PAGE : LEVEL 3
 - ITEM : WHT CLIP LEVEL
 - Spec. : $B = 107 \pm 2$ IRE (NTSC)
 - $B = 735 \pm 10$ mV (PAL)
6. GAIN switch (inside panel) → M (9 dB)
7. On the setting menu, set as follows.
 - PAGE : LEVEL 3
 - ITEM : WHITE CLIP → OFF

8. On the setting menu, adjust as follows.

PAGE : LEVEL 3
 ITEM : KNEE SLOPE
 Spec. : $C = 109 \pm 2$ IRE (NTSC)
 $C = 763 \pm 14$ mV (PAL)



Setting after adjustment

- GAIN switch (inside panel) → L (0 dB)
- On the setting menu, set as follows.
 - PAGE : FUNCTION 1/2
 - ITEM : TEST SAW → OFF
 - PAGE : LEVEL 3
 - ITEM : WHITE CLIP → ON

Note


The values used in the above adjustment are for the conditions that the white clip level is set to 109 IRE (763 mV). When the white clip level is set to a value other than 109 IRE (763 mV), equate these values of knee slope adjustment and white clip adjustment.

5-10. Crispening Adjustment

Preparation

- On the setting menu, set as follows.
PAGE : FUNCTION 1/2
ITEM : DETAIL → ON
- OUTPUT/DCC switch (inside panel) → CAM/ON
- Shoot a gray-scale chart in the full underscan's picture frame.

Setting point : ● Lens IRIS
Spec. : A = 100 ± 2 IRE (NTSC)
A = 700 ± 14 mV (PAL)



Adjustment procedure

Equipment : Black and white monitor
Test point : TEST OUT connector


- On the setting menu, adjust as follows.
PAGE : LEVEL 1
ITEM : CRISPENING
Spec. : Reduce the noise on the screen to a permissible level.

5-11. Level Dependent Adjustment

Preparation

- On the setting menu, set as follows.
PAGE : FUNCTION 1/2
ITEM : DETAIL → ON
ITEM : TEST OUT → ENC
- OUTPUT/DCC switch (inside panel) → CAM/ON
- Shoot a gray-scale chart in the full underscan's picture frame.


Setting point : ● Lens IRIS
Spec. : A = 100 ± 2 IRE (NTSC)
A = 700 ± 14 mV (PAL)



Adjustment procedure

Test point : TEST OUT connector

- On the setting menu, adjust as follows.
PAGE : LEVEL 1
ITEM : LEVEL DEPEND
Spec. : Eliminate the detail signal from portion B.




Note

- After this adjustment, be sure to perform 5-12. H/V Ratio Adjustment, and 5-13. Detail Level Adjustment, in that order.

5-12. H/V Ratio Adjustment

Preparation


- On the setting menu, set as follows.
PAGE : FUNCTION 1/2
ITEM : DETAIL → ON
ITEM : TEST OUT → ENC
- OUTPUT/DCC switch (inside panel) → CAM/ON
- Shoot a gray-scale chart in the full underscan's picture frame.
- Setting point : ● Lens IRIS
Spec. : $A = 100 \pm 2$ IRE (NTSC)
 $A = 700 \pm 14$ mV (PAL)



Adjustment procedure

Equipment : Black and white monitor
Test point : TEST OUT connector

- On the setting menu, adjust as follows.
PAGE : LEVEL 1
ITEM : V DTL LEVEL
Spec. : Adjust so that the H and V detail amounts which are added are equivalent.




5-13. Detail Level Adjustment

Note

- Perform this adjustment, if necessary, to suit the customer's preferences.

Preparation

- On the setting menu, set as follows.
PAGE : FUNCTION 1/2
ITEM : DETAIL → ON
ITEM : TEST OUT → ENC
- Shoot a gray-scale chart in the full underscan's picture frame.
- Setting point : ● Lens IRIS
Spec. : $A = 80 \pm 2$ IRE (NTSC)
 $A = 560 \pm 14$ mV (PAL)



Adjustment procedure

Test point : TEST OUT connector

- On the setting menu, adjust as follows.
PAGE : LEVEL 1
ITEM : DETAIL LEVEL (Factory setting : 0)
Spec. : Set to the detail signal which is added to each step in the gray-scale chart.

5-14. Skin Tone Adjustment

Note

- Perform this adjustment, if necessary, to suit the customer's preferences.

Preparation

- On the setting menu, set as follows.
 PAGE : LEVEL 2
 ITEM : SKIN TONE DTL → ON
 ITEM : SKIN TONE IND. → ON
- Shoot a person's face.

Adjustment procedure

Test point : TEST OUT, VIDEO OUT connector

1. On the setting menu, set as follows.
 PAGE : LEVEL 2
 ITEM : SKIN TONE DET → ON
2. Shoot a person's face in the central of the viewfinder.
3. Push the rotary switch (front panel).
 (Display the detect area in zebra pattern.)
4. Perform the adjustment in this step, if necessary.
 On the setting menu, adjust as follows.
 PAGE : LEVEL 2
 ITEM : X : Component of red (center)
 Y : Component of blue (center)
 dX : Component of red (range)
 dY : Component of blue (range)


 Display the skin detail detect area in zebra pattern.
 Adjust zebra pattern displays only normal area.
5. On the setting menu, adjust as follows.
 PAGE : LEVEL 2
 ITEM : SUPPRESS LEVEL (Factory setting : 0)
 Spec. : Set the level to the desired detail level.


Setting after adjustment

PAGE : LEVEL 2
 ITEM : SKIN TONE DTL → OFF
 ITEM : SKIN TONE IND. → OFF
 ITEM : SKIN TONE DET → OFF

5-15. Zebra Adjustment

Preparation


- ZEBRA switch (viewfinder) → ON
 - On the setting menu, set as follows.
 - PAGE : FUNCTION 1/2
 - ITEM : TEST OUT → R, G or B
 - PAGE : VF SETTING
 - ITEM : ZEBRA SELECT → 1
 - ITEM : ZEBRA1 APT → MIN
 - OUTPUT/DCC switch (inside panel) → CAM/ON
 - Shoot a gray-scale chart in the full underscan's picture frame.
- Setting point :  Lens IRIS
- Spec. : A = 100 ± 2 IRE (NTSC)
A = 700 ± 14 mV (PAL)




Adjustment procedure

Test point : TEST OUT connector

1. On the setting menu, adjust as follows.
 - PAGE : VF SETTING
 - ITEM : ZEBRA1 DETECT
 - Spec. : Set the condition that zebra pattern appear at the portions A.



5. On the setting menu, set as follows.
 - PAGE : VF SETTING
 - ITEM : ZEBRA SELECT → 2
6. On the setting menu, adjust as follows.
 - PAGE : VF SETTING
 - ITEM : ZEBRA2 DETECT
 - Spec. : Set the condition that zebra pattern appear at the portion B.



Setting after adjustment

- PAGE : VF SETTING
- ITEM : ZEBRA SELECT → 1

5-16. Automatic Iris Adjustment


Preparation

- On the setting menu, set as follows.
PAGE : LEVEL 7
ITEM : TEST OUT → ENC
- OUTPUT/DCC switch (inside panel) → CAM/ON
- Shoot a gray-scale chart in the full underscan's picture frame.
- Lens IRIS → AUTO

Adjustment procedure

Test point : TEST OUT connector

1. On the setting menu, adjust as follows.
PAGE : LEVEL 9
ITEM : IRIS MODE
Spec. : Set the automatic iris operation mode depending on the application.
Automatic iris operation mode setting can be done from the average level to peak-to-peak level of the video signal.
IRIS MODE = MIN → peak-to-peak level
IRIS MODE = MAX → average level
2. On the setting menu, adjust as follows.
PAGE : LEVEL 9
ITEM : IRIS SET
Spec. : A = 100 ± 2 IRE (NTSC)
A = 700 ± 14 mV (PAL)



3. On the setting menu, set as follows.
PAGE : LEVEL 9
ITEM : IRIS WEIGHT → 0 (MIN)
4. Shoot a avoid working area of auto iris in the white window chart.

5. On the setting menu, adjust as follows.
PAGE : LEVEL 9
ITEM : IRIS WEIGHT
Spec. : Increment the IRIS WEIGHT value until the lens iris is open.
6. On the setting menu, adjust as follows.
PAGE : LEVEL 9
ITEM : IRIS SPEED (Factory setting : 0)
Spec. : Set to the desired operation speed of auto iris.
7. On the setting menu, set as follows.
PAGE : LEVEL 9
ITEM : CLIP HIGH LIGHT → ON or OFF
Spec. : Set to the desired position.

Section 6

Electrical Alignment (Only for DNW-9WS/9WSP/90WS/90WSP)

6-1. General Information for Electrical Adjustment

6-1-1. Note for Adjustment

Before adjustment, set the main POWER switch to on and the VTR switch to SAVE, then warm up the camera for about 10 minutes.

Be sure to set the main POWER switch of the external DC power supply to off before extracting the plug-in board.


Indication at the top right on the viewfinder screen.

In adjustment on the setting menu, a bar sometimes appears at the top right on the viewfinder screen. The bar indicates the current setting state and adjustable range for the selected item.

Screen mode setting

Sets the screen mode as follows before performing the adjustment of the each page.

1. Setting menu
PAGE : WIDE SCREEN
ITEM : 16:9/4:3 MODE
2. Sets the screen mode as in the each page.
When the screen mode is not written, both "16:9" and "4:3" modes are acceptable for adjustment.



6-1-2. Equipment/Fixtures

- Oscilloscope
Tektronix 2465 or equivalent
- Waveform monitor/Vectorscope
Tektronix 1750/1751 or equivalent
- Monitor
Sony BVM-1410/1411P or equivalent
- Pattern box (PTB-500, 90 - 240 Vac)
J-6029-140-B
- Gray scale chart (4:3)
J-6026-130-A

6-1-3. Initial Setting for Switches

Execute the camera system alignment using the ENG mode in the SETUP menu. When the setting mode is changed ENG, set switches as follows.

1. Set the POWER switch to off.
2. S4-1 (DCP-1 board) → OFF
3. S1 (DCP-1 board) → OFF
4. While holding down the rotary encoder, turn the power ON

Note

When adjustment is performed in the ENG mode, the values of items adjusted in the USER mode become 0.

Initial Setting

Before performing adjustment, set switches as follows. If the setting of the GAIN switch is changed from the factory set value, reset it to its original value by referring to the operation manual.

Inside panel :

VTR SAVE/STBY switch	→ STBY
GAIN switch	→ L (0 dB)
OUTPUT/DCC switch	→ CAM/OFF
MENU switch	→ OFF
WHITE BAL switch	→ PRST

Front panel :

SHUTTER switch	→ OFF
Filter selector	→ 1

Lens :

LENS	→ MANU
IRIS	→ (CLOSE)

SETUP menu :

- MASTER GAIN
 - LOW → 0 dB
 - MID → 9 dB
 - HIGH → 18 dB
- FUNCTION 1/2
 - TEST OUT → ENC
 - DATAIL → ON
 - SKIN TONE DTL → OFF
 - MATRIX → OFF
 - GAMMA → ON
 - CHROMA → ON
 - TEST SAW → OFF

- FUNCTION 2/2
 - GENLOCK → ON
 - CAM RET → OFF
 - FILTER INH → ON
- LEVEL 3
 - KNEE SELECT → ON
 - WHITE CLIP → ON
- LEVEL 4
 - R-Y → ON
 - B-Y → ON

6-2. ENC Level Adjustment

16:9 and 4:3 modes

Preparation

- OUTPUT/DCC switch (inside panel) → BARS


Adjustment procedure

Equipment: Waveform monitor

Test point: VIDEO OUT connector

1. Put the unit into the 16:9 mode.
2. On the setting menu, adjust as follows.

PAGE : LEVEL 5
ITEM : ENC SYNC LEVEL
Spec. : A = 40 ± 1 IRE (NTSC)
A = 300 ± 7 mV (PAL)



3. On the setting menu, adjust as follows.
PAGE : LEVEL 5
ITEM : ENC SETUP LEV.
Spec. : B = 7.5 ± 0.5 IRE (NTSC)
B = 0 ± 3 mV (PAL)
4. On the setting menu, adjust as follows.
PAGE : LEVEL 5
ITEM : ENC Y LEV. (WS)
Spec. : C = 100 ± 2 IRE (NTSC)
C = 700 ± 14 mV (PAL)
5. Put the unit into the 4:3 mode.
6. On the setting menu, adjust as follows.
PAGE : LEVEL 5
ITEM : ENC Y LEV.
Spec. : C = 100 ± 2 IRE (NTSC)
C = 700 ± 14 mV (PAL)

6-3. TEST OUT Level Adjustment

16:9 and 4:3 mode

Preparation


- OUTPUT/DCC switch (inside panel) → BARS
- On the setting menu, set as follows.

PAGE : LEVEL 7
ITEM : TEST OUT → R, G or B

Adjustment procedure

Test point: TEST OUT connector

1. Put the unit into the 16:9 mode.
2. On the setting menu, adjust as follows.
PAGE : LEVEL 5
ITEM : RGB SYNC LEV.
Spec. : A = 40 ± 2 IRE (NTSC)
A = 300 ± 14 mV (PAL)
3. On the setting menu, adjust as follows.
PAGE : LEVEL 5
ITEM : RGB SETUP LEV.
Spec. : B = 7.5 ± 0.5 IRE (NTSC)
B = 0 ± 3 mV (PAL)
4. On the setting menu, adjust as follows.
PAGE : LEVEL 5
ITEM : RGB LEVEL (WS)
Spec. : C = 100 ± 2 IRE (NTSC)
C = 700 ± 14 mV (PAL)



5. Put the unit into the 4:3 mode.
6. On the setting menu, adjust as follows.
PAGE : LEVEL 5
ITEM : RGB LEVEL
Spec. : C = 100 ± 2 IRE (NTSC)
C = 700 ± 14 mV (PAL)

Setting after adjustment

- On the setting menu, set as follows.
PAGE : LEVEL 7
ITEM : TEST OUT → ENC

6-4. VA Gain Adjustment

16:9 mode

Note


- Use a reflective chart (Reflection rate: 89.9 %) in this adjustment as possible. Adjust the color temperature to 3200 K exactly. If a pattern box is used, check it's state before use. Set the luminous intensity of the chart to 2000 lx.
- If the "16:9" chart is not keep on hand, it is acceptable to perform the adjustment of "4:3" mode using a "4:3" chart.

Preparation


- OUTPUT/DCC switch (inside panel) → CAM/ON
- Shoot a gray-scale chart (16:9) in the full underscan's picture frame.
- WHITE BAL switch (inside panel) → PRST
- AUTO W/B BAL switch (front panel) → BLK
(Perform the automatic black balance adjustment.)

Adjustment procedure

- Equipment : Oscilloscope
Test point : TP1/VA-167
Setting point : ● Lens IRIS
Spec. : $A = 320 \pm 8$ mV




- On the setting menu, set as follows.
PAGE : FUNCTION 1/2
ITEM : TEST OUT → G
- Equipment : Waveform monitor
Test point : TEST OUT connector (inside panel)
Adj. point : ●RV201/VA-167
Spec. : $B = 100 \pm 2$ IRE (NTSC)
 $B = 700 \pm 10$ mV (PAL)



- On the setting menu, set as follows.

PAGE : FUNCTION 1/2
ITEM : TEST OUT → ENC
ITEM : GAMMA → OFF

- Select portion C by using the waveform monitor.




- Set the waveform monitor to the CHROMA mode.
- Equipment : Waveform monitor
Test point : TEST OUT connector (inside panel)
Adj. point : ●RV101/VA-167
●RV301/VA-167
Spec. : Minimize carrier leak D by using the variable resistors alternately.



Setting after adjustment

- On the setting menu, set as follows.
PAGE : FUNCTION 1/2
ITEM : GAMMA → ON



VA-167 Board (A side)

6-5. White Shading Adjustment

16:9 mode

Preparation


- Lens IRIS → AUTO
- Shoot a fully occupied white area of pattern box in the underscan's picture frame.
- Waveform monitor setting
LUM mode
VOLT FULL SCALE range → 0.5

Adjustment procedure

Test point: TEST OUT connector

1. On the setting menu, set as follows.
PAGE : W-SHAD_G
ITEM : TEST OUT → G
2. Make the waveform to flat by UP and/or DOWN button on the inside panel according to the table below.
3. Adjust the shading for R and B channels in the same way.

	TEST OUT	H SAW	V SAW	H PARA	V PARA
G	W-SHAD_G TEST OUT → G	W-SHAD_G H SAW	W-SHAD_G V SAW	W-SHAD_G H PARA	W-SHAD_G V PARA
R	W-SHAD_R TEST OUT → R	W-SHAD_R H SAW	W-SHAD_R V SAW	W-SHAD_R H PARA	W-SHAD_R V PARA
B	W-SHAD_B TEST OUT → B	W-SHAD_B H SAW	W-SHAD_B V SAW	W-SHAD_B H PARA	W-SHAD_B V PARA



4. Set the lens to EXTENDER and adjust in the same way.

	TEST OUT	H SAW	V SAW	H PARA	V PARA
G	W-SHAD_G TEST OUT → G (EXT)	W-SHAD_G H SAW (EXT)	W-SHAD_G V SAW (EXT)	W-SHAD_G H PARA (EXT)	W-SHAD_G V PARA
R	W-SHAD_R TEST OUT → R (EXT)	W-SHAD_R H SAW (EXT)	W-SHAD_R V SAW (EXT)	W-SHAD_R H PARA (EXT)	W-SHAD_R V PARA
B	W-SHAD_B TEST OUT → B (EXT)	W-SHAD_B H SAW (EXT)	W-SHAD_B V SAW (EXT)	W-SHAD_B H PARA (EXT)	W-SHAD_B V PARA

Setting after adjustment

- On the setting menu, set as follows.
PAGE : W-SHAD_B
ITEM : TEST OUT → ENC


6-6. Gamma Correction Adjustment

16:9 mode

Preparation

- OUTPUT/DCC switch (inside panel) → CAM/ON
- Shoot a gray-scale chart (16:9) in the full underscan's picture frame.

Setting point : ● Lens IRIS

Spec. : A (white level) = 100 ± 2 IRE

- On the setting menu, set as follows.

PAGE : LEVEL 6


ITEM : TEST OUT → G

Adjustment procedure

1. On the setting menu, adjust as follows.

PAGE : LEVEL 3

ITEM : MASTER GAMMA

Spec. : B = 63 ± 2 IRE (NTSC)B = 420 ± 14 mV (PAL)

2. On the setting menu, set as follows.

PAGE : FUNCTION 1/2

ITEM : TEST OUT → ENC


ITEM : TEST SAW → ON

3. On the setting menu, adjust as follows.

PAGE : LEVEL 6

ITEM : R GAMMA

Spec. : Adjust the illuminated spot at the center of the vectorscope.



4. On the setting menu, adjust as follows.


PAGE : LEVEL 6

ITEM : B GAMMA

Spec. : Adjust the illuminated spot at the center of the vectorscope.

5. Repeat steps 3 and 4 several times, adjust the illuminated spot at the center of the vectorscope.

6. Make sure that the carrier leak at the portion B is not observed.



Setting after adjustment

- On the setting menu, set as follows.

PAGE : FUNCTION 1/2

ITEM : TEST SAW → OFF

6-7. Black Set Adjustment

Preparation

- Lens IRIS → CLOSE
- On the setting menu, set as follows.
PAGE : LEVEL 6
ITEM : TEST OUT → G

Adjustment procedure

Test point: TEST OUT connector

- On the setting menu, adjust as follows.
PAGE : LEVEL 3
ITEM : MASTER BLACK
Spec. : $A = 10 \pm 1$ IRE (NTSC)
 $A = 20 \pm 7$ mV (PAL)




Setting after adjustment

- On the setting menu, set as follows.
PAGE : LEVEL 6
ITEM : TEST OUT → ENC
- MENU switch (inside panel) → OFF
- AUTO W/B BAL switch (front panel) → BLK
(Perform the automatic black balance adjustment.)

6-8. Flare Adjustment

Preparation


- On the setting menu, set as follows.
PAGE : LEVEL 6
ITEM : TEST OUT → ENC
- OUTPUT/DCC switch (inside panel) → CAM/ON
- Shoot a gray-scale chart (16:9) in the full underscan's picture frame.
Test point : TEST OUT connector (inside panel)
Setting point : ● Lens IRIS
Spec. : Open the lens iris by one step from the reference setting (NTSC: 100 ± 2 IRE, PAL: $A = 700 \pm 14$ mV).




Adjustment procedure

Test point: TEST OUT connector

- On the setting menu, set as follows.
PAGE : LEVEL 7
ITEM : G FLARE → 0
- Select portion C by using the waveform monitor.



- On the setting menu, adjust as follows.
PAGE : LEVEL 7
ITEM : R FLARE
Spec. : Minimize the carrier leak at portion B



- On the setting menu, adjust as follows.
PAGE : LEVEL 7
ITEM : B FLARE
Spec. : Minimize the carrier leak at portion B.
- Repeat steps 3 and 4 several times.

6-9. Manual Knee and White Clip Adjustments

Preparation

- OUTPUT/DCC switch (inside panel) → CAM/OFF
- WHITE BAL switch (inside panel) → PRST
- GAIN switch (inside panel) → M (9 dB)
- On the setting menu, set as follows.

PAGE	: FUNCTION 1/2
ITEM	: TEST SAW → ON
PAGE	: LEVEL 3
ITEM	: WHITE CLIP → OFF

Adjustment procedure

Test point: TEST OUT connector

1. On the setting menu, set as follows.

PAGE	: LEVEL 3
ITEM	: KNEE SLOPE 1 → MIN
2. On the setting menu, adjust as follows.


PAGE	: LEVEL 3
ITEM	: KNEE POINT 1
Spec.	: A = 85 ± 2 IRE (NTSC)
	A = 595 ± 14 mV (PAL)
3. GAIN switch (inside panel) → H (18 dB)
4. On the setting menu, set as follows.

PAGE	: LEVEL 3
ITEM	: WHITE CLIP → ON
ITEM	: KNEE SLOPE 1 → MAX
5. On the setting menu, adjust as follows.

PAGE	: LEVEL 3
ITEM	: WHT CLIP LEVEL
Spec.	: B = 107 ± 2 IRE (NTSC)
	B = 735 ± 10 mV (PAL)
6. GAIN switch (inside panel) → M (9 dB)
7. On the setting menu, set as follows.

PAGE	: LEVEL 3
ITEM	: WHITE CLIP → OFF
8. On the setting menu, adjust as follows.

PAGE	: LEVEL 3
ITEM	: KNEE SLOPE
Spec.	: C = 109 ± 2 IRE (NTSC)
	C = 763 ± 14 mV (PAL)



Setting after adjustment

- GAIN switch (inside panel) → L (0 dB)
- On the setting menu, set as follows.

PAGE	: FUNCTION 1/2
ITEM	: TEST SAW → OFF
PAGE	: LEVEL 3
ITEM	: WHITE CLIP → ON

Note


The values used in the above adjustment are for the conditions that the white clip level is set to 109 IRE (763 mV). When the white clip level is set to a value other than 109 IRE (763 mV), equate these values of knee slope adjustment and white clip adjustment.

6-10. Crispening Adjustment (16:9)

16:9 mode

Preparation

- On the setting menu, set as follows.
PAGE : FUNCTION 1/2
ITEM : DETAIL → ON
- OUTPUT/DCC switch (inside panel) → CAM/ON
- Shoot a gray-scale chart (16:9) in the full underscan's picture frame.
Setting point : ● Lens IRIS
Spec. : A = 100 ± 2 IRE (NTSC)
A = 700 ± 14 mV (PAL)



Adjustment procedure

Equipment : Black and white monitor
Test point : TEST OUT connector


- On the setting menu, adjust as follows.
PAGE : LEVEL 1
ITEM : CRISPENING
Spec. : Reduce the noise on the screen to a permissible level.

6-11. Level Dependent Adjustment (16:9)

16:9 mode

Preparation


- On the setting menu, set as follows.
PAGE : FUNCTION 1/2
ITEM : DETAIL → ON
ITEM : TEST OUT → ENC
- OUTPUT/DCC switch (inside panel) → CAM/ON
- Shoot a gray-scale chart (16:9) in the full underscan's picture frame.
Setting point : ● Lens IRIS
Spec. : A = 100 ± 2 IRE (NTSC)
A = 700 ± 14 mV (PAL)



Adjustment procedure

Test point: TEST OUT connector

- On the setting menu, adjust as follows.
PAGE : LEVEL 1
ITEM : LEVEL DEPEND
Spec. : Eliminate the detail signal from portion B.



Note


- After this adjustment, be sure to perform 6-12. H/V Ratio Adjustment, and 6-13. Detail Level Adjustment, in that order.

6-12. H/V Ratio Adjustment (16:9)

16:9 mode

Preparation

- On the setting menu, set as follows.
PAGE : FUNCTION 1/2
ITEM : DETAIL → ON
ITEM : TEST OUT → ENC
- OUTPUT/DCC switch (inside panel) → CAM/ON
- Shoot a gray-scale chart (16:9) in the full underscan's picture frame.
- Setting point : ☒ Lens IRIS
Spec. : $A = 100 \pm 2$ IRE (NTSC)
 $A = 700 \pm 14$ mV (PAL)




Adjustment procedure

Equipment: Black and white monitor

Test point: TEST OUT connector

- On the setting menu, adjust as follows.
PAGE : LEVEL 1
ITEM : V DTL LEVEL
Spec. : Adjust so that the H and V detail amounts which are added are equivalent.



6-13. Detail Level Adjustment (16:9)


16:9 mode

Note

- Perform this adjustment, if necessary, to suit the customer's preferences.

Preparation

- On the setting menu, set as follows.
PAGE : FUNCTION 1/2
ITEM : DETAIL → ON
ITEM : TEST OUT → ENC
- Shoot a gray-scale chart (16:9) in the full underscan's picture frame.
- Setting point : ☒ Lens IRIS
Spec. : $A = 80 \pm 2$ IRE (NTSC)
 $A = 560 \pm 14$ mV (PAL)



Adjustment procedure

Test point: TEST OUT connector

- On the setting menu, adjust as follows.
PAGE : LEVEL 1
ITEM : DETAIL LEVEL (Factory setting: 0)
Spec. : Set to the detail signal which is added to each step in the gray-scale chart.


6-14. Crispening Adjustment (4:3)

4:3 mode

Preparation

- On the setting menu, set as follows.
PAGE : FUNCTION 1/2
ITEM : DETAIL → ON
- OUTPUT/DCC switch (inside panel) → CAM/ON
- Shoot a gray-scale chart (4:3) in the full underscan's picture frame.
Setting point : ● Lens IRIS
Spec. : A = 100 ± 2 IRE (NTSC)
A = 700 ± 14 mV (PAL)

Adjustment procedure



Equipment : Black and white monitor
Test point : TEST OUT connector


1. On the setting menu, adjust as follows.
PAGE : LEVEL 1
ITEM : CRISPENING
Spec. : Reduce the noise on the screen to a permissible level.

6-15. Level Dependent Adjustment (4:3)

4:3 mode

Preparation


- On the setting menu, set as follows.
PAGE : FUNCTION 1/2
ITEM : DETAIL → ON
ITEM : TEST OUT → ENC
- OUTPUT/DCC switch (inside panel) → CAM/ON
- Shoot a gray-scale chart (4:3) in the full underscan's picture frame.
Setting point : ● Lens IRIS
Spec. : A = 100 ± 2 IRE (NTSC)
A = 700 ± 14 mV (PAL)



Adjustment procedure

Test point: TEST OUT connector

1. On the setting menu, adjust as follows.
PAGE : LEVEL 1
ITEM : LEVEL DEPEND
Spec. : Eliminate the detail signal from portion B.



Note


- After this adjustment, be sure to perform 6-16. H/V Ratio Adjustment, and 6-17. Detail Level Adjustment, in that order.

6-16. H/V Ratio Adjustment (4:3)

4:3 mode

Preparation


- On the setting menu, set as follows.
PAGE : FUNCTION 1/2
ITEM : DETAIL → ON
ITEM : TEST OUT → ENC
- OUTPUT/DCC switch (inside panel) → CAM/ON
- Shoot a gray-scale chart (4:3) in the full underscan's picture frame.
Setting point : ● Lens IRIS
Spec. : A = 100 ± 2 IRE (NTSC)
A = 700 ± 14 mV (PAL)



Adjustment procedure

Equipment: Black and white monitor
Test point: TEST OUT connector

- On the setting menu, adjust as follows.
PAGE : LEVEL 1
ITEM : V DTL LEVEL
Spec. : Adjust so that the H and V detail amounts which are added are equivalent.



6-17. Detail Level Adjustment (4:3)


4:3 mode

Note

- Perform this adjustment, if necessary, to suit the customer's preferences.

Preparation

- On the setting menu, set as follows.
PAGE : FUNCTION 1/2
ITEM : DETAIL → ON
ITEM : TEST OUT → ENC
- Shoot a gray-scale chart (4:3) in the full underscan's picture frame.
Setting point : ● Lens IRIS
Spec. : A = 80 ± 2 IRE (NTSC)
A = 560 ± 14 mV (PAL)



Adjustment procedure

Test point: TEST OUT connector

- On the setting menu, adjust as follows.
PAGE : LEVEL 1
ITEM : DETAIL LEVEL (Factory setting: 0)
Spec. : Set to the detail signal which is added to each step in the gray-scale chart.

6-18. Skin Tone Adjustment

Note

- Perform this adjustment, if necessary, to suit the customer's preferences.

Preparation

- On the setting menu, set as follows.
 PAGE : LEVEL 2
 ITEM : SKIN TONE DTL → ON
 ITEM : SKIN TONE IND. → ON
- Shoot a person's face.

Adjustment procedure

Test point: TEST OUT, VIDEO OUT connector

1. On the setting menu, set as follows.
 PAGE : LEVEL 2
 ITEM : SKIN TONE DET → ON
2. Shoot a person's face in the central of the viewfinder.
3. Push the rotary switch (front panel).
 (Display the detect area in zebra pattern.)
4. Perform the adjustment in this step, if necessary.
 On the setting menu, adjust as follows.
 PAGE : LEVEL 2
 ITEM : X : Component of red (center)
 Y : Component of blue (center)
 dX : Component of red (range)
 dY : Component of blue (range)
 Display the skin detail detect area in zebra pattern.
 Adjust zebra pattern displays only normal area.
5. On the setting menu, adjust as follows.
 PAGE : LEVEL 2
 ITEM : SUPPRESS LEVEL (Factory setting: 0)
 Spec. : Set the level to the desired detail level.

Setting after adjustment


PAGE : LEVEL 2
 ITEM : SKIN TONE DTL → OFF
 ITEM : SKIN TONE IND. → OFF
 ITEM : SKIN TONE DET → OFF

6-19. Zebra Adjustment


Preparation

- ZEBRA switch (viewfinder) → ON
- On the setting menu, set as follows.
 - PAGE : FUNCTION 1/2
 - ITEM : TEST OUT → R, G or B
 - PAGE : VF SETTING
 - ITEM : ZEBRA SELECT → 1
 - ITEM : ZEBRA1 APT → MIN
- OUTPUT/DCC switch (inside panel) → CAM/ON
- Shoot a gray-scale chart in the full underscan's picture frame.

Setting point : ● Lens IRIS
 Spec. : $A = 100 \pm 2$ IRE (NTSC)
 $A = 700 \pm 14$ mV (PAL)



5. On the setting menu, set as follows.
 - PAGE : VF SETTING
 - ITEM : ZEBRA SELECT → 2
6. On the setting menu, adjust as follows.
 - PAGE : VF SETTING
 - ITEM : ZEBRA2 DETECT
 - Spec. : Set the condition that zebra pattern appear at the portion B.




Setting after adjustment

PAGE : VF SETTING
 ITEM : ZEBRA SELECT → 1

Adjustment procedure

Test point: TEST OUT connector

1. On the setting menu, adjust as follows.
 - PAGE : VF SETTING
 - ITEM : ZEBRA1 DETECT
 - Spec. : Set the condition that zebra pattern appear at the portions A.



2. On the setting menu, set as follows.
 - PAGE : FUNCTION 1/2
 - ITEM : TEST SAW → ON
3. On the setting menu, adjust as follows.
 - PAGE : VF SETTING
 - ITEM : ZEBRA1 APT (Factory setting: 0)
 - Spec. : Set the desired width of detection.
4. On the setting menu, set as follows.
 - PAGE : FUNCTION 1/2
 - ITEM : TEST SAW → OFF

6-20. Automatic Iris Adjustment

16:9 mode

Preparation

- On the setting menu, set as follows.
 PAGE : LEVEL 7
 ITEM : TEST OUT → ENC
- OUTPUT/DCC switch (inside panel) → CAM/ON
- Shoot a gray-scale chart (16:9) in the full underscan's picture frame.
- Lens IRIS → AUTO

Adjustment procedure

Test point: TEST OUT connector


1. On the setting menu, adjust as follows.
 PAGE : LEVEL 9
 ITEM : IRIS MODE
 Spec. : Set the automatic iris operation mode depending on the application.

Automatic iris operation mode setting can be done from the average level to peak-to-peak level of the video signal.

IRIS MODE = MIN → peak-to-peak level

IRIS MODE = MAX → average level

2. On the setting menu, adjust as follows.
 PAGE : LEVEL 9
 ITEM : IRIS SET
 Spec. : A = 100 ± 2 IRE (NTSC)
 A = 700 ± 14 mV (PAL)



3. On the setting menu, set as follows.
 PAGE : LEVEL 9
 ITEM : IRIS WEIGHT → 0 (MIN)
4. Shoot a avoid working area of auto iris in the white window chart?
5. On the setting menu, adjust as follows.
 PAGE : LEVEL 9
 ITEM : IRIS WEIGHT
 Spec. : Increment the IRIS WEIGHT value until the lens iris is open.

6. On the setting menu, adjust as follows.

PAGE : LEVEL 9
 ITEM : IRIS SPEED (Factory setting: 0)
 Spec. : Set to the desired operation speed of auto iris.

Section 7

Periodic Maintenance and Inspection


7-1. Cleaning

To make the most of the functions, deliver the full performances of this unit and to lengthen the life of the unit and tape, clean the parts often.

7-1-1. General Information for Cleaning

1. Index

This section explains the cleaning of parts as shown in the figure below.



2. Notes on Cleaning

WARNING

Do not touch the rotating drum.

If you touch the drum with hand or screwdriver, it is danger to get hurt by the rapidly spinning drum.

- Make sure that the rotating drum completely stops before cleaning or replacement of parts.
- Do not touch the rotating drum during adjusting.

- Be sure to turn the power off before cleaning.
- The blocks in the mechanical deck consist of the precision parts, and are aligned precisely. Be careful not to damage the parts, and not to apply an excessive force during cleaning.
- Do not touch the greased portions during cleaning. If grease attaches to a cleaning cloth, replace the cleaning cloth with a new one. A grease-smeared cleaning cloth may make portions where it should not be, smeary.
- Do not insert a cassette tape before cleaning fluid completely evaporates.

3. Preparations

- (1) Turn the power off.
- (2) Remove the front lid and the outside panel. (Refer to section 1-5.)

7-1-2. Cleaning of Tape Running Surface of Upper Drum and Video Heads

Note

The upper drum and video heads are the parts that can damage easily. Take a great care not to damage the upper drum and rotary heads during cleaning.

Tools Required

- Cleaning cloth : 3-184-527-01
- Cleaning fluid : 9-919-573-01

Note

Never use a cotton swab.

Procedures

1. Press the cleaning cloth moistened with cleaning fluid slightly against the position of the rotary heads installation height. Keep the cleaning cloth from contact with the rotary heads this time.

Note


Never press the cleaning cloth with wrinkle to the video head during cleaning.

2. Rotate the upper drum slowly in the counterclockwise direction by hand and clean it.

Note

Be sure to rotate the upper drum counterclockwise. (Do not clean the video heads in the vertical direction. This may damage them.)

3. After cleaning, wipe the rotary heads using a dry cleaning cloth.



7-1-3. Cleaning of Tape Running Surface of Lower Drum and Lead Surface

Notes

Take care not to damage the lower drum (specially lead surface) during cleaning. Take care to clean the edge portion above the lower drum because it is near the video heads.

Tools Required

- Cleaning cloth : 3-184-527-01
- Cleaning fluid : 9-919-573-01
- Skewer or an equivalent (Do not use a metallic skewer.)


Procedures

1. Put a skewer (or an equivalent) along the drum lead surface and remove magnetic powder as shown in the figure.

Notes

- (a) Do not use a metallic skewer instead of a skewer. This may damage the tape running surface.
- (b) If the magnetic powder attached to the drum lead surface, tracking may badly influence.
Remove the magnetic powder completely.

2. Clean the tape running surface of the lower drum and lead surface (shaded portion) using a cleaning cloth moistened with cleaning fluid as shown in the figure.
3. After cleaning, be sure to wipe the tape running surface of the lower drum and lead surface using a dry cleaning cloth.



7-1-4. Stationary Heads Cleaning

CAUTION

Tape cleaner between the FE and CTL heads has a sharp edge. Never touch the edge by bare hands. Take care during cleaning.

Note

Take care not to damage the surfaces of the stationary heads during cleaning.

Tools Required

- Cleaning cloth : 3-184-527-01
- Cleaning fluid : 9-919-573-01


Procedures

1. Clean the tape running surfaces of the FE, CTL and TC heads in the vertical direction using a cleaning cloth moistened with cleaning fluid.

Note

If the magnetic powder attached to the head gap portions of the FE, CTL and TC heads, an error may occur during recording or playback. Remove the magnetic powder completely.

2. After cleaning, be sure to wipe the tape running surfaces of the FE, CTL and TC heads using a dry cleaning cloth.



7-1-5. Cleaning of Tape Running System and Tape Cleaner

CAUTION

Tape cleaner has a sharp edge. Never touch the edge by bare hands. Take care during cleaning.

Tools Required

- Cleaning cloth : 3-184-527-01
- Cleaning fluid : 9-919-573-01


Procedures

1. Clean the tape running surfaces (shaded portions) of the following guides using a cleaning cloth moistened with a cleaning fluid as shown in the figure.

S1 guide, S2 guide, S3 guide, S4 guide, S5 guide, T1 guide, T2 guide, T3 guide, T4 guide, capstan and pinch roller.
2. After cleaning, be sure to clean it with a dry cleaning cloth two or three times.
3. Pass a piece of paper approximately this manual's paper thin through the clearance of the tape cleaner from top to bottom four or five times.
At this time, do not move the paper from bottom to top.

CAUTION

Never touch the edge portion of the tape cleaner by bare hands.



7-2. Periodic Check

To make the most of the functions, deliver the full performances of the unit, and to lengthen the life of the unit and tape, a periodic check is recommended.

7-2-1. Hours Meter

This unit can display an hours meter on the LCD display, and reset the your requested hours meter. It is recommendable to carry out the periodic check using this hours meter as a reference.

1. Display procedures

- (1) Press the DIAGNOSTIC switch on the side panel to enter the DIAGNOSTIC mode using the tip of a clip.
- (2) The LCD display changes every time you press the SHIFT button on the side panel.
- (3) Press the DIAGNOSTIC switch on the side panel to exit the DIAGNOSTIC mode.

2. Customer reset

The hours meters of "5. DRUM RUN-2", "6. TAPE RUN-2", "7. OPERATION-2" and "8. THREADING-2" can be reset by a customer.

- (1) While checking on the LCD display, select the hours meter to be reset by pressing the SHIFT button on the side panel.
- (2) Press the RESET button on the side panel, and the total time of the selected hours meter will be reset.

3. Contents of display

Mode	Description
LCD display (Blinking)	
01 XXXH	1. Total hours of drum rotating (Display of the time by an hour)
02 XXXH	2. Total hours of tape running (Display of the time by an hour)
03 XXXH	3. Total power-on time of the unit (Display of the time by an hour)
04 XXX	4. Total number of threading (Display of the threading and unthreading times)
05 XXXH	5. Drum rotating hour (Customer-resetable)
06 XXXH	6. Tape running hour (Customer-resetable)
07 XXXH	7. Power-on time of the unit (Customer-resetable)
08 XXX	8. The number of threading (Customer-resetable)

7-2-2. Periodic Check List

Replacement time shown in the following list is not the guarantee term parts. Use this list as guidelines for the maintenance and inspection. The replacement time of the parts varies depending on the operation environment and conditions of the unit.

Note

The parts marked with “↓” will be replaced at the same time when the part pointed by “↓” is replaced. As for replacement procedures for the parts shown in the table, refer to the maintenance manual Part2 Volume1, Section3.


Mode A : Drum running hour

Mode B : Tape running hour

No.	Item	Mode	Inspection hours (h)			Replacement parts	
			2000	4000	6000	Part name	Part No.
1	Upper drum	A	R	R	↓	Upper drum assy DJR-15-R	A-8311-299-
2	Slip ring	A	R	R	↓	Slip ring assy (RP)	A-8311-292-
3	Brush for slip ring	A	R	R	↓	Brush assy (RP)	A-8311-293-
4	Drum	A	—	—	R	Drum assy DJH-15A-R	A-8311-298-
5	VH cleaner	A	R	R	R	VH cleaner assy	A-8278-366-
6	Tension regulator band	B	—	R	—	Tension regulator band assy	X-3678-683-
7	Reel drive gear	B	—	R	—	Reel drive gear assy	A-8278-365-
8	Pinch roller	B	R	R	R	Pinch roller assy	X-3678-926-

The “R” mark in this table indicates the replacement timing of parts.

- Check sometimes the deformation of the eye cap of the viewfinder, and the reduction of the emission current of the CRT. Replace them as necessary.
- Replace the lithium battery on the TC-80 board every five years.



7-3. Cares After Using at Special Environment

It is recommended to check the following items after gathering the news at seaside or dust area.

1. Clean off sand and other dust in the unit carefully.
2. Clean the video heads, upper and lower drums and stationary heads.
3. Clean the tape running surfaces (tape guides, capstan shaft and pinch roller).
4. Clean the connectors on the connector panel.
5. Carry out the common operation check (recording or playback) and check that the unit has not an abnormal sound or operation.

If the unit has an abnormal condition, please contact your Sony dealer.

このマニュアルに記載されている事柄の著作権は当社にあり、説明内容は機器購入者の使用を目的としています。

従って、当社の許可なしに無断で複写したり、説明内容(操作、保守等)と異なる目的で本マニュアルを使用することを禁止します。

The material contained in this manual consists of information that is the property of Sony Corporation and is intended solely for use by the purchasers of the equipment described in this manual.

Sony Corporation expressly prohibits the duplication of any portion of this manual or the use thereof for any purpose other than the operation or maintenance of the equipment described in this manual without the express written permission of Sony Corporation.

Le matériel contenu dans ce manuel consiste en informations qui sont la propriété de Sony Corporation et sont destinées exclusivement à l'usage des acquéreurs de l'équipement décrit dans ce manuel.

Sony Corporation interdit formellement la copie de quelque partie que ce soit de ce manuel ou son emploi pour tout autre but que des opérations ou entretiens de l'équipement à moins d'une permission écrite de Sony Corporation.

Das in dieser Anleitung enthaltene Material besteht aus Informationen, die Eigentum der Sony Corporation sind, und ausschließlich zum Gebrauch durch den Käufer der in dieser Anleitung beschriebenen Ausrüstung bestimmt sind.

Die Sony Corporation untersagt ausdrücklich die Vervielfältigung jeglicher Teile dieser Anleitung oder den Gebrauch derselben für irgendeinen anderen Zweck als die Bedienung oder Wartung der in dieser Anleitung beschriebenen Ausrüstung ohne ausdrückliche schriftliche Erlaubnis der Sony Corporation.

DNW-90WSP (SY)
DNW-90WS (SY)
DNW-90P (SY)
DNW-90 (SY)
DNW-9WSP (SY)
DNW-9WS (SY)
DNW-7P (SY)
DNW-7 (SY) E
3-191-542-04

Sony Corporation
Broadcast Products Company

Printed in Belgium

1113

©1996

Published by Broadcast Products Company

SONY®

RECORDER UNIT

DNV-5

DIGITAL CAMCORDER

DNW-7/7P

DNW-9WS/9WSP

DNW-90/90P

DNW-90WS/90WSP



MAINTENANCE MANUAL Part 2

Volume 2 1st Edition (Revised 1)

⚠ 警告

このマニュアルは、サービス専用です。

お客様が、このマニュアルに記載された設置や保守、点検、修理など行くと感電や火災、人身事故につながる可能性があります。

危険をさけるため、サービストレーニングを受けた技術者のみご使用ください。

⚠ WARNING

This manual is intended for qualified service personnel only.

To reduce the risk of electric shock, fire or injury, do not perform any servicing other than that contained in the operating instructions unless you are qualified to do so. Refer all servicing to qualified service personnel.

⚠ WARNUNG

Die Anleitung ist nur für qualifiziertes Fachpersonal bestimmt.

Alle Wartungsarbeiten dürfen nur von qualifiziertem Fachpersonal ausgeführt werden. Um die Gefahr eines elektrischen Schlages, Feuergefahr und Verletzungen zu vermeiden, sind bei Wartungsarbeiten strikt die Angaben in der Anleitung zu befolgen. Andere als die angegebenen Wartungsarbeiten dürfen nur von Personen ausgeführt werden, die eine spezielle Befähigung dazu besitzen.

⚠ AVERTISSEMENT

Ce manuel est destiné uniquement aux personnes compétentes en charge de l'entretien. Afin de réduire les risques de décharge électrique, d'incendie ou de blessure n'effectuer que les réparations indiquées dans le mode d'emploi à moins d'être qualifié pour en effectuer d'autres. Pour toute réparation faire appel à une personne compétente uniquement.

DNV-5 (Except J)	Serial No. 10001 and Higher
DNV-5 (J)	Serial No. 30001 and Higher
DNW-7 (Except J)	Serial No. 10001 and Higher
DNW-7 (J)	Serial No. 30001 and Higher
DNW-7P	Serial No. 40001 and Higher
DNW-9WS(Except J)	Serial No. 10001 and Higher
DNW-9WS (J)	Serial No. 30001 and Higher
DNW-9WSP	Serial No. 40001 and Higher
DNW-90 (Except J)	Serial No. 10001 and Higher
DNW-90 (J)	Serial No. 30001 and Higher
DNW-90P	Serial No. 40001 and Higher
DNW-90WS(Except J)	Serial No. 10001 and Higher
DNW-90WS (J)	Serial No. 30001 and Higher
DNW-90WSP	Serial No. 40001 and Higher

Voor de klanten in Nederland

Dit apparaat bevat een MnO₂-Li batterij voor memory back-up.

Raadpleeg uw leverancier over de verwijdering van de batterij op het moment dat u het apparaat bij einde levensduur afdankt.

Gooi de batterij niet weg. maar lever hem in als KCA.



Bij dit produkt zijn batterijen geleverd. Wanneer deze leeg zijn, moet u ze niet weggooien maar inleveren als KCA.

Table of Contents

Manual Structure

Purpose of this manual	5 (E)
Contents	5 (E)
Relative manual	6 (E)

1. Spare Parts

1-1. Notes on Spare Parts	1-1
1-2. Exploded Views	1-2
1-2-1. Mechanical Deck	1-2
1-2-2. DNV-5	1-14
1-2-3. DNW-7/7P/90/90P/90WS/90WSP	1-22
1-2-4. Tripad Adaptor (For J except DNV-5)	1-34
1-3. Electrical Parts List	1-35
1-4. Supplied Accessories	1-129

2. Semiconductor Pin Assignments

3. Block Diagrams

OVERALL (DNW-7/90/90WS)	3-4
OVERALL (DNV-5)	3-6
DVP-1/2	3-7
DCP-1, ES-11	3-8
TC-80	3-10
IF-634, CT-187	3-12
MDC-5	3-13
POWER BLOCK	3-14
CCD BLOCK	3-15

4. Board Layouts

CT-187	4-4
CN-1193	4-5
RC-61	4-5
DCP-1	4-6
DVP-1	4-8
DVP-2	4-10
IF-634	4-12
ES-11	4-14
TC-80	4-16
MDC-5	4-18
HN-224, MDR-1, PA-203	4-20
AIF-8, MA-68, SW-789	4-21
DC-87, PS-390	4-22
RE-118, RE-119	4-23
AL-40, CT-185, AXM-14, CNB-1	4-24
IO-117, CO-22, CI-12, HP-70	4-25
KY-293, LP-86, LP-102 PSW-33, PSW-55, RX-26, SW-780	4-26
SW-808, SW-823, SW-873, SW-882	4-27
MB-627	4-28
CN-1183, BI-96	4-29
DR-291, PA-186	4-30
VA-167, TG-161	4-31
TG-164	4-32

5. Schematic Diagrams

CT-187	5-4
DCP-1	5-6
CN-1193	5-19
DVP-1	5-20
DVP-2	5-34
ES-11	5-46
IF-634	5-50
PA-203	5-59
RC-61	5-60
TC-80 (DNV-5)	5-62
TC-80 (DNW-7/90/90WS)	5-72
HN-224	5-81
MDC-5	5-82
MDR-1	5-86
AIF-8	5-87

MA-68	5-88
DC-87, PS-390	5-89
RE-118 (DNV-5)	5-90
RE-118 (DNW-7/90/90WS)	5-92
RE-119 (DNV-5)	5-94
RE-119 (DNW-7/90/90WS)	5-96
AL-40, CT-185	5-98
AXM-14	5-99
CNB-1 (DNV-5)	5-100
CNB-1 (DNW-7/90/90WS)	5-104
IO-117	5-107
CI-12	5-108
RX-26, SW-780	5-109
MB-627 (DNV-5)	5-110
MB-627 (DNW-7/90/90WS)	5-114
CN-1183	5-118
BI-96	5-119
DR-291	5-120
PA-186	5-122
VA-167	5-124
TG-161	5-126
TG-164	5-128
FRAME (DNV-5)	5-130
FRAME (DNW-7/90/90WS)	5-134

Manual Structure

Purpose of this manual

This manual is maintenance manual of Recorder Unit DNV-5 and Digital Camcorder DNW-7/7P/90/90P/90WS/90WSP.

This manual describes the information items (block diagrams, board layouts, schematic diagrams, detailed parts list, etc.) that premise the service based on the components parts.

Contents

The following is a summary of the sections for understanding the contents of this manual.

Maintenance Manual Part 2 Volume 2

Section 1 Spare Parts

Describes the exploded views for the mechanical parts, and the electrical parts list in this unit.

Section 2 Semiconductor Pin Assignments

Describes the pin assignments, and the function explanation used in this unit.

Section 3 Block Diagrams

Describes the overall block diagrams, and the block diagrams for every circuit board.

Section 4 Board Layouts

Describes the board layouts.

Section 5 Schematic Diagrams

Describes the schematic diagrams.

Maintenance Manual Part 2 Volume 1

Section 1 Service Overview

Section 2 Maintenance Mode

Section 3 Replacements of Mechanical Parts

Section 4 Mechanical Alignment

Section 5 Replacement of Circuit Boards

Section 6 General Information for Electrical Alignment

Section 7 VTR System Alignment

Section 8 Camera System Alignment

Section 9 Camera System Alignment (For DNW-90WS/90WSP)

Relative manual

Besides this “Maintenance Manual Part 1”, the following manuals are available for this unit.

- **Operation Manual (Supplied with this unit.)**

This manual is necessary for application and operation of this unit.

- **Maintenance Manual Part 2 (Not supplied with this unit.)**

This manual describes the information items (adjustments, board layouts, schematic diagrams, detailed parts list, etc.) that premise the service based on parts. If this manual is required, please contact Sony’s service organization.

- **BVF-V10/V10CE or BVF-V20W/V20WCE**

- **Maintenance Manual (Not supplied with this unit.)**

This manual describes the service information of the viewfinder.

If this manual is required, please contact Sony’s service organization.

Section 1

Spare Parts

1-1. Notes on Spare Parts

1. Safety Related Components Warning

Components marked \triangle are critical to safe operation.
Therefore, specified parts should be used in the case of replacement.

2. Standardization of Parts

Some spare parts supplied by Sony differ from those used for the unit. These are because of parts commonality and improvement.

Parts list has the present standardized repair parts.

3. Stock of Parts

Parts marked with “o” at SP (Supply Code) column of the spare parts list may be not stocked. Therefore, the delivery date will be delayed.

4. Units Representation

The following represented units are changed or omitted in writing.

Units		Representation
Capacitance	μ F	uF
Inductance	μ H	uH
Resistance	Ω	Abbreviation
Temperature	$^{\circ}$ C	XXX-DEG-C

5. Destination Representation

The part indicated “For J/UC/EK” in the spare parts list is used in the unit written below.

For UC : Serial No. 10001 and higher

For J : Serial No. 30001 and higher



For EK : Serial No. 40001 and higher

1-2. Exploded Views

1-2-1. Mechanical Deck

No.	Part No.	SP Description
1	A-8278-249-D	s IDLER ASSY,S
2	A-8278-355-D	o TENSION REGURATOR ASSY
3	A-8278-359-D	o ARM ASSY,THREADING
4	A-8278-364-D	o SLIDER ASSY,S
5	X-3678-091-3	s ROLLER ASSY
6	X-3678-599-1	o LINK ASSY,S
7	X-3678-661-2	o PLATE ASSY,S
8	X-3678-664-2	o GEAR ASSY,S
9	X-3678-674-1	o HOLDER ASSY,BEARING
10	X-3678-681-1	o DRAWER ASSY,S LINK
11	X-3678-682-3	o LINK ASSY,TENSION REGULATOR
12	X-3678-683-1	s TEN-REGI BAND ASSY
13	X-3678-688-1	o ARM ASSY,TEN-REG BAND
14	X-3678-699-1	o BASE ASSY,REEL
15	X-3678-952-1	o PLATE ASSY,ADJUSTMENT
16	X-3678-957-2	s BREAKE ASSY,S SOFT
18	2-279-715-11	s RIVET, NYLON
19	2-640-315-01	o SCREW (M2X5), SMALL, +P, SW
20	3-303-961-01	s WASHER, POLY
21	3-303-961-11	s WASHER, POLY
23	3-559-408-11	s WASHER, POLYETHYLENE, DIA.1.2
24	3-603-541-01	o RAIL,S
25	3-603-575-01	s SPRING S ARM
26	3-603-581-01	o SENSER,FULL TOP
27	3-603-595-01	o GUARD S
28	3-603-619-01	s SPRING,EXTENSION
29	3-603-632-01	o GEAR,CAM SUB
30	3-603-638-01	s FLANGE,UPPER
31	3-603-662-02	o STOPPER,CASSETTE
32	3-603-691-01	o GEAR,MIDWAY
33	3-669-465-01	s WASHER (1.5), STOPPER
34	3-680-230-01	s FLANGE,UNDER
35	3-729-011-01	s SPRING, COMPRESSION
36	3-729-013-41	s SCREW(M1.4X3.5),WASHERHEAD(+P)
37	3-729-084-41	s BOLT (M2X8), HEXAGON HOLE
38	3-305-903-11	s SPRING, TENSION







T Side Reel Chassis

T Side Reel Chassis

No.	Part No.	SP	Description
101	A-8278-352-A	s	IDLER ASSY,T
102	A-8278-363-D	o	SLIDER ASSY,T
103	A-8278-365-C	s	GEAR ASSY,REEL DRIVE
104	X-3678-066-1	s	PULLEY ASSY,RELAY
105	X-3678-091-3	s	ROLLER ASSY
106	X-3678-662-1	o	LINK ASSY,T
107	X-3678-663-2	o	PLATE ASSY,T
108	X-3678-665-2	o	GEAR ASSY,T
109	X-3678-668-1	o	LINK ASSY,F
110	X-3678-671-4	o	ARM ASSY,PINCH
111	X-3678-676-1	o	GEAR ASSY,CAM
112	X-3678-678-2	o	LINK ASSY,BRAKE
113	X-3678-691-1	o	BRAKE ASSY,T
114	X-3678-699-1	o	BASE ASSY,REEL
115	X-3678-926-1	s	PINCH ROLLER ASSY
116	2-640-056-11	s	SEAM
117	3-303-961-01	s	WASHER, POLY
118	3-303-961-11	s	WASHER, POLY
119	3-368-441-01	s	SPRING (SLIDER S), TENSION
120	3-371-876-01	s	SPRING, EXTENSION
121	3-378-792-01	s	SPRING, COMPRESSION
122	3-534-274-99	s	SPRING, TENSION
123	3-542-649-00	s	SPRING, TENSION
124	3-559-408-11	s	WASHER, POLYETHYLENE, DIA.1.2
125	3-603-549-01	o	RAIL,T
126	3-603-577-01	o	GEAR,PULLEY(B)
127	3-603-578-01	o	GEAR(C)
128	3-603-584-01	o	GEAR(D)
129	3-603-591-01	o	GEAR,INTERMITTENT
130	3-603-601-02	o	ARM,T-BRAKE
131	3-603-602-01	o	GUARD T
132	3-603-604-01	o	LINK,PRESS
133	3-603-611-03	o	ARM,DRAWER
134	3-603-616-02	s	SPRING,TORSION
135	3-603-634-01	s	SPRING,COMPRESSION,TORSION
136	3-603-638-01	s	FLANGE,UPPER
137	3-603-691-01	o	GEAR,MIDWAY
138	3-605-851-01	s	FLANGE,UNDER
139	3-679-729-02	s	FLANGE,UPPER
140	3-680-230-01	s	FLANGE,UNDER
141	3-729-011-01	s	SPRING, COMPRESSION
142	3-729-013-41	s	SCREW(M1.4X3.5),WASHERHEAD(+P)
143	3-608-902-01	o	SUPPORT,CAM



No.	Part No.	SP	Description
201	A-8311-292-A	s	RING ASSY (RP), SLIP
202	A-8311-293-A	s	BRUSH ASSY (RP)
203	A-8311-298-A	s	DRUM ASSY (DJH-15A-R)
204	A-8311-299-A	s	UPPER DRUM ASSY (DJR-15-R)
205	3-703-502-32	s	SCREW 1.4X3
206	3-729-012-01	s	SCREW (M2X5)
207	A-8311-299-B	s	UPPER DRUM ASSY (DJR-15-R)
208	A-8316-998-A	s	RING ASSY (RP), SLIP




*1

DNV-5(SY)	S/N : 10317 and higher
DNV-5(J)	S/N : 30041 and higher
DNW-7(SY)	S/N : 10526 and higher
DNW-7(J)	S/N : 30201 and higher
DNW-7P(SY)	S/N : 40760 and higher
DNW-9WS(SY)	S/N : 10001 and higher
DNW-9WS(J)	S/N : 30001 and higher
DNW-9WSP(SY)	S/N : 40001 and higher
DNW-90(SY)	S/N : 10069 and higher
DNW-90(J)	S/N : 30101 and higher
DNW-90P(SY)	S/N : 40066 and higher
DNW-90WS(SY)	S/N : 10041 and higher
DNW-90WS(J)	S/N : 31001 and higher
DNW-90WSP(SY)	S/N : 40236 and higher



*2

DNV-5(SY)	S/N : 10001 through 10316
DNV-5(J)	S/N : 30001 through 30040
DNW-7(SY)	S/N : 10001 through 10525
DNW-7(J)	S/N : 30001 through 30200
DNW-7P(SY)	S/N : 40001 through 40759
DNW-90(SY)	S/N : 10001 through 10068
DNW-90(J)	S/N : 30001 through 30100
DNW-90P(SY)	S/N : 40001 through 40065
DNW-90WS(SY)	S/N : 10001 through 10040
DNW-90WS(J)	S/N : 30001 through 31000
DNW-90WSP(SY)	S/N : 40001 through 40235


*2





*1



No.	Part No.	SP	Description
301	A-8277-530-A	o	MOUNTED CIRCUIT BOARD, HN-224
302	A-8278-362-C	o	GEAR BLOCK ASSY
303	A-8278-366-B	s	VH CLEANER ASSY
304	X-3167-281-3	s	ROLLER ASSY, V CLEANING
305	X-3678-142-1	o	CLEANER ASSY,TAPE
306	X-3678-666-1	o	BASE ASSY,MOTOR
307	X-3678-673-2	o	PLATE ASSY,HEAD TC
308	1-698-003-11	o	MOTOR, DC (SHREADING)
310	2-279-715-11	s	RIVET, NYLON
311	3-182-765-02	s	SPACER, CR
312	3-328-694-01	s	SPRING, TENSION
313	3-559-408-11	s	WASHER, POLYETHYLENE, DIA.1.2
314	3-603-566-01	o	BRACKET HN
315	3-603-567-02	o	ARM,TC
316	3-603-570-01	o	GEAR,WORM
317	3-603-571-01	o	WHEEL,WORM
318	3-603-582-01	o	JOINT
319	3-603-615-02	s	SPRING,COIL,HEAD
320	3-603-624-01	s	GEAR,EJECT,MANUAL
321	3-603-625-01	o	GEAR, IDLER
322	3-603-635-01	o	HOLDER, TOP SENSOR
323	3-603-636-01	o	HOLDER,END SENSOR
324	3-603-637-01	o	BELT,TIMING
325	3-603-643-02	o	DRIVE M
326	3-603-664-01	o	ARM,CTL
327	3-603-665-02	o	PLATE,SUPPORT
328	3-603-667-01	o	STOPPER
329	3-603-672-01	o	SPACER TAPER
330	3-603-678-01	s	SPRING,COMPRESSION
331	3-603-768-01	o	GEAR,PULLEY (A)
332	3-605-767-02	o	STOPPER,S ARM
333	3-698-829-01	s	NUT (M2)
335	3-729-012-01	s	SCREW (M2X5)
336	3-729-013-41	s	SCREW (M1.4X3.5),WASHERHEAD (+P)
337	3-729-076-01	s	SCREW (+B) (2X3)
338	3-962-914-01	s	SCREW (M1.4X2)
339	4-866-652-00	s	SPRING, COMPRESSION
340	8-825-770-74	s	HEAD, FE EF291-21
341	8-825-779-61	s	HEAD, AU PS244-2103L
342	8-825-779-72	s	HEAD, CTL PS244-21D





No.	Part No.	SP Description
401	A-8277-536-A	o MOUNTED CIRCUIT BOARD, MDC-5
402	X-3678-698-1	o ARM ASSY,JOINT
404	1-662-314-11	o PRINTED CITCUIT BOARD, MDR-1
405	3-603-683-02	o HOLDER, SENSOR (A)
406	3-603-701-02	o HOLDER, SENSEOR (B)
407	3-605-769-01	o WASHER, MDR
408	3-679-723-01	s BELT, TIMING
409	3-729-012-01	s SCREW (M2X5)
410	3-729-013-41	s SCREW (M1.4X3.5), WASHERHEAD (+P)
411	8-835-553-01	s MOTOR, DC (CAPSTAN)
412	3-603-682-03	o PIN, DETECTION
413	3-611-315-01	o PLATE, GROUND
414	3-615-588-01	o PIN (REC), DETECTION





No.	Part No.	SP	Description
501	A-8311-049-B	s	COMPARTMENT ASSY, CASSETTE
502	X-3678-080-3	o	ARM(L) ASSY,LID
503	3-319-686-01	s	SPRING, TENSION
504	3-329-998-01	s	SPRING, TENSION
505	3-343-503-01	s	SPRING, TENSION
506	3-571-829-00	s	SPRING, TENSION
507	3-680-032-01	o	ROLLER(A)
508	3-680-081-01	o	ROLLER(B)
509	3-680-258-01	o	ROLLER STOPPER
510	3-680-995-01	o	SPRING,EXTENSION
511	3-686-886-01	s	SPRING, TENSION
512	3-729-013-21	s	SCREW(M1.4X2.5),WASHERHEAD(+P)
513	X-3604-502-1	s	ASSY,STOPPER






1-2-2. DNV-5


No.	Part No.	SP	Description
601	A-8278-406-A	o	BASE ASSY,HANDLE
602	A-8311-257-A	o	MOUNTED CIRCUIT BOARD, PA-203
603	X-3678-567-1	o	SUSPENSION ASSY
604	X-3678-741-1	o	FRAME SUB(A)ASSY,FRONT
605	X-3678-742-3	o	HANDLE SUB ASSY
606	1-563-907-11	s	HOUSING, CONNECTOR (D02 F) 50P
607	1-662-475-12	o	PRINTED CIRCUIT BOARD, LP-102
608	1-956-532-12	o	HARNESS, 50 PIN CN
610	3-190-628-01	s	TUBE,SHIELD
611	3-603-707-01	o	PLATE,BLIND(WRR)
612	3-603-733-01	s	HOLDER,SCREW
613	3-604-468-01	o	CUSHION(50P),DROP PROTECTION
614	3-604-469-01	o	CUSHION(FRONT),DROP PROTECTION
615	3-604-474-01	o	STOPPER HERNESS(F)
616	3-604-480-01	s	+B4X12, ALOCK
617	3-676-125-00	o	PIN, STOPPER
618	3-676-349-00	o	SHOE, V
619	3-676-352-00	s	CAP, C HOLDER
620	3-676-365-04	o	HOLDER, V CONNECTOR
621	3-676-369-00	o	NUT, SPACER
622	3-676-370-00	s	PIN, HOLDER, CN
623	3-676-371-00	o	NUT (S), PLATE
624	3-679-646-03	o	BRACKET,TALLY
625	3-679-672-01	s	PACKING TALLY
626	3-682-495-02	s	PACKING TALLY
627	3-687-116-01	o	WASHER (4), STOPPER
628	3-689-039-11	s	SCREW (M2X6), SMALL
629	3-694-181-01	s	+P2.6X5,TYPE1,AROCK PRECISION
630	3-701-440-11	s	WASHER, 3.5
631	3-717-914-01	s	SCREW, DOCKING
632	3-725-260-04	s	GRIP, RUBBER
633	3-729-061-01	s	SCREW (M2X4.5) (TYPE 1)
634	3-742-004-01	s	RING, NYLON
635	3-742-074-11	s	SCREW (+B 3X8)
636	3-898-426-01	s	PACKING, RUBBER





No.	Part No.	SP	Description
701	A-8277-532-A	o	MOUNTED CIRCUIT BOARD, PS-390
702	A-8277-533-B	o	MOUNTED CIRCUIT BOARD, DVP-1
703	A-8277-534-B	o	MOUNTED CIRCUIT BOARD, DVP-2
704	A-8277-537-A	o	MOUNTED CIRCUIT BOARD, MB-627A
705	A-8311-256-A	o	MOUNTED CIRCUIT BOARD, CT-187
706	A-8311-263-A	o	CONVETER ASSY, DC-DC
707	A-8311-264-A	o	MOUNTED CIRCUIT BOARD, IF-634
710	X-3678-740-7	o	PANEL SUB ASSY,OUTSIDE
711	X-3678-743-3	o	FRONT LID SUB ASSY
712	X-3678-763-2	o	PLATE(MDC) ASSY
713	1-541-638-32	s	MOTOR, DC FAN
714	1-662-328-11	o	PRINTED CIRCUIT BOARD, RX-26
715	2-279-715-01	s	RIVET, NYLON
716	2-640-315-01	o	SCREW (M2X5), SMALL, +P, SW
717	3-190-628-01	s	TUBE,SHIELD
718	3-371-630-01	s	SCREW (AZIMUTH), STEP
719	3-603-646-01	o	RETAINER,RE
720	3-603-653-01	o	COVER,HARNESS
721	3-603-655-01	o	SHIELD FINGER(MB-A)
722	3-603-658-01	o	CLAMP,HARNESS
723	3-603-666-01	o	HOLD PLATE,FLAT CABLE
724	3-603-668-02	o	RETAINER,CONNECTOR
725	3-603-679-01	s	STAINLESS SCREW +B3X10
726	3-603-680-01	s	STAINLESS SCREW +B3X12
727	3-603-681-01	s	STAINLESS SCREW +B3X20
729	3-603-733-01	s	HOLDER, SCREW
730	3-603-737-01	o	LEVER,BOARD
731	3-603-751-01	o	DROP PROTECTION(ME)
732	3-603-753-02	o	DUST PROTECT(2)
733	3-603-755-01	o	WINDOW(U),CASSETTE
734	3-604-462-02	s	CONNECTOR COVER,LIGHT
735	3-604-465-02	o	BRACKET,LIGHT CONNECTOR
737	3-604-690-01	o	SHAFT,SUPPORT
738	3-604-795-01	s	CAP BNC
740	3-606-305-01	o	RUBBER(OUT),DROP PROTECTION
741	3-669-596-00	s	WASHER (2.3), STOPPER
742	3-669-598-00	s	WASHER, CTL
743	3-673-015-00	o	PLATE, NUT (M2.6)
744	3-680-269-01	s	RUBBUR(DO),DROP PROTECTION
745	3-683-023-01	s	RUBBER A,DROP PROTECTION(LID)
746	3-683-025-01	s	RUBBER B,DROP PROTECTION(LID)
747	3-694-181-01	s	+P2.6X5 TYPE1,AROCK PRECISION
748	3-701-437-31	s	WASHER
749	3-703-075-00	s	CAP 2, SHAFT
751	3-729-061-01	s	SCREW (M2X4.5) (TYPE 1)
752	3-944-382-01	s	SCREW, STEP
754	3-604-823-01	s	RUBBER,DROP PROTECTION(F-LID)
755	A-8278-840-A	s	CASSETTE RETAINER ASSY
756	X-3679-288-1	o	PWB GUIDE(F) ASSY
757	X-3679-289-1	o	PWB GUIDE(R) ASSY(2)
758	X-3679-528-2	o	ARM ASSY,LID
759	3-315-384-31	s	WASHER,STOPPER
760	3-329-998-01	s	SPRING,TENSION
761	3-603-654-01	o	SPACER(MB)
762	3-603-734-02	o	GUIDE,CASSETTE
763	3-608-499-01	o	HOLDER,PC BOARD
764	3-611-654-01	o	GEAR,MIDWAY
765	3-613-664-01	o	GUIDE(2),CASSETTE
766	3-681-528-11	s	DAMPER
767	3-709-108-01	o	HOLDER,CONNECTOR
768	3-952-863-01	o	SPACER,CIRCUIT BOARD



No.	Part No.	SP	Description
801	A-8263-217-A	s	KEY BOARD ASSY
802	A-8277-539-A	o	MOUNTED CIRCUIT BOARD, TC-80A
803	A-8311-245-A	o	MOUNTED CIRCUIT BOARD, SW-873
804	X-3678-125-1	s	KNOB(2 POSI) ASSY,SW
805	X-3678-126-1	s	KNOB(3 POSI) ASSY,SW
806	X-3678-680-3	o	DOOR ASSY SWITCH
807	X-3604-651-1	o	PANEL SUB ASSY,INSIDE
808	1-504-860-21	s	SPEAKER (2.8MC)
809	1-652-769-12	o	PRINTED CIRCUIT BOARD, KY-293
810	1-662-345-11	o	PRINTED CIRCUIT BOARD, HP-70
811	1-662-476-11	o	PRINTED CIRCUIT BOARD, PSW-55
812	1-662-479-11	o	PRINTED CIRCUIT BOARD, SW-882
813	3-531-576-21	s	RIVET
814	3-603-680-01	s	STAINLESS SCREW +B3X12
815	3-603-681-01	s	STAINLESS SCREW +B3X20
816	3-603-700-01	o	SHEET(LCD),DROP PROTECTION
817	3-603-709-01	o	PLATE(VTR),ORNAMENTAL
818	3-603-711-01	o	PLATE(LCD),ORNAMENTAL
819	3-603-718-01	o	SHEET(VTR),DROP PROTECTION
820	3-603-730-01	o	SHEET(VR),DROP PROTECTION
821	3-603-732-01	o	PLATE,ORNAMENTAL (VR)
822	3-603-733-01	s	HOLDER,SCREW
823	3-603-759-01	o	SUPPORT(R),INSIDE
824	3-604-464-04	s	PAD,SIDE
825	3-604-466-02	o	PLATE(MENU/LIGHT),ORNAMENTAL
826	3-604-476-03	o	SW COVER(N/P)
827	3-604-477-01	o	CUSHION(RE),DROP PROTECTION
828	3-604-478-02	o	SHEET(SP),DROP PROTECTION
829	3-606-409-02	o	PLATE,SHIELD
830	3-649-266-01	o	PIN, PARALLEL
831	3-673-281-00	o	SPRING, COMPRESSION
832	3-680-214-01	o	SPACER LCD
833	3-680-219-02	s	KNOB,VR
834	3-692-111-01	s	KNOB,RE
835	3-698-120-01	o	TUBE, SHIELD
836	3-701-445-21	s	WASHER, 7
837	3-717-854-01	o	SHAFT, KEY BOARD COVER
838	3-717-902-21	o	PLATE, ORNAMENTAL
839	3-717-902-31	o	PLATE, ORNAMENTAL
840	3-718-042-31	o	FRAME, KEY BOARD
841	3-718-043-31	o	COVER, KEY BOARD
842	3-718-044-01	s	COVER, KEY BOARD RUBBER
843	3-724-758-02	s	RUBBER (PUSH), DROP PROTECTION
844	3-724-759-03	s	PUSH (SW)
845	3-729-013-41	s	SCREW(M1.4X3.5),WASHERHEAD(+P)
846	3-742-035-01	o	STOPPER, ORNAMENTAL PANEL
847	3-849-405-00	s	COVER, EARPHONE JACK
848	3-884-053-00	s	RING (O)
849	3-608-362-01	s	CLAMP(2),PUSH SW
850	3-611-740-01	o	KNOB(2),VR
851	3-611-742-01	o	CLICK CLAMP



No.	Part No.	SP	Description
901	A-8277-531-B	o	MOUNTED CIRCUIT BOARD, CI-12
902	A-8277-535-A	o	MOUNTED CIRCUIT BOARD, AXM-14 [For UC,EK]
	A-8277-569-A	o	MOUNTED CIRCUIT BOARD, AXM-14 [For J]
903	A-8277-538-A	o	MOUNTED CIRCUIT BOARD, CNB-1A [For UC,EK]
	A-8277-567-A	o	MOUNTED CIRCUIT BOARD, CNB-1A [For J]
904	A-8277-766-A	o	MOUNTED CIRCUIT BOARD, DC-88
905	A-8278-025-C	s	MOUNT,V ASSY
906	X-3678-131-3	s	KNOB(M)ASSY,SW
907	X-3678-739-5	o	FRAME SUB ASSY,MAIN
908	1-662-332-12	o	PRINTED CIRCUIT BOARD, DC-87
909	1-662-337-12	o	PRINTED CIRCUIT BOARD, CO-22
910	1-662-338-12	o	PRINTED CIRCUIT BOARD, IO-117
911	1-662-343-11	o	PRINTED CIRCUIT BOARD, AL-40
912	1-662-480-12	o	PRINTED CIRCUIT BOARD, CT-185
913	1-766-377-12	s	CONNECTOR, BATTERY
915	3-603-544-02	o	SUPPORT B,BNC CONNECTOR
916	3-603-545-02	o	SUPPOT A,BNC CONNECTOR
917	3-603-647-02	o	COVER,PROTECTION
918	3-603-717-01	o	40P BRACKET(B)
919	3-603-744-01	o	PLATE,ORNAMENTAL(TOP)
920	3-603-758-02	o	PLATE(BOTTOM),ORNAMENTAL
921	3-603-766-02	o	PLATE ORNAMENTAL AUDIO(I/P) [for J]
922	3-604-471-04	o	COVER,BOTTOM
923	3-604-472-03	o	CONNECTOR BOX(2)
924	3-604-795-01	s	CAP BNC
925	3-605-847-01	o	PLATE(REAR4),ORNAMENTAL
926	3-669-595-00	s	WASHER (2), STOPPER
927	3-679-648-02	o	SPRING,COMPRESSION
928	3-679-669-05	o	SPACER
929	3-679-682-01	s	PACKING,DROP PROTECTION(40P)
930	3-679-688-02	o	LEVER,RELEASE
931	3-679-690-02	o	MOUNT,V
932	3-680-485-03	o	COVER,CONNECTOR
933	3-680-952-01	o	KNOB,RELEASE LEVER
934	3-694-181-01	s	+P2.6X5 TYPE1,AROCK PRECISION
935	3-723-096-01	o	COVER, BREAKER
936	3-723-097-01	o	FOOT, RUBBER
937	3-729-061-01	s	SCREW (M2X4.5) (TYPE 1)
938	3-732-791-01	s	SCREW (M2X3)
939	3-742-074-11	s	SCREW (+B 3X8)
940	3-608-301-01	o	STOPPER,HINGE
941	3-608-733-01	o	PLATE,SHIELD2,BNC
942	3-609-573-01	s	CAP,DC OUT





1-2-3. DNW-7/7P/90/90P/90WS/90WSP

CCD Block and Front Panel




CCD Block and Front Panel

No.	Part No.	SP	Description
1001	A-8277-734-A	o	MOUNTED CIRCUIT BOARD, AIF-8
1002	A-8277-768-A	o	MOUNTED CIRCUIT BOARD, CN-1183
1003	A-8277-774-A	o	MOUNTED CIRCUIT BOARD, TG-161
	[For DNW-7]		
	A-8277-809-A	o	MOUNTED CIRCUIT BOARD, TG-161(P)
	[For DNW-7P]		
	A-8311-763-B	o	MOUNTED CIRCUIT BOARD, TG-164
	[For DNW-9WS/90/90WS]		
	A-8311-765-B	o	MOUNTED CIRCUIT BOARD, TG-164(P)
	[For DNW-9WSP/90P/90WSP]		
1004	A-8277-775-A	o	MOUNTED CIRCUIT BOARD, VA-167
1005	X-3678-684-2	o	FRAME SUB ASSY,FRONT
1006	X-3678-687-2	o	FRONT SW COVER SUB ASSY
1007	1-547-259-11	o	FILTER UNIT, OPTICAL [7]
1008	1-562-221-21	s	CONNECTOR (ROUND TYPE)(R-F)12P
1009	1-662-312-11	o	PRINTED CIRCUIT BOARD, PSW-33
1010	1-662-329-12	o	PRINTED CIRCUIT BOARD, MA-68
1011	1-662-334-11	o	PRINTED CIRCUIT BOARD, SW-808
1012	1-662-335-11	o	PRINTED CIRCUIT BOARD, SW-789
1013	2-279-715-11	s	RIVET, NYLON
1014	2-623-773-11	s	BOLT (M3X8), STAINLESS
1015	3-190-628-01	s	TUBE,SHIELD
1016	3-312-823-00	s	PACKING, KNOB
1017	3-603-614-01	o	PLATE,PROTECTION
1018	3-603-644-01	o	SPACER(FILTER)
1019	3-603-647-02	o	COVER,PROTECTION
1020	3-603-745-01	o	MIC CONNECTOR BOX(2)
1021	3-603-762-01	o	PLATE,SHIELD (FR)
1022	3-678-629-00	s	LEVER, MOUNT
1023	3-679-659-03	o	CLAMP,CABLE
1024	3-679-679-03	s	KNOB,VR(AUDIO)
1025	3-692-107-03	o	COVER,FRONT SWITCH
1026	3-692-111-01	s	KNOB,RE
1027	3-694-181-01	s	+P2.6X5 TYPE1,AROCK PRECISION
1028	3-699-048-01	s	CAP, MOUNT
1029	3-701-505-00	s	SET SCREW, DOUBLE POINT 3X3
1030	3-709-105-01	o	BRACKET, LENS
1031	3-710-024-01	o	PACKING, VF
1032	3-710-054-01	s	KNOB, FILTER
1033	3-729-013-41	s	SCREW(M1.4X3.5),WASHERHEAD(+P)
1034	3-729-061-01	s	SCREW (M2X4.5) (TYPE 1)
1035	3-729-069-01	s	BUTTON, VTR START
1036	3-729-072-01	s	SCREW, +K (4X8)
1037	3-742-011-01	s	SCREW, 1/4, 3/8 CONVERSION
1038	3-742-012-01	s	SHOE (B), CAMERA
1039	3-742-015-01	o	WEDGE (B), MOUNTING
1040	3-742-074-11	s	SCREW (+B 3X8)
1041	A-7612-385-A	s	SHOE (B) ASSY,V
1042	3-603-741-02	o	BRACKET(AIF)
1043	3-603-749-02	o	BRACKET(RE)







No.	Part No.	SP	Description
1101	A-8278-371-C	o	SLIDE ASSY,VF
1102	X-3678-679-2	o	HANDLE SUB ASSY
1103	1-662-330-11	o	PRINTED CIRCUIT BOARD, LP-86
1104	1-662-331-11	o	PRINTED CIRCUIT BOARD, SW-823
1106	3-603-702-01	o	COVER,FRONT
1107	3-603-703-02	o	PLATE,HANDLE
1109	3-603-707-01	o	PLATE,BLIND(WRR)
1110	3-603-708-01	o	COVER,BOTTOM
1111	3-603-735-01	o	DROP PROTECTION(SW)
1112	3-603-736-02	o	COVER,LIGHT CONNECTER
1113	3-603-742-01	o	DROP PROTECTION(LIGHT)
1114	3-604-620-01	o	FIXED RABLE(2),VF SHOE
1115	3-671-150-01	o	CLAMP
1116	3-673-046-00	s	LEVER, LOCK
1117	3-679-683-01	o	ARM,SLIDE
1118	3-679-684-01	o	REST,ARM
1119	3-679-685-02	o	TABEL,FIXED,VF SLIDE
1120	3-679-698-01	o	RING(C),LOCK
1121	3-679-702-01	o	CUSION,STOPPER
1122	3-681-884-02	o	LABEL, WS [For DNW-90WS/90WSP]
1123	3-689-039-11	s	SCREW (M2X6), SMALL
1124	3-694-181-01	s	+P2.6X5 TYPE1,AROCK PRECISION
1125	3-701-506-01	s	SET SCREW, DOUBLE POINT 3X4
1126	3-701-508-00	s	SET SCREW, DOUBLE POINT 3X6
1127	3-710-039-03	s	SHOE, SLIDE
1128	3-711-765-01	s	BOLT (M3), HEXAGON SOCKET
1129	3-711-794-01	o	PIN, STOPPER
1130	3-720-919-01	o	RUBBER, LOCK RING
1131	3-729-013-41	s	SCREW(M1.4X3.5),WASHERHEAD(+P)
1132	3-729-061-01	s	SCREW (M2X4.5) (TYPE 1)
1133	3-742-004-01	s	RING, NYLON
1134	3-742-074-11	s	SCREW (+B 3X8)
1135	3-895-622-01	s	RING (DIA. 5), O
1136	X-3679-292-2	o	COVER ASSY,REAR
1137	3-608-318-01	o	DROP PROTECTION(TALLY)
1138	3-709-108-01	o	HOLDER,CONNECTOR




No.	Part No.	SP	Description
1201	A-8277-532-A	o	MOUNTED CIRCUIT BOARD, PS-390
1203	X-3678-685-5	o	PANEL SUB ASSY,OUT SIDE
1204	X-3678-689-3	o	LID,FRONT SUB ASSY
1205	2-640-315-01	o	SCREW (M2X5), SMALL, +P, SW
1206	3-190-628-01	s	TUBE,SHIELD
1207	3-603-679-01	s	STAINLESS SCREW +B3X10
1208	3-603-680-01	s	STAINLESS SCREW +B3X12
1209	3-603-681-01	s	STAINLESS SCREW +B3X20
1210	3-603-733-01	s	HOLDER,SCREW
1211	3-603-751-01	o	DROP PROTECTION (ME)
1212	3-603-752-02	o	DUST PROTECT (1)
1213	3-603-753-02	o	DUST PROTECT (2)
1214	3-603-755-01	o	WINDOW (U),CASSETTE
1215	3-603-769-01	o	WINDOW (L),CASSETTE
1217	3-606-305-01	o	RUBBER (OUT),DROP PROTECTION
1218	3-669-596-00	s	WASHER (2.3), STOPPER
1219	3-680-269-01	s	RUBBUR (DO),DROP PROTECTION
1220	3-683-023-01	s	RUBBER A,DROP PROTECTION (LID)
1221	3-683-025-01	s	RUBBER B,DROP PROTECTION (LID)
1222	3-685-607-01	o	LABEL (2),WS [For DNW-90WS/90WSP]
1223	3-694-181-01	s	+P2.6X5 TYPE1,AROCK PRECISION
1225	3-729-061-01	s	SCREW (M2X4.5) (TYPE 1)
1226	3-604-823-01	s	RUBBER,DROP PROTECTION (F-LID)
1227	A-8278-840-A	s	CASSETTE RETAINER ASSY
1228	X-3679-528-2	o	ARM ASSY,LID
1229	3-315-384-31	s	WASHER,STOPPER
1230	3-329-998-01	s	SPRING,TENSION
1231	3-603-734-02	o	GUIDE,CASSETTE
1232	3-611-304-01	o	GUIDE,CASSETTE IN
1233	3-611-654-01	o	GEAR,MIDWAY
1234	3-613-664-01	o	GUIDE (2),CASSETTE
1235	3-681-528-11	s	DAMPER
1236	3-729-013-21	s	SCREW (M1.4X2.5),WASHERHEAD (+P)



No.	Part No.	SP	Description
1301	A-8277-533-B	o	MOUNTED CIRCUIT BOARD, DVP-1
1302	A-8277-534-B	o	MOUNTED CIRCUIT BOARD, DVP-2
1303	A-8277-568-A	o	MOUNTED CIRCUIT BOARD, MB-627
1304	A-8277-735-B	o	MOUNTED CIRCUIT BOARD, CN-1193 [For DNW-7/7P/90/90P] A-8311-974-B o MOUNTED CIRCUIT BOARD, RC-61 [For DNW-9WS/9WSP/90WS/90WSP]
1305	A-8277-776-B	o	MOUNTED CIRCUIT BOARD, DCP-1
1306	A-8277-777-A	o	MOUNTED CIRCUIT BOARD, ES-11(N) [For J,UC] A-8277-810-A o MOUNTED CIRCUIT BOARD, ES-11(P) [For EK]
1307	A-8277-785-A	o	CONVETER ASSY, DC-DC
1308	X-3678-692-3	o	PWB GUIDE(R) ASSY
1309	X-3678-763-2	o	PLATE(MDC) ASSY
1310	1-541-638-32	s	MOTOR, DC FAN
1311	1-662-328-11	o	PRINTEC CIRCUIT BOARD, RX-26
1312	2-279-715-01	s	RIVET, NYLON
1313	3-371-630-01	s	SCREW (AZIMUTH), STEP
1314	3-603-646-01	o	RETAINER,RE
1315	3-603-653-01	o	COVER,HARNESS
1316	3-603-655-01	o	SHIELD FINGER(MB-A)
1317	3-603-658-01	o	CLAMP,HARNESS
1318	3-603-666-01	o	HOLD PLATE,FLAT CABLE
1319	3-603-668-02	o	RETAINER,CONNECTOR
1321	3-603-737-01	o	LEVER,BOARD
1322	3-603-746-01	o	CUSHION,DUST PROTECTION
1323	3-669-598-00	s	WASHER, CTL
1324	3-673-015-00	o	PLATE, NUT (M2.6)
1325	3-694-181-01	s	+P2.6X5,TYPE1,AROCK PRECISION
1326	3-701-437-31	s	WASHER
1327	3-729-061-01	s	SCREW (M2X4.5) (TYPE 1)
1328	X-3604-643-2	o	PLATE ASSY,RADIATION
1329	X-3679-288-1	o	PWB GUIDE(F) ASSY
1330	3-555-872-21	o	SPACER
1331	3-603-654-01	o	SPACER(MB)
1332	3-605-598-01	o	BRACKET,IC
1333	3-608-499-01	o	HOLDER,PC BOARD
1334	3-615-538-01	o	SPACER,CIRCUIT BOARD
1335	3-615-743-01	o	SPACER
1336	3-952-863-01	o	SPACER,CIRCUIT BOARD





No.	Part No.	SP	Description	No.	Part No.	SP	Description
1401	A-8263-217-A	s	KEY BOARD ASSY	1465	3-724-758-02	s	RUBBER (PUSH), DROP PROTECTION
1402	A-8263-224-C	o	DOOR ASSY, CARD	1466	3-724-759-03	s	PUSH (SW)
1403	A-8277-565-A	o	MOUNTED CIRCUIT BOARD, TC-80	1467	3-726-829-01	s	WASHER, STOPPER
1404	X-3678-063-5	o	BRACKET ASSY,CARD KNOB	1468	3-729-013-41	s	SCREW(M1.4X3.5),WASHERHEAD(+P)
1405	X-3678-064-1	s	CONNECTOR ASSY	1469	3-742-035-01	o	STOPPER, ORNAMENTAL PANEL
1406	X-3678-125-1	s	KNOB(2 POSI) ASSY,SW	1470	3-849-405-00	s	COVER, EARPHONE JACK
1407	X-3678-126-1	s	KNOB(3 POSI) ASSY,SW	1471	A-8277-748-A	o	MOUNTED CIRCUIT BOARD,SW-780
1408	X-3678-680-3	o	DOOR ASSY SWITCH	1472	X-3604-645-1	o	SHIELD PLATE ASSY
1409	X-3678-695-8	o	PANEL SUB ASSY,IN SIDE	1473	3-603-713-01	o	HOLDER,SWITCH
1410	1-503-293-00	s	SPEAKER	1474	3-606-305-01	o	RUBBER(OUT),DROP PROTECTION
1411	1-550-965-12	o	CARD,SET UP	1475	3-608-362-01	s	CLAMP(2),PUSH SW
1412	1-652-769-12	o	PRINTED CIRCUIT BOARD, KY-293	1476	3-611-740-01	o	KNOB(2),VR
1413	1-662-345-11	o	PRINTED CIRCUIT BOARD, HP-70	1477	3-611-742-01	o	CLICK CLAMP
1415	1-953-418-11	o	HARNESS, SUB (TC7-SPK)	1478	3-611-743-01	s	LABEL(3),FILTER
1416	1-956-452-11	o	HARNESS, SUB (HP1-TC503)	1479	3-649-266-01	o	PIN,PARALLEL
1417	1-956-453-11	o	HARNESS, SUB (TC901-SW18)				
1418	1-956-457-12	o	HARNESS, SUB (KY150-MB30)				
1419	3-344-751-01	s	SPRING, COMPRESSION				
1420	3-603-609-01	o	COVER,TURBO GAIN				
1421	3-603-613-01	o	BASE,TURBO GAIN				
1422	3-603-677-01	o	PLATE,ORNAMENTAL SW CAMERA				
1423	3-603-680-01	s	STAINLESS SCREW +B3X12				
1424	3-603-681-01	s	STAINLESS SCREW +B3X20				
1425	3-603-700-01	o	SHEET(LCD),DROP PROTECTION				
1426	3-603-706-02	o	MENU COVER				
1427	3-603-709-01	o	PLATE(VTR),ORNAMENTAL				
1428	3-603-710-01	o	SHEET(CARD),DROP PROTECTION				
1429	3-603-711-01	o	PLATE(LCD),ORNAMENTAL				
1430	3-603-714-03	s	PAD,SIDE				
1431	3-603-718-01	o	SHEET(VTR),DROP PROTECTION				
1433	3-603-729-03	o	PLATE,MENU				
1434	3-603-730-01	o	SHEET(VR),DROP PROTECTION				
1435	3-603-731-01	o	PLATE(CARD),ORNAMENTAL				
1436	3-603-732-01	o	PLATE,ORNAMENTAL(VR)				
1437	3-603-733-01	s	HOLDER,SCREW				
1438	3-603-747-01	o	BLIND, PAL [For PAL]				
1439	3-603-759-01	o	SUPPORT(R),INSIDE				
1440	3-603-761-01	o	DROP PROTECTION(CAM SW)				
1441	3-603-767-01	o	BLIND SHEET(CAM SW)				
1442	3-605-904-01	o	TUBE,DROP PROTECTION				
1443	3-673-281-00	o	SPRING, COMPRESSION				
1444	3-679-581-02	o	DOOR,CARD				
1445	3-679-582-03	o	WINDOW(CARD),DOOR				
1446	3-679-583-02	o	HOLDER(CN)				
1447	3-679-587-01	s	RUBBER(CARD),DROP PROTECTION				
1448	3-679-589-01	o	SHAFT(CARD),DOOR				
1449	3-679-591-01	o	SHAFT(CARD),LINK				
1450	3-679-592-01	o	SPRING(CARD),TORSION				
1451	3-679-593-01	o	CARD PANEL				
1452	3-680-214-01	o	SPACER LCD				
1453	3-680-219-02	s	KNOB,VR				
1455	3-694-181-01	s	+P2.6X5 TYPE1,AROCK PRECISION				
1456	3-698-120-01	o	TUBE, SHIELD				
1457	3-717-854-01	o	SHAFT, KEY BOARD COVER				
1458	3-717-902-21	o	PLATE, ORNAMENTAL				
1459	3-717-902-31	o	PLATE, ORNAMENTAL				
1460	3-718-042-31	o	FRAME, KEY BOARD				
1461	3-718-043-31	o	COVER, KEY BOARD				
1462	3-718-044-01	s	COVER, KEY BOARD RUBBER				
1463	3-724-716-02	s	SHEET, DROP PROTECTION				



No.	Part No.	SP	Description
1501	A-8277-531-A	o	MOUNTED CIRCUIT BOARD, CI-12
1502	A-8277-535-A	o	MOUNTED CIRCUIT BOARD, AXM-14 [For UC,EK]
	A-8277-569-A	o	MOUNTED CIRCUIT BOARD, AXM-14 [For J]
1503	A-8277-570-A	o	MOUNTED CIRCUIT BOARD, CNB-1 [For UC,EK]
	A-8277-571-A	o	MOUNTED CIRCUIT BOARD, CNB-1 [For J]
1504	A-8277-766-A	o	MOUNTED CIRCUIT BOARD, DC-88
1505	A-8278-025-C	s	MOUNT,V ASSY
1506	A-8278-374-B	o	PAD ASSY,SHOULDER
1507	X-3678-131-3	s	KNOB(M)ASSY,SW
1508	X-3678-686-6	o	FRAME SUB ASSY,MAIN
1509	1-662-332-12	o	PRINTED CIRCUIT BOARD, DC-87
1510	1-662-337-12	o	PRINTED CIRCUIT BOARD, CO-22
1511	1-662-338-12	o	PRINTED CIRCUIT BOARD, IO-117
1512	1-662-343-11	o	PRINTED CIRCUIT BOARD, AL-40
1513	1-766-377-12	s	CONNECTOR, BATTERY
1515	3-603-544-02	o	SUPPORT B,BNC CONNECTOR
1516	3-603-545-02	o	SUPPOT A,BNC CONNECTOR
1517	3-603-547-02	o	BOX,CONNECTOR
1518	3-603-647-02	o	COVER,PROTECTION
1519	3-603-717-01	o	40P BRACKET(B)
1520	3-603-739-02	o	PLATE(REAR1),ORNAMENTAL
1522	3-603-744-01	o	PLATE,ORNAMENTAL(TOP)
1523	3-603-758-02	o	PLATE(BOTTOM),ORNAMENTAL
1524	3-603-766-02	o	PLATE ORNAMENTAL AUDIO (I/P) [For J]
1525	3-604-795-01	s	CAP BNC
1526	3-663-748-00	s	WASHER, SUS
1527	3-669-595-00	s	WASHER (2), STOPPER
1528	3-679-648-02	o	SPRING,COMPRESSION
1529	3-679-669-05	o	SPACER
1530	3-679-682-01	s	PACKING,DROP PROTECTION(40P)
1531	3-679-688-02	o	LEVER,RELEASE
1532	3-679-690-02	o	MOUNT,V
1533	3-680-485-03	o	COVER,CONNECTOR
1534	3-680-952-01	o	KNOB,RELEASE LEVER
1535	3-685-166-01	o	WASHER, SCREW CLAMP
1536	3-694-181-01	s	+P2.6X5 TYPE1,AROCK PRECISION
1537	3-711-703-01	o	STOPPER
1538	3-723-096-01	o	COVER, BREAKER
1539	3-723-097-01	o	FOOT, RUBBER
1540	3-729-061-01	s	SCREW (M2X4.5) (TYPE 1)
1541	3-732-791-01	s	SCREW (M2X3)
1542	3-742-074-11	s	SCREW (+B 3X8)
1543	3-608-733-01	o	PLATE,SHIELD2,BNC
1544	3-609-573-01	s	CAP,DC OUT
1545	3-611-741-01	o	COVER,AIF





1-3. Electrical Parts List

AIF-8 BOARD *Except DNV-5

Ref. No. or Q'ty	Part No.	SP Description
1pc	A-8277-734-A	o MOUNTED CIRCUIT BOARD, AIF-8
1pc	1-956-454-11	o HARNESS, MA10-AIF100
C1	1-104-823-11	s TANTALUM, CHIP 47uF 20% 16V
C2	1-135-177-21	s TANTALUM, CHIP 1uF 10% 25V
C3	1-163-038-00	s CERAMIC 0.1uF 25V
C4	1-135-215-21	s TANTALUM, CHIP 6.8uF 10% 16V
C5	1-163-038-00	s CERAMIC 0.1uF 25V
C6	1-104-823-11	s TANTALUM, CHIP 47uF 20% 16V
C7	1-104-913-11	s TANTALUM, CHIP 10uF 20% 16V
C8	1-163-038-00	s CERAMIC 0.1uF 25V
C9	1-135-215-21	s TANTALUM, CHIP 6.8uF 10% 16V
C10	1-163-038-00	s CERAMIC 0.1uF 25V
C101	1-107-686-11	s TANTALUM, CHIP 4.7uF 20% 16V
C203	1-126-795-11	s ELECT 10uF 20% 50V
C204	1-163-275-11	s CERAMIC, CHIP 0.001uF 5% 50V
C205	1-126-795-11	s ELECT 10uF 20% 50V
C206	1-126-795-11	s ELECT 10uF 20% 50V
C207	1-163-037-11	s CERAMIC, CHIP 0.022uF 10% 25V
C208	1-163-251-11	s CERAMIC, CHIP 100PF 5% 50V
C209	1-163-251-11	s CERAMIC, CHIP 100PF 5% 50V
C210	1-163-037-11	s CERAMIC, CHIP 0.022uF 10% 25V
CN33	1-568-960-11	s CONNECTOR, PC BOARD 2P, MALE
CN100	1-566-758-11	o CONNECTOR 3P, MALE
CN136	1-778-528-11	o CONNECTOR, PC BOARD 13P, MALE
CN137	1-566-767-11	s CONNECTOR 12P, MALE
CN200	1-506-491-11	s CONNECTOR 12P, MALE
CN300	1-580-536-11	s CONNECTOR, LY 14P, MALE
D1	8-719-157-20	s DIODE RD4.3M-B
D2	8-719-157-20	s DIODE RD4.3M-B
D101	8-719-800-76	s DIODE 1SS226
D201	8-719-800-76	s DIODE 1SS226
D202	8-719-800-76	s DIODE 1SS226
IC1	8-759-700-78	s IC NJM082M
IC2	8-759-710-88	s IC NJM431U
IC101	8-759-175-04	s IC PCF8574T-T
IC102	8-759-720-98	s IC X24C02P
IC103	8-759-700-07	s IC NJM2903M
IC201	8-759-700-84	s IC NJM2041M-D
L1	1-410-737-31	s INDUCTOR, CHIP 0.47uH
L2	1-410-737-31	s INDUCTOR, CHIP 0.47uH
Q1	8-729-020-94	s TRANSISTOR 2SA1314C-TE12L
Q2	8-729-808-42	s TRANSISTOR 2SD1624-T
Q101	8-729-027-38	s TRANSISTOR DTA144EKA-T146
Q201	8-729-271-31	s TRANSISTOR 2SC2713G
R1	1-216-683-11	s METAL, CHIP 22K 0.5% 1/10W
R2	1-216-661-11	s METAL, CHIP 2.7K 0.5% 1/10W
R3	1-216-683-11	s METAL, CHIP 22K 0.5% 1/10W
R4	1-216-691-11	s METAL, CHIP 47K 0.5% 1/10W
R5	1-216-691-11	s METAL, CHIP 47K 0.5% 1/10W
R6	1-216-647-11	s METAL, CHIP 680 0.5% 1/10W
R101	1-216-627-11	s METAL, CHIP 100 0.5% 1/10W
R102	1-216-651-11	s METAL, CHIP 1K 0.5% 1/10W
R103	1-216-651-11	s METAL, CHIP 1K 0.5% 1/10W
R104	1-216-651-11	s METAL, CHIP 1K 0.5% 1/10W
R105	1-216-651-11	s METAL, CHIP 1K 0.5% 1/10W
R108	1-216-699-11	s METAL, CHIP 100K 0.5% 1/10W

(AIF-8 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R109	1-216-699-11	s METAL, CHIP 100K 0.5% 1/10W
R110	1-216-699-11	s METAL, CHIP 100K 0.5% 1/10W
R111	1-216-651-11	s METAL, CHIP 1K 0.5% 1/10W
R112	1-216-651-11	s METAL, CHIP 1K 0.5% 1/10W
R114	1-216-651-11	s METAL, CHIP 1K 0.5% 1/10W
R115	1-216-651-11	s METAL, CHIP 1K 0.5% 1/10W
R116	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R117	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R118	1-218-726-11	s METAL, CHIP 27K 0.50% 1/16W
R119	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R120	1-216-685-11	s METAL, CHIP 27K 0.5% 1/10W
R121	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R122	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R201	1-216-685-11	s METAL, CHIP 27K 0.5% 1/10W
R202	1-215-439-00	s METAL 5.6K 1% 1/6W
R203	1-215-439-00	s METAL 5.6K 1% 1/6W
R210	1-216-699-11	s METAL, CHIP 100K 0.5% 1/10W
R211	1-216-699-11	s METAL, CHIP 100K 0.5% 1/10W
R212	1-216-637-11	s METAL, CHIP 270 0.5% 1/10W
R213	1-216-651-11	s METAL, CHIP 1K 0.5% 1/10W
R214	1-216-663-11	s METAL, CHIP 3.3K 0.5% 1/10W
R215	1-216-663-11	s METAL, CHIP 3.3K 0.5% 1/10W
R216	1-216-653-11	s METAL, CHIP 1.2K 0.5% 1/10W
R217	1-216-653-11	s METAL, CHIP 1.2K 0.5% 1/10W

AL-40 BOARD

Ref. No. or Q'ty	Part No.	SP Description
1pc	1-662-343-11	o PRINTED CIRCUIT BOARD, AL-40
C1	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C2	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C3	1-162-915-11	s CERAMIC, CHIP 10PF 50V
C4	1-162-915-11	s CERAMIC, CHIP 10PF 50V
C5	1-126-925-11	s ELECT 470uF 20% 10V
C6	1-126-925-11	s ELECT 470uF 20% 10V
C7	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
CN1	1-568-353-21	o CONNECTOR, BOARD TO BOARD 6P
CN2	1-568-353-21	o CONNECTOR, BOARD TO BOARD 6P
D1	8-719-941-23	s DIODE DA204U
D2	8-719-941-23	s DIODE DA204U
IC1	8-759-700-94	s IC NJM5532M
Q1	8-729-209-07	s TRANSISTOR 2SC4213-B
Q2	8-729-209-07	s TRANSISTOR 2SC4213-B
R1	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R2	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R3	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R4	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R5	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R6	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R7	1-218-715-11	s METAL, CHIP 9.1K 0.50% 1/16W
R8	1-218-715-11	s METAL, CHIP 9.1K 0.50% 1/16W
R9	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R10	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R11	1-218-710-11	s METAL, CHIP 5.6K 0.50% 1/16W
R12	1-218-710-11	s METAL, CHIP 5.6K 0.50% 1/16W
R13	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R14	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R15	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W

AXM-14 BOARD

Ref. No. or Q'ty	Part No.	SP Description
1pc	A-8277-535-A	o MOUNTED CIRCUIT BOARD, AXM-14 [For SY]
	A-8277-569-A	o MOUNTED CIRCUIT BOARD, AXM-14 [For J]
C3	1-126-405-11	s ELECT, CHIP 10uF 20% 50V
C6	1-126-405-11	s ELECT, CHIP 10uF 20% 50V
C101	1-163-133-00	s CERAMIC, CHIP 470PF 5% 50V
C102	1-163-133-00	s CERAMIC, CHIP 470PF 5% 50V
C103	1-126-405-11	s ELECT, CHIP 10uF 20% 50V
C104	1-126-405-11	s ELECT, CHIP 10uF 20% 50V
C105	1-163-243-11	s CERAMIC, CHIP 47PF 5% 50V
C106	1-163-243-11	s CERAMIC, CHIP 47PF 5% 50V
C107	1-163-037-11	s CERAMIC, CHIP 0.022uF 10% 25V
C108	1-163-037-11	s CERAMIC, CHIP 0.022uF 10% 25V
C109	1-163-251-11	s CERAMIC, CHIP 100PF 5% 50V [For J]
C110	1-163-251-11	s CERAMIC, CHIP 100PF 5% 50V [For SY]
C111	1-163-251-11	s CERAMIC, CHIP 100PF 5% 50V
C112	1-163-275-11	s CERAMIC, CHIP 0.001uF 5% 50V
C123	1-163-037-11	s CERAMIC, CHIP 0.022uF 10% 25V
C124	1-163-037-11	s CERAMIC, CHIP 0.022uF 10% 25V
C201	1-163-133-00	s CERAMIC, CHIP 470PF 5% 50V
C202	1-163-133-00	s CERAMIC, CHIP 470PF 5% 50V
C203	1-126-405-11	s ELECT, CHIP 10uF 20% 50V
C204	1-126-405-11	s ELECT, CHIP 10uF 20% 50V
C205	1-163-243-11	s CERAMIC, CHIP 47PF 5% 50V
C206	1-163-243-11	s CERAMIC, CHIP 47PF 5% 50V
C207	1-163-037-11	s CERAMIC, CHIP 0.022uF 10% 25V
C208	1-163-037-11	s CERAMIC, CHIP 0.022uF 10% 25V
C209	1-163-251-11	s CERAMIC, CHIP 100PF 5% 50V [For J]
C210	1-163-251-11	s CERAMIC, CHIP 100PF 5% 50V [For SY]
C211	1-163-251-11	s CERAMIC, CHIP 100PF 5% 50V
C212	1-163-275-11	s CERAMIC, CHIP 0.001uF 5% 50V
CN100	1-573-593-11	s CONNECTOR, XLR 3P, MALE [For J]
	1-573-594-11	s CONNECTOR, XLR 3P, FEMALE [For SY]
CN200	1-573-593-11	s CONNECTOR, XLR 3P, MALE [For J]
	1-573-594-11	s CONNECTOR, XLR 3P, FEMALE [For SY]
CN301	1-774-795-11	s CONNECTOR, XLR 5P, MALE
D101	8-719-800-76	s DIODE 1SS226
D102	8-719-800-76	s DIODE 1SS226
D201	8-719-800-76	s DIODE 1SS226
D202	8-719-800-76	s DIODE 1SS226
FL300	1-239-895-12	s FILTER, EMI (SMD)
FL301	1-239-895-12	s FILTER, EMI (SMD)
FL302	1-239-895-12	s FILTER, EMI (SMD)
FL303	1-239-895-12	s FILTER, EMI (SMD)
IC101	8-759-700-84	s IC NJM2041M-D
IC201	8-759-700-84	s IC NJM2041M-D
L101	1-412-137-11	s INDUCTOR 10uH
L102	1-412-137-11	s INDUCTOR 10uH
L201	1-412-137-11	s INDUCTOR 10uH
L202	1-412-137-11	s INDUCTOR 10uH
Q3	8-729-271-31	s TRANSISTOR 2SC2713G [For SY]
Q4	8-729-271-31	s TRANSISTOR 2SC2713G [For SY]
R5	1-216-685-11	s METAL, CHIP 27K 0.5% 1/10W
R6	1-216-685-11	s METAL, CHIP 27K 0.5% 1/10W
R100	1-216-637-11	s METAL, CHIP 270 0.5% 1/10W

(AXM-14 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R101-106	1-216-659-11	s METAL, CHIP 2.2K 0.5% 1/10W
R107	1-216-636-11	s METAL, CHIP 240 0.5% 1/10W
R108	1-216-636-11	s METAL, CHIP 240 0.5% 1/10W
R109	1-216-663-11	s METAL, CHIP 3.3K 0.5% 1/10W
R110	1-216-699-11	s METAL, CHIP 100K 0.5% 1/10W
R111	1-216-699-11	s METAL, CHIP 100K 0.5% 1/10W
R112	1-216-637-11	s METAL, CHIP 270 0.5% 1/10W
R114	1-216-651-11	s METAL, CHIP 1K 0.5% 1/10W
R115	1-216-663-11	s METAL, CHIP 3.3K 0.5% 1/10W
R116	1-216-663-11	s METAL, CHIP 3.3K 0.5% 1/10W
R119	1-216-636-11	s METAL, CHIP 240 0.5% 1/10W
R120	1-216-636-11	s METAL, CHIP 240 0.5% 1/10W
R121	1-216-295-91	s RES, CHIP 0 [For SY]
R122	1-216-295-91	s RES, CHIP 0 [For SY]
R123	1-216-295-91	s RES, CHIP 0 [For J]
R124	1-216-295-91	s RES, CHIP 0 [For J]
R200	1-216-637-11	s METAL, CHIP 270 0.5% 1/10W
R201-206	1-216-659-11	s METAL, CHIP 2.2K 0.5% 1/10W
R207	1-216-636-11	s METAL, CHIP 240 0.5% 1/10W
R208	1-216-636-11	s METAL, CHIP 240 0.5% 1/10W
R209	1-216-663-11	s METAL, CHIP 3.3K 0.5% 1/10W
R210	1-216-699-11	s METAL, CHIP 100K 0.5% 1/10W
R211	1-216-699-11	s METAL, CHIP 100K 0.5% 1/10W
R212	1-216-637-11	s METAL, CHIP 270 0.5% 1/10W
R214	1-216-651-11	s METAL, CHIP 1K 0.5% 1/10W
R215	1-216-663-11	s METAL, CHIP 3.3K 0.5% 1/10W
R216	1-216-663-11	s METAL, CHIP 3.3K 0.5% 1/10W
R219	1-216-636-11	s METAL, CHIP 240 0.5% 1/10W
R220	1-216-636-11	s METAL, CHIP 240 0.5% 1/10W
R221	1-216-295-91	s RES, CHIP 0 [For SY]
R222	1-216-295-91	s RES, CHIP 0 [For SY]
R223	1-216-295-91	s RES, CHIP 0 [For J]
R224	1-216-295-91	s RES, CHIP 0 [For J]
R316	1-216-295-91	s RES, CHIP 0
R317	1-216-295-91	s RES, CHIP 0
S101	1-572-042-11	s SWITCH, SLIDE
S201	1-572-042-11	s SWITCH, SLIDE

 BI-96 BOARD

 *Except DNV-5

Ref. No. or Q'ty	Part No.	SP Description
1pc	1-569-195-11	o HOUSING 2P
1pc	1-562-735-11	o HOUSING 2P
1pc	1-563-088-11	o CONTACT, FEMALE, AWG24-30
C1	1-113-992-11	s TANTALUM, CHIP 3.3uF 20% 35V
C2	1-113-992-11	s TANTALUM, CHIP 3.3uF 20% 35V
C3	1-113-992-11	s TANTALUM, CHIP 3.3uF 20% 35V
C5	1-163-038-00	s CERAMIC 0.1uF 25V
C6	1-163-038-00	s CERAMIC 0.1uF 25V
C7	1-163-021-91	s CERAMIC 0.01uF 10% 50V
C8	1-107-687-11	s TANTALUM, CHIP 3.3uF 20% 20V
C9	1-107-687-11	s TANTALUM, CHIP 3.3uF 20% 20V
C10	1-107-687-11	s TANTALUM, CHIP 3.3uF 20% 20V
C11	1-113-992-11	s TANTALUM, CHIP 3.3uF 20% 35V
C12	1-163-038-00	s CERAMIC 0.1uF 25V
C14	1-163-038-00	s CERAMIC 0.1uF 25V
C16	1-107-687-11	s TANTALUM, CHIP 3.3uF 20% 20V
D1	8-719-800-76	s DIODE 1SS226
D2	8-719-157-33	s DIODE RD6.2M-B
D3	8-719-104-34	s DIODE 1S2835
D4	8-719-104-34	s DIODE 1S2835
D5	8-719-800-76	s DIODE 1SS226
Q1	8-729-421-71	s TRANSISTOR 2SK620
Q2	8-729-116-66	s TRANSISTOR 2SK508-K53
Q3	8-729-140-47	s TRANSISTOR 2SC3735-B34
Q4	8-729-112-65	s TRANSISTOR 2SA1462-Y33
R2	1-218-776-11	s METAL 1M 0.5% 1/10W
R3	1-218-776-11	s METAL 1M 0.5% 1/10W
R4	1-216-295-91	s RES, CHIP 0
R5	1-216-295-91	s RES, CHIP 0
R6	1-216-699-11	s METAL, CHIP 100K 0.5% 1/10W
R7	1-216-699-11	s METAL, CHIP 100K 0.5% 1/10W
R8	1-216-690-11	s METAL, CHIP 43K 0.5% 1/10W
R9	1-216-699-11	s METAL, CHIP 100K 0.5% 1/10W
R10	1-216-675-11	s METAL, CHIP 10K 0.5% 1/10W
R11	1-216-648-11	s METAL, CHIP 750 0.5% 1/10W
R12	1-216-678-11	s METAL, CHIP 13K 0.5% 1/10W
R13	1-216-687-11	s METAL, CHIP 33K 0.5% 1/10W
R14	1-216-627-11	s METAL, CHIP 100 0.5% 1/10W
R15	1-216-663-11	s METAL, CHIP 3.3K 0.5% 1/10W
R17	1-216-603-11	s METAL, CHIP 10 0.5% 1/10W
R31	1-216-295-91	s RES, CHIP 0

CI-12 BOARD

Ref. No. or Q'ty	Part No.	SP Description
1pc	A-8277-531-B	o MOUNTED CIRCUIT BOARD, CI-12
2pcs	3-729-061-01	s SCREW M2X4.5 (TYPE 1)
C97	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C101	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C102	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
CN1	1-778-535-11	o CONNECTOR, FFC (ZIF) 45P
CN2	1-760-394-11	o CONNECTOR, BOARD TO BOARD 40P
IC101	8-759-524-28	s IC TC74VHC245FT(EL)
IC102	8-759-524-28	s IC TC74VHC245FT(EL)
IC103	8-759-524-28	s IC TC74VHC245FT(EL)
L101	1-412-174-11	s INDUCTOR 1uH
R101	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R102	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R103	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
RB101	1-236-907-11	s NETWORK RESISTOR (CHIP) 100K
RB102	1-236-907-11	s NETWORK RESISTOR (CHIP) 100K
RB103	1-236-907-11	s NETWORK RESISTOR (CHIP) 100K
RB104	1-236-907-11	s NETWORK RESISTOR (CHIP) 100K
RB105	1-239-412-11	s NETWORK RESISTOR (CHIP) 100
RB106	1-239-412-11	s NETWORK RESISTOR (CHIP) 100
RB107	1-239-412-11	s NETWORK RESISTOR (CHIP) 100

CN-1183 BOARD *Except DNV-5

Ref. No. or Q'ty	Part No.	SP Description
1pc	A-8277-768-A	o MOUNTED CIRCUIT BOARD, CN-1183
C1	1-104-823-11	s TANTALUM, CHIP 47uF 20% 16V
C2	1-104-823-11	s TANTALUM, CHIP 47uF 20% 16V
C3	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C4	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C5	1-126-936-11	s ELECT 3300uF 20% 16V
CN1	1-770-678-11	o CONNECTOR, BOARD TO BOARD 50P
CN2	1-695-950-21	o CONNECTER, FPC (ZIF) 21P
CN3	1-695-950-21	o CONNECTER, FPC (ZIF) 21P
CN4	1-695-950-21	o CONNECTER, FPC (ZIF) 21P
D1	8-719-800-76	s DIODE 1SS226
D2	8-719-800-76	s DIODE 1SS226
D3	8-719-800-76	s DIODE 1SS226
D4	8-719-800-76	s DIODE 1SS226
D5	8-719-800-76	s DIODE 1SS226
D6	8-719-800-76	s DIODE 1SS226
IC1	8-759-242-51	s IC TC74AC86F
IC2	8-759-242-51	s IC TC74AC86F
R2	1-218-648-11	s METAL, CHIP 15 0.50% 1/16W
R3	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R4	1-218-648-11	s METAL, CHIP 15 0.50% 1/16W
R6	1-218-648-11	s METAL, CHIP 15 0.50% 1/16W
R8	1-218-648-11	s METAL, CHIP 15 0.50% 1/16W
R10	1-218-648-11	s METAL, CHIP 15 0.50% 1/16W
R12	1-218-648-11	s METAL, CHIP 15 0.50% 1/16W
R14	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R37	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R38	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R39	1-216-864-11	s METAL, CHIP 0 5% 1/16W

CN-1193 BOARD *For DNV-7/7P/90/90P

Ref. No. or Q'ty	Part No.	SP Description
1pc	A-8277-735-A	o MOUNTED CIRCUIT BOARD, CN-1193
CN1	1-778-537-11	o CONNECTOR, BOARD TO BOARD 66P
CN2	1-778-537-11	o CONNECTOR, BOARD TO BOARD 66P

CNB-1/1A BOARD

Ref. No. or Q'ty	Part No.	SP Description
1pc	A-8277-570-A	o MOUNTED CIRCUIT BOARD, CNB-1 [Except DNV-5]
	A-8277-538-A	o MOUNTED CIRCUIT BOARD, CNB-1A [For DNV-5]
1pc	7-623-507-01	s LUG, 2.6
C101	1-128-548-11	s ELECT 4700uF 20% 25V
C102	1-128-548-11	s ELECT 4700uF 20% 25V
C103	1-163-021-91	s CERAMIC 0.01uF 10% 50V
C104	1-163-023-00	s CERAMIC, CHIP 0.015uF 5% 50V
C201	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C202	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C203	1-104-913-11	s TANTALUM, CHIP 10uF 20% 16V
C204	1-104-913-11	s TANTALUM, CHIP 10uF 20% 16V
C205	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C206	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C207	1-135-177-21	s TANTALUM, CHIP 1uF 10% 25V
C209	1-113-994-11	s TANTALUM, CHIP 6.8uF 20% 16V
C210	1-113-990-11	s TANTALUM, CHIP 15uF 20% 16V
C211	1-113-985-11	s TANTALUM, CHIP 10uF 20% 20V
C212	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C213	1-163-227-11	s CERAMIC, CHIP 10PF 5% 50V
C214	1-126-925-11	s ELECT 470uF 20% 10V
C215	1-163-227-11	s CERAMIC, CHIP 10PF 5% 50V
C216	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C217	1-126-925-11	s ELECT 470uF 20% 10V
C218	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C219	1-113-990-11	s TANTALUM, CHIP 15uF 20% 16V
C220	1-113-985-11	s TANTALUM, CHIP 10uF 20% 20V
C301	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
CB101	Δ 1-533-481-11	s BREAKER, CIRCUIT [Except DNV-5]
	Δ 1-532-252-11	s BREAKER, CIRCUIT 6.3A 125V [For DNV-5]
CN101	1-778-541-11	o CONNECTOR, BOARD TO BOARD 52P
CN102	1-566-982-11	o CONNECTOR, ILS 9P, MALE
CN103	1-564-718-11	o CONNECTOR, 2P, MALE
CN104	1-564-722-11	o CONNECTOR, 6P, MALE
CN105	1-564-720-11	o CONNECTOR, 4P, MALE
CN106	1-537-598-11	o WIRE, JUMPER (HIGH WINDING)
CN107	1-691-550-11	s PIN, CONNECTOR (1.5MM) (SMD) 3P
CN108	1-766-376-11	o PIN, CONNECTOR (1.5MM) (SMD) 9P
CN111	1-568-330-11	s CONNECTOR, BOARD TO BOARD 6P
CN112	1-568-330-11	s CONNECTOR, BOARD TO BOARD 6P
D101	8-719-023-54	s DIODE EA60QC06-TE16F2
D102	8-719-023-54	s DIODE EA60QC06-TE16F2
D201	8-719-029-63	s DIODE RD4.3UH-T1
D202	8-719-029-63	s DIODE RD4.3UH-T1
D203	8-719-941-23	s DIODE DA204U
D204	8-719-941-23	s DIODE DA204U
D301	8-719-941-23	s DIODE DA204U
D302	8-719-941-23	s DIODE DA204U
D303	8-719-941-23	s DIODE DA204U
D304	8-719-941-23	s DIODE DA204U
D305	8-719-941-23	s DIODE DA204U
D306	8-719-941-23	s DIODE DA204U
D307	8-719-941-23	s DIODE DA204U

(CNB-1/1A BOARD)

Ref. No. or Q'ty	Part No.	SP Description
D308	8-719-941-23	s DIODE DA204U
F101	Δ 1-533-282-21	s LINK, IC
IC101	8-729-043-74	TRANSISTOR SI4435DY-T1-REVA
IC102	8-729-043-74	TRANSISTOR SI4435DY-T1-REVA
IC103	8-729-043-74	TRANSISTOR SI4435DY-T1-REVA
IC201	8-759-700-78	s IC NJM082M
IC202	8-759-710-88	s IC NJM431U
IC301	8-759-700-94	s IC NJM5532M
L201	1-410-737-31	s INDUCTOR, CHIP 0.47uH
L202	1-410-737-31	s INDUCTOR, CHIP 0.47uH
Q201	8-729-020-94	s TRANSISTOR 2SA1314C-TE12L
Q202	8-729-808-42	s TRANSISTOR 2SD1624-T
Q203	8-729-209-07	s TRANSISTOR 2SC4213-B
Q204	8-729-209-07	s TRANSISTOR 2SC4213-B
R101	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R102	1-218-676-11	s METAL, CHIP 220 0.50% 1/16W
R201	1-218-688-11	s METAL, CHIP 680 0.50% 1/16W
R203	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R204	1-218-702-11	s METAL, CHIP 2.7K 0.50% 1/16W
R205	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R206	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R207	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R208	1-218-715-11	s METAL, CHIP 9.1K 0.50% 1/16W
R209	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R210	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R211	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R212	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R213	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R214	1-218-710-11	s METAL, CHIP 5.6K 0.50% 1/16W
R215	1-218-710-11	s METAL, CHIP 5.6K 0.50% 1/16W
R216	1-218-715-11	s METAL, CHIP 9.1K 0.50% 1/16W
R217	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R218	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R219	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R220	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R221	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R222	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R302	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W

CO-22 BOARD

Ref. No. or Q'ty	Part No.	SP Description
1pc	1-662-337-12	o PRINTED CIRCUIT BOARD, CO-22
1pc	3-603-544-02	o SUPPORT B,BNC CONNECTOR
CN1	1-565-875-11	o CONNECTOR 3P, MALE
CN2	1-766-380-11	s CONNECTOR, COAXIAL
FL1	1-239-896-12	s FILTER, EMI (SMD)

CT-185 BOARD *For DNV-5

Ref. No. or Q'ty	Part No.	SP Description
1pc	1-662-480-12	o PRINTED CIRCUIT BOARD, CT-185
C100	1-163-021-91	s CERAMIC 0.01uF 10% 50V
C101	1-115-339-11	s CERAMIC 0.1uF 10% 50V
C102	1-115-339-11	s CERAMIC 0.1uF 10% 50V
CN1	1-564-707-11	o CONNECTOR, 5P, MALE
CN2	1-564-720-11	o CONNECTOR, 4P, MALE
IC100	8-729-043-74	s TRANSISTOR SI4435DY-T1-REVA
IC101	8-729-043-74	s TRANSISTOR SI4435DY-T1-REVA
IC102	8-729-043-74	s TRANSISTOR SI4435DY-T1-REVA
R100	1-216-635-11	s METAL, CHIP 220 0.5% 1/10W
R101	1-216-699-11	s METAL, CHIP 100K 0.5% 1/10W

CT-187 BOARD *For DNV-5

Ref. No. or Q'ty	Part No.	SP Description
1pc	A-8311-256-A	o MOUNTED CIRCUIT BOARD, CT-187
C1	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C2	1-113-991-11	s TANTALUM, CHIP 33uF 20% 16V
C3	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C4	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C6	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C8	1-162-964-11	s CERAMIC, CHIP 0.001uF 10% 50V
C9	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C10	1-113-642-11	s TANTALUM, CHIP 47uF 20% 10V
C11	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C12	1-162-915-11	s CERAMIC, CHIP 10PF 50V
C13	1-113-642-11	s TANTALUM, CHIP 47uF 20% 10V
C14	1-162-915-11	s CERAMIC, CHIP 10PF 50V
C15	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C16	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C17	1-162-915-11	s CERAMIC, CHIP 10PF 50V
C18	1-162-915-11	s CERAMIC, CHIP 10PF 50V
C19	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C20	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C21	1-113-642-11	s TANTALUM, CHIP 47uF 20% 10V
C22	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C30	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C31	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C32	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C33	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C34	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C35	1-113-642-11	s TANTALUM, CHIP 47uF 20% 10V
C36	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C37	1-113-642-11	s TANTALUM, CHIP 47uF 20% 10V
C38	1-113-642-11	s TANTALUM, CHIP 47uF 20% 10V
C39	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C40	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C41	1-113-642-11	s TANTALUM, CHIP 47uF 20% 10V
C42	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C43	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C44	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C45	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C46	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C47	1-104-823-11	s TANTALUM, CHIP 47uF 20% 16V
C48	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C49	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C50	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C51	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C52	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C53	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C54	1-135-159-21	s TANTALUM, CHIP 10uF 10% 20V
C55	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
D1	8-719-820-41	s DIODE 1SS302
D2	8-719-820-41	s DIODE 1SS302
D3	8-719-948-48	s DIODE HSM88AS-TL
D4	8-719-948-48	s DIODE HSM88AS-TL
D10	8-719-948-48	s DIODE HSM88AS-TL
IC1	8-759-252-59	s IC MAX202CSE
IC2	8-759-242-78	s IC TC7W02F
IC3	8-759-149-10	s IC UPD4702G
IC5	8-759-439-40	o IC HD6473308RF-DVW700COMV1.00
IC6	8-759-399-47	s IC HD6435348SY00F

(CT-187 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
IC7	8-759-523-81	s IC TC74VHC08FT(EL)
IC8	8-759-524-08	s IC TC74VHC139FT(EL)
IC9	8-759-524-07	s IC TC74VHC138FT(EL)
IC10	8-759-524-07	s IC TC74VHC138FT(EL)
IC11	8-759-078-75	s IC UPD6453GT-610
IC12	8-759-523-92	s IC TC74VHC21FT(EL)
IC13	8-759-542-39	o IC M27V201-ATV1.44
IC14	8-759-497-28	s IC LC35256DM-10-TLM
IC15	8-759-399-56	s IC STK12C68-S45
IC16	8-759-165-37	s IC X24164SIC7000
IC17	8-759-078-75	s IC UPD6453GT-610
IC18	8-759-348-79	s IC TE7751
IC19	8-759-086-41	s IC X24C02S-3.0
IC20	8-759-635-27	s IC M62352GP
IC21	8-759-082-58	s IC TC7W08FU
IC22	8-759-524-50	s IC TC74VHC541FT(EL)
IC23	8-759-523-81	s IC TC74VHC08FT(EL)
IC24	8-759-049-96	s IC SN74HC32APW-E05
IC25	8-759-082-58	s IC TC7W08FU
IC26	8-759-175-04	s IC PCF8574T-T
IC27	8-759-399-53	s IC MAX703CSA-TE2
IC28	8-759-523-94	s IC TC74VHC32FT(EL)
IC29	8-759-711-50	s IC NJU7022M-TE2
IC30	8-759-082-59	s IC TC7W32FU
IC31	8-759-075-53	s IC LM35DMX
IS13	1-540-197-11	o SOCKET, IC 32P
L1	1-412-951-11	s INDUCTOR 10uH
Q1	8-729-402-19	s TRANSISTOR XN6501
Q2	8-729-029-14	s TRANSISTOR DTC144EUA-T106
Q3	8-729-403-29	s TRANSISTOR XN6435
R1	1-218-712-11	s METAL, CHIP 6.8K 0.50% 1/16W
R2	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R3	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R4	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R5	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R6	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R7	1-216-857-11	s METAL, CHIP 1M 5% 1/16W
R8	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R9	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R10	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R11	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R13	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R14	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R15	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R16	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R17	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R18	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R19	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R21	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R22	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R23	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R24	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R25	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R26	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R27	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R28	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R29	1-218-722-11	s METAL, CHIP 18K 0.50% 1/16W

(CT-187 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R30	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R31	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R32	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R33	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R34	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R35	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R36	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R37	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R38	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R39	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R40	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R41	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R42	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R43	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R44	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R45	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R46	1-216-857-11	s METAL, CHIP 1M 5% 1/16W
R47	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R48	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R49	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R50	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R51	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R52	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R53	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R54	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R55	1-216-857-11	s METAL, CHIP 1M 5% 1/16W
R56	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R57	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R58	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R59	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R60	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R61	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R62	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R63	1-218-665-11	s METAL, CHIP 75 0.50% 1/16W
R64	1-216-789-11	s METAL, CHIP 2.2 5% 1/16W
RB1	1-239-412-11	s NETWORK RESISTOR (CHIP) 100
RB2	1-236-904-11	s NETWORK RESISTOR (CHIP) 1.0K
RB3	1-236-904-11	s NETWORK RESISTOR (CHIP) 1.0K
RB4	1-239-436-11	s NETWORK RESISTOR (CHIP) 33K
RB5	1-239-436-11	s NETWORK RESISTOR (CHIP) 33K
RB6	1-239-292-11	s RESISTOR ARRAY, CHIP 33K
RB7	1-239-292-11	s RESISTOR ARRAY, CHIP 33K
RB8	1-239-292-11	s RESISTOR ARRAY, CHIP 33K
RB9	1-236-904-11	s NETWORK RESISTOR (CHIP) 1.0K
RB10	1-239-436-11	s NETWORK RESISTOR (CHIP) 33K
RB12	1-239-409-11	s NETWORK RESISTOR (CHIP) 47
RB13	1-239-436-11	s NETWORK RESISTOR (CHIP) 33K
S1	1-692-881-21	s SWITCH, SLIDE
S2	1-692-271-21	s SWITCH, SLIDE
S3	1-692-881-21	s SWITCH, SLIDE
X1	1-760-273-11	s CRYSTAL 20.000000MHz
X2	1-760-778-21	s CRYSTAL 32.000000MHz

DC-87 BOARD

Ref. No. or Q'ty	Part No.	SP Description
1pc	1-662-332-12	o PRINTED CIRCUIT BOARD, DC-87
C1	1-115-339-11	s CERAMIC 0.1uF 10% 50V
C2	1-115-339-11	s CERAMIC 0.1uF 10% 50V
C3	1-115-339-11	s CERAMIC 0.1uF 10% 50V
C4	1-115-339-11	s CERAMIC 0.1uF 10% 50V
C5	1-115-339-11	s CERAMIC 0.1uF 10% 50V
C6	1-115-339-11	s CERAMIC 0.1uF 10% 50V
C7	1-115-339-11	s CERAMIC 0.1uF 10% 50V
FL1	1-414-581-21	s INDUCTOR 0
FL2	1-414-581-21	s INDUCTOR 0
FL3	1-239-896-12	s FILTER, EMI (SMD)
FL4	1-239-896-12	s FILTER, EMI (SMD)
FL5	1-239-896-12	s FILTER, EMI (SMD)

DC-88 BOARD

Ref. No. or Q'ty	Part No.	SP Description
1pc	A-8277-766-A	o MOUNTED CIRCUIT BOARD, DC-88
1pc	1-562-260-11	o CONTACT, SOCKET
1pc	1-580-696-11	o HOUSING 9P
1pc	7-623-505-01	s LUG, 2
CN1	1-564-603-31	s CONNECTOR, WITH DC SW 4P, MALE
CN2	1-565-899-11	o PIN, SINGLE IN LINE 4P
E1	1-535-881-21	o TERMINAL, TP (AUTO INSERTION)
FL1	1-117-193-11	s CERAMIC 3, TERMINAL 1.5uF 50V
FL3	1-117-193-11	s CERAMIC 3, TERMINAL 1.5uF 50V

DCP-1 BOARD *Except DNV-5

Ref. No. or Q'ty	Part No.	SP Description
1pc	A-8277-776-B	o MOUNTED CIRCUIT BOARD, DCP-1
2pcs	3-603-737-01	o LEVER, BOARD
5pcs	3-729-061-01	s SCREW M2X4.5 (TYPE 1)
C1	1-162-913-11	s CERAMIC, CHIP 8PF 50V
C2	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C3	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C4	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C5	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C6	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C7	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C8	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C9	1-107-687-11	s TANTALUM, CHIP 3.3uF 20% 20V
C10	1-162-907-11	s CERAMIC, CHIP 2PF 50V
C11	1-162-913-11	s CERAMIC, CHIP 8PF 50V
C12	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C13	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C14	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C15	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C16	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C17	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C18	1-104-823-11	s TANTALUM, CHIP 47uF 20% 16V
C19	1-162-907-11	s CERAMIC, CHIP 2PF 50V
C20	1-162-907-11	s CERAMIC, CHIP 2PF 50V
C21	1-162-913-11	s CERAMIC, CHIP 8PF 50V
C22	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C23	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C24	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C25	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C26	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C27	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C28	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C31	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C32	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C33	1-104-823-11	s TANTALUM, CHIP 47uF 20% 16V
C34	1-162-917-11	s CERAMIC, CHIP 15PF 5% 50V
C35	1-162-917-11	s CERAMIC, CHIP 15PF 5% 50V
C36	1-162-917-11	s CERAMIC, CHIP 15PF 5% 50V
C38	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C39	1-107-686-11	s TANTALUM, CHIP 4.7uF 20% 16V
C40	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C41	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C42	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C43	1-162-924-11	s CERAMIC 56PF 5% 50V
C44	1-162-924-11	s CERAMIC 56PF 5% 50V
C45	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C47	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C48	1-162-924-11	s CERAMIC 56PF 5% 50V
C49	1-162-924-11	s CERAMIC 56PF 5% 50V
C51	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C52	1-162-924-11	s CERAMIC 56PF 5% 50V
C53	1-162-924-11	s CERAMIC 56PF 5% 50V
C54	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C56	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C57	1-162-917-11	s CERAMIC, CHIP 15PF 5% 50V
C58	1-162-923-11	s CERAMIC, CHIP 47PF 5% 50V
C59	1-162-923-11	s CERAMIC, CHIP 47PF 5% 50V
C61	1-162-919-11	s CERAMIC, CHIP 22PF 5% 50V
C62	1-162-923-11	s CERAMIC, CHIP 47PF 5% 50V

(DCP-1 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
C63	1-162-923-11	s CERAMIC, CHIP 47PF 5% 50V
C64	1-162-921-11	s CERAMIC, CHIP 33PF 5% 50V
C65	1-162-921-11	s CERAMIC, CHIP 33PF 5% 50V
C66	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C67	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C68	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C69	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C70	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C71	1-162-923-11	s CERAMIC, CHIP 47PF 5% 50V
C72	1-162-923-11	s CERAMIC, CHIP 47PF 5% 50V
C74	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C75	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C76	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C77	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C78	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C79	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C80	1-107-686-11	s TANTALUM, CHIP 4.7uF 20% 16V
C81	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C82	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C83	1-162-964-11	s CERAMIC, CHIP 0.001uF 10% 50V
C84	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C85	1-162-964-11	s CERAMIC, CHIP 0.001uF 10% 50V
C86	1-113-642-11	s TANTALUM, CHIP 47uF 20% 10V
C87	1-162-917-11	s CERAMIC, CHIP 15PF 5% 50V
C88	1-162-917-11	s CERAMIC, CHIP 15PF 5% 50V
C89	1-113-642-11	s TANTALUM, CHIP 47uF 20% 10V
C90	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C91	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C93	1-162-917-11	s CERAMIC, CHIP 15PF 5% 50V
C94	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C95	1-162-917-11	s CERAMIC, CHIP 15PF 5% 50V [Lot No. 707 and higher]
	1-162-915-11	s CERAMIC, CHIP 10PF 5% 50V [Lot No. 604 through 706]
C96	1-162-917-11	s CERAMIC, CHIP 15PF 5% 50V [Lot No. 707 and higher]
C97	1-113-642-11	s TANTALUM, CHIP 47uF 20% 10V
C98	1-113-642-11	s TANTALUM, CHIP 47uF 20% 10V
C100	1-162-915-11	s CERAMIC, CHIP 10PF 50V
C102	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C103	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C104	1-113-642-11	s TANTALUM, CHIP 47uF 20% 10V
C105	1-113-642-11	s TANTALUM, CHIP 47uF 20% 10V
C107	1-162-917-11	s CERAMIC, CHIP 15PF 5% 50V
C108	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C109	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C110	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C111	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C112	1-164-346-11	s CERAMIC 1uF 16V
C113	1-164-346-11	s CERAMIC 1uF 16V
C114	1-164-346-11	s CERAMIC 1uF 16V
C115	1-164-346-11	s CERAMIC 1uF 16V
C116	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C121	1-162-915-11	s CERAMIC, CHIP 10PF 50V
C122	1-162-915-11	s CERAMIC, CHIP 10PF 50V
C123	1-162-915-11	s CERAMIC, CHIP 10PF 50V
C124	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C134	1-162-920-11	s CERAMIC, CHIP 27PF 5% 50V
C135	1-162-917-11	s CERAMIC, CHIP 15PF 5% 50V

(DCP-1 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
C136	1-162-915-11	s CERAMIC, CHIP 10PF 50V
C139	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C140	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C141	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C142	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C143	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C144	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C145	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C146	1-162-912-11	s CERAMIC, CHIP 7PF 50V
C147	1-165-176-11	s CERAMIC 0.047uF 10% 16V
C152	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C153	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C155	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C156	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C157	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C158	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C159	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C160	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C161	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C162	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C163	1-164-005-11	s CERAMIC, CHIP 0.47uF 25V
C164	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V [Lot No. 611 and higher]
C165	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V [Lot No. 611 and higher]
C166	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V [Lot No. 611 and higher]
C167	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C168	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C173	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C174	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C175	1-135-179-21	s TANTALUM 2.2uF 10% 16V
C177	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C178	1-104-823-11	s TANTALUM, CHIP 47uF 20% 16V
C180	1-107-686-11	s TANTALUM, CHIP 4.7uF 20% 16V
C181	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C182	1-164-346-11	s CERAMIC 1uF 16V
C183	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C184	1-135-149-21	s TANTALUM, CHIP 2.2uF 10% 10V
C185	1-113-642-11	s TANTALUM, CHIP 47uF 20% 10V
C187	1-162-915-11	s CERAMIC, CHIP 10PF 50V
C188	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C189	1-135-149-21	s TANTALUM, CHIP 2.2uF 10% 10V
C190	1-104-823-11	s TANTALUM, CHIP 47uF 20% 16V
C191	1-104-823-11	s TANTALUM, CHIP 47uF 20% 16V
C193	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C194	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C195	1-135-149-21	s TANTALUM, CHIP 2.2uF 10% 10V
C196	1-104-823-11	s TANTALUM, CHIP 47uF 20% 16V
C199	1-104-823-11	s TANTALUM, CHIP 47uF 20% 16V
C200	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C201	1-165-176-11	s CERAMIC 0.047uF 10% 16V
C202	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C203	1-113-994-11	s TANTALUM, CHIP 6.8uF 20% 16V
C204	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V
C217	1-135-210-11	s TANTALUM, CHIP 4.7uF 20% 10V
C219	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C221	1-104-823-11	s TANTALUM, CHIP 47uF 20% 16V
C222	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V

(DCP-1 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
C228	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C229	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V
C230	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V
C231	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C234	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C235	1-104-823-11	s TANTALUM, CHIP 47uF 20% 16V
C236	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C237	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C238	1-104-823-11	s TANTALUM, CHIP 47uF 20% 16V
C239	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C240	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C241	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C242	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C244	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C245	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C246	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C247	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C248	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C249	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C259	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C292	1-107-686-11	s TANTALUM, CHIP 4.7uF 20% 16V
C295	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C316	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C317	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C318	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C319	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C320	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V [Lot No. 604 through 610]
C321	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V [Lot No. 604 through 610]
C323	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C324	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C325	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C326	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C327	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C328	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C329	1-113-994-11	s TANTALUM, CHIP 6.8uF 20% 16V
C330	1-107-686-11	s TANTALUM, CHIP 4.7uF 20% 16V
C331	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C332	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C333	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C334	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C335	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C336	1-113-981-11	s TANTALUM, CHIP 22uF 20% 20V
C337	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C338	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C340	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C341	1-104-823-11	s TANTALUM, CHIP 47uF 20% 16V
C342	1-104-823-11	s TANTALUM, CHIP 47uF 20% 16V
C343	1-162-908-11	s CERAMIC, CHIP 3PF 50V
C344	1-162-924-11	s CERAMIC 56PF 5% 50V
C345	1-162-917-11	s CERAMIC, CHIP 15PF 5% 50V
C346	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C347	1-162-908-11	s CERAMIC, CHIP 3PF 50V
C348	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C349	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C350	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V [Lot No. 604 through 610]
C354	1-104-823-11	s TANTALUM, CHIP 47uF 20% 16V

(DCP-1 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
C355	1-104-823-11	s TANTALUM, CHIP 47uF 20% 16V
C356	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C357	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C358	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C359	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C360	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C362	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C363	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C365	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C403	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C404	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C406	1-113-994-11	s TANTALUM, CHIP 6.8uF 20% 16V
C407	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C408	1-162-964-11	s CERAMIC, CHIP 0.001uF 10% 50V
C409	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C410	1-104-823-11	s TANTALUM, CHIP 47uF 20% 16V
C411	1-113-981-11	s TANTALUM, CHIP 22uF 20% 20V
C416	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C417	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C420	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C421	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C423	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V
C424	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V
C425	1-162-964-11	s CERAMIC, CHIP 0.001uF 10% 50V
C426	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C429	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V
C430	1-162-964-11	s CERAMIC, CHIP 0.001uF 10% 50V
C431	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C432	1-107-690-11	s TANTALUM, CHIP 6.8uF 20% 35V
C433	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C434	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V
C435	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C437	1-162-913-11	s CERAMIC, CHIP 8PF 50V
C438	1-162-913-11	s CERAMIC, CHIP 8PF 50V
C439	1-104-823-11	s TANTALUM, CHIP 47uF 20% 16V
C440	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C441	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C443	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C444	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C445	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C446	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C447	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C448	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C449	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C450	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C451	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C453	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C462	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C463	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C464	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C465	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C471	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C472	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C473	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C474	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C475	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C476	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V [Lot No. 707 and higher]
C477	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V

(DCP-1 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
		[Lot No. 707 and higher]
C478	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C479	1-104-823-11	s TANTALUM, CHIP 47uF 20% 16V
C480	1-104-823-11	s TANTALUM, CHIP 47uF 20% 16V
C481	1-104-823-11	s TANTALUM, CHIP 47uF 20% 16V
C482	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C483	1-162-915-11	s CERAMIC, CHIP 10PF 50V
C484	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C485	1-135-165-11	s TANTALUM 33uF 20% 16V
		[Lot No. 609 and higher]
	1-115-581-11	s TANTALUM 100uF 20% 16V
		[Lot No. 604 through 608]
C486	1-135-165-11	s TANTALUM 33uF 20% 16V
		[Lot No. 609 and higher]
	1-115-581-11	s TANTALUM 100uF 20% 16V
		[Lot No. 604 through 608]
C487	1-162-915-11	s CERAMIC, CHIP 10PF 50V
C488	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C499	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
CN2	1-695-453-11	s CONNECTOR, BOARD TO BOARD 50P
CN4	1-778-539-11	o CONNECTOR, BOARD TO BOARD 66P
CN5	1-778-539-11	o CONNECTOR, BOARD TO BOARD 66P
CN6	1-778-539-11	o CONNECTOR, BOARD TO BOARD 66P
CN7	1-568-335-11	s CONNECTOR, BOARD TO BOARD 18P
CN8	1-568-335-11	s CONNECTOR, BOARD TO BOARD 18P
CN9	1-568-335-11	s CONNECTOR, BOARD TO BOARD 18P
CN10	1-778-551-11	o CONNECTOR, 20P, MALE
CP1	1-760-347-21	s VCO, CRYSTAL 27.000000MHz
D1	8-719-948-48	s DIODE HSM88AS-TL
D2	8-719-029-59	s DIODE RD3.0UH-T1
D3	8-719-029-59	s DIODE RD3.0UH-T1
D4	8-719-029-59	s DIODE RD3.0UH-T1
D5	8-719-029-63	s DIODE RD4.3UH-T1
D6	8-719-017-42	s DIODE HSM88WA
D7	8-719-404-35	s DIODE MA141WK
D8	8-719-029-63	s DIODE RD4.3UH-T1
D9	8-719-029-63	s DIODE RD4.3UH-T1
D10	8-719-404-35	s DIODE MA141WK
D11	8-719-029-59	s DIODE RD3.0UH-T1
D12	8-719-948-48	s DIODE HSM88AS-TL
D14	8-719-948-48	s DIODE HSM88AS-TL
D39	8-719-820-41	s DIODE 1SS302
		[Lot No. 604 through 611]
D40	8-719-820-41	s DIODE 1SS302
D41	8-719-948-48	s DIODE HSM88AS-TL
D51	8-719-948-48	s DIODE HSM88AS-TL
D55	8-719-820-41	s DIODE 1SS302
D56	8-719-820-41	s DIODE 1SS302
D57	8-719-948-48	s DIODE HSM88AS-TL
FL1	1-233-739-11	s FILTER, LOW-PASS
FL2	1-233-741-11	s FILTER, LOW-PASS
FL3	1-233-739-11	s FILTER, LOW-PASS
FL4	1-233-741-11	s FILTER, LOW-PASS
FL5	1-233-739-11	s FILTER, LOW-PASS
FL6	1-233-741-11	s FILTER, LOW-PASS
IC1	8-759-523-02	s IC TC74HC4053AFT (EL)
IC2	8-752-376-32	s IC CXD2310AR
IC3	8-759-523-95	s IC TC74VHC74FT (EL)

(DCP-1 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
IC4	8-759-523-80	s IC TC74VHC04FT (EL)
IC5	8-752-376-32	s IC CXD2310AR
IC6	8-759-523-96	s IC TC74VHC86FT (EL)
IC7	8-752-376-32	s IC CXD2310AR
IC8	8-759-523-02	s IC TC74HC4053AFT (EL)
IC9	8-759-175-02	s IC TL074CPW
IC10	8-759-184-64	s IC TC4W66FU
IC11	8-759-184-64	s IC TC4W66FU
IC12	8-759-184-64	s IC TC4W66FU
IC13	8-759-635-27	s IC M62352GP
IC14	8-759-399-55	s IC TL054CDB-E05
IC15	8-759-523-02	s IC TC74HC4053AFT (EL)
IC16	8-759-051-48	s IC SN74HCT541APW-E05
IC18	8-759-082-55	s IC TC7W00FU
IC19	8-759-523-81	s IC TC74VHC08FT (EL)
IC20	8-759-524-09	s IC TC74VHC153FT (EL)
IC21	8-759-524-09	s IC TC74VHC153FT (EL)
IC22	8-759-523-95	s IC TC74VHC74FT (EL)
IC23	8-759-348-79	s IC TE7751
IC24	8-759-035-93	s IC TC7S32F-TE85L
IC25	8-759-196-93	s IC TC7SH00FU-TE85R
IC28	8-759-031-84	s IC TC7S04F
IC30	8-759-182-95	s IC HD151015T
IC33	8-759-277-63	s IC TC7W14FU (TE12R)
IC34	8-759-066-68	s IC REF-03GS
IC35	8-759-076-06	s IC TL064CPW
IC36	8-759-523-96	s IC TC74VHC86FT (EL)
IC37	8-752-360-44	s IC CXK1203AR
IC38	8-752-360-44	s IC CXK1203AR
IC39	8-752-360-44	s IC CXK1203AR
IC40	8-752-360-44	s IC CXK1203AR
IC41	8-759-196-97	s IC TC7SH32FU-TE85R
IC43	8-759-523-80	s IC TC74VHC04FT (EL)
IC44	8-759-523-80	s IC TC74VHC04FT (EL)
IC45	8-759-256-90	s IC NJU7021V-TE2
IC46	8-759-049-86	s IC SN74HCT244APW-E05
IC47	8-759-271-86	s IC TC7SH04FU
IC49	8-759-277-63	s IC TC7W14FU (TE12R)
IC50	8-759-234-20	s IC TC7S08F
IC51	8-759-524-50	s IC TC74VHC541FT (EL)
IC52	8-759-389-33	s IC 74LCX244MTCX
IC53	8-759-635-27	s IC M62352GP
IC54	8-759-054-61	s IC CLC505AJE
		[Lot No. 604 through 610]
IC55	8-759-051-48	s IC SN74HCT541APW-E05
IC56	8-759-523-04	s IC TC74HC4538AFT (EL)
IC57	8-759-271-86	s IC TC7SH04FU
IC58	8-759-523-78	s IC TC74VHC00FT (EL)
IC59	8-759-523-82	s IC TC74VHC10FT (EL)
IC60	8-752-363-60	s IC CXD2307R-T6
IC61	8-752-356-44	s IC CXD2306Q
IC62	8-759-524-52	s IC TC74VHC574FT (EL)
IC63	8-759-347-09	s IC NJU7034V-TE2
IC64	8-759-347-09	s IC NJU7034V-TE2
IC65	8-759-196-97	s IC TC7SH32FU-TE85R
IC66	8-759-196-97	s IC TC7SH32FU-TE85R
IC68	8-759-050-55	s IC SN74HCT32APW-E20
IC69	8-759-523-95	s IC TC74VHC74FT (EL)
IC70	8-759-524-50	s IC TC74VHC541FT (EL)

(DCP-1 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
IC71	8-752-381-65	o IC CXD606-101R
IC72	8-759-439-40	o IC HD6473308RF-DVW700COMV1.00
IC73	8-759-440-51	s IC SN74LVC574APW-E05
IC74	8-759-542-39	o IC M27V201-ATV1.44
IC75	8-759-196-96	s IC TC7SH08FU-TE85R
IC76	8-759-277-63	s IC TC7W14FU (TE12R)
IC77	8-759-083-94	s IC TC7W74FU
IC78	8-759-196-93	s IC TC7SH00FU-TE85R
IC79	8-759-523-95	s IC TC74VHC74FT (EL) [Lot No. 604 through 610]
IC80	8-759-082-58	s IC TC7W08FU
IC84	8-759-082-61	s IC TC4W53FU
IC90	8-759-082-58	s IC TC7W08FU
IC93	8-759-076-06	s IC TL064CPW
IC100	8-759-523-01	s IC TC74HC4052AFT (EL)
IC101	8-759-054-61	s IC CLC505AJE
IC102	8-759-523-02	s IC TC74HC4053AFT (EL)
IC103	8-759-049-60	s IC SN74HC08APW-E05
IC104	8-759-054-61	s IC CLC505AJE
IC105	8-759-082-61	s IC TC4W53FU
IC106	8-759-049-60	s IC SN74HC08APW-E05
IC107	8-759-049-96	s IC SN74HC32APW-E05
IC108	8-759-082-58	s IC TC7W08FU
IC109	8-759-082-57	s IC TC7W04FU
IC122	8-759-252-59	s IC MAX202CSE
IC123	8-759-242-78	s IC TC7W02F
IC124	8-759-523-81	s IC TC74VHC08FT (EL)
IC125	8-759-524-08	s IC TC74VHC139FT (EL)
IC126	8-759-399-53	s IC MAX703CSA-TE2
IC128	8-759-082-59	s IC TC7W32FU
IC129	8-759-159-52	s IC NJU7024M
IC130	8-759-082-61	s IC TC4W53FU
IC131	8-759-159-52	s IC NJU7024M
IC132	8-759-256-90	s IC NJU7021V-TE2
IC133	8-759-059-50	s IC MB88351PFV
IC134	8-759-399-47	s IC HD6435348SY00F
IC135	8-759-149-10	s IC UPD4702G
IC136	8-759-374-49	s IC HD74LS49P
IC137	8-759-524-07	s IC TC74VHC138FT (EL)
IC138	8-759-524-07	s IC TC74VHC138FT (EL)
IC139	8-759-523-92	s IC TC74VHC21FT (EL)
IC140	8-759-165-37	s IC X24164SIC7000
IC141	8-759-524-18	s IC TC74VHC163FT (EL)
IC142	8-759-524-18	s IC TC74VHC163FT (EL)
IC143	8-759-049-55	s IC SN74HC00APW-E20
IC144	8-759-523-96	s IC TC74VHC86FT (EL)
IC145	8-759-523-79	s IC TC74VHC02FT (EL)
IC146	8-759-082-61	s IC TC4W53FU
IC147	8-759-078-75	s IC UPD6453GT-610
IC148	8-759-078-75	s IC UPD6453GT-610
IC149	8-759-082-61	s IC TC4W53FU
IC150	8-759-082-61	s IC TC4W53FU
IC152	8-759-399-56	s IC STK12C68-S45
IS1	1-540-197-11	o SOCKET, IC 32P
L4	1-410-377-31	s INDUCTOR, CHIP 4.7uH
L7	1-410-373-31	s INDUCTOR, CHIP 2.2uH
L9	1-412-951-11	s INDUCTOR 10uH
L11	1-424-643-11	s COIL, CHOKE 10uH

(DCP-1 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
L12	1-424-643-11	s COIL, CHOKE 10uH
L13	1-424-643-11	s COIL, CHOKE 10uH
L14	1-424-643-11	s COIL, CHOKE 10uH
L16	1-424-643-11	s COIL, CHOKE 10uH
L17	1-412-951-11	s INDUCTOR 10uH
L18	1-424-643-11	s COIL, CHOKE 10uH
L19	1-424-643-11	s COIL, CHOKE 10uH
L22	1-412-955-11	s INDUCTOR 22uH
L23	1-412-955-11	s INDUCTOR 22uH
L31	1-412-951-11	s INDUCTOR 10uH
L34	1-412-951-11	s INDUCTOR 10uH
Q1	8-729-403-32	s TRANSISTOR XN6534
Q2	8-729-117-73	s TRANSISTOR 2SC4178-F14
Q3	8-729-403-29	s TRANSISTOR XN6435
Q4	8-729-117-73	s TRANSISTOR 2SC4178-F14
Q5	8-729-403-29	s TRANSISTOR XN6435
Q6	8-729-117-32	s TRANSISTOR 2SC4177
Q7	8-729-140-63	s TRANSISTOR 2SA1611-M5M6
Q8	8-729-403-29	s TRANSISTOR XN6435
Q9	8-729-140-63	s TRANSISTOR 2SA1611-M5M6
Q10	8-729-117-73	s TRANSISTOR 2SC4178-F14
Q11	8-729-403-29	s TRANSISTOR XN6435
Q12	8-729-403-29	s TRANSISTOR XN6435
Q13	8-729-140-63	s TRANSISTOR 2SA1611-M5M6
Q14	8-729-140-63	s TRANSISTOR 2SA1611-M5M6
Q15	8-729-117-73	s TRANSISTOR 2SC4178-F14
Q16	8-729-403-29	s TRANSISTOR XN6435
Q17	8-729-117-32	s TRANSISTOR 2SC4177
Q18	8-729-117-73	s TRANSISTOR 2SC4178-F14
Q19	8-729-403-32	s TRANSISTOR XN6534
Q20	8-729-029-14	s TRANSISTOR DTC144EUA-T106
Q21	8-729-117-73	s TRANSISTOR 2SC4178-F14
Q22	8-729-403-32	s TRANSISTOR XN6534
Q23	8-729-820-86	s TRANSISTOR 2SB1121-ST
Q24	8-729-014-93	s TRANSISTOR 2SB1440S-TX
Q25	8-729-141-75	s TRANSISTOR 2SD596DV345
Q26	8-729-403-32	s TRANSISTOR XN6534 [Lot No. 707 and higher]
Q27	8-729-403-32	s TRANSISTOR XN6534 [Lot No. 707 and higher]
Q28	8-729-403-32	s TRANSISTOR XN6534 [Lot No. 707 and higher]
Q31	8-729-028-91	s TRANSISTOR DTA144EUA-T106
Q32	8-729-029-14	s TRANSISTOR DTC144EUA-T106
Q33	8-729-028-91	s TRANSISTOR DTA144EUA-T106
Q34	8-729-029-14	s TRANSISTOR DTC144EUA-T106
Q37	8-729-029-14	s TRANSISTOR DTC144EUA-T106
Q38	8-729-029-14	s TRANSISTOR DTC144EUA-T106
Q39	8-729-029-14	s TRANSISTOR DTC144EUA-T106
Q40	8-729-029-14	s TRANSISTOR DTC144EUA-T106
Q43	8-729-028-91	s TRANSISTOR DTA144EUA-T106
Q45	8-729-140-63	s TRANSISTOR 2SA1611-M5M6 [Lot No. 604 through 610]
Q46	8-729-117-32	s TRANSISTOR 2SC4177 [Lot No. 604 through 610]
Q47	8-729-117-32	s TRANSISTOR 2SC4177
Q48	8-729-403-29	s TRANSISTOR XN6435
Q50	8-729-403-32	s TRANSISTOR XN6534
Q53	8-729-122-63	s TRANSISTOR 2SA1226

(DCP-1 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
Q54	8-729-403-32	s TRANSISTOR XN6534
Q55	8-729-403-29	s TRANSISTOR XN6435
Q56	8-729-142-90	s TRANSISTOR 2SK853-K5
Q59	8-729-403-29	s TRANSISTOR XN6435
Q60	8-729-142-90	s TRANSISTOR 2SK853-K5
Q61	8-729-117-32	s TRANSISTOR 2SC4177
Q63	8-729-140-63	s TRANSISTOR 2SA1611-M5M6
Q64	8-729-117-32	s TRANSISTOR 2SC4177
Q65	8-729-403-32	s TRANSISTOR XN6534
Q66	8-729-403-32	s TRANSISTOR XN6534
Q67	8-729-402-19	s TRANSISTOR XN6501
Q68	8-729-402-19	s TRANSISTOR XN6501
Q69	8-729-140-63	s TRANSISTOR 2SA1611-M5M6
Q71	8-729-403-29	s TRANSISTOR XN6435
Q73	8-729-403-29	s TRANSISTOR XN6435
Q75	8-729-117-32	s TRANSISTOR 2SC4177
Q91	8-729-402-19	s TRANSISTOR XN6501
Q332	8-729-117-32	s TRANSISTOR 2SC4177
R1	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R2	1-218-694-11	s METAL, CHIP 1.2K 0.50% 1/16W
R3	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R4	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R5	1-218-686-11	s METAL, CHIP 560 0.50% 1/16W
R6	1-218-699-11	s METAL, CHIP 2K 0.50% 1/16W
R7	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Lot No. 707 and higher]
	1-218-648-11	s METAL, CHIP 15 0.50% 1/16W [Lot No. 604 through 706]
R8	1-218-683-11	s METAL, CHIP 430 0.50% 1/16W
R9	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R10	1-218-714-11	s METAL, CHIP 8.2K 0.50% 1/16W
R11	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W
R12	1-218-722-11	s METAL, CHIP 18K 0.50% 1/16W
R13	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R14	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R15	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R16	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R17	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W [Lot No. 611 and higher]
	1-218-706-11	s METAL, CHIP 3.9K 0.50% 1/16W [Lot No. 604 through 610]
R18	1-218-646-11	s METAL, CHIP 12 0.50% 1/16W
R19	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R20	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R21	1-218-720-11	s METAL, CHIP 15K 0.50% 1/16W
R22	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R23	1-218-722-11	s METAL, CHIP 18K 0.50% 1/16W
R24	1-218-722-11	s METAL, CHIP 18K 0.50% 1/16W
R25	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W
R26	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W
R27	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R29	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R30	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W
R31	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R32	1-218-694-11	s METAL, CHIP 1.2K 0.50% 1/16W
R33	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R34	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R35	1-218-686-11	s METAL, CHIP 560 0.50% 1/16W
R36	1-218-699-11	s METAL, CHIP 2K 0.50% 1/16W

(DCP-1 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R37	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Lot No. 707 and higher]
	1-218-648-11	s METAL, CHIP 15 0.50% 1/16W [Lot No. 604 through 706]
R38	1-218-683-11	s METAL, CHIP 430 0.50% 1/16W
R39	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R40	1-218-714-11	s METAL, CHIP 8.2K 0.50% 1/16W
R41	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W
R42	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R43	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R44	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R45	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R46	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R47	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W [Lot No. 611 and higher]
	1-218-706-11	s METAL, CHIP 3.9K 0.50% 1/16W [Lot No. 604 through 610]
R48	1-218-646-11	s METAL, CHIP 12 0.50% 1/16W
R49	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R50	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W
R51	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R52	1-218-694-11	s METAL, CHIP 1.2K 0.50% 1/16W
R53	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R54	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R55	1-218-686-11	s METAL, CHIP 560 0.50% 1/16W
R56	1-218-699-11	s METAL, CHIP 2K 0.50% 1/16W
R57	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Lot No. 707 and higher]
	1-218-648-11	s METAL, CHIP 15 0.50% 1/16W [Lot No. 604 through 706]
R58	1-218-683-11	s METAL, CHIP 430 0.50% 1/16W
R59	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R60	1-218-714-11	s METAL, CHIP 8.2K 0.50% 1/16W
R61	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W
R62	1-218-674-11	s METAL, CHIP 180 0.50% 1/16W
R63	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R64	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R65	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R66	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R67	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W [Lot No. 611 and higher]
	1-218-706-11	s METAL, CHIP 3.9K 0.50% 1/16W [Lot No. 604 through 610]
R68	1-218-646-11	s METAL, CHIP 12 0.50% 1/16W
R70	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W
R71	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R72	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R73	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R74	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R75	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R76	1-218-674-11	s METAL, CHIP 180 0.50% 1/16W
R77	1-218-674-11	s METAL, CHIP 180 0.50% 1/16W
R78	1-218-674-11	s METAL, CHIP 180 0.50% 1/16W
R79	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R80	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R81	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R83	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R84	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R85	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R86	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R88	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W

(DCP-1 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
		[Lot No. 611 and higher]
R89	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R90	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W
R91	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R92	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W
R93	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R94	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W
R95	1-218-701-11	s METAL, CHIP 2.4K 0.50% 1/16W
R96	1-218-701-11	s METAL, CHIP 2.4K 0.50% 1/16W
R97	1-218-701-11	s METAL, CHIP 2.4K 0.50% 1/16W
R98	1-218-674-11	s METAL, CHIP 180 0.50% 1/16W
R99	1-218-701-11	s METAL, CHIP 2.4K 0.50% 1/16W
R100	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R101	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R102	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R103	1-218-701-11	s METAL, CHIP 2.4K 0.50% 1/16W
R105	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R106	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R107	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R108	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R109	1-218-674-11	s METAL, CHIP 180 0.50% 1/16W
R110	1-218-711-11	s METAL, CHIP 6.2K 0.50% 1/16W
R111	1-218-711-11	s METAL, CHIP 6.2K 0.50% 1/16W
R112	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W
R113	1-218-701-11	s METAL, CHIP 2.4K 0.50% 1/16W
R115	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R116	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R117	1-218-711-11	s METAL, CHIP 6.2K 0.50% 1/16W
R118	1-218-711-11	s METAL, CHIP 6.2K 0.50% 1/16W
R119	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W
R121	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R122	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R123	1-218-711-11	s METAL, CHIP 6.2K 0.50% 1/16W
R124	1-218-711-11	s METAL, CHIP 6.2K 0.50% 1/16W
R125	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W
R127	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R128	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R129	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R130	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R132	1-218-674-11	s METAL, CHIP 180 0.50% 1/16W
R133	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R134	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R135	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R136	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R139	1-218-674-11	s METAL, CHIP 180 0.50% 1/16W
R141	1-218-674-11	s METAL, CHIP 180 0.50% 1/16W
		[Lot No. 707 and higher]
	1-216-864-11	s METAL, CHIP 0 5% 1/16W
		[Lot No. 604 through 706]
R142	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R143	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R145	1-218-674-11	s METAL, CHIP 180 0.50% 1/16W
R146	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R147	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R148	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R149	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R150	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R152	1-218-656-11	s METAL, CHIP 33 0.50% 1/16W
R153	1-216-864-11	s METAL, CHIP 0 5% 1/16W

(DCP-1 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R154	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R155	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R156	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R157	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R158	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R159	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R160	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R163	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R164	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R165	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R166	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R168	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R169	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R170	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R171	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R172	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R173	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R175	1-218-722-11	s METAL, CHIP 18K 0.50% 1/16W
R176	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W
R177	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R178	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R179	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R182	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R185	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R187	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R188	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R190	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R191	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R193	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R194	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R195	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R196	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R197	1-218-691-11	s METAL, CHIP 910 0.50% 1/16W
R198	1-218-691-11	s METAL, CHIP 910 0.50% 1/16W
R199	1-218-691-11	s METAL, CHIP 910 0.50% 1/16W
R200	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R201	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R202	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R205	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R206	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R207	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R208	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W
R209	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R210	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R211	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R212	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R213	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R214	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R215	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R216	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R217	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R218	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R219	1-216-857-11	s METAL, CHIP 1M 5% 1/16W
R220	1-216-857-11	s METAL, CHIP 1M 5% 1/16W
R221	1-216-857-11	s METAL, CHIP 1M 5% 1/16W
R222	1-218-730-11	s METAL, CHIP 39K 0.50% 1/16W
R223	1-218-730-11	s METAL, CHIP 39K 0.50% 1/16W
R224	1-218-730-11	s METAL, CHIP 39K 0.50% 1/16W
R225	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W

(DCP-1 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R226	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W
R227	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W
R228	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W
R229	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R230	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R231	1-218-726-11	s METAL, CHIP 27K 0.50% 1/16W
R232	1-218-722-11	s METAL, CHIP 18K 0.50% 1/16W
R233	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R234	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R235	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W
R236	1-218-726-11	s METAL, CHIP 27K 0.50% 1/16W
R237	1-218-722-11	s METAL, CHIP 18K 0.50% 1/16W
R238	1-218-730-11	s METAL, CHIP 39K 0.50% 1/16W
R239	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R240	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R241	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R242	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R243	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R245	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R246	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R247	1-218-742-11	s METAL, CHIP 120K 0.50% 1/16W
R248	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R249	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R250	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R251	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R252	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R257	1-218-734-11	s METAL, CHIP 56K 0.50% 1/16W
R258	1-218-734-11	s METAL, CHIP 56K 0.50% 1/16W
R259	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R260	1-218-670-11	s METAL, CHIP 120 0.50% 1/16W
R261	1-218-670-11	s METAL, CHIP 120 0.50% 1/16W
R262	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R263	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R270	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R271	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R272	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R273	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R274	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R275	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R276	1-218-680-11	s METAL, CHIP 330 0.50% 1/16W
R277	1-218-665-11	s METAL, CHIP 330 0.50% 1/16W [Lot No. 604 through 610]
R278	1-218-730-11	s METAL, CHIP 39K 0.50% 1/16W [Lot No. 604 through 610]
R279	1-218-669-11	s METAL, CHIP 2K 0.50% 1/16W [Lot No. 604 through 610]
R280	1-218-629-11	s METAL, CHIP 1K 0.50% 1/16W [Lot No. 604 through 610]
R281	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R283	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R285	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R287	1-218-674-11	s METAL, CHIP 180 0.50% 1/16W
R288	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R289	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R290	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R291	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R293	1-218-680-11	s METAL, CHIP 330 0.50% 1/16W
R294	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R295	1-218-752-11	s METAL, CHIP 330K 0.50% 1/16W

(DCP-1 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R296	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R297	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R298	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R300	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R301	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R302	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R303	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R304	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R305	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R307	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R308	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R309	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R310	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R311	1-216-857-11	s METAL, CHIP 1M 5% 1/16W
R312	1-218-656-11	s METAL, CHIP 33 0.50% 1/16W
R313	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R314	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W [Lot No. 603 through 610]
R315	1-218-669-11	s METAL, CHIP 2K 0.50% 1/16W [Lot No. 604 through 610]
R316	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R317	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R318	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R319	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R320	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R321	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R322	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R323	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R324	1-218-629-11	s METAL, CHIP 1K 0.50% 1/16W [Lot No. 604 through 610]
R326	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R327	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R328	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R329	1-218-723-11	s METAL, CHIP 20K 0.50% 1/16W
R330	1-218-723-11	s METAL, CHIP 20K 0.50% 1/16W
R331	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R332	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R333	1-216-789-11	s METAL, CHIP 2.2 5% 1/16W
R334	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W [Lot No. 611 and higher]
	1-215-457-11	s METAL, CHIP 33K 0.50% 1/16W [Lot No. 604 through 610]
R335	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R336	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R337	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R338	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R339	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R340	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W [Lot No. 611 and higher]
	1-218-706-11	s METAL, CHIP 3.9K 0.50% 1/16W [Lot No. 604 through 610]
R341	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R342	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W [Lot No. 604 through 610]
R343	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W [Lot No. 604 through 610]
R344	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W [Lot No. 604 through 610]
R345	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W [Lot No. 604 through 610]
R346	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W

(DCP-1 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
		[Lot No. 604 through 610]
R347	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
		[Lot No. 604 through 610]
R348	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
		[Lot No. 604 through 610]
R349	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R350	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R351	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R352	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R353	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R354	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R355	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R356	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R357	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R358	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R359	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R360	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R361	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R362	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R363	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R364	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R365	1-218-665-11	s METAL, CHIP 75 0.50% 1/16W
R366	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
		[Lot No. 611 and higher]
R367	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W
R368	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R369	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R370	1-218-712-11	s METAL, CHIP 6.8K 0.50% 1/16W
R371	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R372	1-218-706-11	s METAL, CHIP 3.9K 0.50% 1/16W
R373	1-218-718-11	s METAL, CHIP 12K 0.50% 1/16W
R374	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R375	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R376	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R377	1-218-720-11	s METAL, CHIP 15K 0.50% 1/16W
R378	1-218-706-11	s METAL, CHIP 3.9K 0.50% 1/16W
R379	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R380	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R381	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R382	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R383	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R384	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R385	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R386	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R387	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R388	1-218-665-11	s METAL, CHIP 75 0.50% 1/16W
R389	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R390	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R391	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R392	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R393	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R394	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R395	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R396	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R397	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W
		[Lot No. 611 and higher]
R398	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R399	1-218-712-11	s METAL, CHIP 6.8K 0.50% 1/16W
R400	1-218-664-11	s METAL, CHIP 68 0.50% 1/16W

(DCP-1 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R401	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R402	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R403	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R404	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R405	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R406	1-218-710-11	s METAL, CHIP 5.6K 0.50% 1/16W
R407	1-218-706-11	s METAL, CHIP 3.9K 0.50% 1/16W
R408	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R409	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R410	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R411	1-218-665-11	s METAL, CHIP 75 0.50% 1/16W
R412	1-218-665-11	s METAL, CHIP 75 0.50% 1/16W
R413	1-218-730-11	s METAL, CHIP 39K 0.50% 1/16W
R414	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R415	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R416	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R417	1-218-712-11	s METAL, CHIP 6.8K 0.50% 1/16W
R418	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R419	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R420	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R421	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R422	1-218-710-11	s METAL, CHIP 5.6K 0.50% 1/16W
R423	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R424	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R425	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R426	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R427	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R428	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R429	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R430	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R431	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R432	1-218-710-11	s METAL, CHIP 5.6K 0.50% 1/16W
R433	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R434	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
		[Lot No. 611 and higher]
R435	1-218-665-11	s METAL, CHIP 75 0.50% 1/16W
R436	1-218-730-11	s METAL, CHIP 39K 0.50% 1/16W
R437	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R438	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R439	1-218-691-11	s METAL, CHIP 910 0.50% 1/16W
R440	1-218-672-11	s METAL, CHIP 150 0.50% 1/16W
R441	1-218-686-11	s METAL, CHIP 560 0.50% 1/16W
R443	1-218-694-11	s METAL, CHIP 1.2K 0.50% 1/16W
R444	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R445	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R446	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R447	1-218-663-11	s METAL, CHIP 62 0.50% 1/16W
R448	1-218-663-11	s METAL, CHIP 62 0.50% 1/16W
R449	1-218-663-11	s METAL, CHIP 62 0.50% 1/16W
R450	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
		[Lot No. 707 and higher]
R451	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
		[Lot No. 707 and higher]
R452	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
		[Lot No. 707 and higher]
R453	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
		[Lot No. 707 and higher]
R454	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
		[Lot No. 707 and higher]
R455	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W

(DCP-1 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
		[Lot No. 707 and higher]
R456	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R457	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W
		[Lot No. 611 and higher]
R458	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
		[Lot No. 611 and higher]
R459	1-218-705-11	s METAL, CHIP 3.6K 0.50% 1/16W
		[Lot No. 611 and higher]
R460	1-216-864-11	s METAL, CHIP 0 5% 1/16W
		[Lot No. 611 and higher]
R461	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
		[Lot No. 611 and higher]
R462	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
		[Lot No. 611 and higher]
R463	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
		[Lot No. 611 and higher]
R464	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
		[Lot No. 611 and higher]
R465	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
		[Lot No. 707 and higher]
R467	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
		[Lot No. 707 and higher]
R468	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
		[Lot No. 707 and higher]
R500	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R501	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R502	1-218-712-11	s METAL, CHIP 6.8K 0.50% 1/16W
R503	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R504	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R505	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R506	1-216-857-11	s METAL, CHIP 1M 5% 1/16W
R507	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R508	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R509	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R510	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R511	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R526	1-216-857-11	s METAL, CHIP 1M 5% 1/16W
R529	1-216-857-11	s METAL, CHIP 1M 5% 1/16W
R533	1-216-857-11	s METAL, CHIP 1M 5% 1/16W
R536	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R537	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R538	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R539	1-216-857-11	s METAL, CHIP 1M 5% 1/16W
R542	1-218-720-11	s METAL, CHIP 15K 0.50% 1/16W
R543	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R544	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R545	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R546	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R547	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R548	1-218-736-11	s METAL, CHIP 68K 0.50% 1/16W
R549	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R560	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R561	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R562	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R563	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R564	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R565	1-218-736-11	s METAL, CHIP 68K 0.50% 1/16W
R566	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R567	1-216-857-11	s METAL, CHIP 1M 5% 1/16W
R568	1-216-854-11	s METAL, CHIP 560K 5% 1/16W
R569	1-218-752-11	s METAL, CHIP 330K 0.50% 1/16W

(DCP-1 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R570	1-218-751-11	s METAL, CHIP 300K 0.50% 1/16W
R571	1-218-752-11	s METAL, CHIP 330K 0.50% 1/16W
R572	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R573	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R574	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R576	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R577	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R578	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R580	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R583	1-218-674-11	s METAL, CHIP 180 0.50% 1/16W
R591	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R606	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R607	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R608	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R609	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R610	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R611	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R613	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R614	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R615	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R622	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R623	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R625	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R626	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R628	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R631	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
RB1	1-239-409-11	s NETWORK RESISTOR (CHIP) 47
RB2	1-239-409-11	s NETWORK RESISTOR (CHIP) 47
RB3	1-239-409-11	s NETWORK RESISTOR (CHIP) 47
RB4	1-239-409-11	s NETWORK RESISTOR (CHIP) 47
RB5	1-239-412-11	s NETWORK RESISTOR (CHIP) 100
RB6	1-236-904-11	s NETWORK RESISTOR (CHIP) 1.0K
RB7	1-239-790-12	s NETWORK, 10 BIT LADDER
RB8	1-239-790-12	s NETWORK, 10 BIT LADDER
RB9	1-239-790-12	s NETWORK, 10 BIT LADDER
RB10	1-239-790-12	s NETWORK, 10 BIT LADDER
RB11	1-239-790-12	s NETWORK, 10 BIT LADDER
RB12	1-239-790-12	s NETWORK, 10 BIT LADDER
RB13	1-239-292-11	s RESISTOR ARRAY, CHIP 33K
RB14	1-236-904-11	s NETWORK RESISTOR (CHIP) 1.0K
RB15	1-236-904-11	s NETWORK RESISTOR (CHIP) 1.0K
RB16	1-239-436-11	s NETWORK RESISTOR (CHIP) 33K
RB18	1-239-292-11	s RESISTOR ARRAY, CHIP 33K
RB19	1-239-409-11	s NETWORK RESISTOR (CHIP) 47
RB20	1-239-409-11	s NETWORK RESISTOR (CHIP) 47
RB21	1-239-409-11	s NETWORK RESISTOR (CHIP) 47
RB22	1-239-409-11	s NETWORK RESISTOR (CHIP) 47
RB24	1-239-412-11	s NETWORK RESISTOR (CHIP) 100
RB25	1-239-409-11	s NETWORK RESISTOR (CHIP) 47
RB31	1-236-904-11	s NETWORK RESISTOR (CHIP) 1.0K
RB32	1-239-412-11	s NETWORK RESISTOR (CHIP) 100
RB33	1-239-436-11	s NETWORK RESISTOR (CHIP) 33K
RB34	1-239-306-11	s RESISTOR BLOCK, CHIP 10Kx8
RB35	1-236-904-11	s NETWORK RESISTOR (CHIP) 1.0K
RB36	1-239-436-11	s NETWORK RESISTOR (CHIP) 33K
RB41	1-239-436-11	s NETWORK RESISTOR (CHIP) 33K
RB42	1-239-436-11	s NETWORK RESISTOR (CHIP) 33K
RB43	1-236-904-11	s NETWORK RESISTOR (CHIP) 1.0K

(DCP-1 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
RB44	1-239-292-11	s RESISTOR ARRAY, CHIP 33K
RB45	1-239-292-11	s RESISTOR ARRAY, CHIP 33K
RB46	1-236-904-11	s NETWORK RESISTOR (CHIP) 1.0K
RB47	1-239-412-11	s NETWORK RESISTOR (CHIP) 100
RB49	1-236-904-11	s NETWORK RESISTOR (CHIP) 1.0K
RB51	1-236-904-11	s NETWORK RESISTOR (CHIP) 1.0K
RB52	1-236-904-11	s NETWORK RESISTOR (CHIP) 1.0K
RB53	1-239-412-11	s NETWORK RESISTOR (CHIP) 100
RB54	1-239-409-11	s NETWORK RESISTOR (CHIP) 47
RB55	1-239-409-11	s NETWORK RESISTOR (CHIP) 47
S1	1-570-711-11	s SWITCH, SLIDE
S2	1-762-119-21	s SWITCH, TOGGLE
S4	1-692-271-31	s SWITCH, SLIDE
X1	1-760-778-21	s CRYSTAL 32.000000MHz
X2	1-760-273-11	s CRYSTAL 20.000000MHz

DR-291 BOARD *Except DNV-5

Ref. No. or Q'ty	Part No.	SP Description
C1	1-126-400-11	s ELECT, CHIP 22uF 20% 35V
C2	1-126-768-11	s ELECT 2200uF 20% 16V
C3	1-104-823-11	s TANTALUM, CHIP 47uF 20% 16V
C4	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C5	1-126-400-11	s ELECT, CHIP 22uF 20% 35V
C6	1-104-665-11	s ELECT 100uF 20% 25V
C7	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C8	1-162-957-11	s CERAMIC, CHIP 220PF 5% 50V
C9	1-126-400-11	s ELECT, CHIP 22uF 20% 35V
C10	1-128-528-11	s ELECT 470uF 20% 25V
C11	1-104-478-11	s TANTALUM, CHIP 10uF 20% 35V
C12	1-104-478-11	s TANTALUM, CHIP 10uF 20% 35V
C13	1-126-397-11	s ELECT, CHIP 33uF 20% 25V
C14	1-126-942-61	s ELECT 1000uF 20% 25V
C15	1-104-478-11	s TANTALUM, CHIP 10uF 20% 35V
C16	1-113-981-11	s TANTALUM, CHIP 22uF 20% 20V
C17	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C18	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C19	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C20	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C21	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C22	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C23	1-113-991-11	s TANTALUM, CHIP 33uF 20% 16V
C24	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C25	1-107-686-11	s TANTALUM, CHIP 4.7uF 20% 16V
C26	1-113-984-11	s TANTALUM, CHIP 1.5uF 20% 35V
C27	1-113-981-11	s TANTALUM, CHIP 22uF 20% 20V
C28	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V
C29	1-107-690-11	s TANTALUM, CHIP 6.8uF 20% 35V
C30	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V
C31	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C32	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C34	1-113-985-11	s TANTALUM, CHIP 10uF 20% 20V
C35	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C37	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C38	1-162-957-11	s CERAMIC, CHIP 220PF 5% 50V
C39	1-110-398-11	s TANTALUM, CHIP 15uF 20% 35V
C40	1-162-964-11	s CERAMIC, CHIP 0.001uF 10% 50V
C41	1-113-991-11	s TANTALUM, CHIP 33uF 20% 16V
C42	1-113-981-11	s TANTALUM, CHIP 22uF 20% 20V
C43	1-113-991-11	s TANTALUM, CHIP 33uF 20% 16V
C44	1-110-398-11	s TANTALUM, CHIP 15uF 20% 35V
C45	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C46	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C47	1-104-919-11	s TANTALUM, CHIP 10uF 20% 25V
CN1	1-568-335-11	s CONNECTOR, BOARD TO BOARD 18P
CN2	1-766-382-11	o PIN, CONNECTOR (1.5MM) (SMD) 10P
CN3	1-695-442-21	o CONNECTOR, PC BOARD 10P, MALE
CN5	1-568-335-11	s CONNECTOR, BOARD TO BOARD 18P
CN6	1-691-942-11	s CONNECTOR, BOARD TO BOARD 30P
D1	8-719-210-39	s DIODE EC10QS04
D2	8-719-210-39	s DIODE EC10QS04
D3	8-719-104-34	s DIODE 1S2835
D4	8-719-104-34	s DIODE 1S2835
D5	8-719-104-34	s DIODE 1S2835
D6	8-719-800-76	s DIODE 1SS226
D8	8-719-029-57	s DIODE RD2.4UH-T1
D9	8-719-041-68	s DIODE RD3.3UH(1)-T1
D10	8-719-948-48	s DIODE HSM88AS-TL



(DR-291 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
D11	8-719-948-48	s DIODE HSM88AS-TL
IC2	8-759-234-20	s IC TC7S08F
IC3	8-759-172-33	s IC UPD16502GS (1)
IC4	8-759-172-33	s IC UPD16502GS (1)
IC5	8-759-172-33	s IC UPD16502GS (1)
IC6	8-759-172-33	s IC UPD16502GS (1)
IC7	8-759-172-33	s IC UPD16502GS (1)
IC8	8-759-172-33	s IC UPD16502GS (1)
IC9	8-759-979-69	s IC TSC426C0A
IC10	8-759-076-06	s IC TL064CPW
IC12	8-759-337-40	s IC NJM2904V (TE2)
IC13	8-759-209-97	s IC TC4S81F
IC14	8-759-209-97	s IC TC4S81F
IC17	8-759-082-61	s IC TC4W53FU
IC18	8-759-082-61	s IC TC4W53FU
IC19	8-759-635-27	s IC M62352GP
IC20	8-759-175-04	s IC PCF8574T-T
Q1	8-729-122-63	s TRANSISTOR 2SA1226
Q2	8-729-421-71	s TRANSISTOR 2SK620
Q3	8-729-120-28	s TRANSISTOR 2SC1623-L5L6
Q4	8-729-141-48	s TRANSISTOR 2SB624-BV345
Q6	8-729-141-48	s TRANSISTOR 2SB624-BV345
Q7	8-729-141-75	s TRANSISTOR 2SD596DV345
Q8	8-729-120-28	s TRANSISTOR 2SC1623-L5L6
Q9	8-729-140-47	s TRANSISTOR 2SC3735-B34
Q10	8-729-112-65	s TRANSISTOR 2SA1462-Y33
Q11	8-729-112-65	s TRANSISTOR 2SA1462-Y33
Q12	8-729-140-47	s TRANSISTOR 2SC3735-B34
Q13	8-729-141-48	s TRANSISTOR 2SB624-BV345
R1	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R2	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R3	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R4	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R5	1-218-718-11	s METAL, CHIP 12K 0.50% 1/16W
R6	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W
R7	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R8	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R9	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R10	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R11	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R12	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W
R13	1-218-648-11	s METAL, CHIP 15 0.50% 1/16W
R14	1-218-648-11	s METAL, CHIP 15 0.50% 1/16W
R15	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R16	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R17	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R18	1-218-656-11	s METAL, CHIP 33 0.50% 1/16W
R19	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R20	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R21	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R22	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R23	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R24	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R25	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R26	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R27	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R28	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W

(DR-291 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R29	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R30	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R31	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R32	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R33	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R34	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R35	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R36	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R37	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R38	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R39	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R40	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R41	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R42	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R43	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R44	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R45	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R46	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R47	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R48	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R49	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R50	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R51	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R52	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R53	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R54	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R55	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R56	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R57	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R58	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R59	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R60	1-218-725-11	s METAL, CHIP 24K 0.50% 1/16W
R61	1-218-725-11	s METAL, CHIP 24K 0.50% 1/16W
R62	1-218-725-11	s METAL, CHIP 24K 0.50% 1/16W
R63	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R64	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R65	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R66	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R67	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R68	1-218-737-11	s METAL, CHIP 75K 0.50% 1/16W
R69	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R70	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R71	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R72	1-218-701-11	s METAL, CHIP 2.4K 0.50% 1/16W
R73	1-218-712-11	s METAL, CHIP 6.8K 0.50% 1/16W
R74	1-218-720-11	s METAL, CHIP 15K 0.50% 1/16W
R75	1-218-730-11	s METAL, CHIP 39K 0.50% 1/16W
R76	1-218-701-11	s METAL, CHIP 2.4K 0.50% 1/16W
R77	1-218-712-11	s METAL, CHIP 6.8K 0.50% 1/16W
R78	1-218-720-11	s METAL, CHIP 15K 0.50% 1/16W
R79	1-218-730-11	s METAL, CHIP 39K 0.50% 1/16W
R80	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R81	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R82	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R83	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R84	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R85	1-218-711-11	s METAL, CHIP 6.2K 0.50% 1/16W
R86	1-218-695-11	s METAL, CHIP 1.3K 0.50% 1/16W
R87	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W

(DR-291 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R88	1-218-703-11	s METAL, CHIP 3K 0.50% 1/16W
R89	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R92	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R93	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R94	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R96	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R98	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R101	1-218-676-11	s METAL, CHIP 220 0.50% 1/16W

DUS-42 BOARD

Ref. No. or Q'ty	Part No.	SP Description
C1	1-164-217-11	s CERAMIC, 150PF 5% 50V
C2	1-162-920-11	s CERAMIC, CHIP 27PF 5% 50V
C4	1-162-911-11	s CERAMIC, CHIP 6PF 50V
C5	1-164-217-11	s CERAMIC, 150PF 5% 50V
L1	1-410-376-21	s INDUCTOR, CHIP 3.9uH
L2	1-410-374-11	s INDUCTOR, CHIP 2.7uH
R1	1-218-672-11	s METAL, CHIP 150 0.50% 1/16W
R2	1-218-672-11	s METAL, CHIP 150 0.50% 1/16W

DUS-48 BOARD

Ref. No. or Q'ty	Part No.	SP Description
1pc	1-664-954-11	o PRINTED CIRCUIT BOARD, DUS-48
R1	1-218-233-11	s METAL, CHIP 47 5% 1/2W
R2	1-218-234-11	s METAL, CHIP 68 5% 1/2W

DUS-54 BOARD

Ref. No. or Q'ty	Part No.	SP Description
Q1	8-729-117-32	s TRANSISTOR 2SC4177
R1	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R2	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W

DUS-55 BOARD

Ref. No. or Q'ty	Part No.	SP Description
C1	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
IC1	8-759-080-06	s IC TC74VHC574FS(EL)

DUS-56 BOARD

Ref. No. or Q'ty	Part No.	SP Description
C1	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
IC1	8-759-186-53	s IC TC74VHC163F
IC2	8-759-196-93	s IC TC7SH00FU-TE85R
IC3	8-759-196-96	s IC TC7SH08FU-TE85R

DUS-148 BOARD

Ref. No. or Q'ty	Part No.	SP Description
C2	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C4	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C6	1-119-751-11	s TANTAL 22uF 20% 16V
C7	1-119-751-11	s TANTAL 22uF 20% 16V
C9	1-119-751-11	s TANTAL 22uF 20% 16V
C10	1-162-923-11	s CERAMIC, CHIP 47PF 5% 50V
C11	1-119-751-11	s TANTAL 22uF 20% 16V
C12	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C13	1-162-923-11	s CERAMIC, CHIP 47PF 5% 50V
C14	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C15	1-162-923-11	s CERAMIC, CHIP 47PF 5% 50V
C16	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C17	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C18	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C19	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C20	1-162-923-11	s CERAMIC, CHIP 47PF 5% 50V
C21	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C22	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C23	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C24	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C25	1-119-751-11	s TANTAL 22uF 20% 16V
C26	1-119-751-11	s TANTAL 22uF 20% 16V
C27	1-104-852-11	s TANTALUM, CHIP 22uF 20% 10V
C28	1-104-852-11	s TANTALUM, CHIP 22uF 20% 10V
C29	1-119-751-11	s TANTAL 22uF 20% 16V
C30	1-119-751-11	s TANTAL 22uF 20% 16V
CN1	1-764-007-11	s PIN, CONNECTOR (1.5MM) (SMD) 12P
D1	8-719-800-76	s DIODE 1SS226
IC1	8-759-112-66	s IC UPC812G2
IC2	8-759-518-74	s IC DBX2151
IC3	8-759-745-64	s IC NJM4560M
IC4	8-759-112-66	s IC UPC812G2
IC5	8-759-518-74	s IC DBX2151
IC6	8-759-745-64	s IC NJM4560M
IC7	8-759-112-66	s IC UPC812G2
R1	1-218-685-11	s METAL, CHIP 510 0.50% 1/16W
R2	1-218-723-11	s METAL, CHIP 20K 0.50% 1/16W
R3	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R5	1-218-689-11	s METAL, CHIP 750 0.50% 1/16W
R6	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R9	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R10	1-218-703-11	s METAL, CHIP 3K 0.50% 1/16W
R11	1-218-723-11	s METAL, CHIP 20K 0.50% 1/16W
R12	1-218-665-11	s METAL, CHIP 75 0.50% 1/16W
R13	1-218-742-11	s METAL, CHIP 120K 0.50% 1/16W
R14	1-218-705-11	s METAL, CHIP 3.6K 0.50% 1/16W
R15	1-218-671-11	s METAL 130 0.50% 1/16W
R16	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R17	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R18	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R19	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R20	1-218-686-11	s METAL, CHIP 560 0.50% 1/16W
R22	1-218-723-11	s METAL, CHIP 20K 0.50% 1/16W
R24	1-218-703-11	s METAL, CHIP 3K 0.50% 1/16W
R25	1-218-665-11	s METAL, CHIP 75 0.50% 1/16W
R26	1-218-742-11	s METAL, CHIP 120K 0.50% 1/16W

(DUS-148 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R29	1-218-723-11	s METAL, CHIP 20K 0.50% 1/16W
RV1	1-237-033-11	s RES, ADJ METAL 1K
RV2	1-237-035-11	s RES, ADJ METAL 5K
RV4	1-237-035-11	s RES, ADJ METAL 5K
TH1	1-810-106-11	s THERMISTOR, POSITIVE LINEAR

DVP-1 BOARD

Ref. No. or Q'ty	Part No.	SP Description
1pc	A-8277-533-B	o MOUNTED CIRCUIT BOARD, DVP-1
2pcs	3-603-737-01	o LEVER, BOARD
5pcs	3-729-061-01	o SCREW M2X4.5 (TYPE 1)
C1	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C2	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C3	1-107-686-11	s TANTALUM, CHIP 4.7uF 20% 16V
C4	1-113-994-11	s TANTALUM, CHIP 6.8uF 20% 16V
C5	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C6	1-113-994-11	s TANTALUM, CHIP 6.8uF 20% 16V
C7	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C8	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C9	1-162-915-11	s CERAMIC, CHIP 10PF 50V
C10	1-162-915-11	s CERAMIC, CHIP 10PF 50V
C11	1-113-994-11	s TANTALUM, CHIP 6.8uF 20% 16V
C12	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C13	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C14	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C15	1-113-994-11	s TANTALUM, CHIP 6.8uF 20% 16V
C16	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C17	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C18	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C19	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C20	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C21	1-162-964-11	s CERAMIC, CHIP 0.001uF 10% 50V
C22	1-162-915-11	s CERAMIC, CHIP 10PF 50V
C23	1-162-915-11	s CERAMIC, CHIP 10PF 50V
C25	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C26	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C27	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C28	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C29	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C30	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C201	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C202	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C203	1-164-315-11	s CERAMIC, CHIP 470PF 5% 50V
C204	1-164-315-11	s CERAMIC, CHIP 470PF 5% 50V
C205	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C210	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C211	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C212	1-164-315-11	s CERAMIC, CHIP 470PF 5% 50V
C213	1-164-315-11	s CERAMIC, CHIP 470PF 5% 50V
C214	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C215	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C216	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C217	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C220	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C222	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C223	1-162-958-11	s CERAMIC, CHIP 270PF 5% 50V
C224	1-165-176-11	s CERAMIC 0.047uF 10% 16V
C226	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C227	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C228	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C229	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V
C230	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V
C231	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C232	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C233	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C234	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V

(DVP-1 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
C235	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V
C260	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C261	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C262	1-162-964-11	s CERAMIC, CHIP 0.001uF 10% 50V
C263	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C300	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V
C301	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C302	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C303	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V
C304	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C305	1-164-315-11	s CERAMIC, CHIP 470PF 5% 50V
C306	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C307	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V
C308	1-162-926-11	s CERAMIC, CHIP 82PF 5% 50V
C309	1-162-926-11	s CERAMIC, CHIP 82PF 5% 50V
C310	1-162-926-11	s CERAMIC, CHIP 82PF 5% 50V
C311	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V
C312	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V
C313	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V
C314	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C315	1-164-315-11	s CERAMIC, CHIP 470PF 5% 50V
C316	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V
C317	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C318	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V
C319	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V
C320	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V
C321	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V
C322	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C323	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C324	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V
C325	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C326	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V
C327	1-162-928-11	s CERAMIC, CHIP 120PF 5% 50V
C328	1-164-315-11	s CERAMIC, CHIP 470PF 5% 50V
C329	1-162-969-11	s CERAMIC, CHIP 0.0068uF 10% 25V
C330	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V
C331	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V
C332	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C333	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C334	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C335	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C336	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C337	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C338	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C339	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C340	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V
C341	1-113-991-11	s TANTALUM, CHIP 33uF 20% 16V
C342	1-113-991-11	s TANTALUM, CHIP 33uF 20% 16V
C343	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C344	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V
C345	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V
C346	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V
C347	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V
C348	1-162-928-11	s CERAMIC, CHIP 120PF 5% 50V
C349	1-164-315-11	s CERAMIC, CHIP 470PF 5% 50V
C350	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C351	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C352	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C353	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V

(DVP-1 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
C835	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C836	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C837	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C838	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C841	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C901	1-162-915-11	s CERAMIC, CHIP 10PF 50V
C902	1-162-915-11	s CERAMIC, CHIP 10PF 50V
C903	1-162-915-11	s CERAMIC, CHIP 10PF 50V
C904	1-162-915-11	s CERAMIC, CHIP 10PF 50V
C905	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C906	1-162-915-11	s CERAMIC, CHIP 10PF 50V
C907	1-162-915-11	s CERAMIC, CHIP 10PF 50V
C908	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C909	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C910	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C911	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C912	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C913	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C914	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C915	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C916	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C917	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C918	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C1000	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V
C1001	1-113-991-11	s TANTALUM, CHIP 33uF 20% 16V
C1002	1-107-823-11	s CERAMIC 0.47uF 10% 16V
C1003	1-113-991-11	s TANTALUM, CHIP 33uF 20% 16V
C1004	1-107-823-11	s CERAMIC 0.47uF 10% 16V
C1005	1-113-991-11	s TANTALUM, CHIP 33uF 20% 16V
C1006	1-113-991-11	s TANTALUM, CHIP 33uF 20% 16V
C1007	1-107-823-11	s CERAMIC 0.47uF 10% 16V
C1008	1-113-991-11	s TANTALUM, CHIP 33uF 20% 16V
C1009	1-107-823-11	s CERAMIC 0.47uF 10% 16V
C1010	1-113-991-11	s TANTALUM, CHIP 33uF 20% 16V
C1011	1-107-823-11	s CERAMIC 0.47uF 10% 16V
C1012	1-104-919-11	s TANTALUM, CHIP 10uF 20% 25V
C1013	1-104-911-11	s TANTALUM, CHIP 33uF 20% 10V
C1014	1-104-911-11	s TANTALUM, CHIP 33uF 20% 10V
C1015	1-107-823-11	s CERAMIC 0.47uF 10% 16V
C1016	1-104-919-11	s TANTALUM, CHIP 10uF 20% 25V
C1017	1-104-911-11	s TANTALUM, CHIP 33uF 20% 10V
C1018	1-107-823-11	s CERAMIC 0.47uF 10% 16V
C1019	1-107-823-11	s CERAMIC 0.47uF 10% 16V
C1020	1-104-919-11	s TANTALUM, CHIP 10uF 20% 25V
C1021	1-104-911-11	s TANTALUM, CHIP 33uF 20% 10V
C1022	1-107-823-11	s CERAMIC 0.47uF 10% 16V
C1023	1-107-823-11	s CERAMIC 0.47uF 10% 16V
C1024	1-107-823-11	s CERAMIC 0.47uF 10% 16V
C1025	1-113-991-11	s TANTALUM, CHIP 33uF 20% 16V
C1026	1-113-991-11	s TANTALUM, CHIP 33uF 20% 16V
C1027	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C1028	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C1030	1-107-823-11	s CERAMIC 0.47uF 10% 16V
C1031	1-107-823-11	s CERAMIC 0.47uF 10% 16V
C1032	1-113-991-11	s TANTALUM, CHIP 33uF 20% 16V
C1033	1-113-991-11	s TANTALUM, CHIP 33uF 20% 16V
CN3	1-695-453-11	s CONNECTOR, BOARD TO BOARD 50P
CN10	1-778-533-11	o CONNECTOR, BOARD TO BOARD 140P

(DVP-1 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
CN11	1-569-775-21	s PIN, CONNECTOR (1.5MM) (SMD) 5P
CN12	1-580-789-21	s PIN, CONNECTOR (1.5MM) (SMD) 6P
CN13	1-764-007-11	s PIN, CONNECTOR (1.5MM) (SMD) 12P
CNI1	1-251-197-11	o SOCKET, IC
CNI16	1-540-197-11	o SOCKET, IC 32P
CP801	1-760-346-21	s VCO, CRYSTAL 24.576000MHz
D1	8-719-941-86	s DIODE DAN202U
D2	8-719-026-34	s LED CL-170UR-CD, RED
D3	8-719-026-34	s LED CL-170UR-CD, RED
D10	8-719-941-86	s DIODE DAN202U
D11	8-719-980-38	s DIODE SB07-03C
D12	8-719-941-86	s DIODE DAN202U
D13	8-719-941-09	s DIODE DAP202U
D310	8-719-941-86	s DIODE DAN202U
D701	8-719-941-23	s DIODE DA204U
D702	8-719-941-23	s DIODE DA204U
D703	8-719-941-23	s DIODE DA204U
D704	8-719-941-23	s DIODE DA204U
D705	8-719-938-72	s DIODE SB01-05CP [Lot No. 611 and higher]
D901	8-719-938-72	s DIODE SB01-05CP
DL301	1-411-946-11	s DELAY LINE 64.3ns
DL401	1-411-946-11	s DELAY LINE 64.3ns
DL501	1-411-946-11	s DELAY LINE 64.3ns
DL601	1-411-946-11	s DELAY LINE 64.3ns
F101	1-576-122-21	s LINK, IC
FB801	1-543-309-21	s BEAD, FERRITE
IC1	8-759-494-14	o IC HD6475368SCG16-DVP1V1.30
IC2	8-759-257-96	s IC TC7S14FU (TE85R)
IC3	8-759-257-96	s IC TC7S14FU (TE85R)
IC4	8-759-503-60	s IC S-80740AN-D4-S
IC5	8-759-271-84	s IC TC7SH02FU
IC6	8-759-523-78	s IC TC74VHC00FT (EL)
IC7	8-759-524-07	s IC TC74VHC138FT (EL)
IC8	8-759-524-07	s IC TC74VHC138FT (EL)
IC9	8-759-524-07	s IC TC74VHC138FT (EL)
IC10	8-759-524-07	s IC TC74VHC138FT (EL)
IC11	8-759-050-53	s IC SN74HCT08APW-E20
IC12	8-759-524-04	s IC TC74VHC125FT (EL)
IC13	8-759-524-04	s IC TC74VHC125FT (EL)
IC14	8-759-524-04	s IC TC74VHC125FT (EL)
IC15	8-759-530-05	s IC TC4053BFS-EL
IC16	8-759-494-13	o IC WS57C010F-70C-DVP1V1.30
IC17	8-759-374-77	s IC LC35256AM-10-TLM
IC18	8-759-348-79	s IC TE7751
IC19	8-759-523-94	s IC TC74VHC32FT (EL)
IC20	8-759-399-51	s IC 74LVX4245QSCX
IC21	8-759-524-50	s IC TC74VHC541FT (EL)
IC22	8-759-196-96	s IC TC7SH08FU-TE85R
IC23	8-759-058-58	s IC TC7S04FU (TE85R)
IC24	8-759-175-72	s IC UPD72002GB-11-3B4
IC25	8-759-050-53	s IC SN74HCT08APW-E20
IC26	8-759-196-96	s IC TC7SH08FU-TE85R
IC27	8-759-196-96	s IC TC7SH08FU-TE85R
IC28	8-759-196-97	s IC TC7SH32FU-TE85R
IC29	8-759-058-58	s IC TC7S04FU (TE85R)

(DVP-1 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
IC30	8-759-058-58	s IC TC7S04FU (TE85R)
IC103	8-759-196-97	s IC TC7SH32FU-TE85R
IC200	8-759-075-68	s IC TC4066BFS
IC201	8-759-635-27	s IC M62352GP
IC202	8-759-635-27	s IC M62352GP
IC210	8-759-523-94	s IC TC74VHC32FT (EL)
IC211	8-759-524-04	s IC TC74VHC125FT (EL)
IC212	8-752-075-37	s IC CXA3054R
IC214	8-759-523-94	s IC TC74VHC32FT (EL)
IC300	8-759-075-68	s IC TC4066BFS
IC301	8-759-523-81	s IC TC74VHC08FT (EL)
IC302	8-752-075-38	s IC CXA3053R
IC303	8-759-359-66	s IC TL082CPW-E05
IC304	8-759-196-96	s IC TC7SH08FU-TE85R
IC305	8-752-075-40	s IC CXA3051R
IC306	8-759-337-40	s IC NJM2904V (TE2)
IC400	8-759-075-68	s IC TC4066BFS
IC402	8-752-075-38	s IC CXA3053R
IC403	8-759-359-66	s IC TL082CPW-E05
IC404	8-759-196-96	s IC TC7SH08FU-TE85R
IC405	8-752-075-40	s IC CXA3051R
IC500	8-759-075-68	s IC TC4066BFS
IC502	8-752-075-38	s IC CXA3053R
IC503	8-759-359-66	s IC TL082CPW-E05
IC504	8-759-196-96	s IC TC7SH08FU-TE85R
IC505	8-752-075-40	s IC CXA3051R
IC600	8-759-075-68	s IC TC4066BFS
IC602	8-752-075-38	s IC CXA3053R
IC603	8-759-359-66	s IC TL082CPW-E05
IC604	8-759-196-96	s IC TC7SH08FU-TE85R
IC605	8-752-075-40	s IC CXA3051R
IC700	8-759-075-68	s IC TC4066BFS
IC701	8-759-390-95	s IC CXD8944Q
IC702	8-759-524-52	s IC TC74VHC574FT (EL)
IC703	8-759-524-52	s IC TC74VHC574FT (EL)
IC704	8-759-524-28	s IC TC74VHC245FT (EL)
IC705	8-759-271-86	s IC TC7SH04FU
IC706	8-759-524-28	s IC TC74VHC245FT (EL)
IC707	8-759-359-66	s IC TL082CPW-E05
IC708	8-759-359-66	s IC TL082CPW-E05
IC709	8-759-359-66	s IC TL082CPW-E05
IC710	8-759-359-66	s IC TL082CPW-E05
IC711	8-759-524-52	s IC TC74VHC574FT (EL)
IC801	8-759-295-09	s IC TLC2932IPW
IC802	8-759-260-55	s IC TLC272CPW-E05
IC803	8-759-524-50	s IC TC74VHC541FT (EL)
IC804	8-759-523-80	s IC TC74VHC04FT (EL)
IC805	8-759-175-65	s IC CXD8821Q
IC806	8-759-524-28	s IC TC74VHC245FT (EL)
IC807	8-759-524-27	s IC TC74VHC244FT (EL) [Lot No. 611 and higher]
IC808	8-759-524-28	s IC TC74VHC245FT (EL)
IC810	8-759-523-95	s IC TC74VHC74FT (EL)
IC811	8-759-523-95	s IC TC74VHC74FT (EL)
IC812	8-759-524-18	s IC TC74VHC163FT (EL)
IC813	8-759-523-80	s IC TC74VHC04FT (EL)
IC814	8-759-524-19	s IC TC74VHC164FT (EL)
IC815	8-759-196-96	s IC TC7SH08FU-TE85R
IC816	8-759-523-95	s IC TC74VHC74FT (EL)

(DVP-1 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
IC817	8-759-523-95	s IC TC74VHC74FT (EL)
IC818	8-759-196-96	s IC TC7SH08FU-TE85R
IC901	8-759-196-96	s IC TC7SH08FU-TE85R
IC902	8-759-196-96	s IC TC7SH08FU-TE85R
IC903	8-759-524-09	s IC TC74VHC153FT (EL) [Lot No. 707 and higher]
	8-759-079-74	s IC TC74VHC157FS (EL) [Lot No. 604 through 706]
IC904	8-759-524-28	s IC TC74VHC245FT (EL)
IC905	8-752-378-49	s IC CXD206-123R
IC906	8-759-167-20	s IC UPD42280GU-30
IC1001	8-759-523-81	s IC TC74VHC08FT (EL)
IC1002	8-729-025-54	s TRANSISTOR SI9958DY
IC1003	8-729-025-54	s TRANSISTOR SI9958DY
IC1004	8-729-021-17	s TRANSISTOR SI9947DY-T1
IC1005	8-729-021-17	s TRANSISTOR SI9947DY-T1
IC1006	8-729-021-17	s TRANSISTOR SI9947DY-T1
IC1007	8-729-025-54	s TRANSISTOR SI9958DY
IC1008	8-759-524-49	s IC TC74VHC540FT (EL)
IC1009	8-759-523-94	s IC TC74VHC32FT (EL)
IC1030	8-729-025-54	s TRANSISTOR SI9958DY
L1	1-424-673-11	s COIL, CHOKE 4.7uH
L2	1-424-673-11	s COIL, CHOKE 4.7uH
L3	1-410-737-31	s INDUCTOR, CHIP 0.47uH
L4	1-410-737-31	s INDUCTOR, CHIP 0.47uH
L5	1-410-737-31	s INDUCTOR, CHIP 0.47uH
L10	1-410-737-31	s INDUCTOR, CHIP 0.47uH
L201	1-410-737-31	s INDUCTOR, CHIP 0.47uH
L202	1-410-737-31	s INDUCTOR, CHIP 0.47uH
L203	1-410-737-31	s INDUCTOR, CHIP 0.47uH
L204	1-410-737-31	s INDUCTOR, CHIP 0.47uH
L205	1-410-737-31	s INDUCTOR, CHIP 0.47uH
L207	1-410-393-11	s INDUCTOR, CHIP 100uH
L210	1-410-803-11	s INDUCTOR, CHIP 47nH
L213	1-410-737-31	s INDUCTOR, CHIP 0.47uH
L301	1-410-737-31	s INDUCTOR, CHIP 0.47uH
L302	1-410-737-31	s INDUCTOR, CHIP 0.47uH
L303	1-410-737-31	s INDUCTOR, CHIP 0.47uH
L401	1-410-737-31	s INDUCTOR, CHIP 0.47uH
L402	1-410-737-31	s INDUCTOR, CHIP 0.47uH
L403	1-410-737-31	s INDUCTOR, CHIP 0.47uH
L501	1-410-737-31	s INDUCTOR, CHIP 0.47uH
L502	1-410-737-31	s INDUCTOR, CHIP 0.47uH
L503	1-410-737-31	s INDUCTOR, CHIP 0.47uH
L601	1-410-737-31	s INDUCTOR, CHIP 0.47uH
L602	1-410-737-31	s INDUCTOR, CHIP 0.47uH
L603	1-410-737-31	s INDUCTOR, CHIP 0.47uH
L701	1-424-673-11	s COIL, CHOKE 4.7uH
L801	1-410-393-11	s INDUCTOR, CHIP 100uH
L802	1-410-803-11	s INDUCTOR, CHIP 47nH
L803	1-410-803-11	s INDUCTOR, CHIP 47nH
L901	1-410-803-11	s INDUCTOR, CHIP 47nH
L1001	1-424-673-11	s COIL, CHOKE 4.7uH
L1002	1-424-673-11	s COIL, CHOKE 4.7uH
L1003	1-410-737-31	s INDUCTOR, CHIP 0.47uH
L1004	1-424-673-11	s COIL, CHOKE 4.7uH
L1005	1-410-737-31	s INDUCTOR, CHIP 0.47uH
L1006	1-410-737-31	s INDUCTOR, CHIP 0.47uH
L1007	1-410-737-31	s INDUCTOR, CHIP 0.47uH

(DVP-1 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
Q10	8-729-140-63	s TRANSISTOR 2SA1611-M5M6
Q11	8-729-140-63	s TRANSISTOR 2SA1611-M5M6
Q12	8-729-029-14	s TRANSISTOR DTC144EUA-T106
Q13	8-729-029-14	s TRANSISTOR DTC144EUA-T106
Q14	8-729-101-07	s TRANSISTOR 2SB798
Q15	8-729-101-07	s TRANSISTOR 2SB798
Q16	8-729-029-14	s TRANSISTOR DTC144EUA-T106
Q201	8-729-143-13	s TRANSISTOR 2SC4176-B34
Q202	8-729-143-13	s TRANSISTOR 2SC4176-B34
Q260	8-729-143-13	s TRANSISTOR 2SC4176-B34
Q261	8-729-143-13	s TRANSISTOR 2SC4176-B34
Q262	8-729-143-13	s TRANSISTOR 2SC4176-B34
Q263	8-729-143-13	s TRANSISTOR 2SC4176-B34
Q301	8-729-143-13	s TRANSISTOR 2SC4176-B34
Q302	8-729-143-13	s TRANSISTOR 2SC4176-B34
Q303	8-729-209-07	s TRANSISTOR 2SC4213-B
Q304	8-729-209-07	s TRANSISTOR 2SC4213-B
Q305	8-729-143-13	s TRANSISTOR 2SC4176-B34
Q306	8-729-143-13	s TRANSISTOR 2SC4176-B34
Q307	8-729-143-13	s TRANSISTOR 2SC4176-B34
Q308	8-729-143-13	s TRANSISTOR 2SC4176-B34
Q310	8-729-143-13	s TRANSISTOR 2SC4176-B34
Q401	8-729-143-13	s TRANSISTOR 2SC4176-B34
Q402	8-729-143-13	s TRANSISTOR 2SC4176-B34
Q403	8-729-209-07	s TRANSISTOR 2SC4213-B
Q404	8-729-209-07	s TRANSISTOR 2SC4213-B
Q405	8-729-143-13	s TRANSISTOR 2SC4176-B34
Q406	8-729-143-13	s TRANSISTOR 2SC4176-B34
Q407	8-729-143-13	s TRANSISTOR 2SC4176-B34
Q408	8-729-143-13	s TRANSISTOR 2SC4176-B34
Q501	8-729-143-13	s TRANSISTOR 2SC4176-B34
Q502	8-729-143-13	s TRANSISTOR 2SC4176-B34
Q503	8-729-209-07	s TRANSISTOR 2SC4213-B
Q504	8-729-209-07	s TRANSISTOR 2SC4213-B
Q505	8-729-143-13	s TRANSISTOR 2SC4176-B34
Q506	8-729-143-13	s TRANSISTOR 2SC4176-B34
Q507	8-729-143-13	s TRANSISTOR 2SC4176-B34
Q508	8-729-143-13	s TRANSISTOR 2SC4176-B34
Q601	8-729-143-13	s TRANSISTOR 2SC4176-B34
Q602	8-729-143-13	s TRANSISTOR 2SC4176-B34
Q603	8-729-209-07	s TRANSISTOR 2SC4213-B
Q604	8-729-209-07	s TRANSISTOR 2SC4213-B
Q605	8-729-143-13	s TRANSISTOR 2SC4176-B34
Q606	8-729-143-13	s TRANSISTOR 2SC4176-B34
Q607	8-729-143-13	s TRANSISTOR 2SC4176-B34
Q608	8-729-143-13	s TRANSISTOR 2SC4176-B34
Q1001	8-729-028-91	s TRANSISTOR DTA144EUA-T106
Q1002	8-729-029-14	s TRANSISTOR DTC144EUA-T106
Q1003	8-729-028-91	s TRANSISTOR DTA144EUA-T106
Q1004	8-729-029-14	s TRANSISTOR DTC144EUA-T106
Q1006	8-729-029-14	s TRANSISTOR DTC144EUA-T106
Q1007	8-729-029-14	s TRANSISTOR DTC144EUA-T106
Q1008	8-729-028-91	s TRANSISTOR DTA144EUA-T106
Q1009	8-729-028-91	s TRANSISTOR DTA144EUA-T106
Q1010	8-729-028-91	s TRANSISTOR DTA144EUA-T106
Q1011	8-729-029-14	s TRANSISTOR DTC144EUA-T106
Q1012	8-729-028-91	s TRANSISTOR DTA144EUA-T106
Q1013	8-729-028-91	s TRANSISTOR DTA144EUA-T106
Q1014	8-729-028-91	s TRANSISTOR DTA144EUA-T106

(DVP-1 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
Q1015	8-729-028-91	s TRANSISTOR DTA144EUA-T106
Q1016	8-729-029-14	s TRANSISTOR DTC144EUA-T106
Q1030	8-729-028-91	s TRANSISTOR DTA144EUA-T106
Q1031	8-729-029-14	s TRANSISTOR DTC144EUA-T106
R0	1-218-233-11	s METAL, CHIP 47 5% 1/2W [Lot No. 707 and higher]
R2	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R3	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R4	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R5	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R7	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R8	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R10	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R11	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R12	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W [Lot No. 707 and higher]
R13	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R14	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R15	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R16	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R17	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R18	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R19	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R20	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R21	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R22	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R23	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R24	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R25	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R26	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R27	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R28	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R29	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R30	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R31	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R32	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R33	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R34	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R35	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R36	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R37	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R38	1-216-857-11	s METAL, CHIP 1M 5% 1/16W
R39	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R40	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R41	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R42	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R43	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R44	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R45	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R46	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R47	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R48	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R49	1-218-676-11	s METAL, CHIP 220 0.50% 1/16W
R50	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R51	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R52	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R53	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R54	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R55	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W

(DVP-1 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
		[Lot No. 707 and higher]
R173	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R174	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R175	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R176	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W [Lot No. 707 and higher]
R177	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W [Lot No. 707 and higher]
R178	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Lot No. 707 and higher]
R179	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R180	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R182	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Lot No. 707 and higher]
R183	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Lot No. 707 and higher]
R184	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R185	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W [Lot No. 707 and higher]
R186	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R187	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R188	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R189	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R190	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R191	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W [Lot No. 707 and higher]
R192	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W [Lot No. 707 and higher]
R193	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R194	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R195	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R196	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R197	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R198	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R199	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R200	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R201	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R202	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R203	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R204	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R206	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R207	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R208	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R209	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R210	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R211	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R212	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R213	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R214	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R215	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R216	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R217	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R218	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R219	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R220	1-218-720-11	s METAL, CHIP 15K 0.50% 1/16W
R221	1-218-720-11	s METAL, CHIP 15K 0.50% 1/16W
R222	1-218-720-11	s METAL, CHIP 15K 0.50% 1/16W
R223	1-218-720-11	s METAL, CHIP 15K 0.50% 1/16W
R224	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R225	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W

(DVP-1 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R226	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R227	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R228	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R229	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R230	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R231	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R232	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R233	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R234	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R235	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R237	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R239	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R240	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R241	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R242	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R243	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R244	1-218-661-11	s METAL, CHIP 51 0.50% 1/16W
R245	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R246	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R247	1-218-661-11	s METAL, CHIP 51 0.50% 1/16W
R248	1-218-661-11	s METAL, CHIP 51 0.50% 1/16W
R249	1-218-661-11	s METAL, CHIP 51 0.50% 1/16W
R250	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R253	1-218-701-11	s METAL, CHIP 2.4K 0.50% 1/16W
R254	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R255	1-218-714-11	s METAL, CHIP 8.2K 0.50% 1/16W
R256	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R257	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R258	1-218-648-11	s METAL, CHIP 15 0.50% 1/16W
R259	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R260	1-218-661-11	s METAL, CHIP 51 0.50% 1/16W
R261	1-218-661-11	s METAL, CHIP 51 0.50% 1/16W
R262	1-218-661-11	s METAL, CHIP 51 0.50% 1/16W
R263	1-218-661-11	s METAL, CHIP 51 0.50% 1/16W
R264	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R265	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R266	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R267	1-218-698-11	s METAL, CHIP 1.8K 0.50% 1/16W
R268	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R269	1-218-680-11	s METAL, CHIP 330 0.50% 1/16W
R270	1-218-676-11	s METAL, CHIP 220 0.50% 1/16W
R271	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R272	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R273	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R274	1-218-714-11	s METAL, CHIP 8.2K 0.50% 1/16W
R275	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R276	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R277	1-218-676-11	s METAL, CHIP 220 0.50% 1/16W
R278	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R279	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R280	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R281	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R300	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R301	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R302	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R303	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R304	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R305	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R306	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W

(DVP-1 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R307	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R308	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R309	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R310	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R311	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R312	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R313	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R314	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W
R315	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R316	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R317	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R318	1-218-689-11	s METAL, CHIP 750 0.50% 1/16W
R319	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R320	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R321	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R322	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R323	1-218-664-11	s METAL, CHIP 68 0.50% 1/16W
R324	1-218-689-11	s METAL, CHIP 750 0.50% 1/16W
R325	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R326	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R327	1-218-665-11	s METAL, CHIP 75 0.50% 1/16W
R328	1-218-689-11	s METAL, CHIP 750 0.50% 1/16W
R329	1-218-720-11	s METAL, CHIP 15K 0.50% 1/16W
R330	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R331	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R332	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R333	1-218-706-11	s METAL, CHIP 3.9K 0.50% 1/16W
R334	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R335	1-218-722-11	s METAL, CHIP 18K 0.50% 1/16W
R336	1-218-726-11	s METAL, CHIP 27K 0.50% 1/16W
R337	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R338	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R339	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W
R340	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R341	1-218-710-11	s METAL, CHIP 5.6K 0.50% 1/16W
R342	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R343	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R344	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R345	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R346	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R347	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R348	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R349	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R350	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R352	1-218-720-11	s METAL, CHIP 15K 0.50% 1/16W
R353	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R354	1-218-687-11	s METAL, CHIP 620 0.50% 1/16W
R355	1-218-698-11	s METAL, CHIP 1.8K 0.50% 1/16W
R356	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R357	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R358	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R359	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R360	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R361	1-218-694-11	s METAL, CHIP 1.2K 0.50% 1/16W
R362	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R363	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R364	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R365	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R366	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W

(DVP-1 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R367	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R368	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R369	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R370	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W
R371	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R372	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R373	1-218-746-11	s METAL, CHIP 180K 0.50% 1/16W
R374	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R375	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R376	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Lot No. 604 through 612]
R377	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Lot No. 701 and higher]
R378	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R379	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R380	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R381	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R382	1-218-720-11	s METAL, CHIP 15K 0.50% 1/16W
R401	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R402	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R403	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R404	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R405	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R406	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R407	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R408	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R409	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R410	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R411	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R412	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R413	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R414	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W
R415	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R416	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R417	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R418	1-218-689-11	s METAL, CHIP 750 0.50% 1/16W
R419	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R420	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R421	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R422	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R423	1-218-664-11	s METAL, CHIP 68 0.50% 1/16W
R424	1-218-689-11	s METAL, CHIP 750 0.50% 1/16W
R425	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R426	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R427	1-218-665-11	s METAL, CHIP 75 0.50% 1/16W
R428	1-218-689-11	s METAL, CHIP 750 0.50% 1/16W
R429	1-218-720-11	s METAL, CHIP 15K 0.50% 1/16W
R430	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R434	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R435	1-218-722-11	s METAL, CHIP 18K 0.50% 1/16W
R436	1-218-726-11	s METAL, CHIP 27K 0.50% 1/16W
R437	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R439	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W
R440	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R441	1-218-710-11	s METAL, CHIP 5.6K 0.50% 1/16W
R442	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R443	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R444	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R445	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W

(DVP-1 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R446	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R447	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R448	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R449	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R450	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R454	1-218-687-11	s METAL, CHIP 620 0.50% 1/16W
R455	1-218-698-11	s METAL, CHIP 1.8K 0.50% 1/16W
R456	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R457	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R458	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R459	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R460	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R461	1-218-694-11	s METAL, CHIP 1.2K 0.50% 1/16W
R462	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R463	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R464	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R465	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R466	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R467	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R468	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R469	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R470	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W
R471	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R472	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R474	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R475	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R476	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Lot No. 604 through 612]
R477	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Lot No. 701 and higher]
R478	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R482	1-218-720-11	s METAL, CHIP 15K 0.50% 1/16W
R501	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R502	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R503	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R504	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R505	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R506	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R507	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R508	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R509	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R510	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R511	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R512	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R513	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R514	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W
R515	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R516	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R517	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R518	1-218-689-11	s METAL, CHIP 750 0.50% 1/16W
R519	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R520	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R521	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R522	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R523	1-218-664-11	s METAL, CHIP 68 0.50% 1/16W
R524	1-218-689-11	s METAL, CHIP 750 0.50% 1/16W
R525	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R526	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R527	1-218-665-11	s METAL, CHIP 75 0.50% 1/16W

(DVP-1 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R528	1-218-689-11	s METAL, CHIP 750 0.50% 1/16W
R529	1-218-720-11	s METAL, CHIP 15K 0.50% 1/16W
R530	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R534	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R535	1-218-722-11	s METAL, CHIP 18K 0.50% 1/16W
R536	1-218-726-11	s METAL, CHIP 27K 0.50% 1/16W
R537	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R539	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W
R540	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R541	1-218-710-11	s METAL, CHIP 5.6K 0.50% 1/16W
R542	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R543	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R544	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R545	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R546	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R547	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R548	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R549	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R550	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R554	1-218-687-11	s METAL, CHIP 620 0.50% 1/16W
R555	1-218-698-11	s METAL, CHIP 1.8K 0.50% 1/16W
R556	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R557	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R558	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R559	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R560	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R561	1-218-694-11	s METAL, CHIP 1.2K 0.50% 1/16W
R562	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R563	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R564	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R565	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R566	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R567	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R568	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R569	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R570	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W
R571	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R572	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R574	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R575	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R576	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Lot No. 604 through 612]
R577	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Lot No. 701 and higher]
R578	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R582	1-218-720-11	s METAL, CHIP 15K 0.50% 1/16W
R601	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R602	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R603	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R604	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R605	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R606	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R607	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R608	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R609	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R610	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R611	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R612	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R613	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W

(DVP-1 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R614	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W
R615	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R616	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R617	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R618	1-218-689-11	s METAL, CHIP 750 0.50% 1/16W
R619	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R620	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R621	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R622	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R623	1-218-664-11	s METAL, CHIP 68 0.50% 1/16W
R624	1-218-689-11	s METAL, CHIP 750 0.50% 1/16W
R625	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R626	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R627	1-218-665-11	s METAL, CHIP 75 0.50% 1/16W
R628	1-218-689-11	s METAL, CHIP 750 0.50% 1/16W
R629	1-218-720-11	s METAL, CHIP 15K 0.50% 1/16W
R630	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R634	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R635	1-218-722-11	s METAL, CHIP 18K 0.50% 1/16W
R636	1-218-726-11	s METAL, CHIP 27K 0.50% 1/16W
R637	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R639	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W
R640	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R641	1-218-710-11	s METAL, CHIP 5.6K 0.50% 1/16W
R642	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R643	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R644	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R645	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R646	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R647	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R648	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R649	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R650	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R654	1-218-687-11	s METAL, CHIP 620 0.50% 1/16W
R655	1-218-698-11	s METAL, CHIP 1.8K 0.50% 1/16W
R656	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R657	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R658	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R659	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R660	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R661	1-218-694-11	s METAL, CHIP 1.2K 0.50% 1/16W
R662	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R663	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R664	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R665	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R666	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R667	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R668	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R669	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R670	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W
R671	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R672	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R674	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R675	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R676	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Lot No. 604 through 612]
R677	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Lot No. 701 and higher]
R678	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W

(DVP-1 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R682	1-218-720-11	s METAL, CHIP 15K 0.50% 1/16W
R701	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R702	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R703	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R704	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R705	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R706	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R707	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R708	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R709	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R710	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R711	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R712	1-218-676-11	s METAL, CHIP 220 0.50% 1/16W
R714	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W [Lot No. 611 and higher]
R715	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R716	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R717	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R718	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R719	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R720	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R721	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R722	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Lot No. 707 and higher]
R723	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R724	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R725	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R726	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R727	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R728	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R729	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R730	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R731	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R732	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R733	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R734	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R735	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R736	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R737	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R738	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R739	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R740	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R741	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R742	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R743	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R744	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R745	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R746	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R747	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R748	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R749	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R750	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R751	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R752	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R753	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R754	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R755	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R756	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R757	1-216-864-11	s METAL, CHIP 0 5% 1/16W

(DVP-1 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R759	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R760	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R761	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R762	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R763	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R764	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R765	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R766	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R767	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R768	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R769	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R770	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R771	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R772	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R773	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R774	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R775	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R776	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R777	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R778	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R779	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R780	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R781	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R782	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R783	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R784	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R785	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R786	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R787	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R788	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R789	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R790	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R791	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R792	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R801	1-216-857-11	s METAL, CHIP 1M 5% 1/16W
R803	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R804	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R805	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R806	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R807	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R808	1-218-719-11	s METAL, CHIP 13K 0.50% 1/16W
R809	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R810	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R811	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R812	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R813	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R814	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R816	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R817	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R818	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R819	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R820	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R821	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R822	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R823	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R824	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W [Lot No. 707 and higher]
	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W [Lot No. 604 through 706]

(DVP-1 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R825	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W [Lot No. 707 and higher]
	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W [Lot No. 604 through 706]
R826	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R827	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R828	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R829	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R830	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R831	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R832	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R833	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R834	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R835	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R836	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R838	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R840	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R841	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R843	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R844	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R847	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R848	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W [Lot No. 611 and higher]
	1-215-421-11	s METAL, CHIP 1K 1% 1/4W [Lot No. 604 through 610]
R849	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W [Lot No. 611 and higher]
R851	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Lot No. 707 and higher]
R901	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R902	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R903	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R904	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R905	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R906	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R907	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R908	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R909	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R910	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R911	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R913	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Lot No. 603 through 706]
R914	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Lot No. 603 through 706]
R917	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R920	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R921	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R922	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R923	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R924	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R925	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R1000	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R1001	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R1002	1-218-720-11	s METAL, CHIP 15K 0.50% 1/16W
R1003	1-218-720-11	s METAL, CHIP 15K 0.50% 1/16W
R1004	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R1005	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R1006	1-218-720-11	s METAL, CHIP 15K 0.50% 1/16W
R1007	1-218-720-11	s METAL, CHIP 15K 0.50% 1/16W
R1008	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W

(DVP-1 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R1010	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R1011	1-218-720-11	s METAL, CHIP 15K 0.50% 1/16W
R1013	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R1014	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R1015	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R1016	1-218-720-11	s METAL, CHIP 15K 0.50% 1/16W
R1017	1-218-720-11	s METAL, CHIP 15K 0.50% 1/16W
R1018	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R1019	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R1020	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R1021	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R1022	1-218-720-11	s METAL, CHIP 15K 0.50% 1/16W
R1023	1-218-720-11	s METAL, CHIP 15K 0.50% 1/16W
R1024	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R1025	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R1026	1-218-720-11	s METAL, CHIP 15K 0.50% 1/16W
R1027	1-218-720-11	s METAL, CHIP 15K 0.50% 1/16W
R1028	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R1030	1-216-864-11	s METAL, CHIP 0.5% 1/16W
R1031	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R1032	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R1033	1-218-720-11	s METAL, CHIP 15K 0.50% 1/16W
R1034	1-218-720-11	s METAL, CHIP 15K 0.50% 1/16W
RB1	1-236-904-11	s NETWORK RESISTOR (CHIP) 1.0K
RB2	1-236-904-11	s NETWORK RESISTOR (CHIP) 1.0K
RB3	1-236-904-11	s NETWORK RESISTOR (CHIP) 1.0K
RB4	1-239-444-11	s NETWORK RESISTOR (CHIP) 220K
RB5	1-239-444-11	s NETWORK RESISTOR (CHIP) 220K
RB6	1-239-310-11	s RESISTOR ARRAY, CHIP 220K
RB7	1-239-310-11	s RESISTOR ARRAY, CHIP 220K
RB8	1-239-310-11	s RESISTOR ARRAY, CHIP 220K
RB9	1-239-444-11	s NETWORK RESISTOR (CHIP) 220K
RB10	1-236-904-11	s NETWORK RESISTOR (CHIP) 1.0K
RB11	1-236-904-11	s NETWORK RESISTOR (CHIP) 1.0K
RB12	1-239-310-11	s RESISTOR ARRAY, CHIP 220K
RB13	1-239-310-11	s RESISTOR ARRAY, CHIP 220K
RB14	1-239-444-11	s NETWORK RESISTOR (CHIP) 220K
RB15	1-239-310-11	s RESISTOR ARRAY, CHIP 220K
RB16	1-239-444-11	s NETWORK RESISTOR (CHIP) 220K
RB17	1-239-444-11	s NETWORK RESISTOR (CHIP) 220K
RB19	1-239-444-11	s NETWORK RESISTOR (CHIP) 220K
RB20	1-239-444-11	s NETWORK RESISTOR (CHIP) 220K
RB21	1-239-621-11	s NETWORK RESISTOR (CHIP) 22
RB22	1-239-621-11	s NETWORK RESISTOR (CHIP) 22
RB23	1-239-621-11	s NETWORK RESISTOR (CHIP) 22
RB24	1-239-444-11	s NETWORK RESISTOR (CHIP) 220K
RB25	1-236-904-11	s NETWORK RESISTOR (CHIP) 1.0K
RB26	1-236-904-11	s NETWORK RESISTOR (CHIP) 1.0K
RB201	1-236-907-11	s NETWORK RESISTOR (CHIP) 100K
RB701	1-239-416-11	s NETWORK RESISTOR (CHIP) 220
RB702	1-239-416-11	s NETWORK RESISTOR (CHIP) 220
RB901	1-236-907-11	s NETWORK RESISTOR (CHIP) 100K
RB902	1-236-907-11	s NETWORK RESISTOR (CHIP) 100K
S1	1-692-271-31	s SWITCH, SLIDE
S2	1-692-270-41	s SWITCH, SLIDE
S3	1-692-271-31	s SWITCH, SLIDE
X1	1-760-778-21	s CRYSTAL 32.000000MHz
X2	1-767-208-11	s CRYSTAL 4.9152000MHz

DVP-2 BOARD

Ref. No. or Q'ty	Part No.	SP Description
1pc	A-8277-534-B	o MOUNTED CIRCUIT BOARD, DVP-2
C106	1-104-852-11	s TANTALUM, CHIP 22uF 20% 10V
C108	1-104-852-11	s TANTALUM, CHIP 22uF 20% 10V
C109	1-104-852-11	s TANTALUM, CHIP 22uF 20% 10V
C110	1-104-852-11	s TANTALUM, CHIP 22uF 20% 10V
C111	1-104-913-11	s TANTALUM, CHIP 10uF 20% 16V
C115	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C116	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C117	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C118	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C119	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C122	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C123	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C124	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C125	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C126	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C127	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C128	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C129	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C130	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C131	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C132	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C133	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C134	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C135	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C136	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C137	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C138	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C139	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C140	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C141	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V [Lot No. 611 and higher]
C201	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C202	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C203	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C204	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C205	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C206	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C207	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C208	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C209	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C210	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C211	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C212	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C213	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C214	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C215	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C216	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C217	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C218	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C219	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C220	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C221	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C222	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C223	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C224	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C225	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V

(DVP-2 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
CP401	1-767-207-11	s CRYSTAL 15.560073MHz
D101	8-719-938-72	s DIODE SB01-05CP
D102	8-719-938-72	s DIODE SB01-05CP
D103	8-719-938-72	s DIODE SB01-05CP
D104	8-719-938-72	s DIODE SB01-05CP
D105	8-719-938-72	s DIODE SB01-05CP [Lot No. 611 and higher]
D401	8-719-026-34	s LED CL-170UR-CD, RED
FB307	1-543-256-11	s BEAD, FERRITE
FB308	1-543-256-11	s BEAD, FERRITE
FL101	1-117-193-11	s CERAMIC 3, TERMINAL 1.5uF 50V
FL102	1-117-193-11	s CERAMIC 3, TERMINAL 1.5uF 50V
FL103	1-117-193-11	s CERAMIC 3, TERMINAL 1.5uF 50V
IC101	8-729-045-16	TRANSISTOR SI4410DY-T1-REVA
IC102	8-729-024-50	s TRANSISTOR SI9936DY
IC103	8-729-024-50	s TRANSISTOR SI9936DY
IC105	8-759-524-52	s IC TC74VHC574FT(EL)
IC106	8-759-524-52	s IC TC74VHC574FT(EL)
IC107	8-759-524-52	s IC TC74VHC574FT(EL)
IC108	8-759-524-50	s IC TC74VHC541FT(EL)
IC109	8-759-524-50	s IC TC74VHC541FT(EL)
IC110	8-759-524-50	s IC TC74VHC541FT(EL)
IC111	8-759-523-80	s IC TC74VHC04FT(EL)
IC112	8-759-523-80	s IC TC74VHC04FT(EL)
IC113	8-759-523-81	s IC TC74VHC08FT(EL)
IC114	8-759-523-81	s IC TC74VHC08FT(EL)
IC116	8-759-524-28	s IC TC74VHC245FT(EL)
IC117	8-759-524-28	s IC TC74VHC245FT(EL)
IC118	8-759-524-28	s IC TC74VHC245FT(EL)
IC119	8-759-524-50	s IC TC74VHC541FT(EL)
IC120	8-759-524-50	s IC TC74VHC541FT(EL)
IC121	8-759-524-50	s IC TC74VHC541FT(EL)
IC122	8-759-523-80	s IC TC74VHC04FT(EL)
IC123	8-759-523-80	s IC TC74VHC04FT(EL)
IC125	8-759-523-81	s IC TC74VHC08FT(EL)
IC126	8-759-196-93	s IC TC7SH00FU-TE85R
IC127	8-759-523-81	s IC TC74VHC08FT(EL)
IC128	8-759-196-97	s IC TC7SH32FU-TE85R
IC129	8-759-196-97	s IC TC7SH32FU-TE85R
IC130	8-759-524-50	s IC TC74VHC541FT(EL)
IC131	8-759-524-52	s IC TC74VHC574FT(EL)
IC132	8-759-196-96	s IC TC7SH08FU-TE85R
IC135	8-759-523-95	s IC TC74VHC74FT(EL) [Lot No. 611 and higher]
IC136	8-759-386-26	s IC 74LCX574MTCX [Lot No. 611 and higher]
IC201	8-759-175-57	s IC CXD8820AR
IC202	8-759-524-52	s IC TC74VHC574FT(EL)
IC203	8-759-524-52	s IC TC74VHC574FT(EL)
IC204	8-759-474-51	s IC CXD8973BR
IC205	8-759-477-10	s IC MN4SV17080AT-10
IC206	8-759-477-10	s IC MN4SV17080AT-10
IC207	8-759-477-10	s IC MN4SV17080AT-10
IC208	8-759-477-10	s IC MN4SV17080AT-10
IC209	8-759-524-18	s IC TC74VHC163FT(EL)
IC210	8-759-523-80	s IC TC74VHC04FT(EL)
IC211	8-759-523-95	s IC TC74VHC74FT(EL)

(DVP-2 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
IC212	8-759-523-95	s IC TC74VHC74FT(EL)
IC213	8-759-524-19	s IC TC74VHC164FT(EL)
IC214	8-759-524-50	s IC TC74VHC541FT(EL)
IC215	8-759-524-50	s IC TC74VHC541FT(EL)
IC216	8-759-438-84	s IC CXD9025R
IC217	8-759-524-27	s IC TC74VHC244FT(EL)
IC218	8-759-196-93	s IC TC7SH00FU-TE85R [Lot No. 611 and higher]
	8-759-196-96	s IC TC7SH08FU-TE85R [Lot No. 604 through 610]
IC219	8-759-523-95	s IC TC74VHC74FT(EL) [Lot No. 611 and higher]
IC220	8-759-196-97	s IC TC7SH32FU-TE85R [Lot No. 611 and higher]
IC221	8-759-196-97	s IC TC7SH32FU-TE85R [Lot No. 611 and higher]
IC302	8-759-375-21	s IC CXD8974AR
IC307	8-759-477-10	s IC MN4SV17080AT-10
IC309	8-759-477-10	s IC MN4SV17080AT-10
IC310	8-759-389-33	s IC 74LCX244MTCX
IC311	8-759-477-10	s IC MN4SV17080AT-10
IC312	8-759-389-32	s IC 74LCX240MTCX
IC313	8-759-477-10	s IC MN4SV17080AT-10
IC401	8-759-167-20	s IC UPD42280GU-30
IC402	8-759-167-20	s IC UPD42280GU-30
IC403	8-759-524-52	s IC TC74VHC574FT(EL)
IC404	8-759-524-52	s IC TC74VHC574FT(EL)
IC405	8-759-390-96	s IC CXD8946Q
IC406	8-759-523-78	s IC TC74VHC00FT(EL)
IC407	8-759-524-50	s IC TC74VHC541FT(EL)
IC408	8-759-524-50	s IC TC74VHC541FT(EL)
IC409	8-759-488-12	s IC MN4SV17160AT-10
IC411	8-759-196-93	s IC TC7SH00FU-TE85R
IC501	8-759-524-50	s IC TC74VHC541FT(EL)
IC502	8-759-524-50	s IC TC74VHC541FT(EL)
IC504	8-759-449-09	s IC CXD8945BR
IC505	8-759-477-10	s IC MN4SV17080AT-10
IC506	8-759-524-50	s IC TC74VHC541FT(EL)
IC507	8-759-477-10	s IC MN4SV17080AT-10
IC508	8-759-196-93	s IC TC7SH00FU-TE85R
IC601	8-759-434-09	s IC CXD9012R
IC602	8-759-451-72	s IC CXD9040M
IC608	8-759-488-12	s IC MN4SV17160AT-10
IC609	8-759-488-12	s IC MN4SV17160AT-10
L401	1-410-803-11	s INDUCTOR, CHIP 47nH
Q101	8-729-029-14	s TRANSISTOR DTC144EUA-T106
Q102	8-729-029-14	s TRANSISTOR DTC144EUA-T106
Q106	8-729-029-14	s TRANSISTOR DTC144EUA-T106
Q107	8-729-029-14	s TRANSISTOR DTC144EUA-T106
Q108	8-729-029-14	s TRANSISTOR DTC144EUA-T106
R102	1-216-845-11	s METAL, CHIP 100K 5% 1/16W
R103	1-216-845-11	s METAL, CHIP 100K 5% 1/16W
R104	1-216-845-11	s METAL, CHIP 100K 5% 1/16W
R105	1-216-845-11	s METAL, CHIP 100K 5% 1/16W
R106	1-216-845-11	s METAL, CHIP 100K 5% 1/16W
R109	1-216-805-11	s METAL, CHIP 47 5% 1/16W
R110	1-216-845-11	s METAL, CHIP 100K 5% 1/16W
R116	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R117	1-216-809-11	s METAL, CHIP 100 5% 1/16W

(DVP-2 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R118	1-216-845-11	s METAL, CHIP 100K 5% 1/16W
R120	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R124	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R126	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R128	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R130	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R133	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R134	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R138	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R141	1-218-744-11	s METAL, CHIP 150K 0.50% 1/16W
R142	1-218-744-11	s METAL, CHIP 150K 0.50% 1/16W
R145	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R149	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R150	1-216-809-11	s METAL, CHIP 100 5% 1/16W
R151	1-216-809-11	s METAL, CHIP 100 5% 1/16W
R152	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R153	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R200	1-216-845-11	s METAL, CHIP 100K 5% 1/16W
R209	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R210	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R212	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R214	1-218-679-91	s METAL, CHIP 300 0.50% 1/16W
R215	1-218-679-91	s METAL, CHIP 300 0.50% 1/16W
R216	1-216-833-11	s METAL, CHIP 10K 5% 1/16W
R217	1-218-679-91	s METAL, CHIP 300 0.50% 1/16W
R218	1-216-845-11	s METAL, CHIP 100K 5% 1/16W
R219	1-218-676-11	s METAL, CHIP 220 0.50% 1/16W [Lot No. 611 and higher]
R220	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W [Lot No. 611 and higher]
R231	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W [Lot No. 611 and higher]
R316	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R317	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R322	1-218-679-91	s METAL, CHIP 300 0.50% 1/16W
R323	1-216-833-11	s METAL, CHIP 10K 5% 1/16W
R326	1-218-679-91	s METAL, CHIP 300 0.50% 1/16W
R327	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R328	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R413	1-216-845-11	s METAL, CHIP 100K 5% 1/16W
R414	1-216-805-11	s METAL, CHIP 47 5% 1/16W
R415	1-216-805-11	s METAL, CHIP 47 5% 1/16W
R416	1-216-805-11	s METAL, CHIP 47 5% 1/16W
R417	1-216-805-11	s METAL, CHIP 47 5% 1/16W
R421	1-216-827-11	s METAL, CHIP 3.3K 5% 1/16W
R423	1-216-845-11	s METAL, CHIP 100K 5% 1/16W
R501	1-216-845-11	s METAL, CHIP 100K 5% 1/16W
R502	1-216-845-11	s METAL, CHIP 100K 5% 1/16W
R517	1-216-809-11	s METAL, CHIP 100 5% 1/16W
R518	1-216-809-11	s METAL, CHIP 100 5% 1/16W
R519	1-218-679-91	s METAL, CHIP 300 0.50% 1/16W
R601	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R602	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R603	1-218-679-91	s METAL, CHIP 300 0.50% 1/16W
R604	1-216-833-11	s METAL, CHIP 10K 5% 1/16W
R611	1-218-679-91	s METAL, CHIP 300 0.50% 1/16W
RB101	1-239-409-11	s NETWORK RESISTOR (CHIP) 47
RB102	1-239-409-11	s NETWORK RESISTOR (CHIP) 47
RB103	1-239-409-11	s NETWORK RESISTOR (CHIP) 47

(DVP-2 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
RB104	1-239-309-11	s RESISTOR BLOCK, CHIP 100kx8
RB105	1-236-907-11	s NETWORK RESISTOR (CHIP) 100K
RB106	1-239-309-11	s RESISTOR BLOCK, CHIP 100kx8
RB107	1-239-309-11	s RESISTOR BLOCK, CHIP 100kx8
RB108	1-239-412-11	s NETWORK RESISTOR (CHIP) 100
RB109	1-239-412-11	s NETWORK RESISTOR (CHIP) 100
RB110	1-239-412-11	s NETWORK RESISTOR (CHIP) 100
RB111	1-239-412-11	s NETWORK RESISTOR (CHIP) 100
RB112	1-239-412-11	s NETWORK RESISTOR (CHIP) 100
RB113	1-239-309-11	s RESISTOR BLOCK, CHIP 100kx8
RB114	1-239-309-11	s RESISTOR BLOCK, CHIP 100kx8
RB115	1-239-309-11	s RESISTOR BLOCK, CHIP 100kx8
RB201	1-239-412-11	s NETWORK RESISTOR (CHIP) 100
RB202	1-236-907-11	s NETWORK RESISTOR (CHIP) 100K
RB203	1-239-309-11	s RESISTOR BLOCK, CHIP 100kx8
RB204	1-239-309-11	s RESISTOR BLOCK, CHIP 100kx8
RB501	1-239-309-11	s RESISTOR BLOCK, CHIP 100kx8
RB502	1-239-412-11	s NETWORK RESISTOR (CHIP) 100
S401	1-692-881-41	s SWITCH, SLIDE

ES-11/11(P) BOARD			*Except DNV-5
Ref. No. or Q'ty	Part No.	SP Description	
1pc	A-8277-777-A	o MOUNTED CIRCUIT BOARD, ES-11(N) [For UC, J]	
	A-8277-810-A	o MOUNTED CIRCUIT BOARD, ES-11(P) [For EK]	
C2	1-162-920-11	s CERAMIC, CHIP 27PF 5% 50V	
C3	1-135-149-21	s TANTALUM, CHIP 2.2uF 10% 10V	
C4	1-135-149-21	s TANTALUM, CHIP 2.2uF 10% 10V	
C6	1-162-905-11	s CERAMIC, CHIP 1PF 50V	
C7	1-162-908-11	s CERAMIC, CHIP 3PF 50V	
C8	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V	
C9	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V	
C10	1-135-145-11	s TANTALUM, CHIP 0.47uF 10% 35V	
C11	1-135-145-11	s TANTALUM, CHIP 0.47uF 10% 35V	
C12	1-135-145-11	s TANTALUM, CHIP 0.47uF 10% 35V	
C13	1-135-145-11	s TANTALUM, CHIP 0.47uF 10% 35V	
C14	1-162-921-11	s CERAMIC, CHIP 33PF 5% 50V [For UC, J]	
	1-162-926-11	s CERAMIC, CHIP 82PF 5% 50V [For EK]	
C15	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V	
C16	1-104-913-11	s TANTALUM, CHIP 10uF 20% 16V	
C17	1-104-913-11	s TANTALUM, CHIP 10uF 20% 16V	
C18	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V	
C19	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V	
C20	1-135-177-21	s TANTALUM, CHIP 1uF 10% 25V	
C23	1-104-823-11	s TANTALUM, CHIP 47uF 20% 16V	
C24	1-104-823-11	s TANTALUM, CHIP 47uF 20% 16V	
C25	1-113-994-11	s TANTALUM, CHIP 6.8uF 20% 16V	
C26	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V	
C28	1-162-920-11	s CERAMIC, CHIP 27PF 5% 50V	
C29	1-135-177-21	s TANTALUM, CHIP 1uF 10% 25V	
C30	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V	
C33	1-162-908-11	s CERAMIC, CHIP 3PF 50V	
C34	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V	
C35	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V	
C36	1-135-145-11	s TANTALUM, CHIP 0.47uF 10% 35V	
C37	1-135-145-11	s TANTALUM, CHIP 0.47uF 10% 35V	
C38	1-135-145-11	s TANTALUM, CHIP 0.47uF 10% 35V	
C39	1-135-145-11	s TANTALUM, CHIP 0.47uF 10% 35V	
C41	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V	
C42	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V	
C43	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V	
C45	1-162-907-11	s CERAMIC, CHIP 2PF 50V	
C46	1-110-569-11	s TANTALUM, CHIP 47uF 20% 6.3V	
C47	1-162-910-11	s CERAMIC, CHIP 5PF 50V	
C48	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V	
C49	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V	
C50	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V	
C51	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V	
C52	1-113-994-11	s TANTALUM, CHIP 6.8uF 20% 16V	
C53	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V	
C54	1-162-919-11	s CERAMIC, CHIP 22PF 5% 50V	
C55	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V	
C58	1-162-920-11	s CERAMIC, CHIP 27PF 5% 50V	
C59	1-135-091-00	s TANTALUM, CHIP 1uF 10% 16V	
C60	1-162-923-11	s CERAMIC, CHIP 47PF 5% 50V [For EK]	
C61	1-162-919-11	s CERAMIC, CHIP 22PF 5% 50V	
C62	1-113-994-11	s TANTALUM, CHIP 6.8uF 20% 16V	

(ES-11/11(P) BOARD)

Ref. No. or Q'ty	Part No.	SP Description	
C63	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V	
C64	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V	
C65	1-162-915-11	s CERAMIC, CHIP 10PF 50V [For UC, J]	
C66	1-135-149-21	s TANTALUM, CHIP 2.2uF 10% 10V	
C67	1-107-686-11	s TANTALUM, CHIP 4.7uF 20% 16V	
C68	1-107-686-11	s TANTALUM, CHIP 4.7uF 20% 16V	
C69	1-104-823-11	s TANTALUM, CHIP 47uF 20% 16V	
C70	1-104-823-11	s TANTALUM, CHIP 47uF 20% 16V	
C71	1-113-985-11	s TANTALUM, CHIP 10uF 20% 20V	
C72	1-113-994-11	s TANTALUM, CHIP 6.8uF 20% 16V	
C73	1-107-686-11	s TANTALUM, CHIP 4.7uF 20% 16V [For EK]	
C74	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V	
C75	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V	
C77	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V	
C78	1-113-994-11	s TANTALUM, CHIP 6.8uF 20% 16V	
C79	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V	
C80	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V	
C81	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V	
C85	1-162-920-11	s CERAMIC, CHIP 27PF 5% 50V	
C86	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V	
C87	1-162-957-11	s CERAMIC, CHIP 220PF 5% 50V	
C88	1-162-915-11	s CERAMIC, CHIP 10PF 50V [For UC, J]	
C89	1-113-994-11	s TANTALUM, CHIP 6.8uF 20% 16V	
C90	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V	
C91	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V	
C93	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V	
C94	1-135-149-21	s TANTALUM, CHIP 2.2uF 10% 10V	
C94	1-107-686-11	s TANTALUM, CHIP 4.7uF 20% 16V	
C95	1-107-686-11	s TANTALUM, CHIP 4.7uF 20% 16V	
C97	1-107-686-11	s TANTALUM, CHIP 4.7uF 20% 16V	
C98	1-113-994-11	s TANTALUM, CHIP 6.8uF 20% 16V	
C99	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V	
C100	1-162-919-11	s CERAMIC, CHIP 22PF 5% 50V	
C101	1-135-210-11	s TANTALUM, CHIP 4.7uF 20% 10V	
C102	1-162-923-11	s CERAMIC, CHIP 47PF 5% 50V	
C103	1-107-686-11	s TANTALUM, CHIP 4.7uF 20% 16V	
C104	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V	
C105	1-162-915-11	s CERAMIC, CHIP 10PF 50V	
C107	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V	
C108	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V	
C109	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V	
C110	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V [For UC, J]	
	1-162-924-11	s CERAMIC, CHIP 56PF 5% 50V [For EK]	
C111	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V	
C114	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V	
C115	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V	
C116	1-162-923-11	s CERAMIC, CHIP 47PF 5% 50V [For EK]	
C117	1-162-919-11	s CERAMIC, CHIP 22PF 5% 50V	
C118	1-162-923-11	s CERAMIC, CHIP 47PF 5% 50V	
C119	1-162-921-11	s CERAMIC, CHIP 33PF 5% 50V	
C120	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V	
C121	1-104-823-11	s TANTALUM, CHIP 47uF 20% 16V	
C122	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V	
C123	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V	



(ES-11/11(P) BOARD)

Ref. No. or Q'ty	Part No.	SP Description
C124	1-104-823-11	s TANTALUM, CHIP 47uF 20% 16V
C125	1-113-985-11	s TANTALUM, CHIP 10uF 20% 20V
C126	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C127	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C128	1-135-091-00	s TANTALUM, CHIP 1uF 10% 16V
C129	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C130	1-164-217-11	s CERAMIC, CHIP 150PF 5% 50V
C131	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C132	1-165-176-11	s CERAMIC 0.047uF 10% 16V
C133	1-135-091-00	s TANTALUM, CHIP 1uF 10% 16V
C134	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C135	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C136	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C137	1-162-964-11	s CERAMIC, CHIP 0.001uF 10% 50V
C138	1-162-964-11	s CERAMIC, CHIP 0.001uF 10% 50V
C139	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C140	1-162-918-11	s CERAMIC, CHIP 18PF 5% 50V
C141	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C142	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C143	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C144	1-107-686-11	s TANTALUM, CHIP 4.7uF 20% 16V
C145	1-162-918-11	s CERAMIC, CHIP 18PF 5% 50V
C146	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V
C147	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C148	1-107-686-11	s TANTALUM, CHIP 4.7uF 20% 16V
C149	1-162-919-11	s CERAMIC, CHIP 22PF 5% 50V [For UC, J]
	1-162-918-11	s CERAMIC, CHIP 18PF 5% 50V [For EK]
C150	1-165-176-11	s CERAMIC 0.047uF 10% 16V
C151	1-107-686-11	s TANTALUM, CHIP 4.7uF 20% 16V
C152	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C153	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C154	1-135-211-11	s TANTALUM, CHIP 6.8uF 20% 6.3V
C155	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C156	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C157	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C158	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C159	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C160	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C161	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C162	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C163	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C164	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C165	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C166	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C167	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C168	1-104-823-11	s TANTALUM, CHIP 47uF 20% 16V
C169	1-104-823-11	s TANTALUM, CHIP 47uF 20% 16V
C170	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C171	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C172	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C173	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C174	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C175	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C176	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C177	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C178	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C179	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V

(ES-11/11(P) BOARD)

Ref. No. or Q'ty	Part No.	SP Description
C182	1-107-686-11	s TANTALUM, CHIP 4.7uF 20% 16V
C183	1-162-919-11	s CERAMIC, CHIP 22PF 5% 50V
C184	1-162-919-11	s CERAMIC, CHIP 22PF 5% 50V
C185	1-162-919-11	s CERAMIC, CHIP 22PF 5% 50V
C186	1-162-919-11	s CERAMIC, CHIP 22PF 5% 50V
C187	1-162-915-11	s CERAMIC, CHIP 10PF 50V
C188	1-162-915-11	s CERAMIC, CHIP 10PF 50V [Lot No. 611 and higher]
C189	1-162-915-11	s CERAMIC, CHIP 10PF 50V
C190	1-162-915-11	s CERAMIC, CHIP 10PF 50V [Lot No. 611 and higher]
C191	1-162-915-11	s CERAMIC, CHIP 10PF 50V
C192	1-162-915-11	s CERAMIC, CHIP 10PF 50V [Lot No. 611 and higher]
C193	1-162-915-11	s CERAMIC, CHIP 10PF 50V
C194	1-162-915-11	s CERAMIC, CHIP 10PF 50V [Lot No. 611 and higher]
C195	1-113-985-11	s TANTALUM, CHIP 10uF 20% 20V
C196	1-162-920-11	s CERAMIC, CHIP 27PF 5% 50V
CN1	1-568-358-11	s CONNECTOR, BOARD TO BOARD 18P
CN2	1-568-358-11	s CONNECTOR, BOARD TO BOARD 18P
CN3	1-568-358-11	s CONNECTOR, BOARD TO BOARD 18P
CP1	1-579-716-11	s VCO, CRYSTAL 14.318180MHz [For UC, J]
	1-579-718-11	s VCO, CRYSTAL 17.734000MHz [For EK]
D1	8-719-948-48	s DIODE HSM88AS-TL
D2	8-719-948-48	s DIODE HSM88AS-TL
D3	8-719-948-48	s DIODE HSM88AS-TL
D4	8-719-820-41	s DIODE 1SS302
D5	8-719-820-41	s DIODE 1SS302
D6	8-719-820-41	s DIODE 1SS302
D7	8-719-820-41	s DIODE 1SS302
D8	8-719-820-41	s DIODE 1SS302
D9	8-719-948-48	s DIODE HSM88AS-TL
D13	8-719-820-41	s DIODE 1SS302 [For UC, J]
DL1	1-411-271-21	s DELAY LINE 155ns
DL2	1-411-272-21	s DELAY LINE 185ns
FL1	1-233-740-11	s FILTER, LOW-PASS
FL2	1-233-742-11	s FILTER, LOW-PASS
FL3	1-239-528-21	s FILTER, LOW-PASS (NTSC BLANKING) [For UC, J]
	1-239-527-21	s FILTER, LOW-PASS (PAL BLANKING) [For EK]
FL4	1-239-383-12	s FILTER, LOW-PASS (NTSC SYNC) [For UC, J]
	1-239-381-21	s FILTER, LOW-PASS (PAL SYNC) [For EK]
FL5	1-233-740-11	s FILTER, LOW-PASS
FL6	1-233-742-11	s FILTER, LOW-PASS
FL7	1-233-737-11	s FILTER, BANDPASS 3.58MHz [For UC, J]
	1-233-738-11	s FILTER, BANDPASS 4.43MHz [For EK]
FL8	1-239-383-12	s FILTER, LOW-PASS (NTSC SYNC) [For UC, J]
	1-239-381-12	s FILTER, LOW-PASS (PAL SYNC) [For EK]
FL9	1-233-740-11	s FILTER, LOW-PASS
FL10	1-233-742-11	s FILTER, LOW-PASS

(ES-11/11(P) BOARD)

Ref. No. or Q'ty	Part No.	SP Description
FL11	1-239-382-22	s FILTER, LOW-PASS (U/V)
FL12	1-402-647-11	s DELAY LINE (NTSC) 90deg [For UC, J]
	1-402-646-11	s DELAY LINE (PAL) 90deg [For EK]
FL13	1-239-375-21	s FILTER, LOW-PASS
FL14	1-233-740-11	s FILTER, LOW-PASS
FL15	1-233-742-11	s FILTER, LOW-PASS
FL16	1-239-382-22	s FILTER, LOW-PASS (U/V)
FL17	1-239-371-21	s FILTER, BANDPASS 3.58MHz [For UC, J]
	1-239-374-21	s FILTER, BANDPASS 3.58MHz [For EK]
FL18	1-239-375-21	s FILTER, LOW-PASS
IC1	8-759-082-61	s IC TC4W53FU
IC2	8-759-173-16	s IC TL062CPW
IC3	8-759-271-86	s IC TC7SH04FU
IC4	8-759-271-86	s IC TC7SH04FU
IC5	8-759-082-61	s IC TC4W53FU
IC6	8-759-523-02	s IC TC74HC4053AFT (EL)
IC7	8-759-271-86	s IC TC7SH04FU
IC8	8-759-530-30	s IC TC74VHC04FU (EL)
IC9	8-759-082-61	s IC TC4W53FU
IC10	8-759-906-59	s IC CX22017
IC11	8-759-271-86	s IC TC7SH04FU
IC12	8-759-254-49	s IC EL4581CS-TE2
IC13	8-759-295-09	s IC TLC2932IPW [For UC, J]
IC14	8-759-049-58	s IC SN74HC04APW-E05
IC15	8-759-050-10	s IC SN74HC163APW-E05 [For UC, J]
IC16	8-759-050-10	s IC SN74HC163APW-E05 [For UC, J]
IC17	8-759-050-10	s IC SN74HC163APW-E05 [For UC, J]
IC18	8-759-082-59	s IC TC7W32FU
IC19	8-759-086-41	s IC X24C02S-3.0
IC20	8-759-635-27	s IC M62352GP
IC21	8-759-347-09	s IC NJU7034V-TE2
IC22	8-759-523-04	s IC TC74HC4538AFT (EL)
IC23	8-752-335-47	s IC CXD1216M
IC24	8-759-082-61	s IC TC4W53FU
IC25	8-759-523-02	s IC TC74HC4053AFT (EL)
IC26	8-759-159-52	s IC NJU7024M
IC27	8-752-332-67	s IC CXD1217M
IC28	8-759-902-88	s IC SN74LS123NS
IC29	8-759-035-93	s IC TC7S32F-TE85L
IC30	8-759-082-58	s IC TC7W08FU
IC31	8-759-635-27	s IC M62352GP
IC32	8-759-271-86	s IC TC7SH04FU
IC33	8-759-082-61	s IC TC4W53FU
IC34	8-759-082-61	s IC TC4W53FU
IC35	8-759-256-90	s IC NJU7021V-TE2
IC36	8-759-083-94	s IC TC7W74FU
IC37	8-759-082-61	s IC TC4W53FU
IC38	8-759-082-61	s IC TC4W53FU
IC39	8-759-062-66	s IC TC7S66F
IC40	8-759-271-86	s IC TC7SH04FU
IC41	8-759-082-61	s IC TC4W53FU
IC42	8-759-196-96	s IC TC7SH08FU-TE85R

(ES-11/11(P) BOARD)

Ref. No. or Q'ty	Part No.	SP Description
JR1	1-216-864-11	s METAL, CHIP 0 5% 1/16W [For UC, J]
JR2	1-216-864-11	s METAL, CHIP 0 5% 1/16W [For EK]
JR3	1-216-864-11	s METAL, CHIP 0 5% 1/16W [For EK]
JR4	1-216-864-11	s METAL, CHIP 0 5% 1/16W [For UC, J]
L2	1-412-951-11	s INDUCTOR 10uH
L5	1-410-373-31	s INDUCTOR, CHIP 2.2uH
L6	1-410-373-31	s INDUCTOR, CHIP 2.2uH
L7	1-412-955-11	s INDUCTOR 22uH
L8	1-412-959-11	s INDUCTOR 47uH
L10	1-410-373-31	s INDUCTOR, CHIP 2.2uH
Q1	8-729-017-10	s TRANSISTOR 2SJ244JY-TL
Q2	8-729-022-32	s TRANSISTOR 2SK1579DY-TL
Q3	8-729-403-32	s TRANSISTOR XN6534
Q4	8-729-403-29	s TRANSISTOR XN6435
Q5	8-729-117-32	s TRANSISTOR 2SC4177
Q6	8-729-403-32	s TRANSISTOR XN6534
Q7	8-729-403-29	s TRANSISTOR XN6435
Q8	8-729-109-44	s TRANSISTOR 2SK94
Q9	8-729-403-32	s TRANSISTOR XN6534
Q10	8-729-403-29	s TRANSISTOR XN6435
Q11	8-729-403-32	s TRANSISTOR XN6534
Q12	8-729-402-19	s TRANSISTOR XN6501
Q13	8-729-403-32	s TRANSISTOR XN6534
Q14	8-729-403-32	s TRANSISTOR XN6534
Q15	8-729-402-19	s TRANSISTOR XN6501
Q16	8-729-403-29	s TRANSISTOR XN6435
Q17	8-729-402-19	s TRANSISTOR XN6501
Q18	8-729-402-19	s TRANSISTOR XN6501
Q19	8-729-140-63	s TRANSISTOR 2SA1611-M5M6
Q20	8-729-403-32	s TRANSISTOR XN6534
Q21	8-729-403-29	s TRANSISTOR XN6435
Q22	8-729-117-32	s TRANSISTOR 2SC4177
Q23	8-729-403-32	s TRANSISTOR XN6534
Q24	8-729-403-29	s TRANSISTOR XN6435
Q25	8-729-109-44	s TRANSISTOR 2SK94
Q26	8-729-403-32	s TRANSISTOR XN6534
Q27	8-729-403-29	s TRANSISTOR XN6435
Q28	8-729-403-32	s TRANSISTOR XN6534
Q29	8-729-403-29	s TRANSISTOR XN6435
Q30	8-729-403-32	s TRANSISTOR XN6534
Q31	8-729-403-32	s TRANSISTOR XN6534
Q32	8-729-402-19	s TRANSISTOR XN6501
Q33	8-729-403-29	s TRANSISTOR XN6435
Q34	8-729-403-32	s TRANSISTOR XN6534
Q35	8-729-403-32	s TRANSISTOR XN6534
Q36	8-729-403-29	s TRANSISTOR XN6435
Q37	8-729-117-32	s TRANSISTOR 2SC4177
Q38	8-729-109-44	s TRANSISTOR 2SK94
Q39	8-729-403-29	s TRANSISTOR XN6435
Q40	8-729-403-32	s TRANSISTOR XN6534
Q41	8-729-402-19	s TRANSISTOR XN6501
Q42	8-729-122-63	s TRANSISTOR 2SA1226
Q43	8-729-403-29	s TRANSISTOR XN6435
Q44	8-729-403-32	s TRANSISTOR XN6534
Q45	8-729-402-19	s TRANSISTOR XN6501

(ES-11/11(P) BOARD)

Ref. No. or Q'ty	Part No.	SP Description
Q46	8-729-402-19	s TRANSISTOR XN6501
Q47	8-729-403-32	s TRANSISTOR XN6534
Q48	8-729-403-29	s TRANSISTOR XN6435
Q49	8-729-117-32	s TRANSISTOR 2SC4177
Q50	8-729-109-44	s TRANSISTOR 2SK94
Q51	8-729-403-29	s TRANSISTOR XN6435
Q52	8-729-403-32	s TRANSISTOR XN6534
Q53	8-729-402-19	s TRANSISTOR XN6501
Q54	8-729-122-63	s TRANSISTOR 2SA1226
Q55	8-729-141-48	s TRANSISTOR 2SB624-BV345
Q56	8-729-402-19	s TRANSISTOR XN6501
Q57	8-729-403-29	s TRANSISTOR XN6435
Q58	8-729-403-32	s TRANSISTOR XN6534
Q59	8-729-117-32	s TRANSISTOR 2SC4177
Q60	8-729-403-32	s TRANSISTOR XN6534
Q61	8-729-403-29	s TRANSISTOR XN6435
Q62	8-729-117-32	s TRANSISTOR 2SC4177
Q63	8-729-117-32	s TRANSISTOR 2SC4177
Q64	8-729-122-63	s TRANSISTOR 2SA1226
Q65	8-729-117-73	s TRANSISTOR 2SC4178-F14
Q66	8-729-403-29	s TRANSISTOR XN6435
Q67	8-729-117-32	s TRANSISTOR 2SC4177
Q68	8-729-403-29	s TRANSISTOR XN6435
Q69	8-729-402-19	s TRANSISTOR XN6501
Q70	8-729-117-32	s TRANSISTOR 2SC4177
Q71	8-729-140-63	s TRANSISTOR 2SA1611-M5M6
Q72	8-729-141-48	s TRANSISTOR 2SB624-BV345
Q73	8-729-117-32	s TRANSISTOR 2SC4177
Q74	8-729-028-91	s TRANSISTOR DTA144EUA-T106
Q75	8-729-904-54	s TRANSISTOR DTB143EK
Q76	8-729-904-72	s TRANSISTOR DTD143EK
Q77	8-729-017-10	s TRANSISTOR 2SJ244JY-TL
Q78	8-729-140-63	s TRANSISTOR 2SA1611-M5M6
R1	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R2	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R3	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R4	1-218-672-11	s METAL, CHIP 150 0.50% 1/16W
R5	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W
R6	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W
R7	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R8	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R10	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R11	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R12	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R13	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R14	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R15	1-218-714-11	s METAL, CHIP 8.2K 0.50% 1/16W
R16	1-218-714-11	s METAL, CHIP 8.2K 0.50% 1/16W
R17	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R18	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R19	1-218-694-11	s METAL, CHIP 1.2K 0.50% 1/16W
R20	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R21	1-218-695-11	s METAL, CHIP 1.3K 0.50% 1/16W
R22	1-218-706-11	s METAL, CHIP 3.9K 0.50% 1/16W
R23	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R24	1-218-706-11	s METAL, CHIP 3.9K 0.50% 1/16W
R25	1-218-712-11	s METAL, CHIP 6.8K 0.50% 1/16W
R26	1-216-861-11	s METAL, CHIP 2.2M 5% 1/16W

(ES-11/11(P) BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R27	1-216-861-11	s METAL, CHIP 2.2M 5% 1/16W
R28	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R29	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R30	1-218-694-11	s METAL, CHIP 1.2K 0.50% 1/16W
R31	1-218-723-11	s METAL, CHIP 20K 0.50% 1/16W
R32	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R33	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R34	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R35	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W
R36	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R37	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R38	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R39	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R40	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R41	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R42	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R43	1-218-726-11	s METAL, CHIP 27K 0.50% 1/16W
R44	1-218-734-11	s METAL, CHIP 56K 0.50% 1/16W
R45	1-218-730-11	s METAL, CHIP 39K 0.50% 1/16W
R46	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R47	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R48	1-218-730-11	s METAL, CHIP 39K 0.50% 1/16W
R49	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R50	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R51	1-216-791-11	s METAL, CHIP 3.3 5% 1/16W
R52	1-216-791-11	s METAL, CHIP 3.3 5% 1/16W
R53	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R54	1-218-683-11	s METAL, CHIP 430 0.50% 1/16W
R55	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R56	1-218-712-11	s METAL, CHIP 6.8K 0.50% 1/16W
R57	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R58	1-218-710-11	s METAL, CHIP 5.6K 0.50% 1/16W
R59	1-218-714-11	s METAL, CHIP 8.2K 0.50% 1/16W
R60	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R61	1-218-722-11	s METAL, CHIP 18K 0.50% 1/16W
R62	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R63	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R64	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R65	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R66	1-218-730-11	s METAL, CHIP 39K 0.50% 1/16W
R67	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R68	1-218-730-11	s METAL, CHIP 39K 0.50% 1/16W
R69	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R70	1-218-722-11	s METAL, CHIP 18K 0.50% 1/16W
R71	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R72	1-218-730-11	s METAL, CHIP 39K 0.50% 1/16W
R73	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R74	1-218-710-11	s METAL, CHIP 5.6K 0.50% 1/16W
R75	1-218-702-11	s METAL, CHIP 2.7K 0.50% 1/16W
R76	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R77	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R78	1-218-672-11	s METAL, CHIP 150 0.50% 1/16W
R79	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R80	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R81	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W
R82	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W
R83	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R84	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R86	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W

(ES-11/11(P) BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R87	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R88	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R89	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R90	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R91	1-218-714-11	s METAL, CHIP 8.2K 0.50% 1/16W
R92	1-218-714-11	s METAL, CHIP 8.2K 0.50% 1/16W
R93	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R94	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R95	1-218-694-11	s METAL, CHIP 1.2K 0.50% 1/16W
R96	1-218-714-11	s METAL, CHIP 8.2K 0.50% 1/16W
R97	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R98	1-218-706-11	s METAL, CHIP 3.9K 0.50% 1/16W
R99	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R100	1-218-695-11	s METAL, CHIP 1.3K 0.50% 1/16W
R101	1-218-706-11	s METAL, CHIP 3.9K 0.50% 1/16W
R102	1-218-712-11	s METAL, CHIP 6.8K 0.50% 1/16W
R103	1-216-861-11	s METAL, CHIP 2.2M 5% 1/16W
R104	1-216-861-11	s METAL, CHIP 2.2M 5% 1/16W
R105	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R106	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R107	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R108	1-218-694-11	s METAL, CHIP 1.2K 0.50% 1/16W
R109	1-218-723-11	s METAL, CHIP 20K 0.50% 1/16W
R110	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R111	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R112	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R113	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W
R114	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R115	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R116	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R117	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R118	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R119	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R120	1-218-687-11	s METAL, CHIP 620 0.50% 1/16W
R121	1-218-698-11	s METAL, CHIP 1.8K 0.50% 1/16W
R122	1-218-685-11	s METAL, CHIP 510 0.50% 1/16W
R123	1-218-742-11	s METAL, CHIP 120K 0.50% 1/16W
R124	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R125	1-218-701-11	s METAL, CHIP 2.4K 0.50% 1/16W
R126	1-218-706-11	s METAL, CHIP 3.9K 0.50% 1/16W
R127	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R128	1-218-695-11	s METAL, CHIP 1.3K 0.50% 1/16W
R129	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R130	1-218-706-11	s METAL, CHIP 3.9K 0.50% 1/16W
R131	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R132	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R133	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R134	1-218-691-11	s METAL, CHIP 910 0.50% 1/16W
R135	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R136	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R137	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R138	1-218-730-11	s METAL, CHIP 39K 0.50% 1/16W
R139	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R140	1-218-722-11	s METAL, CHIP 18K 0.50% 1/16W
R141	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R142	1-218-730-11	s METAL, CHIP 39K 0.50% 1/16W
R143	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R144	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R145	1-218-719-11	s METAL, CHIP 13K 0.50% 1/16W

(ES-11/11(P) BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R146	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R147	1-218-719-11	s METAL, CHIP 13K 0.50% 1/16W
R148	1-218-722-11	s METAL, CHIP 18K 0.50% 1/16W
R149	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R150	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R151	1-218-706-11	s METAL, CHIP 3.9K 0.50% 1/16W
R152	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R153	1-218-713-11	s METAL, CHIP 7.5K 0.50% 1/16W
R154	1-218-713-11	s METAL, CHIP 7.5K 0.50% 1/16W
R155	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R156	1-218-707-11	s METAL, CHIP 4.3K 0.50% 1/16W
R157	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W
R158	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R159	1-218-676-11	s METAL, CHIP 220 0.50% 1/16W
R160	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R161	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R162	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W
R163	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W
R164	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R165	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R167	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R168	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R169	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R170	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R171	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R172	1-218-714-11	s METAL, CHIP 8.2K 0.50% 1/16W
R173	1-218-714-11	s METAL, CHIP 8.2K 0.50% 1/16W
R174	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R175	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R176	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R177	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R178	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R179	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R180	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R181	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R182	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R183	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R184	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R185	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W [For UC, J]
	1-218-698-11	s METAL, CHIP 1.8K 0.50% 1/16W [For EK]
R186	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R187	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R188	1-218-726-11	s METAL, CHIP 27K 0.50% 1/16W [For EK]
R189	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R190	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R191	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R192	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R193	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R195	1-218-744-11	s METAL, CHIP 150K 0.50% 1/16W
R196	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W [For UC, J]
R197	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W [For EK]
R198	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R199	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R200	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R201	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W

(ES-11/11(P) BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R202	1-218-678-11	s METAL, CHIP 270 0.50% 1/16W
R203	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R204	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R205	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R206	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W
R207	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R208	1-218-710-11	s METAL, CHIP 5.6K 0.50% 1/16W
R209	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R210	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R211	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R212	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R213	1-218-730-11	s METAL, CHIP 39K 0.50% 1/16W
R214	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R215	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R216	1-218-722-11	s METAL, CHIP 18K 0.50% 1/16W
R217	1-218-676-11	s METAL, CHIP 220 0.50% 1/16W
R218	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R219	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R220	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W
R221	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W
R222	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R223	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R225	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R226	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R227	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R228	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R229	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R230	1-218-714-11	s METAL, CHIP 8.2K 0.50% 1/16W
R231	1-218-714-11	s METAL, CHIP 8.2K 0.50% 1/16W
R232	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R233	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R234	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R235	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R236	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R237	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R238	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R239	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R240	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R241	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R242	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R243	1-218-686-11	s METAL, CHIP 560 0.50% 1/16W [For UC, J]
	1-218-682-11	s METAL, CHIP 390 0.50% 1/16W [For EK]
R244	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W [For EK]
R245	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R246	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R247	1-218-710-11	s METAL, CHIP 5.6K 0.50% 1/16W [For UC, J]
	1-218-709-11	s METAL, CHIP 5.1K 0.50% 1/16W [For EK]
R248	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R249	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R250	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R251	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R253	1-218-744-11	s METAL, CHIP 150K 0.50% 1/16W
R254	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R255	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R256	1-218-722-11	s METAL, CHIP 18K 0.50% 1/16W

(ES-11/11(P) BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R257	1-218-692-11	[For EK] s METAL, CHIP 1K 0.50% 1/16W [For UC, J]
R258	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R259	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R260	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R261	1-218-730-11	s METAL, CHIP 39K 0.50% 1/16W
R262	1-218-722-11	s METAL, CHIP 18K 0.50% 1/16W
R263	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R264	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R265	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R266	1-218-722-11	s METAL, CHIP 18K 0.50% 1/16W
R267	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R268	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R269	1-218-706-11	s METAL, CHIP 3.9K 0.50% 1/16W
R270	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R271	1-218-713-11	s METAL, CHIP 7.5K 0.50% 1/16W
R272	1-218-713-11	s METAL, CHIP 7.5K 0.50% 1/16W
R273	1-218-719-11	s METAL, CHIP 13K 0.50% 1/16W
R274	1-218-706-11	s METAL, CHIP 3.9K 0.50% 1/16W
R275	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W
R276	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R277	1-218-698-11	s METAL, CHIP 1.8K 0.50% 1/16W [For UC, J]
	1-218-719-11	s METAL, CHIP 13K 0.50% 1/16W [For EK]
R278	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R279	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R280	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W
R281	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R282	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R283	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R284	1-218-736-11	s METAL, CHIP 68K 0.50% 1/16W
R285	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W
R286	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R287	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R288	1-218-690-11	s METAL, CHIP 820 0.50% 1/16W
R289	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R290	1-218-699-11	s METAL, CHIP 2K 0.50% 1/16W
R291	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R292	1-218-720-11	s METAL, CHIP 15K 0.50% 1/16W
R293	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R294	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R295	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R296	1-218-706-11	s METAL, CHIP 3.9K 0.50% 1/16W
R298	1-216-855-11	s METAL, CHIP 680K 5% 1/16W
R299	1-218-706-11	s METAL, CHIP 3.9K 0.50% 1/16W
R300	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R301	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R302	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W [For UC, J]
R303	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W [For UC, J]
R305	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W [For UC, J]
	1-218-710-11	s METAL, CHIP 5.6K 0.50% 1/16W [For EK]
R306	1-218-706-11	s METAL, CHIP 3.9K 0.50% 1/16W
R307	1-218-720-11	s METAL, CHIP 15K 0.50% 1/16W
R308	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W

(ES-11/11(P) BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R309	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R310	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R311	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R312	1-216-864-11	s METAL, CHIP 0 5% 1/16W [For EK]
R313	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R314	1-216-861-11	s METAL, CHIP 2.2M 5% 1/16W
R315	1-216-864-11	s METAL, CHIP 0 5% 1/16W [For EK]
R321	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R322	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R323	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R324	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R325	1-216-853-11	s METAL, CHIP 470K 5% 1/16W
R326	1-218-710-11	s METAL, CHIP 5.6K 0.50% 1/16W
R327	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R328	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R329	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R330	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R332	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R333	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W [For UC, J]
R334	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R335	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R336	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R338	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R339	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R340	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R341	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R342	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R343	1-218-656-11	s METAL, CHIP 33 0.50% 1/16W
R344	1-218-656-11	s METAL, CHIP 33 0.50% 1/16W
R345	1-216-857-11	s METAL, CHIP 1M 5% 1/16W
R346	1-216-857-11	s METAL, CHIP 1M 5% 1/16W
R347	1-216-864-11	s METAL, CHIP 0 5% 1/16W [For UC, J]
R348	1-216-864-11	s METAL, CHIP 0 5% 1/16W [For EK]
R349	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W [For EK]
R350	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W [For UC, J]
R351	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R352	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W [For EK]
R353	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W [For UC, J]
	1-218-705-11	s METAL, CHIP 3.6K 0.50% 1/16W [For EK]
R354	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R355	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W [For UC, J]
	1-218-712-11	s METAL, CHIP 6.8K 0.50% 1/16W [For EK]
R356	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R357	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R358	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R359	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R360	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R361	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R362	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W

(ES-11/11(P) BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R363	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R364	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R365	1-218-726-11	s METAL, CHIP 27K 0.50% 1/16W
R366	1-218-726-11	s METAL, CHIP 27K 0.50% 1/16W
R367	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R368	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R369	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R370	1-218-720-11	s METAL, CHIP 15K 0.50% 1/16W
R371	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R372	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R373	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R374	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R375	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R376	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R377	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R379	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W
R380	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R381	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R382	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R383	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R384	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R386	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R388	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R389	1-218-692-11	s METAL, CHIP 1.0K 0.50% 1/16W [For EK]
R390	1-218-656-11	s METAL, CHIP 33 0.50% 1/16W
R391	1-218-656-11	s METAL, CHIP 33 0.50% 1/16W
R392	1-218-719-11	s METAL, CHIP 13K 0.50% 1/16W
R393	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R394	1-218-736-11	s METAL, CHIP 68K 0.50% 1/16W
R395	1-218-714-11	s METAL, CHIP 8.2K 0.50% 1/16W
R396	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R397	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R398	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R399	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R400	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R401	1-218-742-11	s METAL, CHIP 120K 0.50% 1/16W
R402	1-218-736-11	s METAL, CHIP 68K 0.50% 1/16W
R403	1-218-742-11	s METAL, CHIP 120K 0.50% 1/16W
R404	1-216-791-11	s METAL, CHIP 3.3 5% 1/16W
R405	1-216-791-11	s METAL, CHIP 3.3 5% 1/16W
R406	1-218-683-11	s METAL, CHIP 430 0.50% 1/16W
R407	1-218-722-11	s METAL, CHIP 18K 0.50% 1/16W
R408	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R409	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R410	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R411	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R412	1-218-719-11	s METAL, CHIP 13K 0.50% 1/16W
R413	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W [Lot No. 611 and higher]
R414	1-218-719-11	s METAL, CHIP 13K 0.50% 1/16W
R415	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W [Lot No. 611 and higher]
R416	1-218-719-11	s METAL, CHIP 13K 0.50% 1/16W
R417	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W [Lot No. 611 and higher]
R418	1-218-719-11	s METAL, CHIP 13K 0.50% 1/16W
R419	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W [Lot No. 611 and higher]
R420	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W

(ES-11/11(P) BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R421	1-218-726-11	s METAL, CHIP 27K 0.50% 1/16W [Lot No. 611 and higher]
	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W [Lot No. 604 through 610]
R422	1-218-723-11	s METAL, CHIP 20K 0.50% 1/16W
R423	1-218-718-11	s METAL, CHIP 12K 0.50% 1/16W
R425	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R426	1-218-730-11	s METAL, CHIP 39K 0.50% 1/16W
R427	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R428	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R429	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R430	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R431	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R432	1-218-730-11	s METAL, CHIP 39K 0.50% 1/16W
R433	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R434	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R435	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R436	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R437	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W [For UC, J]
R438	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W [For UC, J]
	1-218-711-11	s METAL, CHIP 6.2K 0.50% 1/16W [For EK]
R439	1-216-864-11	s METAL, CHIP 0 5% 1/16W [For UC, J]
R440	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R441	1-218-682-11	s METAL, CHIP 390 0.50% 1/16W
R442	1-216-853-11	s METAL, CHIP 470K 5% 1/16W
R443	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R444	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R445	1-216-705-11	s METAL, CHIP 3.6K 0.50% 1/16W [For EK]
R446	1-216-864-11	s METAL, CHIP 0 5% 1/16W [For UC, J]
R447	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R448	1-216-857-11	s METAL, CHIP 1M 5% 1/16W
R449	1-216-857-11	s METAL, CHIP 1M 5% 1/16W
R450	1-216-857-11	s METAL, CHIP 1M 5% 1/16W
R452	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R453	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R454	1-216-857-11	s METAL, CHIP 1M 5% 1/16W
R455	1-216-857-11	s METAL, CHIP 1M 5% 1/16W
RB1	1-236-908-11	s NETWORK RESISTOR (CHIP) 10K

HN-224 BOARD

Ref. No. or Q'ty	Part No.	SP Description
1pc	2-279-715-11	s RIVET, NYLON
1pc	3-603-566-01	o BRACKET HN
1pc	3-729-013-41	s SCREW M1.4X3.5, WASHERHEAD (+P)
C1	1-162-959-11	s CERAMIC, CHIP 330PF 5% 50V
C2	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V
C3	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C4	1-104-553-11	s FILM, CHIP 0.015uF 5% 16V
C5	1-104-913-11	s TANTALUM, CHIP 10uF 20% 16V
C6	1-104-913-11	s TANTALUM, CHIP 10uF 20% 16V
C7	1-162-925-11	s CERAMIC, CHIP 68PF 5% 50V
C8	1-104-913-11	s TANTALUM, CHIP 10uF 20% 16V
C9	1-104-913-11	s TANTALUM, CHIP 10uF 20% 16V
C10	1-104-913-11	s TANTALUM, CHIP 10uF 20% 16V
C11	1-104-913-11	s TANTALUM, CHIP 10uF 20% 16V
C12	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C13	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C14	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C15	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C16	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C17	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C18	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C19	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C20	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C21	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
CN1	1-569-607-21	o CONNECTOR, BOARD TO BOARD 24P
CN2	1-573-290-21	s PIN, CONNECTOR (1.5MM) (SMD) 4P
CN3	1-569-775-21	s PIN, CONNECTOR (1.5MM) (SMD) 5P
CN4	1-691-551-11	s PIN, CONNECTOR (1.5MM) (SMD) 8P
CN5	1-750-159-21	o CONNECTOR, FPC 5P
CN6	1-580-789-21	s PIN, CONNECTOR (1.5MM) (SMD) 6P
IC1	8-759-530-05	s IC TC4053BFS-EL
IC2	8-759-710-28	s IC NJM4565M-A
IC3	8-759-710-28	s IC NJM4565M-A
IC4	8-759-338-95	s IC NJM2903V(TE2)
IC5	8-759-031-84	s IC TC7S04F
IC6	8-759-234-77	s IC TC4S66F
Q1	8-729-117-32	s TRANSISTOR 2SC4177
Q2	8-729-140-63	s TRANSISTOR 2SA1611-M5M6
Q10	8-729-140-63	s TRANSISTOR 2SA1611-M5M6
Q11	8-729-117-32	s TRANSISTOR 2SC4177
Q12	8-729-140-63	s TRANSISTOR 2SA1611-M5M6
Q13	8-729-117-32	s TRANSISTOR 2SC4177
R1	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R2	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R3	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R4	1-216-853-11	s METAL, CHIP 470K 5% 1/16W
R5	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R6	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W
R7	1-218-750-11	s METAL, CHIP 270K 0.50% 1/16W
R8	1-218-676-11	s METAL, CHIP 220 0.50% 1/16W
R9	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R10	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R11	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R12	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R13	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R14	1-218-678-11	s METAL, CHIP 270 0.50% 1/16W

(HN-224 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R15	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W
R16	1-218-744-11	s METAL, CHIP 150K 0.50% 1/16W
R17	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R18	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R19	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W
R20	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R21	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R22	1-216-857-11	s METAL, CHIP 1M 5% 1/16W
R23	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R24	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R25	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R26	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R27	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R28	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R29	1-218-750-11	s METAL, CHIP 270K 0.50% 1/16W
R30	1-218-746-11	s METAL, CHIP 180K 0.50% 1/16W
R31	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W [Lot No. 703 and higher]
	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W [Lot No. 604 through 702]
R32	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W [Lot No. 611 and higher]
	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W [Lot No. 604 through 610]
R33	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R34	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W [Lot No. 611 and higher]
	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W [Lot No. 604 through 610]
R35	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R36	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W

HP-70 BOARD

Ref. No. or Q'ty	Part No.	SP Description
1pc	1-662-345-11	o PRINTED CIRCUIT BOARD, HP-70
C1	1-164-161-11	s CERAMIC, CHIP 0.0022uF 10% 100V
C2	1-164-161-11	s CERAMIC, CHIP 0.0022uF 10% 100V
CN1	1-580-057-11	s PIN, CONNECTOR (1.5MM) (SMD) 4P
FL1	1-239-895-12	s FILTER, EMI (SMD)
J1	1-507-980-41	s JACK, MINI
L1	1-412-170-11	s INDUCTOR 0.47uH
L2	1-410-389-31	s INDUCTOR CHIP 47uH
Q1	8-729-209-07	s TRANSISTOR 2SC4213-B
Q2	8-729-209-07	s TRANSISTOR 2SC4213-B
R1	1-216-607-11	s METAL, CHIP 15 0.50% 1/10W
R2	1-216-607-11	s METAL, CHIP 15 0.50% 1/10W
R4	1-216-651-11	s METAL, CHIP 1K 0.5% 1/10W
R5	1-216-651-11	s METAL, CHIP 1K 0.5% 1/10W

IF-634 BOARD

*For DNV-5

Ref. No. or Q'ty	Part No.	SP Description
1pc	A-8311-264-A	o MOUNTED CIRCUIT BOARD, IF-634
5pcs	3-729-061-01	s SCREW M2X4.5 (TYPE 1)
2pcs	3-603-737-01	o LEVER, BOARD
C1	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C2	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C4	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C5	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C6	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C7	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C8	1-164-217-11	s CERAMIC, CHIP 150PF 5% 50V
C9	1-162-911-11	s CERAMIC, CHIP 6PF 50V
C10	1-164-217-11	s CERAMIC, CHIP 150PF 5% 50V
C11	1-162-917-11	s CERAMIC, CHIP 15PF 5% 50V
C12	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V [Lot No. 703 and higher]
C13	1-162-924-11	s CERAMIC 56PF 5% 50V [Lot No. 703 and higher]
C100	1-104-823-11	s TANTALUM, CHIP 47uF 20% 16V
C101	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C102	1-104-823-11	s TANTALUM, CHIP 47uF 20% 16V
C103	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C104	1-162-926-11	s CERAMIC, CHIP 82PF 5% 50V
C105	1-162-928-11	s CERAMIC, CHIP 120PF 5% 50V
C106	1-162-920-11	s CERAMIC, CHIP 27PF 5% 50V
C107	1-104-919-11	s TANTALUM, CHIP 10uF 20% 25V
C108	1-104-914-11	s TANTALUM, CHIP 22uF 20% 16V
C109	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C110	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C111	1-107-689-21	s TANTALUM, CHIP 1uF 20% 35V
C112	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C113	1-135-070-00	s TANTALUM, CHIP 0.1uF 10% 35V
C114	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C115	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C116	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C117	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C118	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C119	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C120	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C121	1-104-914-11	s TANTALUM, CHIP 22uF 20% 16V
C122	1-104-914-11	s TANTALUM, CHIP 22uF 20% 16V
C123	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C124	1-162-923-11	s CERAMIC, CHIP 47PF 5% 50V
C125	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C126	1-104-913-11	s TANTALUM, CHIP 10uF 20% 16V
C127	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C128	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C129	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C130	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C200	1-104-823-11	s TANTALUM, CHIP 47uF 20% 16V
C201	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C202	1-104-823-11	s TANTALUM, CHIP 47uF 20% 16V
C203	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C204	1-162-923-11	s CERAMIC, CHIP 47PF 5% 50V
C205	1-104-919-11	s TANTALUM, CHIP 10uF 20% 25V
C206	1-104-914-11	s TANTALUM, CHIP 22uF 20% 16V
C207	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C208	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C209	1-107-689-21	s TANTALUM, CHIP 1uF 20% 35V
C210	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V

(IF-634 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
C211	1-135-070-00	s TANTALUM, CHIP 0.1uF 10% 35V
C212	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C213	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C214	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C215	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V
C216	1-162-923-11	s CERAMIC, CHIP 47PF 5% 50V
C217	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C218	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C219	1-104-914-11	s TANTALUM, CHIP 22uF 20% 16V
C220	1-104-914-11	s TANTALUM, CHIP 22uF 20% 16V
C221	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C222	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C223	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C224	1-104-913-11	s TANTALUM, CHIP 10uF 20% 16V
C225	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C226	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C227	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C228	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C229	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C300	1-104-823-11	s TANTALUM, CHIP 47uF 20% 16V
C301	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C302	1-104-823-11	s TANTALUM, CHIP 47uF 20% 16V
C303	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C304	1-162-923-11	s CERAMIC, CHIP 47PF 5% 50V
C305	1-104-919-11	s TANTALUM, CHIP 10uF 20% 25V
C306	1-104-914-11	s TANTALUM, CHIP 22uF 20% 16V
C307	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C308	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C309	1-107-689-21	s TANTALUM, CHIP 1uF 20% 35V
C310	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C311	1-135-070-00	s TANTALUM, CHIP 0.1uF 10% 35V
C312	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C313	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C314	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C315	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V
C316	1-162-923-11	s CERAMIC, CHIP 47PF 5% 50V
C317	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C318	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C319	1-104-914-11	s TANTALUM, CHIP 22uF 20% 16V
C320	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C321	1-104-914-11	s TANTALUM, CHIP 22uF 20% 16V
C322	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C323	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C324	1-104-913-11	s TANTALUM, CHIP 10uF 20% 16V
C325	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C326	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C328	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C329	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C400	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C401	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V [Lot No. 605 through 702]
C402	1-164-315-11	s CERAMIC, CHIP 470PF 5% 50V
C403	1-162-957-11	s CERAMIC, CHIP 220PF 5% 50V
C404	1-162-957-11	s CERAMIC, CHIP 220PF 5% 50V [Lot No. 605 through 702]
C405	1-162-970-11	s CERAMIC, CHIP 0.01uF 5% 50V [Lot No. 605 through 702]
C407	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V [Lot No. 605 through 702]

(IF-634 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
C408	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C409	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C410	1-104-559-11	s FILM, CHIP 0.047uF 10% 25V [Lot No. 605 through 702]
C411	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V [Lot No. 605 through 702]
C412	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C413	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V [Lot No. 605 through 702]
C414	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V [Lot No. 605 through 702]
C415	1-162-928-11	s CERAMIC, CHIP 120PF 5% 50V [Lot No. 605 through 702]
C416	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 25V [Lot No. 605 through 702]
C417	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C418	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V [Lot No. 605 through 702]
C420	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C422	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C423	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V [Lot No. 804 and higher]
C425	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C426	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C427	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C428	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C429	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C430	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C431	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C432	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C500	1-104-913-11	s TANTALUM, CHIP 10uF 20% 16V
C501	1-113-991-11	s TANTALUM, CHIP 33uF 20% 16V
C502	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C503	1-104-913-11	s TANTALUM, CHIP 10uF 20% 16V
C504	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C505	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C506	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C507	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C508	1-162-964-11	s CERAMIC, CHIP 0.001uF 10% 50V
C509	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C510	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C511	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C512	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C513	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C514	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C515	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C516	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C517	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C518	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C519	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C520	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C521	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C523	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C524	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C525	1-162-964-11	s CERAMIC, CHIP 0.001uF 10% 50V
C526	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C527	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C528	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C529	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C600	1-113-991-11	s TANTALUM, CHIP 33uF 20% 16V

(IF-634 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
C601	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C603	1-162-957-11	s CERAMIC, CHIP 220PF 5% 50V
C604	1-104-914-11	s TANTALUM, CHIP 22uF 20% 16V
C605	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C606	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V
C607	1-104-914-11	s TANTALUM, CHIP 22uF 20% 16V
C608	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C609	1-113-991-11	s TANTALUM, CHIP 33uF 20% 16V
C610	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C611	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C612	1-113-991-11	s TANTALUM, CHIP 33uF 20% 16V
C613	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C614	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C615	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C616	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C617	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C618	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C619	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C620	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C621	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C622	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C623	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C624	1-113-642-11	s TANTALUM, CHIP 47uF 20% 10V
C625	1-113-642-11	s TANTALUM, CHIP 47uF 20% 10V
C626	1-113-642-11	s TANTALUM, CHIP 47uF 20% 10V
C627	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C628	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C629	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C630	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C631	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C632	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C633	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C634	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C635	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C636	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C637	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C638	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C640	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V [Lot No. 703 and higher]
C641	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V [Lot No. 703 and higher]
C642	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V [Lot No. 804 and higher]
C643	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V [Lot No. 804 and higher]
C644	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V [Lot No. 804 and higher]
C645	1-113-642-11	s TANTALUM, CHIP 47uF 20% 10V
C646	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V [Lot No. 804 and higher]
C700	1-135-215-21	s TANTALUM, CHIP 6.8uF 10% 16V
C701	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C703	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C704	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C705	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C706	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C707	1-135-210-11	s TANTALUM, CHIP 4.7uF 20% 10V
C708	1-162-964-11	s CERAMIC, CHIP 0.001uF 10% 50V
C709	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C710	1-162-964-11	s CERAMIC, CHIP 0.001uF 10% 50V

(IF-634 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
C711	1-162-915-11	s CERAMIC, CHIP 10PF 50V
C712	1-162-915-11	s CERAMIC, CHIP 10PF 50V
C713	1-135-091-00	s TANTALUM, CHIP 1uF 10% 16V
C714	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C715	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C716	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C717	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C718	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C719	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C720	1-113-991-11	s TANTALUM, CHIP 33uF 20% 16V
C721	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C732	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C733	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C734	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C735	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C736	1-162-917-11	s CERAMIC, CHIP 15PF 5% 50V
C737	1-162-924-11	s CERAMIC 56PF 5% 50V
C738	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C739	1-162-924-11	s CERAMIC 56PF 5% 50V
C740	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C741	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C742	1-162-908-11	s CERAMIC, CHIP 3PF 50V
C743	1-104-823-11	s TANTALUM, CHIP 47uF 20% 16V
C744	1-104-823-11	s TANTALUM, CHIP 47uF 20% 16V
C745	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C746	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C747	1-113-991-11	s TANTALUM, CHIP 33uF 20% 16V
C748	1-113-991-11	s TANTALUM, CHIP 33uF 20% 16V
C749	1-162-908-11	s CERAMIC, CHIP 3PF 50V
C750	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C751	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C752	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C753	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C754	1-135-091-00	s TANTALUM, CHIP 1uF 10% 16V [Lot No. 703 and higher]
C755	1-162-917-11	s CERAMIC, CHIP 15PF 5% 50V [Lot No. 804 and higher]
	1-162-918-11	s CERAMIC, CHIP 18PF 5% 50V [Lot No. 605 through 803]
C756	1-113-991-11	s TANTALUM, CHIP 33uF 20% 16V
C757	1-104-823-11	s TANTALUM, CHIP 47uF 20% 16V
C758	1-164-315-11	s CERAMIC, CHIP 470PF 5% 50V
C759	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C760	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C761	1-113-991-11	s TANTALUM, CHIP 33uF 20% 16V
C762	1-113-991-11	s TANTALUM, CHIP 33uF 20% 16V
C769	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V [Lot No. 609 through 702]
C770	1-162-920-11	s CERAMIC, CHIP 27PF 5% 50V
C851	1-164-218-11	s CERAMIC, CHIP 180PF 50V
C852	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C853	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C854	1-162-908-11	s CERAMIC, CHIP 3PF 50V
C855	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C856	1-135-210-11	s TANTALUM, CHIP 4.7uF 20% 10V
C857	1-135-210-11	s TANTALUM, CHIP 4.7uF 20% 10V
C858	1-135-091-00	s TANTALUM, CHIP 1uF 10% 16V
C859	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C864	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C865	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V



(IF-634 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
C866	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C900	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C901	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C902	1-104-919-11	s TANTALUM, CHIP 10uF 20% 25V
C903	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C904	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C905	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C908	1-113-642-11	s TANTALUM, CHIP 47uF 20% 10V
C909	1-135-215-21	s TANTALUM, CHIP 6.8uF 10% 16V
C910	1-135-215-21	s TANTALUM, CHIP 6.8uF 10% 16V
C911	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C912	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C913	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C914	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C915	1-135-177-21	s TANTALUM, CHIP 1uF 10% 25V
C916	1-135-177-21	s TANTALUM, CHIP 1uF 10% 25V
C917	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C918	1-135-211-11	s TANTALUM, CHIP 6.8uF 20% 6.3V
C919	1-135-211-11	s TANTALUM, CHIP 6.8uF 20% 6.3V
C920	1-128-397-21	s ELECT 100uF 20% 16V
C921	1-104-823-11	s TANTALUM, CHIP 47uF 20% 16V
C922	1-104-823-11	s TANTALUM, CHIP 47uF 20% 16V
C923	1-104-823-11	s TANTALUM, CHIP 47uF 20% 16V
C924	1-104-823-11	s TANTALUM, CHIP 47uF 20% 16V
CN1	1-695-453-11	s CONNECTOR, BOARD TO BOARD 50P
CN700	1-569-775-21	s PIN, CONNECTOR (1.5MM) (SMD) 5P
CP600	1-760-347-21	s VCO, CRYSTAL 27.000000MHz
D100	8-719-157-11	s DIODE RD3.3M-B
D200	8-719-157-11	s DIODE RD3.3M-B
D300	8-719-157-11	s DIODE RD3.3M-B
D500	8-719-023-69	s DIODE SB007T03Q
D501	8-719-023-69	s DIODE SB007T03Q
D502	8-719-023-69	s DIODE SB007T03Q
D503	8-719-023-69	s DIODE SB007T03Q
D504	8-719-023-69	s DIODE SB007T03Q
D505	8-719-023-69	s DIODE SB007T03Q
D700	8-719-989-22	s LED CL-150R-CD, RED
D701	8-719-989-22	s LED CL-150R-CD, RED
D702	8-719-938-72	s DIODE SB01-05CP
D703	8-719-938-72	s DIODE SB01-05CP
D704	8-719-938-72	s DIODE SB01-05CP
D705	8-719-938-72	s DIODE SB01-05CP
D710	8-719-941-86	s DIODE DAN202U
D900	8-719-029-63	s DIODE RD4.3UH-T1
D901	8-719-029-63	s DIODE RD4.3UH-T1
D902	8-719-029-63	s DIODE RD4.3UH-T1
D903	8-719-029-63	s DIODE RD4.3UH-T1
FB100	1-543-309-21	s BEAD, FERRITE
FB200	1-543-309-21	s BEAD, FERRITE
FB300	1-543-309-21	s BEAD, FERRITE
FB600	1-543-309-21	s BEAD, FERRITE
FL100	1-234-006-11	s FILTER, LOW PASS [Lot No. 703 and higher]
	1-233-433-11	s FILTER, LOW PASS [Lot No. 605 through 702]
FL300	1-233-598-11	s FILTER, LOW-PASS
FL600	1-239-896-12	s FILTER, EMI (SMD)
FL700	1-239-721-22	s FILTER, LOW-PASS

(IF-634 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
		[Lot No. 605 through 803]
IC1	8-759-987-27	s IC LM1881M
IC2	8-759-524-18	s IC TC74VHC163FT(EL)
IC3	8-759-524-19	s IC TC74VHC164FT(EL)
IC4	8-759-524-19	s IC TC74VHC164FT(EL)
IC5	8-759-524-19	s IC TC74VHC164FT(EL)
IC10	8-759-196-97	s IC TC7SH32FU-TE85R
IC11	8-759-524-18	s IC TC74VHC163FT(EL)
IC100	8-759-347-09	s IC NJU7034V-TE2
IC101	8-759-234-77	s IC TC4S66F
IC102	8-759-105-49	s IC UPC319G2
IC103	8-759-710-88	s IC NJM431U
IC104	8-759-337-40	s IC NJM2904V(Te2)
IC105	8-752-376-32	s IC CXD2310AR
IC200	8-759-347-09	s IC NJU7034V-TE2
IC201	8-759-234-77	s IC TC4S66F
IC202	8-759-359-66	s IC TL082CPW-E05
IC203	8-759-523-78	s IC TC74VHC00FT(EL)
IC204	8-759-337-40	s IC NJM2904V(Te2)
IC205	8-752-376-32	s IC CXD2310AR
IC300	8-759-347-09	s IC NJU7034V-TE2
IC301	8-759-234-77	s IC TC4S66F
IC304	8-759-337-40	s IC NJM2904V(Te2)
IC305	8-752-376-32	s IC CXD2310AR
IC401	8-759-528-99	s IC TC74VHC221AFT(EL)
IC402	8-759-171-53	s IC CLC505AJE-T [Lot No. 605 through 702]
IC403	8-759-524-27	s IC TC74VHC244FT(EL)
IC404	8-759-524-26	s IC TC74VHC240FT(EL)
IC405	8-759-359-66	s IC TL082CPW-E05
IC406	8-759-524-21	s IC TC74VHC174FT(EL)
IC407	8-759-394-70	s IC NJM360M-TE2 [Lot No. 605 through 702]
IC408	8-759-394-70	s IC NJM360M-TE2 [Lot No. 605 through 702]
IC409	8-759-524-21	s IC TC74VHC174FT(EL)
IC412	8-759-524-52	s IC TC74VHC574FT(EL)
IC414	8-759-524-52	s IC TC74VHC574FT(EL)
IC418	8-752-360-44	s IC CXX1203AR [Lot No. 804 and higher]
	8-759-524-52	s IC TC74VHC574FT [Lot No. 605 through 803]
IC419	8-759-524-52	s IC TC74VHC574FT(EL)
IC420	8-759-524-52	s IC TC74VHC574FT(EL)
IC421	8-759-524-52	s IC TC74VHC574FT(EL)
IC422	8-759-524-52	s IC TC74VHC574FT(EL)
IC423	8-752-360-44	s IC CXX1203AR [Lot No. 804 and higher]
	8-759-524-52	s IC TC74VHC574FT [Lot No. 605 through 803]
IC424	8-759-049-76	s IC SN74HC244APW-E05 [Lot No. 804 and higher]
	8-759-524-52	s IC TC74VHC574FT [Lot No. 605 through 803]
IC425	8-759-271-86	s IC TC7SH04FU [Lot No. 804 and higher]
	8-759-524-52	s IC TC74VHC574FT [Lot No. 605 through 803]
IC426	8-759-196-96	s IC TC7SH08FU-TE85R [Lot No. 804 and higher]
IC500	8-759-196-96	s IC TC7SH08FU-TE85R

(IF-634 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
IC501	8-759-050-50	s IC SN74HCT04APW-E05
IC502	8-759-940-45	s IC S-8054HN-CB
IC503	8-759-431-01	s IC UPD78014GC-763-AB8
IC504	8-759-524-28	s IC TC74VHC245FT (EL)
IC505	8-759-196-96	s IC TC7SH08FU-TE85R
IC506	8-759-430-21	s IC MSM6524GS-KR1
IC507	8-759-271-86	s IC TC7SH04FU
IC510	8-759-175-79	s IC CXD8818R
IC511	8-759-277-19	s IC UPD485505G-35
IC512	8-759-277-19	s IC UPD485505G-35
IC513	8-759-277-19	s IC UPD485505G-35
IC515	8-759-196-96	s IC TC7SH08FU-TE85R
IC516	8-759-271-86	s IC TC7SH04FU
IC517	8-759-430-21	s IC MSM6524GS-KR1
IC518	8-759-523-01	s IC TC74HC4052AFT (EL)
IC519	8-759-523-01	s IC TC74HC4052AFT (EL)
IC520	8-759-523-01	s IC TC74HC4052AFT (EL)
IC521	8-759-523-01	s IC TC74HC4052AFT (EL)
IC600	8-759-271-86	s IC TC7SH04FU
IC601	8-759-359-12	s IC DS1000Z-100
IC602	8-759-523-80	s IC TC74VHC04FT (EL)
IC603	8-759-295-09	s IC TLC2932IPW
IC604	8-759-260-55	s IC TLC272CPW-E05
IC605	8-752-360-90	s IC CXD303-101Q
IC606	8-759-386-25	s IC 74LCX245MTCX
IC608	8-759-490-41	s IC TC74VHCT541AFT (EL)
IC609	8-759-490-41	s IC TC74VHCT541AFT (EL)
IC610	8-759-490-41	s IC TC74VHCT541AFT (EL)
IC611	8-759-490-41	s IC TC74VHCT541AFT (EL)
IC612	8-759-179-75	s IC CXD8845Q
IC613	8-759-196-96	s IC TC7SH08FU-TE85R
IC614	8-759-196-96	s IC TC7SH08FU-TE85R [Lot No. 804 and higher]
	8-759-523-81	s IC TC74VHC08FT [Lot No. 605 through 803]
IC616	8-759-524-52	s IC TC74VHC574FT (EL)
IC617	8-759-196-96	s IC TC7SH08FU-TE85R
IC618	8-759-082-61	s IC TC4W53FU
IC621	8-759-271-86	s IC TC7SH04FU
IC622	8-759-524-50	s IC TC74VHC541FT (EL)
IC623	8-759-524-50	s IC TC74VHC541FT (EL)
IC624	8-759-524-50	s IC TC74VHC541FT (EL)
IC625	8-759-524-52	s IC TC74VHC574FT (EL)
IC626	8-759-082-61	s IC TC4W53FU
IC627	8-759-082-61	s IC TC4W53FU
IC628	8-759-082-57	s IC TC7W04FU [Lot No. 804 and higher]
	8-759-523-80	s IC TC74VHC04FT [Lot No. 605 through 803]
IC629	8-759-524-50	s IC TC74VHC541FT (EL)
IC630	8-759-523-94	s IC TC74VHC32FT (EL)
IC631	8-759-082-61	s IC TC4W53FU
IC632	8-759-082-55	s IC TC7W00FU
IC633	8-759-271-86	s IC TC7SH04FU
IC634	8-759-271-86	s IC TC7SH04FU
IC635	8-759-524-52	s IC TC74VHC574FT (EL)
IC636	8-759-196-96	s IC TC7SH08FU-TE85R
IC637	8-759-524-18	s IC TC74VHC163FT (EL)
IC638	8-759-196-93	s IC TC7SH00FU-TE85R
IC639	8-759-439-67	s IC TC7W126FU (TE12R)

(IF-634 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
IC640	8-759-327-60	s IC TC7W125FU-TE12R [Lot No. 804 and higher]
IC641	8-759-049-76	s IC SN74HC244APW-E05
IC643	8-759-271-86	s IC TC7SH04FU [Lot No. 804 and higher]
IC644	8-759-271-86	s IC TC7SH04FU [Lot No. 804 and higher]
IC700	8-759-710-88	s IC NJM431U
IC701	8-759-196-96	s IC TC7SH08FU-TE85R
IC702	8-759-337-40	s IC NJM2904V (TE2)
IC703	8-759-337-40	s IC NJM2904V (TE2)
IC704	8-759-252-59	s IC MAX202CSE
IC705	8-759-051-48	s IC SN74HCT541APW-E05
IC706	8-759-337-40	s IC NJM2904V (TE2)
IC707	8-759-337-40	s IC NJM2904V (TE2)
IC708	8-759-399-50	s IC UPD78P4026GC-3B9
IC709	8-759-523-81	s IC TC74VHC08FT (EL)
IC710	8-759-271-86	s IC TC7SH04FU
IC712	8-759-524-50	s IC TC74VHC541FT (EL)
IC713	8-759-082-61	s IC TC4W53FU
IC714	8-759-523-02	s IC TC74HC4053AFT (EL)
IC716	8-759-523-02	s IC TC74HC4053AFT (EL)
IC717	8-759-054-61	s IC CLC505AJE
IC718	8-729-025-54	s TRANSISTOR SI9958DY
IC719	8-759-054-61	s IC CLC505AJE
IC721	8-759-082-61	s IC TC4W53FU
IC724	8-759-196-96	s IC TC7SH08FU-TE85R
IC725	8-759-050-50	s IC SN74HCT04APW-E05
IC726	8-759-523-80	s IC TC74VHC04FT (EL)
IC727	8-759-359-66	s IC TL082CPW-E05
IC728	8-759-523-95	s IC TC74VHC74FT (EL)
IC729	8-759-196-93	s IC TC7SH00FU-TE85R [Lot No. 804 and higher]
	8-759-248-51	s IC TC7W00FU [Lot No. 605 through 803]
IC730	8-752-385-90	s IC CXD1913AQ
IC731	8-759-523-95	s IC TC74VHC74FT (EL)
IC732	8-759-196-96	s IC TC7SH08FU-TE85R
IC733	8-759-082-58	s IC TC7W08FU
IC734	8-729-025-54	s TRANSISTOR SI9958DY
IC851	8-759-528-99	s IC TC74VHC221AFT (EL)
IC852	8-759-030-16	s IC MC34182M [Lot No. 804 and higher]
	8-759-256-52	s IC MC34182DR2 [Lot No. 605 through 803]
IC853	8-759-082-61	s IC TC4W53FU
IC854	8-759-271-04	s IC LT1252CS8
IC858	8-759-987-27	s IC LM1881M
IC900	8-729-045-16	s TRANSISTOR SI4410DY-T1-REVA
IC901	8-729-025-54	s TRANSISTOR SI9958DY
IC903	8-759-710-88	s IC NJM431U
IC904	8-759-076-06	s IC TL064CPW
L600	1-410-393-11	s INDUCTOR, CHIP 100uH
L601	1-410-803-31	s INDUCTOR, CHIP 47nH
L602	1-410-803-31	s INDUCTOR, CHIP 47nH
L603	1-410-803-31	s INDUCTOR, CHIP 47nH
L604	1-410-803-31	s INDUCTOR, CHIP 47nH
L605	1-410-803-31	s INDUCTOR, CHIP 47nH
L606	1-410-803-31	s INDUCTOR, CHIP 47nH

(IF-634 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
L700	1-410-803-31	s INDUCTOR, CHIP 47nH
L701	1-410-803-31	s INDUCTOR, CHIP 47nH
L702	1-410-375-11	s INDUCTOR, CHIP 3.3uH
L703	1-410-373-31	s INDUCTOR, CHIP 2.2uH
L704	1-410-385-11	s INDUCTOR, CHIP 22uH
L900	1-410-737-31	s INDUCTOR, CHIP 0.47uH
Q100	8-729-140-63	s TRANSISTOR 2SA1611-M5M6
Q101	8-729-117-32	s TRANSISTOR 2SC4177
Q102	8-729-117-32	s TRANSISTOR 2SC4177
Q103	8-729-117-32	s TRANSISTOR 2SC4177
Q104	8-729-117-32	s TRANSISTOR 2SC4177
Q105	8-729-117-32	s TRANSISTOR 2SC4177
Q106	8-729-140-63	s TRANSISTOR 2SA1611-M5M6
Q200	8-729-140-63	s TRANSISTOR 2SA1611-M5M6
Q201	8-729-117-32	s TRANSISTOR 2SC4177
Q202	8-729-117-32	s TRANSISTOR 2SC4177
Q203	8-729-117-32	s TRANSISTOR 2SC4177
Q204	8-729-117-32	s TRANSISTOR 2SC4177
Q205	8-729-117-32	s TRANSISTOR 2SC4177
Q206	8-729-140-63	s TRANSISTOR 2SA1611-M5M6
Q207	8-729-209-06	s TRANSISTOR 2SC4213-A
Q208	8-729-209-06	s TRANSISTOR 2SC4213-A
Q209	8-729-028-91	s TRANSISTOR DTA144EUA-T106
Q300	8-729-140-63	s TRANSISTOR 2SA1611-M5M6
Q301	8-729-117-32	s TRANSISTOR 2SC4177
Q302	8-729-117-32	s TRANSISTOR 2SC4177
Q303	8-729-117-32	s TRANSISTOR 2SC4177
Q304	8-729-117-32	s TRANSISTOR 2SC4177
Q305	8-729-117-32	s TRANSISTOR 2SC4177
Q306	8-729-140-63	s TRANSISTOR 2SA1611-M5M6
Q400	8-729-143-09	s TRANSISTOR 2SA1610 [Lot No. 605 through 702]
Q401	8-729-143-09	s TRANSISTOR 2SA1610 [Lot No. 605 through 702]
Q600	8-729-029-14	s TRANSISTOR DTC144EUA-T106
Q700	8-729-029-14	s TRANSISTOR DTC144EUA-T106
Q701	8-729-029-14	s TRANSISTOR DTC144EUA-T106
Q702	8-729-028-91	s TRANSISTOR DTA144EUA-T106
Q703	8-729-028-91	s TRANSISTOR DTA144EUA-T106
Q704	8-729-028-91	s TRANSISTOR DTA144EUA-T106
Q705	8-729-028-91	s TRANSISTOR DTA144EUA-T106
Q706	8-729-117-32	s TRANSISTOR 2SC4177
Q707	8-729-117-32	s TRANSISTOR 2SC4177
Q708	8-729-403-29	s TRANSISTOR XN6435
Q709	8-729-403-29	s TRANSISTOR XN6435
Q710	8-729-028-91	s TRANSISTOR DTA144EUA-T106
Q711	8-729-029-14	s TRANSISTOR DTC144EUA-T106
Q712	8-729-402-19	s TRANSISTOR XN6501
Q713	8-729-140-63	s TRANSISTOR 2SA1611-M5M6
Q714	8-729-142-90	s TRANSISTOR 2SK853-K5
Q715	8-729-403-29	s TRANSISTOR XN6435
Q716	8-729-402-19	s TRANSISTOR XN6501
Q717	8-729-403-32	s TRANSISTOR XN6534
Q718	8-729-403-32	s TRANSISTOR XN6534
Q719	8-729-117-32	s TRANSISTOR 2SC4177
Q720	8-729-117-32	s TRANSISTOR 2SC4177
Q721	8-729-140-63	s TRANSISTOR 2SA1611-M5M6
Q722	8-729-028-91	s TRANSISTOR DTA144EUA-T106

(IF-634 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
Q723	8-729-029-14	s TRANSISTOR DTC144EUA-T106
Q724	8-729-928-81	s TRANSISTOR DTC144EE-TL
Q725	8-729-117-32	s TRANSISTOR 2SC4177
Q726	8-729-140-63	s TRANSISTOR 2SA1611-M5M6 [Lot No. 703 and higher]
Q727	8-729-402-19	s TRANSISTOR XN6501 [Lot No. 703 and higher]
Q728	8-729-140-63	s TRANSISTOR 2SA1611-M5M6 [Lot No. 703 and higher]
Q900	8-729-029-14	s TRANSISTOR DTC144EUA-T106
Q902	8-729-028-91	s TRANSISTOR DTA144EUA-T106
Q904	8-729-029-14	s TRANSISTOR DTC144EUA-T106
Q906	8-729-029-14	s TRANSISTOR DTC144EUA-T106
Q907	8-729-029-14	s TRANSISTOR DTC144EUA-T106
Q908	8-729-020-94	s TRANSISTOR 2SA1314C-TE12L
Q909	8-729-808-42	s TRANSISTOR 2SD1624-T
Q910	8-729-020-94	s TRANSISTOR 2SA1314C-TE12L
Q911	8-729-808-42	s TRANSISTOR 2SD1624-T
Q912	8-729-029-14	s TRANSISTOR DTC144EUA-T106
Q913	8-729-824-34	s TRANSISTOR 2SJ187
R1	1-216-855-11	s METAL, CHIP 680K 5% 1/16W
R2	1-218-672-11	s METAL, CHIP 150 0.50% 1/16W
R3	1-218-672-11	s METAL, CHIP 150 0.50% 1/16W [Lot No. 605 through 803]
R5	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W [Lot No. 703 and higher]
R6	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W [Lot No. 703 and higher]
R8	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Lot No. 703 and higher]
R9	1-218-672-11	s METAL, CHIP 150 0.50% 1/16W
R13	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Lot No. 605 through 803]
R14	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Lot No. 804 and higher]
R18	1-218-710-11	s METAL, CHIP 5.6K 0.50% 1/16W [Lot No. 703 and higher]
R19	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W [Lot No. 703 and higher]
R20	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W [Lot No. 703 and higher]
R21	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W [Lot No. 703 and higher]
R22	1-218-712-11	s METAL, CHIP 6.8K 0.50% 1/16W [Lot No. 703 and higher]
R23	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W [Lot No. 703 and higher]
R24	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W [Lot No. 703 and higher]
R25	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W [Lot No. 703 and higher]
R26	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Lot No. 703 and higher]
R27	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Lot No. 703 and higher]
R32	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Lot No. 605 through 803]
R34	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Lot No. 804 and higher]
R100	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R101	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R102	1-218-680-11	s METAL, CHIP 330 0.50% 1/16W

(IF-634 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R105	1-218-672-11	s METAL, CHIP 150 0.50% 1/16W
R106	1-218-672-11	s METAL, CHIP 150 0.50% 1/16W
R107	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R109	1-218-665-11	s METAL, CHIP 75 0.50% 1/16W
R110	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Lot No. 605 through 803]
R111	1-218-672-11	s METAL, CHIP 150 0.50% 1/16W
R112	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W
R113	1-218-676-11	s METAL, CHIP 220 0.50% 1/16W
R114	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R115	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R116	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R117	1-216-857-11	s METAL, CHIP 1M 5% 1/16W
R118	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R119	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R120	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R121	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R122	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R123	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R124	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R125	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R126	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R127	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R128	1-218-713-11	s METAL, CHIP 7.5K 0.50% 1/16W
R129	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R130	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R131	1-216-852-11	s METAL, CHIP 390K 5% 1/16W
R132	1-218-737-11	s METAL, CHIP 75K 0.50% 1/16W
R133	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R134	1-218-726-11	s METAL, CHIP 27K 0.50% 1/16W
R135	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R136	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R137	1-218-676-11	s METAL, CHIP 220 0.50% 1/16W
R139	1-218-676-11	s METAL, CHIP 220 0.50% 1/16W
R140	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R141	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Lot No. 703 and higher]
R142	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Lot No. 703 and higher]
R200	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R201	1-218-681-11	s METAL, CHIP 360 0.50% 1/16W
R202	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R203	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R204	1-218-680-11	s METAL, CHIP 330 0.50% 1/16W
R205	1-218-680-11	s METAL, CHIP 330 0.50% 1/16W
R206	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R208	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R209	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Lot No. 605 through 803]
R210	1-218-676-11	s METAL, CHIP 220 0.50% 1/16W
R211	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W
R212	1-218-676-11	s METAL, CHIP 220 0.50% 1/16W
R213	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R214	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R215	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R216	1-216-857-11	s METAL, CHIP 1M 5% 1/16W
R217	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R218	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R219	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W

(IF-634 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R220	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R221	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R222	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R223	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R224	1-218-710-11	s METAL, CHIP 5.6K 0.50% 1/16W
R225	1-216-852-11	s METAL, CHIP 390K 5% 1/16W
R226	1-218-737-11	s METAL, CHIP 75K 0.50% 1/16W
R227	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R228	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R229	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R230	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R231	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R232	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R233	1-218-676-11	s METAL, CHIP 220 0.50% 1/16W
R235	1-218-676-11	s METAL, CHIP 220 0.50% 1/16W
R236	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R237	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R238	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R239	1-218-691-11	s METAL, CHIP 910 0.50% 1/16W [Lot No. 804 and higher]
	1-218-694-11	s METAL, CHIP 1.2K 0.50% 1/16W [Lot No. 605 through 803]
R240	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R241	1-218-691-11	s METAL, CHIP 910 0.50% 1/16W [Lot No. 804 and higher]
	1-218-694-11	s METAL, CHIP 1.2K 0.50% 1/16W [Lot No. 605 through 803]
R242	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R300	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R301	1-218-681-11	s METAL, CHIP 360 0.50% 1/16W
R302	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R303	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R304	1-218-680-11	s METAL, CHIP 330 0.50% 1/16W
R305	1-218-680-11	s METAL, CHIP 330 0.50% 1/16W
R306	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R308	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R309	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Lot No. 605 through 803]
R310	1-218-676-11	s METAL, CHIP 220 0.50% 1/16W
R311	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W
R312	1-218-676-11	s METAL, CHIP 220 0.50% 1/16W
R313	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R314	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R315	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R316	1-216-857-11	s METAL, CHIP 1M 5% 1/16W
R317	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R318	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R319	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R320	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R321	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R322	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R323	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R325	1-218-737-11	s METAL, CHIP 75K 0.50% 1/16W
R326	1-216-852-11	s METAL, CHIP 390K 5% 1/16W
R327	1-218-710-11	s METAL, CHIP 5.6K 0.50% 1/16W
R328	1-218-726-11	s METAL, CHIP 27K 0.50% 1/16W
R329	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R330	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R331	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R332	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W

(IF-634 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R333	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R334	1-218-676-11	s METAL, CHIP 220 0.50% 1/16W
R336	1-218-676-11	s METAL, CHIP 220 0.50% 1/16W
R337	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R338	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R341	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Lot No. 804 and higher]
R348	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Lot No. 804 and higher]
R351	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W [Lot No. 804 and higher]
R362	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Lot No. 804 and higher]
R364	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Lot No. 804 and higher]
R368	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Lot No. 804 and higher]
R369	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Lot No. 804 and higher]
R371	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Lot No. 804 and higher]
R375	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Lot No. 804 and higher]
R400	1-218-702-11	s METAL, CHIP 2.7K 0.50% 1/16W
R401	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W [Lot No. 605 through 702]
R402	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W [Lot No. 605 through 702]
R403	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W [Lot No. 703 and higher]
R404	1-216-863-11	s METAL, CHIP 3.3M 0.50% 1/16W [Lot No. 605 through 702]
R406	1-216-863-11	s METAL, CHIP 3.3M 0.50% 1/16W [Lot No. 605 through 702]
R407	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W [Lot No. 605 through 702]
R408	1-218-751-11	s METAL, CHIP 300K 0.50% 1/16W [Lot No. 703 and higher]
R409	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W [Lot No. 605 through 702]
R410	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W [Lot No. 703 and higher]
R412	1-218-702-11	s METAL, CHIP 2.7K 0.50% 1/16W [Lot No. 605 through 702]
R413	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W [Lot No. 605 through 702]
R414	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W [Lot No. 605 through 702]
R415	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W [Lot No. 605 through 702]
R416	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W [Lot No. 605 through 702]
R417	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W [Lot No. 605 through 702]
R422	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R429	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R432	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W [Lot No. 605 through 702]
R500	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R501	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R502	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R503	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Lot No. 605 through 702]

(IF-634 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R504	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R505	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R506	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R507	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R508	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R509	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R510	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R511	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R512	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R513	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R515	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R516	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R517	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R518	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R519	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R521	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R522	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R599	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Lot No. 804 and higher]
R601	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R605	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R606	1-216-857-11	s METAL, CHIP 1M 5% 1/16W
R608	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R609	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R610	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R611	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R612	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R613	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R614	1-218-719-11	s METAL, CHIP 13K 0.50% 1/16W
R615	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R617	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R619	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R620	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R624	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R637	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R638	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R639	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R641	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W [Lot No. 804 and higher]
R642	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R644	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Lot No. 804 and higher]
R645	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Lot No. 804 and higher]
R649	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Lot No. 804 and higher]
R650	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Lot No. 605 through 803]
R655	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Lot No. 605 through 803]
R658	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Lot No. 804 and higher]
R662	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Lot No. 804 and higher]
R669	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Lot No. 804 and higher]
R671	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Lot No. 605 through 702]
R672	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Lot No. 804 and higher]
R673	1-216-864-11	s METAL, CHIP 0 5% 1/16W

(IF-634 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
		[Lot No. 804 and higher]
R675	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R678	1-216-864-11	s METAL, CHIP 0 5% 1/16W
		[Lot No. 605 through 702]
R680	1-216-864-11	s METAL, CHIP 0 5% 1/16W
		[Lot No. 703 and higher]
R681	1-216-864-11	s METAL, CHIP 0 5% 1/16W
		[Lot No. 703 and higher]
R685	1-218-666-11	s METAL, CHIP 82 0.50% 1/16W
R687	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R689	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R690	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R691	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R692	1-216-864-11	s METAL, CHIP 0 5% 1/16W
		[Lot No. 804 and higher]
R693	1-216-864-11	s METAL, CHIP 0 5% 1/16W
		[Lot No. 804 and higher]
R696	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
		[Lot No. 605 through 803]
R698	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R699	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R700	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R701	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R702	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R703	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R704	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R705	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R706	1-218-680-11	s METAL, CHIP 330 0.50% 1/16W
R707	1-218-680-11	s METAL, CHIP 330 0.50% 1/16W
R708	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R709	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R710	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R711	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R712	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R713	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R714	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R715	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R716	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W
R717	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R718	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R719	1-218-733-11	s METAL, CHIP 51K 0.50% 1/16W
R720	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R721	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R722	1-218-680-11	s METAL, CHIP 330 0.50% 1/16W
R723	1-218-680-11	s METAL, CHIP 330 0.50% 1/16W
R724	1-216-864-11	s METAL, CHIP 0 5% 1/16W
		[Lot No. 605 through 803]
R725	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R726	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R727	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R728	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R729	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R730	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R731	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R732	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R733	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R734	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R735	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W
R736	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R737	1-216-864-11	s METAL, CHIP 0 5% 1/16W

(IF-634 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R738	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R739	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R740	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R741	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R742	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R743	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R744	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R745	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R746	1-216-864-11	s METAL, CHIP 0 5% 1/16W
		[Lot No. 605 through 803]
R747	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R748	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R749	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R750	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R751	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R752	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R753	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R754	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
		[Lot No. 703 and higher]
R755	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R756	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R757	1-218-720-11	s METAL, CHIP 15K 0.50% 1/16W
R758	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R759	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R763	1-218-679-91	s METAL, CHIP 300 0.50% 1/16W
R764	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R765	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R766	1-218-720-11	s METAL, CHIP 15K 0.50% 1/16W
R767	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R768	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R769	1-218-687-11	s METAL, CHIP 620 0.50% 1/16W
R770	1-218-672-11	s METAL, CHIP 150 0.50% 1/16W
		[Lot No. 605 through 803]
R771	1-218-701-11	s METAL, CHIP 2.4K 0.50% 1/16W
		[Lot No. 804 and higher]
	1-218-698-11	s METAL, CHIP 1.8K 0.50% 1/16W
		[Lot No. 605 through 803]
R772	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R773	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R774	1-218-672-11	s METAL, CHIP 150 0.50% 1/16W
R775	1-218-672-11	s METAL, CHIP 150 0.50% 1/16W
R776	1-218-710-11	s METAL, CHIP 5.6K 0.50% 1/16W
R777	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R778	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R779	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R780	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R781	1-216-864-11	s METAL, CHIP 0 5% 1/16W
		[Lot No. 605 through 803]
R782	1-216-864-11	s METAL, CHIP 0 5% 1/16W
		[Lot No. 605 through 803]
R783	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R784	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R785	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R786	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R787	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R788	1-216-864-11	s METAL, CHIP 0 5% 1/16W
		[Lot No. 605 through 803]
R789	1-218-710-11	s METAL, CHIP 5.6K 0.50% 1/16W
R790	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R791	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W

(IF-634 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R792	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R793	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R794	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R795	1-218-720-11	s METAL, CHIP 15K 0.50% 1/16W
R796	1-218-720-11	s METAL, CHIP 15K 0.50% 1/16W
R797	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R798	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W [Lot No. 703 and higher]
R799	1-218-712-11	s METAL, CHIP 6.8K 0.50% 1/16W
R800	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R801	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R802	1-218-703-11	s METAL, CHIP 3K 0.50% 1/16W
R803	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R804	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R805	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R806	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R807	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R808	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R809	1-218-672-11	s METAL, CHIP 150 0.50% 1/16W
R810	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R811	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R812	1-218-703-11	s METAL, CHIP 3K 0.50% 1/16W
R813	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R814	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R815	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R817	1-218-694-11	s METAL, CHIP 1.2K 0.50% 1/16W
R818	1-218-730-11	s METAL, CHIP 39K 0.50% 1/16W
R819	1-218-665-11	s METAL, CHIP 75 0.50% 1/16W
R820	1-218-665-11	s METAL, CHIP 75 0.50% 1/16W
R821	1-218-730-11	s METAL, CHIP 39K 0.50% 1/16W
R822	1-218-665-11	s METAL, CHIP 75 0.50% 1/16W
R823	1-218-706-11	s METAL, CHIP 3.9K 0.50% 1/16W
R824	1-218-710-11	s METAL, CHIP 5.6K 0.50% 1/16W
R825	1-218-686-11	s METAL, CHIP 560 0.50% 1/16W
R826	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R827	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R828	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R829	1-218-664-11	s METAL, CHIP 68 0.50% 1/16W
R831	1-218-665-11	s METAL, CHIP 75 0.50% 1/16W
R834	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R839	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R840	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R851	1-218-706-11	s METAL, CHIP 3.9K 0.50% 1/16W
R852	1-218-718-11	s METAL, CHIP 12K 0.50% 1/16W
R853	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R854	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R855	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R856	1-218-694-11	s METAL, CHIP 1.2K 0.50% 1/16W
R857	1-216-863-11	s METAL, CHIP 3.3M 5% 1/16W
R859	1-218-730-11	s METAL, CHIP 39K 0.50% 1/16W
R860	1-218-706-11	s METAL, CHIP 3.9K 0.50% 1/16W
R861	1-218-712-11	s METAL, CHIP 6.8K 0.50% 1/16W
R867	1-216-855-11	s METAL, CHIP 680K 5% 1/16W
R900	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R902	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R904	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R905	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R908	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R909	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W

(IF-634 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R910	1-218-688-11	s METAL, CHIP 680 0.50% 1/16W
R911	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R913	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R914	1-218-702-11	s METAL, CHIP 2.7K 0.50% 1/16W
R915	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R916	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R917	1-218-702-11	s METAL, CHIP 2.7K 0.50% 1/16W
R918	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R919	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R920	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R921	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R922	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R932	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Lot No. 605 through 702]
R934	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Lot No. 605 through 702]
RB500	1-236-907-11	s NETWORK RESISTOR (CHIP) 100K
RB501	1-239-389-11	s NETWORK RESISTOR (CHIP) 47K
RB600	1-239-309-11	s RESISTOR BLOCK, CHIP 100kx8
RB601	1-239-309-11	s RESISTOR BLOCK, CHIP 100kx8
RB602	1-239-621-11	s NETWORK RESISTOR (CHIP) 22
RB603	1-239-621-11	s NETWORK RESISTOR (CHIP) 22
RB604	1-239-621-11	s NETWORK RESISTOR (CHIP) 22
RB605	1-239-621-11	s NETWORK RESISTOR (CHIP) 22
RB700	1-236-904-11	s NETWORK RESISTOR (CHIP) 1.0K
RB701	1-239-430-11	s NETWORK RESISTOR (CHIP) 4.7K
RB702	1-236-904-11	s NETWORK RESISTOR (CHIP) 1.0K
RB703	1-236-904-11	s NETWORK RESISTOR (CHIP) 1.0K
RB704	1-239-309-11	s RESISTOR BLOCK, CHIP 100kx8
S700	1-692-271-31	s SWITCH, SLIDE
X700	1-760-272-11	s CRYSTAL 13.500000MHz

IO-117 BOARD

Ref. No. or Q'ty	Part No.	SP Description
1pc	1-662-338-12	o PRINTED CIRCUIT BOARD, IO-117
1pc	3-603-545-02	o SUPPOT A,BNC CONNECTOR
1pc	3-608-733-01	o PLATE,SHIELD2,BNC
C1	1-115-339-11	s CERAMIC 0.1uF 10% 50V
C2	1-162-718-11	s CERAMIC 220PF 1% 50V
CN2	1-766-380-11	s CONNECTOR, COAXIAL
CN3	1-766-381-11	s CONNECTOR, COAXIAL
CN4	1-766-381-11	s CONNECTOR, COAXIAL
CN5	1-766-381-11	s CONNECTOR, COAXIAL
FL1	1-239-896-12	s FILTER, EMI (SMD)
FL2	1-239-896-12	s FILTER, EMI (SMD)
FL3	1-239-895-12	s FILTER, EMI (SMD)
FL4	1-239-895-12	s FILTER, EMI (SMD)
FL5	1-239-895-12	s FILTER, EMI (SMD)
R1	1-216-295-91	s RES, CHIP 0
R2	1-216-295-91	s RES, CHIP 0
R3	1-216-295-91	s RES, CHIP 0
VDR1	1-806-497-00	s VARISTOR ERZ-C05DK220

KY-293 BOARD

Ref. No. or Q'ty	Part No.	SP Description
1pc	1-652-769-12	o PRINTED CIRCUIT BOARD, KY-293
R101	1-216-045-00	s METAL, CHIP 680 5% 1/10W
R102	1-216-045-00	s METAL, CHIP 680 5% 1/10W
R103	1-216-045-00	s METAL, CHIP 680 5% 1/10W
S101	1-572-725-11	s SWITCH, PUSH
S102	1-572-725-11	s SWITCH, PUSH
S103	1-572-725-11	s SWITCH, PUSH
S104	1-572-725-11	s SWITCH, PUSH
S105	1-572-725-11	s SWITCH, PUSH

LP-86 BOARD *Except DNV-5

Ref. No. or Q'ty	Part No.	SP Description
1pc	1-662-330-11	o PRINTED CIRCUIT BOARD, LP-86
1pc	2-358-583-01	o HOLDER, LED
C101	1-115-339-11	s CERAMIC 0.1uF 10% 50V
CN101	1-565-874-11	s CONNECTOR, PC BOARD 2P, MALE
D101	8-719-032-78	s LED GL3UR8, RED
R101	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
S101	1-570-608-11	s SWITCH, TOGGLE

LP-102 BOARD *For DNV-5

Ref. No. or Q'ty	Part No.	SP Description
1pc	1-662-475-12	o PRINTED CIRCUIT BOARD, LP-102
C1	1-115-339-11	s CERAMIC 0.1uF 10% 50V
C2	1-115-339-11	s CERAMIC 0.1uF 10% 50V
CN1	1-580-055-21	s PIN, CONNECTOR (1.5MM) (SMD) 2P
D1	8-719-032-78	s LED GL3UR8, RED
D2	8-719-032-78	s LED GL3UR8, RED
R1	1-208-774-11	s METAL, CHIP 470 0.50% 1/10W
S1	1-570-608-11	s SWITCH, TOGGLE

MA-68 BOARD *Except DNV-5

Ref. No. or Q'ty	Part No.	SP Description
1pc	1-662-329-12	o PRINTED CIRCUIT BOARD, MA-68
C101	1-163-133-00	s CERAMIC, CHIP 470PF 5% 50V
C102	1-163-133-00	s CERAMIC, CHIP 470PF 5% 50V
C111	1-163-251-11	s CERAMIC, CHIP 100PF 5% 50V
C112	1-163-251-11	s CERAMIC, CHIP 100PF 5% 50V
CN1	1-766-386-11	s CONNECTOR, XLR 3P, FEMALE
CN100	1-565-875-11	o CONNECTOR 3P, MALE
L101	1-412-137-11	s INDUCTOR 10uH
L102	1-412-137-11	s INDUCTOR 10uH

MB-627/627A BOARD

Ref. No. or Q'ty	Part No.	SP Description
1pc	A-8277-537-A	o MOUNTED CIRCUIT BOARD, MB-627A [For DNV-5]
	A-8277-568-A	o MOUNTED CIRCUIT BOARD, MB-627 [Except DNV-5]
1pc	7-623-507-01	s LUG, 2.6
14pcs	3-729-061-01	s SCREW M2X4.5 (TYPE 1)
1pc	3-603-653-01	o COVER, HARNESS
2pcs	3-603-655-01	o SHIELD FINGER (MB-A)
2pcs	3-603-654-01	o SPACER (MB)
3pcs	3-701-437-31	s WASHER
C1	1-163-021-91	s CERAMIC 0.01uF 10% 50V
C2	1-163-021-91	s CERAMIC 0.01uF 10% 50V
C3	1-163-021-91	s CERAMIC 0.01uF 10% 50V
C4	1-126-934-11	s ELECT 220uF 20% 16V
C14	1-164-346-11	s CERAMIC 1uF 16V
C53	1-164-346-11	s CERAMIC 1uF 16V
C55	1-164-346-11	s CERAMIC 1uF 16V
C57	1-164-346-11	s CERAMIC 1uF 16V
C58	1-164-346-11	s CERAMIC 1uF 16V
CN1	1-691-845-11	o CONNECTOR, BOARD TO BOARD 50P
CN3	1-691-845-11	o CONNECTOR, BOARD TO BOARD 50P
CN5	1-778-531-11	o CONNECTOR, BOARD TO BOARD 80P
CN6	1-691-845-11	o CONNECTOR, BOARD TO BOARD 50P
CN20	1-778-542-11	o CONNECTOR, BOARD TO BOARD 52P
CN22	1-764-441-21	s CONNECTOR, FPC 30P
CN23	1-764-441-21	s CONNECTOR, FPC 30P
CN25	1-766-383-11	o CONNECTOR (1.5MM) (SMD) 12P
CN26	1-766-382-11	o CONNECTOR (1.5MM) (SMD) 10P [Except DNV-5]
CN27	1-580-057-11	o CONNECTOR (1.5MM) (SMD) 4P [For DNV-5]
CN30	1-695-223-21	s CONNECTOR (1.5MM) (SMD) 10P
CN31	1-580-789-21	s CONNECTOR (1.5MM) (SMD) 6P
CN32	1-580-055-21	s CONNECTOR (1.5MM) (SMD) 2P
CN33	1-764-085-21	o CONNECTOR, PC BOARD 13P, MALE
CN34	1-778-552-11	o CONNECTOR, 30P, MALE
CN35	1-778-551-11	o CONNECTOR, 20P, MALE
CN50	1-691-550-11	s CONNECTOR (1.5MM) (SMD) 3P
CN51	1-695-320-21	o CONNECTOR (1.5MM) (SMD) 2P
CN52	1-573-768-21	s CONNECTOR (1.5MM) (SMD) 5P
CN53	1-778-534-11	o CONNECTOR, FFC (ZIF) 45P
CN54	1-695-320-21	o CONNECTOR (1.5MM) (SMD) 2P
L1	1-410-389-31	s INDUCTOR CHIP 47UH
L2	1-410-389-31	s INDUCTOR CHIP 47UH
R5	1-216-295-91	s RES, CHIP 0
R10	1-216-295-91	s RES, CHIP 0 [For DNV-5]
R11	1-216-295-91	s RES, CHIP 0 [For DNV-5]
R12	1-216-295-91	s RES, CHIP 0 [For DNV-5]
R13	1-216-295-91	s RES, CHIP 0 [For DNV-5]
R14	1-216-295-91	s RES, CHIP 0 [Except DNV-5]
R15	1-216-295-91	s RES, CHIP 0 [For DNV-5]
R16	1-216-619-11	s METAL, CHIP 47 0.5% 1/10W
R17	1-216-295-91	s RES, CHIP 0 [For DNV-5]
R18	1-216-295-91	s RES, CHIP 0
R20	1-216-295-91	s RES, CHIP 0 [Except DNV-5]
RB1	1-239-711-11	s NETWORK RESISTOR (CHIP) 0 [For DNV-5]

MDC-5 BOARD

Ref. No. or Q'ty	Part No.	SP Description
1pc	A-8277-536-A	o MOUNTED CIRCUIT BOARD, MDC-5
2pcs	3-603-676-01	o HOLDER, GP2S09
C100	1-115-419-11	s CERAMIC, CHIP 3300PF 5% 25V
C101	1-115-419-11	s CERAMIC, CHIP 3300PF 5% 25V
C102	1-115-419-11	s CERAMIC, CHIP 3300PF 5% 25V
C103	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C104	1-135-212-21	s TANTALUM 2.2uF 10% 35V
C105	1-104-608-11	s ELECT, CHIP 33uF 20% 6.3V
C106	1-104-608-11	s ELECT, CHIP 33uF 20% 6.3V
C108	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C109	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C110	1-165-176-11	s CERAMIC 0.047uF 10% 16V
C111	1-165-176-11	s CERAMIC 0.047uF 10% 16V
C112	1-162-957-11	s CERAMIC, CHIP 220PF 5% 50V
C113	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C114	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C115	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C116	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C117	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C118	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C119	1-162-964-11	s CERAMIC, CHIP 0.001uF 10% 50V
C120	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C121	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C122	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C123	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C124	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C125	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C126	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C127	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C128	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C129	1-162-964-11	s CERAMIC, CHIP 0.001uF 10% 50V
C130	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C131	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C132	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C133	1-162-964-11	s CERAMIC, CHIP 0.001uF 10% 50V
C134	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C135	1-162-964-11	s CERAMIC, CHIP 0.001uF 10% 50V
C136	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C137	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C138	1-107-689-21	s TANTALUM, CHIP 1uF 20% 35V
C139	1-107-689-21	s TANTALUM, CHIP 1uF 20% 35V
C140	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C147	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C150	1-126-394-11	s ELECT, CHIP 10uF 20% 16V
C153	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C155	1-162-913-11	s CERAMIC, CHIP 8PF 50V
C157	1-162-913-11	s CERAMIC, CHIP 8PF 50V
C160	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C166	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C175	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C176	1-162-913-11	s CERAMIC, CHIP 8PF 50V
C177	1-162-913-11	s CERAMIC, CHIP 8PF 50V
C178	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C179	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C180	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C181	1-135-155-21	s TANTALUM, CHIP 4.7uF 10% 16V
C182	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C183	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V

(MDC-5 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
C184	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C185	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C186	1-135-072-21	s TANTALUM, CHIP 0.22uF 10% 35V
C187	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C188	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C189	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C190	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C191	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C192	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C193	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C300	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C301	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C302	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C303	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C304	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C305	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C307	1-135-212-21	s TANTALUM 2.2uF 10% 35V
C308	1-135-212-21	s TANTALUM 2.2uF 10% 35V
C309	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C310	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C311	1-162-968-11	s CERAMIC, CHIP 0.0047uF 10% 50V
C312	1-162-968-11	s CERAMIC, CHIP 0.0047uF 10% 50V
C313	1-162-968-11	s CERAMIC, CHIP 0.0047uF 10% 50V
C314	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V
C315	1-104-552-11	s FILM, CHIP 0.012uF 5% 16V
C316	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C317	1-135-318-11	s TANTALUM, CHIP 33uF 20% 4V
C318	1-126-395-11	s ELECT, CHIP 22uF 20% 16V
C319	1-162-968-11	s CERAMIC, CHIP 0.0047uF 10% 50V
C320	1-135-318-11	s TANTALUM, CHIP 33uF 20% 4V
C321	1-135-201-11	s TANTALUM, CHIP 10uF 20% 6.3V
C322	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C323	1-109-898-11	s CERAMIC, CHIP 0.018uF 5% 100V
C324	1-109-897-11	s CERAMIC, CHIP 0.015uF 5% 100V
C325	1-107-689-21	s TANTALUM, CHIP 1uF 20% 35V
C326	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C327	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C328	1-107-823-11	s CERAMIC 0.47uF 10% 16V
C329	1-107-823-11	s CERAMIC 0.47uF 10% 16V
C500	1-162-923-11	s CERAMIC, CHIP 47PF 5% 50V
C501	1-162-966-11	s CERAMIC, CHIP 0.0022uF 10% 50V
C502	1-164-315-11	s CERAMIC, CHIP 470PF 5% 50V
C503	1-135-155-21	s TANTALUM, CHIP 4.7uF 10% 16V
C504	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C506	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C507	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V
C508	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V
C509	1-107-823-11	s CERAMIC 0.47uF 10% 16V
C510	1-107-417-11	s ELECT, CHIP 33uF 20% 25V
C511	1-107-417-11	s ELECT, CHIP 33uF 20% 25V
C512	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C513	1-107-823-11	s CERAMIC 0.47uF 10% 16V
C514	1-109-892-11	s ELECT, CHIP 47uF 20% 25V
C515	1-162-923-11	s CERAMIC, CHIP 47PF 5% 50V
C516	1-162-966-11	s CERAMIC, CHIP 0.0022uF 10% 50V
C517	1-164-315-11	s CERAMIC, CHIP 470PF 5% 50V
C518	1-135-155-21	s TANTALUM, CHIP 4.7uF 10% 16V
C519	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C520	1-162-957-11	s CERAMIC, CHIP 220PF 5% 50V

(MDC-5 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
C521	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C522	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V
C523	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V
C526	1-107-823-11	s CERAMIC 0.47uF 10% 16V
C528	1-107-823-11	s CERAMIC 0.47uF 10% 16V
C529	1-109-892-11	s ELECT, CHIP 47uF 20% 25V
C530	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C532	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C533	1-162-923-11	s CERAMIC, CHIP 47PF 5% 50V
C534	1-162-923-11	s CERAMIC, CHIP 47PF 5% 50V
CN5	1-778-532-11	o CONNECTOR, BOARD TO BOARD 80P
CN501	1-695-320-21	o PIN, CONNECTOR (1.5MM) (SMD) 2P
CN502	1-695-209-21	s CONNECTOR, PC BOARD 15P, MALE
CN503	1-691-591-11	s PIN, CONNECTOR (1.5MM) (SMD) 8P
CN504	1-766-383-11	o PIN, CONNECTOR (1.5MM) (SMD) 12P
CN505	1-573-290-21	s PIN, CONNECTOR (1.5MM) (SMD) 4P
CN507	1-766-382-11	o PIN, CONNECTOR (1.5MM) (SMD) 10P
CN508	1-695-320-21	o PIN, CONNECTOR (1.5MM) (SMD) 2P
CN509	1-695-320-21	o PIN, CONNECTOR (1.5MM) (SMD) 2P
CN510	1-695-320-21	o PIN, CONNECTOR (1.5MM) (SMD) 2P
CN511	1-568-338-11	s CONNECTOR, BOARD TO BOARD 24P
CN512	1-695-320-21	o PIN, CONNECTOR (1.5MM) (SMD) 2P
CT300	1-424-511-11	s TRANSFORMER, FE
D102	8-719-041-79	s DIODE MA721WA-TX
D103	8-719-026-34	s LED CL-170UR-CD, RED
D104	8-719-026-34	s LED CL-170UR-CD, RED
D105	8-719-026-34	s LED CL-170UR-CD, RED
D106	8-719-026-34	s LED CL-170UR-CD, RED
D107	8-719-026-34	s LED CL-170UR-CD, RED
D108	8-719-026-34	s LED CL-170UR-CD, RED
D300	8-719-026-34	s LED CL-170UR-CD, RED
D301	8-719-026-34	s LED CL-170UR-CD, RED
D302	8-719-026-34	s LED CL-170UR-CD, RED
D303	8-719-026-34	s LED CL-170UR-CD, RED
D304	8-719-106-88	s DIODE RD15M-B1
D305	8-719-026-34	s LED CL-170UR-CD, RED
D307	8-719-941-23	s DIODE DA204U
D500	8-719-938-75	s DIODE SB05-05CP
D501	8-719-938-75	s DIODE SB05-05CP
D502	8-719-938-75	s DIODE SB05-05CP
D503	8-719-938-75	s DIODE SB05-05CP
IC100	8-759-530-05	s IC TC4053BFS-EL
IC101	8-759-338-95	s IC NJM2903V(Te2)
IC102	8-759-111-56	s IC UPC4572G2
IC103	8-759-805-32	s IC LA7205M
IC104	8-759-051-48	s IC SN74HCT541APW-E05
IC105	8-759-260-55	s IC TLC272CPW-E05
IC106	8-759-338-95	s IC NJM2903V(Te2)
IC107	8-759-273-87	s IC NJM2901V(Te2)
IC108	8-759-523-96	s IC TC74VHC86FT(EL)
IC109	8-759-049-98	s IC SN74HCT4APW-E05
IC112	8-759-542-63	o IC WS57C256F-55C-SV1V1.50
IC114	8-759-337-40	s IC NJM2904V(Te2)
IC116	8-752-850-30	s IC CXP871P40Q-1
IC117	8-759-166-93	s IC LB1843V-TLM
IC118	8-759-431-99	s IC BR9020F-E2
IC119	8-759-259-18	s IC MB3793-42PNF

(MDC-5 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
IC120	8-759-271-86	s IC TC7SH04FU
IC121	8-759-271-86	s IC TC7SH04FU
IC122	8-759-271-86	s IC TC7SH04FU
IC124	8-759-196-93	s IC TC7SH00FU-TE85R
IC125	8-759-196-96	s IC TC7SH08FU-TE85R
IC126	8-759-710-88	s IC NJM431U
IC300	8-759-399-64	s IC LB1857M-TE-L
IC301	8-759-530-05	s IC TC4053BFS-EL
IC302	8-759-271-86	s IC TC7SH04FU
IC303	8-759-710-28	s IC NJM4565M-A
IC304	8-759-338-95	s IC NJM2903V(TE2)
IC305	8-759-234-77	s IC TC4S66F
IC306	8-759-082-61	s IC TC4W53FU
IC500	8-759-371-43	s IC SI9145BQ-T1
IC501	8-759-271-86	s IC TC7SH04FU
IC502	8-759-189-47	s IC MC34151DR2
IC503	8-729-025-54	s TRANSISTOR SI9958DY
IC504	8-759-371-43	s IC SI9145BQ-T1
IC505	8-759-271-86	s IC TC7SH04FU
IC507	8-729-025-54	s TRANSISTOR SI9958DY
IC512	8-759-710-88	s IC NJM431U
L100	1-410-733-11	s INDUCTOR, CHIP 0.22uH
L101	1-410-733-11	s INDUCTOR, CHIP 0.22uH
L105	1-409-647-11	s COIL, CHOKE 22uH
L106	1-410-369-11	s INDUCTOR CHIP 1uH
L107	1-410-369-11	s INDUCTOR CHIP 1uH
L300	1-424-642-11	s COIL, CHOKE 47uH
L500	1-409-722-11	s COIL, CHOKE 220uH
L501	1-409-722-11	s COIL, CHOKE 220uH
L502	1-424-642-11	s COIL, CHOKE 47uH
PD300	8-719-988-15	s PHTO REFLECTOR PR-11-C
PD301	8-719-988-15	s PHTO REFLECTOR PR-11-C
PD302	8-719-988-15	s PHTO REFLECTOR PR-11-C
PD303	8-719-988-15	s PHTO REFLECTOR PR-11-C
PD304	8-719-939-23	s PHOTO INTERRUPTER GP2S09-C
PD305	8-719-939-23	s PHOTO INTERRUPTER GP2S09-C
PD306	8-749-010-00	s PHOTO INTERRUPTER GP1S33
Q107	8-729-824-34	s TRANSISTOR 2SJ187
Q108	8-729-808-42	s TRANSISTOR 2SD1624-T
Q109	8-729-029-14	s TRANSISTOR DTC144EUA-T106
Q110	8-729-029-14	s TRANSISTOR DTC144EUA-T106
Q300	8-729-117-32	s TRANSISTOR 2SC4177
Q301	8-729-117-32	s TRANSISTOR 2SC4177
Q302	8-729-117-32	s TRANSISTOR 2SC4177
Q303	8-729-117-32	s TRANSISTOR 2SC4177
Q304	8-729-808-42	s TRANSISTOR 2SD1624-T
Q305	8-729-118-56	s TRANSISTOR 2SK852-X2
Q306	8-729-117-32	s TRANSISTOR 2SC4177
Q307	8-729-117-32	s TRANSISTOR 2SC4177
Q308	8-729-117-32	s TRANSISTOR 2SC4177
Q309	8-729-028-91	s TRANSISTOR DTA144EUA-T106
Q310	8-729-028-91	s TRANSISTOR DTA144EUA-T106
Q311	8-729-024-50	s TRANSISTOR SI9936DY
Q312	8-729-028-91	s TRANSISTOR DTA144EUA-T106
Q313	8-729-029-14	s TRANSISTOR DTC144EUA-T106
Q314	8-729-117-32	s TRANSISTOR 2SC4177
Q315	8-729-140-63	s TRANSISTOR 2SA1611-M5M6

(MDC-5 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
Q316	8-729-824-34	s TRANSISTOR 2SJ187
Q317	8-729-209-07	s TRANSISTOR 2SC4213-B
Q318	8-729-209-07	s TRANSISTOR 2SC4213-B
Q319	8-729-028-91	s TRANSISTOR DTA144EUA-T106
Q320	8-729-028-91	s TRANSISTOR DTA144EUA-T106
Q500	8-729-028-91	s TRANSISTOR DTA144EUA-T106
Q501	8-729-028-91	s TRANSISTOR DTA144EUA-T106
R100	1-218-712-11	s METAL, CHIP 6.8K 0.50% 1/16W
R101	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R102	1-218-690-11	s METAL, CHIP 820 0.50% 1/16W
R103	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R104	1-218-701-11	s METAL, CHIP 2.4K 0.50% 1/16W
R105	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R106	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R107	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R108	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R109	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R110	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R111	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R112	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R113	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R114	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R115	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R116	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R117	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R118	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R119	1-219-797-11	s METAL, CHIP 0.33 1% 1/4W
R120	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R121	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R122	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R123	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R124	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R125	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R126	1-218-746-11	s METAL, CHIP 180K 0.50% 1/16W
R127	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R128	1-218-730-11	s METAL, CHIP 39K 0.50% 1/16W
R129	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R131	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R132	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R133	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R134	1-216-857-11	s METAL, CHIP 1M 5% 1/16W
R135	1-218-730-11	s METAL, CHIP 39K 0.50% 1/16W
R136	1-218-752-11	s METAL, CHIP 330K 0.50% 1/16W
R137	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R138	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R139	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R140	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R141	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R142	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R143	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R144	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R145	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R146	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R147	1-218-746-11	s METAL, CHIP 180K 0.50% 1/16W
R148	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R149	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R150	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R151	1-218-752-11	s METAL, CHIP 330K 0.50% 1/16W

(MDC-5 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R152	1-216-857-11	s METAL, CHIP 1M 5% 1/16W
R153	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R154	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R155	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R156	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R157	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R158	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R159	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R160	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R161	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R162	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R163	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R164	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R165	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R166	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R167	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R168	1-218-744-11	s METAL, CHIP 150K 0.50% 1/16W
R169	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R170	1-218-723-11	s METAL, CHIP 20K 0.50% 1/16W
R182	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R183	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R190	1-218-744-11	s METAL, CHIP 150K 0.50% 1/16W
R191	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R196	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R209	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R211	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R214	1-218-744-11	s METAL, CHIP 150K 0.50% 1/16W
R215	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R219	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R220	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R221	1-218-744-11	s METAL, CHIP 150K 0.50% 1/16W
R222	1-218-744-11	s METAL, CHIP 150K 0.50% 1/16W
R223	1-218-744-11	s METAL, CHIP 150K 0.50% 1/16W
R224	1-218-744-11	s METAL, CHIP 150K 0.50% 1/16W
R225	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R226	1-218-676-11	s METAL, CHIP 220 0.50% 1/16W
R227	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R230	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R231	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R232	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R233	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R234	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R235	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R236	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R237	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R238	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R239	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R240	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R241	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R242	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R246	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R247	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R248	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R249	1-218-726-11	s METAL, CHIP 27K 0.50% 1/16W
R300	1-218-688-11	s METAL, CHIP 680 0.50% 1/16W
R301	1-218-688-11	s METAL, CHIP 680 0.50% 1/16W
R302	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R303	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R304	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W

(MDC-5 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R305	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R306	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R307	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R308	1-218-752-11	s METAL, CHIP 330K 0.50% 1/16W
R309	1-218-750-11	s METAL, CHIP 270K 0.50% 1/16W
R310	1-218-750-11	s METAL, CHIP 270K 0.50% 1/16W
R311	1-218-674-11	s METAL, CHIP 180 0.50% 1/16W
R312	1-218-656-11	s METAL, CHIP 33 0.50% 1/16W
R313	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R314	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R315	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R316	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R317	1-216-853-11	s METAL, CHIP 470K 5% 1/16W
R318	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R319	1-218-744-11	s METAL, CHIP 150K 0.50% 1/16W
R320	1-216-852-11	s METAL, CHIP 390K 5% 1/16W
R321	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R322	1-218-712-11	s METAL, CHIP 6.8K 0.50% 1/16W
R323	1-218-680-11	s METAL, CHIP 330 0.50% 1/16W
R324	1-216-853-11	s METAL, CHIP 470K 5% 1/16W
R325	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R326	1-218-698-11	s METAL, CHIP 1.8K 0.50% 1/16W
R327	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R328	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R329	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W
R330	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R331	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R332	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R333	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W
R334	1-218-680-11	s METAL, CHIP 330 0.50% 1/16W
R335	1-216-789-11	s METAL, CHIP 2.2 5% 1/16W
R336	1-216-789-11	s METAL, CHIP 2.2 5% 1/16W
R337	1-218-744-11	s METAL, CHIP 150K 0.50% 1/16W
R338	1-218-750-11	s METAL, CHIP 270K 0.50% 1/16W
R339	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R340	1-218-746-11	s METAL, CHIP 180K 0.50% 1/16W
R341	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R342	1-216-857-11	s METAL, CHIP 1M 5% 1/16W
R343	1-216-789-11	s METAL, CHIP 2.2 5% 1/16W
R344	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R345	1-216-789-11	s METAL, CHIP 2.2 5% 1/16W
R346	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R347	1-218-752-11	s METAL, CHIP 330K 0.50% 1/16W
R348	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R349	1-216-793-11	s METAL, CHIP 4.7 5% 1/16W
R350	1-216-793-11	s METAL, CHIP 4.7 5% 1/16W
R351	1-216-793-11	s METAL, CHIP 4.7 5% 1/16W
R353	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R356	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R357	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R359	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R500	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R501	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R502	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R503	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R504	1-218-744-11	s METAL, CHIP 150K 0.50% 1/16W
R506	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R507	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R508	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W

(MDC-5 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R509	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R510	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R511	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R512	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R513	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R514	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R515	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R516	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R517	1-218-744-11	s METAL, CHIP 150K 0.50% 1/16W
R518	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R519	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R520	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R521	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R522	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R523	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R524	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R525	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R526	1-218-743-11	s METAL, CHIP 130K 0.50% 1/16W
R527	1-218-726-11	s METAL, CHIP 27K 0.50% 1/16W
R528	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R529	1-218-722-11	s METAL, CHIP 18K 0.50% 1/16W
R530	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R531	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R532	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R533	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R534	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R535	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R544	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
RB100	1-239-444-11	s NETWORK RESISTOR (CHIP) 220K
RB101	1-239-444-11	s NETWORK RESISTOR (CHIP) 220K
RB102	1-239-389-11	s NETWORK RESISTOR (CHIP) 47K
RB103	1-239-389-11	s NETWORK RESISTOR (CHIP) 47K
RB104	1-236-904-11	s NETWORK RESISTOR (CHIP) 1.0K
RB105	1-236-904-11	s NETWORK RESISTOR (CHIP) 1.0K
RB106	1-236-904-11	s NETWORK RESISTOR (CHIP) 1.0K
RB107	1-239-444-11	s NETWORK RESISTOR (CHIP) 220K
RB108	1-236-904-11	s NETWORK RESISTOR (CHIP) 1.0K
RB109	1-236-904-11	s NETWORK RESISTOR (CHIP) 1.0K
RB110	1-236-904-11	s NETWORK RESISTOR (CHIP) 1.0K
RB111	1-236-904-11	s NETWORK RESISTOR (CHIP) 1.0K
RB112	1-236-904-11	s NETWORK RESISTOR (CHIP) 1.0K
RB113	1-236-904-11	s NETWORK RESISTOR (CHIP) 1.0K
RB114	1-239-444-11	s NETWORK RESISTOR (CHIP) 220K
RB115	1-239-430-11	s NETWORK RESISTOR (CHIP) 4.7K
RB116	1-239-444-11	s NETWORK RESISTOR (CHIP) 220K
RB300	1-236-907-11	s NETWORK RESISTOR (CHIP) 100K
RB301	1-239-444-11	s NETWORK RESISTOR (CHIP) 220K
RB302	1-239-430-11	s NETWORK RESISTOR (CHIP) 4.7K
RB303	1-236-904-11	s NETWORK RESISTOR (CHIP) 1.0K
RV100	1-237-039-11	s RES, ADJ METAL 100K
S100	1-572-719-11	s SWITCH, PUSH
S101	1-572-719-11	s SWITCH, PUSH
S102	1-572-719-11	s SWITCH, PUSH
S103	1-572-719-11	s SWITCH, PUSH
S104	1-572-719-11	s SWITCH, PUSH
S105	1-572-719-11	s SWITCH, PUSH
S106	1-572-719-11	s SWITCH, PUSH

(MDC-5 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
S107	1-572-719-11	s SWITCH, PUSH
S108	1-572-474-11	s SWITCH, TACTIL
S109	1-572-474-11	s SWITCH, TACTIL
S110	1-692-881-41	s SWITCH, SLIDE
S111	1-692-881-41	s SWITCH, SLIDE
S300	1-572-474-11	s SWITCH, TACTIL
X100	1-760-271-11	s CRYSTAL 12.000000MHz
X101	1-760-271-11	s CRYSTAL 12.000000MHz

MDR-1 BOARD

Ref. No. or Q'ty	Part No.	SP Description
1pc	1-662-314-11	o PRINTED CIRCUIT BOARD, MDR-1
C1	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C2	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C3	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C4	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C5	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C6	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C7	1-107-689-21	s TANTALUM, CHIP 1uF 20% 35V
C8	1-164-695-11	s CERAMIC 0.0022uF 5% 50V
C9	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C10	1-135-177-21	s TANTALUM, CHIP 1uF 10% 25V
C11	1-135-177-21	s TANTALUM, CHIP 1uF 10% 25V
CN1	1-562-772-11	o CONNECTOR, 12P, FEMALE
CN2	1-562-772-11	o CONNECTOR, 12P, FEMALE
CN3	1-691-551-11	s PIN, CONNECTOR (1.5MM) (SMD) 8P
CN4	1-764-007-11	s PIN, CONNECTOR (1.5MM) (SMD) 12P
IC2	8-759-399-64	s IC LB1857M-TE-L
R1	1-218-674-11	s METAL, CHIP 180 0.50% 1/16W
R2	1-218-670-11	s METAL, CHIP 120 0.50% 1/16W
R3	1-218-776-11	s METAL 1M 0.5% 1/10W
R4	1-218-730-11	s METAL, CHIP 39K 0.50% 1/16W
R5	1-216-793-11	s METAL, CHIP 4.7 5% 1/16W
R6	1-216-793-11	s METAL, CHIP 4.7 5% 1/16W
R7	1-216-793-11	s METAL, CHIP 4.7 5% 1/16W

PA-186 BOARD *Except DNV-5

Ref. No. or Q'ty	Part No.	SP Description
C1	1-113-981-11	s TANTALUM, CHIP 22uF 20% 20V
C2	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C3	1-113-981-11	s TANTALUM, CHIP 22uF 20% 20V
C4	1-113-981-11	s TANTALUM, CHIP 22uF 20% 20V
C5	1-107-686-11	s TANTALUM, CHIP 4.7uF 20% 16V
C6	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V
C7	1-162-964-11	s CERAMIC, CHIP 0.001uF 10% 50V
C8	1-104-823-11	s TANTALUM, CHIP 47uF 20% 16V
C9	1-107-686-11	s TANTALUM, CHIP 4.7uF 20% 16V
C10	1-162-964-11	s CERAMIC, CHIP 0.001uF 10% 50V
C11	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V
C14	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C15	1-104-823-11	s TANTALUM, CHIP 47uF 20% 16V
C16	1-113-981-11	s TANTALUM, CHIP 22uF 20% 20V
C17	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C18	1-113-981-11	s TANTALUM, CHIP 22uF 20% 20V
C19	1-113-981-11	s TANTALUM, CHIP 22uF 20% 20V
C20	1-107-686-11	s TANTALUM, CHIP 4.7uF 20% 16V
C21	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V
C22	1-162-964-11	s CERAMIC, CHIP 0.001uF 10% 50V
C23	1-162-964-11	s CERAMIC, CHIP 0.001uF 10% 50V
C26	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C27	1-113-981-11	s TANTALUM, CHIP 22uF 20% 20V
C28	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C29	1-113-981-11	s TANTALUM, CHIP 22uF 20% 20V
C30	1-113-981-11	s TANTALUM, CHIP 22uF 20% 20V
C31	1-107-686-11	s TANTALUM, CHIP 4.7uF 20% 16V
C32	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V
C33	1-113-981-11	s TANTALUM, CHIP 22uF 20% 20V
C34	1-113-981-11	s TANTALUM, CHIP 22uF 20% 20V
C35	1-162-964-11	s CERAMIC, CHIP 0.001uF 10% 50V
C36	1-162-964-11	s CERAMIC, CHIP 0.001uF 10% 50V
C39	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C40	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V [Lot No. 604 through 612]
C42	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V [Lot No. 604 through 612]
C44	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V [Lot No. 604 through 612]
C46	1-162-964-11	s CERAMIC, CHIP 0.001uF 10% 50V [Lot No. 604 through 612]
C47	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C48	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C50	1-162-915-11	s CERAMIC, CHIP 10PF 50V
C51	1-113-682-11	s TANTALUM, CHIP 33uF 20% 10V [Lot No. 604 through 612]
C52	1-113-682-11	s TANTALUM, CHIP 33uF 20% 10V [Lot No. 604 through 612]
C53	1-113-682-11	s TANTALUM, CHIP 33uF 20% 10V [Lot No. 604 through 612]
C54	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V [Lot No. 604 through 612]
C55	1-107-686-11	s TANTALUM, CHIP 4.7uF 20% 10V [Lot No. 604 through 612]
C56	1-113-682-91	s TANTALUM, CHIP 47uF 20% 10V [Lot No. 604 through 612]
C57	1-113-981-11	s TANTALUM, CHIP 22uF 20% 20V
C58	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V [Lot No. 701 and higher]
C59	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V [Lot No. 701 and higher]

(PA-186 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
C60	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V [Lot No. 701 and higher]
C61	1-162-910-11	s CERAMIC, CHIP 5PF 50V [Lot No. 701 and higher]
C62	1-162-910-11	s CERAMIC, CHIP 5PF 50V [Lot No. 701 and higher]
C63	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V [Lot No. 701 and higher]
C64	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V [Lot No. 701 and higher]
C65	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V [Lot No. 701 and higher]
C66	1-162-910-11	s CERAMIC, CHIP 5PF 50V [Lot No. 701 and higher]
C67	1-162-910-11	s CERAMIC, CHIP 5PF 50V [Lot No. 701 and higher]
C68	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V [Lot No. 701 and higher]
C69	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V [Lot No. 701 and higher]
C70	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V [Lot No. 701 and higher]
C71	1-162-910-11	s CERAMIC, CHIP 5PF 50V [Lot No. 701 and higher]
C72	1-162-910-11	s CERAMIC, CHIP 5PF 50V [Lot No. 701 and higher]
C73	1-162-915-11	s CERAMIC, CHIP 10PF 50V [Lot No. 701 and higher]
C74	1-162-915-11	s CERAMIC, CHIP 10PF 50V [Lot No. 701 and higher]
C75	1-162-915-11	s CERAMIC, CHIP 10PF 50V [Lot No. 701 and higher]
CN1	1-506-467-11	o CONNECTOR 2P, MALE
CN2	1-506-467-11	o CONNECTOR 2P, MALE
CN3	1-506-467-11	o CONNECTOR 2P, MALE
CN4	1-568-331-11	s CONNECTOR, BOARD TO BOARD 10P
CN5	1-691-942-11	s CONNECTOR, BOARD TO BOARD 30P
CN7	1-691-942-11	s CONNECTOR, BOARD TO BOARD 30P
D1	8-719-041-68	s DIODE RD3.3UH(1)-T1
D2	8-719-029-57	s DIODE RD2.4UH-T1
D3	8-719-041-68	s DIODE RD3.3UH(1)-T1
D4	8-719-041-68	s DIODE RD3.3UH(1)-T1
D5	8-719-029-57	s DIODE RD2.4UH-T1 [Lot No. 604 through 612]
IC1	8-752-052-72	s IC CXA1439M
IC2	8-759-082-53	s IC TLC274CPW
IC3	8-759-196-96	s IC TC7SH08FU-TE85R
IC4	8-759-196-96	s IC TC7SH08FU-TE85R
IC5	8-759-337-40	s IC NJM2904V (TE2)
IC6	8-759-392-02	s IC TC7SH86FU-TE85L [Lot No. 701 and higher]
	8-759-196-96	s IC TC7SH08FU-TE85L [Lot No. 604 through 612]
IC7	8-759-447-77	s IC TC7WH74FU (TR12R)
IC8	8-752-052-72	s IC CXA1439M
IC9	8-759-196-96	s IC TC7SH08FU-TE85R
IC10	8-759-196-96	s IC TC7SH08FU-TE85R
IC11	8-759-392-02	s IC TC7SH86FU-TE85L [Lot No. 701 and higher]
	8-759-196-96	s IC TC7SH08FU-TE85L [Lot No. 604 through 612]

(PA-186 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
IC12	8-759-447-77	s IC TC7WH74FU (TR12R)
IC13	8-752-052-72	s IC CXA1439M
IC14	8-759-196-96	s IC TC7SH08FU-TE85R
IC15	8-759-196-96	s IC TC7SH08FU-TE85R
IC16	8-759-392-02	s IC TC7SH86FU-TE85L [Lot No. 701 and higher]
	8-759-196-96	s IC TC7SH08FU-TE85L [Lot No. 604 through 612]
IC17	8-759-447-77	s IC TC7WH74FU (TR12R)
IC18	8-759-392-02	s IC TC7SH86FU-TE85L [Lot No. 701 and higher]
	8-759-196-93	s IC TC7SH00FU-TE85L [Lot No. 604 through 612]
IC19	8-759-392-02	s IC TC7SH86FU-TE85L [Lot No. 701 and higher]
	8-759-196-93	s IC TC7SH00FU-TE85L [Lot No. 604 through 612]
IC20	8-759-066-68	s IC REF-03GS
IC21	8-759-392-02	s IC TC7SH86FU-TE85L [Lot No. 701 and higher]
	8-759-196-93	s IC TC7SH00FU-TE85L [Lot No. 604 through 612]
IC22	8-759-196-96	s IC TC7SH08FU-TE85R
IC23	8-759-196-96	s IC TC7SH08FU-TE85R
IC24	8-759-344-69	s IC NJM2904V-TE1 [Lot No. 604 through 612]
IC25	8-759-082-61	s IC TC4W53FU [Lot No. 701 and higher]
IC26	8-759-082-61	s IC TC4W53FU [Lot No. 701 and higher]
IC27	8-759-082-61	s IC TC4W53FU [Lot No. 701 and higher]
L1	1-410-737-31	s INDUCTOR, CHIP 0.47uH
L2	1-410-737-31	s INDUCTOR, CHIP 0.47uH
L3	1-410-737-31	s INDUCTOR, CHIP 0.47uH
L4	1-410-737-31	s INDUCTOR, CHIP 0.47uH
L5	1-410-737-31	s INDUCTOR, CHIP 0.47uH
Q3	8-729-122-63	s TRANSISTOR 2SA1226
Q4	8-729-216-22	s TRANSISTOR 2SA1162
Q5	8-729-216-22	s TRANSISTOR 2SA1162
Q8	8-729-122-63	s TRANSISTOR 2SA1226
Q9	8-729-216-22	s TRANSISTOR 2SA1162
Q12	8-729-122-63	s TRANSISTOR 2SA1226
Q13	8-729-216-22	s TRANSISTOR 2SA1162
Q14	8-729-216-22	s TRANSISTOR 2SA1162 [Lot No. 604 through 612]
R1	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R4	1-218-656-11	s METAL, CHIP 33 0.50% 1/16W
R5	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W [Lot No. 701 and higher]
	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W [Lot No. 604 through 612]
R6	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R7	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R9	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R10	1-216-864-11	s METAL, CHIP 0 1/16W [Lot No. 604 through 612]
R11	1-216-864-11	s METAL, CHIP 0 1/16W
R13	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R14	1-218-719-11	s METAL, CHIP 13K 0.50% 1/16W
R15	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W

(PA-186 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R16	1-218-703-11	s METAL, CHIP 3K 0.50% 1/16W
R17	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R18	1-216-789-11	s METAL, CHIP 2.2 5% 1/16W [Lot No. 701 and higher]
R19	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R20	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R21	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R22	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R23	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R26	1-218-656-11	s METAL, CHIP 33 0.50% 1/16W
R27	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W [Lot No. 701 and higher]
	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W [Lot No. 604 through 612]
R28	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R29	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R31	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R32	1-216-864-11	s METAL, CHIP 0 1/16W [Lot No. 604 through 612]
R33	1-216-864-11	s METAL, CHIP 0 1/16W
R35	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R36	1-218-719-11	s METAL, CHIP 13K 0.50% 1/16W
R37	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R38	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R39	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R40	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R43	1-218-656-11	s METAL, CHIP 33 0.50% 1/16W
R44	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W [Lot No. 701 and higher]
	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W [Lot No. 604 through 612]
R45	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R46	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R48	1-216-864-11	s METAL, CHIP 0 1/16W [Lot No. 604 through 612]
R49	1-216-864-11	s METAL, CHIP 0 1/16W
R50	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R52	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R53	1-218-719-11	s METAL, CHIP 13K 0.50% 1/16W
R54	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R55	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R56	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R57	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R58	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R59	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R60	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R61	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R62	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R63	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R64	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R65	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R68	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R70	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R71	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R75	1-216-864-11	s METAL, CHIP 0 1/16W [Lot No. 604 through 612]
R80	1-216-864-11	s METAL, CHIP 0 1/16W [Lot No. 604 through 612]
R85	1-216-864-11	s METAL, CHIP 0 1/16W [Lot No. 604 through 612]
R87	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W

(PA-186 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
		[Lot No. 604 through 612]
R88	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W [Lot No. 604 through 612]
R89	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W [Lot No. 604 through 612]
R91	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R93	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R94	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R95	1-216-864-11	s METAL, CHIP 0 1/16W
R96	1-216-864-11	s METAL, CHIP 0 1/16W
R97	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R99	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R100	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R104	1-216-864-11	s METAL, CHIP 0 1/16W [Lot No. 701 and higher]
R105	1-216-864-11	s METAL, CHIP 0 1/16W [Lot No. 701 and higher]
R106	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W [Lot No. 701 and higher]
R107	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W [Lot No. 701 and higher]
R108	1-218-692-11	s METAL, CHIP 4.7K 0.50% 1/16W [Lot No. 604 through 612]
R110	1-216-864-11	s METAL, CHIP 0 1/16W [Lot No. 701 and higher]
R111	1-216-864-11	s METAL, CHIP 0 1/16W [Lot No. 701 and higher]
R112	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W [Lot No. 701 and higher]
R113	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W [Lot No. 701 and higher]
R116	1-216-864-11	s METAL, CHIP 0 1/16W [Lot No. 701 and higher]
R117	1-216-864-11	s METAL, CHIP 0 1/16W [Lot No. 701 and higher]
R118	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W [Lot No. 701 and higher]
R119	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W [Lot No. 701 and higher]
RV1	1-237-034-11	s RES, ADJ METAL 2K [Lot No. 701 and higher]
RV1	1-237-035-11	s RES, ADJ METAL 5K [Lot No. 604 through 612]
RV2	1-237-034-11	s RES, ADJ METAL 2K [Lot No. 701 and higher]
	1-237-032-11	s RES, ADJ METAL 500 [Lot No. 604 through 612]
RV3	1-237-034-11	s RES, ADJ METAL 2K [Lot No. 701 and higher]
	1-237-035-11	s RES, ADJ METAL 5K [Lot No. 604 through 612]
RV4	1-237-034-11	s RES, ADJ METAL 2K [Lot No. 701 and higher]
	1-237-032-11	s RES, ADJ METAL 500 [Lot No. 604 through 612]
RV5	1-237-034-11	s RES, ADJ METAL 2K [Lot No. 701 and higher]
	1-237-035-11	s RES, ADJ METAL 5K [Lot No. 604 through 612]
RV6	1-237-034-11	s RES, ADJ METAL 2K [Lot No. 701 and higher]
	1-237-032-11	s RES, ADJ METAL 500 [Lot No. 604 through 612]

PA-203 BOARD			*For DNV-5
Ref. No. or Q'ty	Part No.	SP Description	
1pc	A-8311-257-A	o MOUNTED CIRCUIT BOARD, PA-203	
C100	1-128-405-11	s	ELECT 22uF 20% 50V
C101	1-128-405-11	s	ELECT 22uF 20% 50V
C102	1-164-227-11	s	CERAMIC, CHIP 0.022uF 10% 25V
C103	1-162-927-11	s	CERAMIC, CHIP 100PF 5% 50V
C104	1-164-227-11	s	CERAMIC, CHIP 0.022uF 10% 25V
C105	1-162-927-11	s	CERAMIC, CHIP 100PF 5% 50V
C106	1-104-823-11	s	TANTALUM, CHIP 47uF 20% 16V
C107	1-104-823-11	s	TANTALUM, CHIP 47uF 20% 16V
C108	1-104-913-11	s	TANTALUM, CHIP 10uF 20% 16V
C109	1-135-177-21	s	TANTALUM, CHIP 1uF 10% 25V
C110	1-107-826-11	s	CERAMIC, CHIP 0.1uF 10% 16V
C111	1-107-826-11	s	CERAMIC, CHIP 0.1uF 10% 16V
C112	1-135-215-21	s	TANTALUM, CHIP 6.8uF 10% 16V
C113	1-163-021-91	s	CERAMIC 0.01uF 10% 50V
C114	1-135-215-21	s	TANTALUM, CHIP 6.8uF 10% 16V
C115	1-107-826-11	s	CERAMIC, CHIP 0.1uF 10% 16V
C116	1-107-826-11	s	CERAMIC, CHIP 0.1uF 10% 16V
CN1	1-580-789-21	s	PIN, CONNECTOR (1.5MM) (SMD) 6P
CN125	1-569-775-21	s	PIN, CONNECTOR (1.5MM) (SMD) 5P
CN133	1-580-055-21	s	PIN, CONNECTOR (1.5MM) (SMD) 2P
D100	8-719-800-76	s	DIODE 1SS226
D101	8-719-800-76	s	DIODE 1SS226
D102	8-719-029-63	s	DIODE RD4.3UH-T1
D103	8-719-029-63	s	DIODE RD4.3UH-T1
IC100	8-759-700-84	s	IC NJM2041M-D
IC101	8-759-701-01	s	IC NJM2904M
IC102	8-759-710-88	s	IC NJM431U
L100	1-410-737-31	s	INDUCTOR, CHIP 0.47uH
L101	1-410-737-31	s	INDUCTOR, CHIP 0.47uH
Q100	8-729-020-94	s	TRANSISTOR 2SA1314C-TE12L
Q101	8-729-808-42	s	TRANSISTOR 2SD1624-T
Q102	8-729-120-28	s	TRANSISTOR 2SC1623-L5L6
R100	1-218-704-11	s	METAL, CHIP 3.3K 0.50% 1/16W
R101	1-218-740-11	s	METAL, CHIP 100K 0.50% 1/16W
R102	1-218-740-11	s	METAL, CHIP 100K 0.50% 1/16W
R103	1-218-678-11	s	METAL, CHIP 270 0.50% 1/16W
R104	1-218-692-11	s	METAL, CHIP 1K 0.50% 1/16W
R105	1-218-704-11	s	METAL, CHIP 3.3K 0.50% 1/16W
R106	1-218-704-11	s	METAL, CHIP 3.3K 0.50% 1/16W
R107	1-218-732-11	s	METAL, CHIP 47K 0.50% 1/16W
R108	1-218-732-11	s	METAL, CHIP 47K 0.50% 1/16W
R109	1-218-724-11	s	METAL, CHIP 22K 0.50% 1/16W
R110	1-218-702-11	s	METAL, CHIP 2.7K 0.50% 1/16W
R111	1-218-724-11	s	METAL, CHIP 22K 0.50% 1/16W
R112	1-218-740-11	s	METAL, CHIP 100K 0.50% 1/16W
R113	1-218-732-11	s	METAL, CHIP 47K 0.50% 1/16W
R114	1-218-688-11	s	METAL, CHIP 680 0.50% 1/16W
R115	1-218-724-11	s	METAL, CHIP 22K 0.50% 1/16W
R116	1-218-740-11	s	METAL, CHIP 100K 0.50% 1/16W

PS-309 BOARD		
Ref. No. or Q'ty	Part No.	SP Description
1pc	A-8277-532-A	o MOUNTED CIRCUIT BOARD, PS-390
C101	1-111-059-11	s ELECT 220uF 20% 25V
C102	1-164-004-11	s CERAMIC, CHIP 0.1uF 10% 25V
C103	1-164-004-11	s CERAMIC, CHIP 0.1uF 10% 25V
C104	1-164-004-11	s CERAMIC, CHIP 0.1uF 10% 25V
C105	1-164-004-11	s CERAMIC, CHIP 0.1uF 10% 25V
C106	1-127-520-11	s ELECT SOLID 68uF 20% 20V
C107	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C108	1-162-964-11	s CERAMIC, CHIP 0.001uF 10% 50V
C109	1-107-690-11	s TANTALUM, CHIP 6.8uF 20% 35V
C110	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C111	1-165-176-11	s CERAMIC 0.047uF 10% 16V
C112	1-107-686-11	s TANTALUM, CHIP 4.7uF 20% 16V
C113	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C114	1-164-004-11	s CERAMIC, CHIP 0.1uF 10% 25V
C115	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
CN101	1-564-720-11	o CONNECTOR, 4P, MALE
CN102	1-564-722-11	o CONNECTOR, 6P, MALE
D101	8-719-023-54	s DIODE EA60QC06-TE16F2
D102	8-719-941-86	s DIODE DAN202U
FL101	1-117-193-11	s CERAMIC 3, TERMINAL 1.5uF 50V
IC101	8-759-521-35	s IC TL5001CD
IC102	8-759-701-36	s IC NJM3403AM
IC103	8-729-045-53	TRANSISTOR SI4431DY-T1
IC104	8-729-045-16	TRANSISTOR SI4410DY-T1-REVA
L101	1-421-459-21	s COIL, CHOKE
L102	1-411-968-11	s COIL, CHOKE 33uH
Q101	8-729-029-14	s TRANSISTOR DTC144EUA-T106
Q102	8-729-028-91	s TRANSISTOR DTA144EUA-T106
Q103	8-729-117-32	s TRANSISTOR 2SC4177
Q104	8-729-028-91	s TRANSISTOR DTA144EUA-T106
Q105	8-729-141-75	s TRANSISTOR 2SD596DV345
Q106	8-729-117-32	s TRANSISTOR 2SC4177
Q107	8-729-140-63	s TRANSISTOR 2SA1611-M5M6
R101	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R102	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R103	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R104	1-218-656-11	s METAL, CHIP 33 0.50% 1/16W
R105	1-219-989-11	s RES 0.020 0.1% 1W
R106	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R107	1-218-672-11	s METAL, CHIP 150 0.50% 1/16W
R108	1-218-717-11	s METAL, CHIP 11K 0.50% 1/16W
R109	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R110	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R111	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R112	1-218-749-11	s METAL, CHIP 240K 0.50% 1/16W
R113	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R114	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R115	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R116	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R117	1-218-726-11	s METAL, CHIP 27K 0.50% 1/16W
R118	1-218-697-11	s METAL, CHIP 1.6K 0.50% 1/16W
R119	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R120	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W

PSW-33 BOARD *Except DNV-5

Ref. No.
or Q'ty Part No. SP Description

1pc	1-565-977-11	s CONTACT, FEMALE AWG28-32
1pc	1-569-617-11	o HOUSING, 2P
1pc	1-569-680-11	o HOUSING, 2P
1pc	1-662-312-11	o PRINTED CIRCUIT BOARD, PSW-33
S1	1-762-002-11	s SWITCH, TOGGLE

PSW-55 BOARD *For DNV-5

Ref. No.
or Q'ty Part No. SP Description

1pc	1-662-476-11	o PRINTED CIRCUIT BOARD, PSW-55
CN1	1-566-757-11	s CONNECTOR, PC BOARD 2P, MALE
S1	1-762-002-11	s SWITCH, TOGGLE

RC-61 BOARD *For DNV-9WS/9WSP/90WP/90WSP

Ref. No.
or Q'ty Part No. SP Description

1pc	A-8311-974-B	o MOUNTED CIRCUIT BOARD, RC-61
1pc	X-3604-643-2	o PLATE ASSY,RADIATION
C6	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C7	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C8	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C9	1-113-500-11	s TANTALUM, CHIP 100uF 20% 10V
C10	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C11	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C13	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C16	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C18	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C19	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C20	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C21	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C28	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C30	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C32	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C33	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C35	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C36	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C37	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C38	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C45	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C47	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C51	1-113-500-11	s TANTALUM, CHIP 100uF 20% 10V
CN1	1-778-537-11	o CONNECTOR, BOARD TO BOARD 66P
CN2	1-778-537-11	o CONNECTOR, BOARD TO BOARD 66P
IC1	8-759-524-10	s IC TC74VHC157FT(EL)
IC2	8-759-524-10	s IC TC74VHC157FT(EL)
IC3	8-759-491-46	s IC TC74VHC04FT(EL)
IC4	8-759-523-96	s IC TC74VHC86FT(EL)
IC5	8-759-523-95	s IC TC74VHC74FT(EL)
IC6	8-759-524-51	s IC TC74VHC573FT(EL)
IC7	8-759-524-51	s IC TC74VHC573FT(EL)
IC8	8-759-524-51	s IC TC74VHC573FT(EL)
IC9	8-759-524-51	s IC TC74VHC573FT(EL)
IC10	8-759-524-10	s IC TC74VHC157FT(EL)
IC11	8-759-524-51	s IC TC74VHC573FT(EL)
IC12	8-759-524-10	s IC TC74VHC157FT(EL)
IC13	8-752-360-44	s IC CXX1203AR
IC14	8-752-360-44	s IC CXX1203AR
IC15	8-752-360-44	s IC CXX1203AR
IC16	8-752-360-44	s IC CXX1203AR
IC18	8-752-360-44	s IC CXX1203AR
IC19	8-752-360-44	s IC CXX1203AR
IC20	8-752-360-44	s IC CXX1203AR
IC21	8-752-360-44	s IC CXX1203AR
IC23	8-759-421-88	s IC SN74LVC821APW-E05
IC24	8-759-421-88	s IC SN74LVC821APW-E05
IC25	8-759-421-88	s IC SN74LVC821APW-E05
IC26	8-759-421-88	s IC SN74LVC821APW-E05
IC27	8-759-421-88	s IC SN74LVC821APW-E05
IC28	8-759-421-88	s IC SN74LVC821APW-E05
IC30	8-752-360-44	s IC CXX1203AR
IC33	8-752-360-44	s IC CXX1203AR
IC35	8-752-360-44	s IC CXX1203AR
IC38	8-752-360-44	s IC CXX1203AR

(RC-61 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
IC41	8-759-524-51	s IC TC74VHC573FT(EL)
IC42	8-759-524-51	s IC TC74VHC573FT(EL)
R1	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R3	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R4	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R5	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R6	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R8	1-216-864-11	s METAL, CHIP 0 5% 1/16W

RE-118/118A BOARD

Ref. No. or Q'ty	Part No.	SP Description
C1	1-104-478-11	s TANTALUM, CHIP 10uF 20% 35V
C2	1-164-004-11	s CERAMIC, CHIP 0.1uF 10% 25V
C3	1-107-686-11	s TANTALUM, CHIP 4.7uF 20% 16V
C4	1-164-004-11	s CERAMIC, CHIP 0.1uF 10% 25V
C5	1-164-004-11	s CERAMIC, CHIP 0.1uF 10% 25V
C6	1-107-689-21	s TANTALUM, CHIP 1uF 20% 35V
C7	1-107-686-11	s TANTALUM, CHIP 4.7uF 20% 16V
C8	1-164-004-11	s CERAMIC, CHIP 0.1uF 10% 25V
C9	1-163-133-00	s CERAMIC, CHIP 470PF 5% 50V
C10	1-164-004-11	s CERAMIC, CHIP 0.1uF 10% 25V
C11	1-107-689-21	s TANTALUM, CHIP 1uF 20% 35V
C12	1-107-686-11	s TANTALUM, CHIP 4.7uF 20% 16V
C13	1-164-004-11	s CERAMIC, CHIP 0.1uF 10% 25V
C14	1-164-004-11	s CERAMIC, CHIP 0.1uF 10% 25V
C15	1-107-689-21	s TANTALUM, CHIP 1uF 20% 35V
C16	1-107-686-11	s TANTALUM, CHIP 4.7uF 20% 16V
C17	1-164-004-11	s CERAMIC, CHIP 0.1uF 10% 25V
C18	1-164-004-11	s CERAMIC, CHIP 0.1uF 10% 25V
C19	1-107-689-21	s TANTALUM, CHIP 1uF 20% 35V
C20	1-163-017-00	s CERAMIC, CHIP 0.0047uF 5% 50V
C100	1-107-687-11	s TANTALUM, CHIP 3.3uF 20% 20V
C101	1-163-037-11	s CERAMIC, CHIP 0.022uF 10% 25V
C200	1-107-687-11	s TANTALUM, CHIP 3.3uF 20% 20V
C201	1-163-037-11	s CERAMIC, CHIP 0.022uF 10% 25V
C301	1-107-687-11	s TANTALUM, CHIP 3.3uF 20% 20V
C302	1-104-760-11	s CERAMIC 0.047uF 10% 50V
C401	1-107-687-11	s TANTALUM, CHIP 3.3uF 20% 20V
C402	1-163-037-11	s CERAMIC, CHIP 0.022uF 10% 25V
C500	1-107-687-11	s TANTALUM, CHIP 3.3uF 20% 20V
C501	1-163-037-11	s CERAMIC, CHIP 0.022uF 10% 25V
C600	1-107-687-11	s TANTALUM, CHIP 3.3uF 20% 20V
C601	1-164-004-11	s CERAMIC, CHIP 0.1uF 10% 25V
C700	1-107-687-11	s TANTALUM, CHIP 3.3uF 20% 20V
C702	1-163-037-11	s CERAMIC, CHIP 0.022uF 10% 25V
CN1	1-573-337-11	o CONNECTOR, BOARD TO BOARD 18P
CN2	1-573-337-11	o CONNECTOR, BOARD TO BOARD 18P
IC1	8-759-066-68	s IC REF-03GS
IC2	8-759-260-57	s IC TL1451ACPW-E05
IC3	8-759-260-57	s IC TL1451ACPW-E05
IC4	8-759-260-57	s IC TL1451ACPW-E05
IC5	8-759-260-57	s IC TL1451ACPW-E05
Q2	8-729-216-22	s TRANSISTOR 2SA1162
Q4	1-801-806-11	s TRANSISTOR DTC144EKA-T146
Q101	8-729-027-60	s TRANSISTOR DTC144TKA-T146
Q201	8-729-027-60	s TRANSISTOR DTC144TKA-T146
Q301	8-729-027-60	s TRANSISTOR DTC144TKA-T146
Q401	8-729-027-60	s TRANSISTOR DTC144TKA-T146
Q501	8-729-027-60	s TRANSISTOR DTC144TKA-T146
Q601	8-729-027-60	s TRANSISTOR DTC144TKA-T146
Q701	8-729-027-60	s TRANSISTOR DTC144TKA-T146
R1	1-216-627-11	s METAL, CHIP 100 0.5% 1/10W
R2	1-216-675-11	s METAL, CHIP 10K 0.5% 1/10W
R3	1-216-687-11	s METAL, CHIP 33K 0.5% 1/10W
R4	1-216-643-11	s METAL, CHIP 470 0.5% 1/10W
R5	1-216-675-11	s METAL, CHIP 10K 0.5% 1/10W
		[Except DNV-5]
	1-216-679-11	s METAL, CHIP 15K 0.5% 1/10W
		[For DNV-5]

(RE-118/118A BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R6	1-216-627-11	s METAL, CHIP 100 0.5% 1/10W
R7	1-216-295-91	s RES, CHIP 0
R9	1-216-627-11	s METAL, CHIP 100 0.5% 1/10W
R10	1-216-627-11	s METAL, CHIP 100 0.5% 1/10W
R100	1-211-998-11	s METAL, CHIP 4.7K 0.10% 1/10W
R101	1-211-998-11	s METAL, CHIP 4.7K 0.10% 1/10W
R102	1-216-691-11	s METAL, CHIP 47K 0.5% 1/10W
R103	1-216-684-11	s METAL, CHIP 24K 0.50% 1/10W
R104	1-218-760-11	s METAL, CHIP 220K 0.5% 1/10W
R105	Δ 1-219-218-11	s METAL 24K 0.10% 1/10W
R106	Δ 1-220-386-11	s METAL 3.6K 0.10% 1/10W
R107	Δ 1-211-994-11	s METAL 120 0.10% 1/10W
R200	1-211-998-11	s METAL, CHIP 4.7K 0.10% 1/10W
R201	1-211-998-11	s METAL, CHIP 4.7K 0.10% 1/10W
R202	1-216-691-11	s METAL, CHIP 47K 0.5% 1/10W
R203	1-218-760-11	s METAL, CHIP 220K 0.5% 1/10W
R204	1-216-684-11	s METAL, CHIP 24K 0.50% 1/10W
R205	1-219-220-11	s METAL 56K 0.10% 1/10W
R206	1-219-216-11	s METAL 12K 0.10% 1/10W
R301	1-211-998-11	s METAL, CHIP 4.7K 0.10% 1/10W
R302	1-211-998-11	s METAL, CHIP 4.7K 0.10% 1/10W
R304	1-216-689-11	s METAL, CHIP 39K 0.5% 1/10W
R305	1-218-760-11	s METAL, CHIP 220K 0.5% 1/10W
R306	1-216-675-11	s METAL, CHIP 10K 0.5% 1/10W
R307	1-218-367-11	s METAL, CHIP 10K 0.10% 1/10W
R308	1-211-997-11	s METAL 3K 0.10% 1/10W
R309	1-211-995-11	s METAL 330 0.10% 1/10W
R401	1-211-998-11	s METAL, CHIP 4.7K 0.10% 1/10W
R402	1-211-998-11	s METAL, CHIP 4.7K 0.10% 1/10W
R403	1-216-687-11	s METAL, CHIP 33K 0.5% 1/10W
R404	1-216-691-11	s METAL, CHIP 47K 0.5% 1/10W
R405	1-218-760-11	s METAL, CHIP 220K 0.5% 1/10W
R406	1-216-667-11	s METAL, CHIP 4.7K 0.5% 1/10W
R407	1-218-367-11	s METAL, CHIP 10K 0.10% 1/10W
R408	1-211-999-11	s METAL 9.1K 0.10% 1/10W
R409	1-219-713-11	s METAL, CHIP 620 0.10% 1/10W
R500	1-211-998-11	s METAL, CHIP 4.7K 0.10% 1/10W
R501	1-211-998-11	s METAL, CHIP 4.7K 0.10% 1/10W
R502	1-216-687-11	s METAL, CHIP 33K 0.5% 1/10W
R503	1-216-691-11	s METAL, CHIP 47K 0.5% 1/10W
R504	1-216-667-11	s METAL, CHIP 4.7K 0.5% 1/10W
R505	1-218-760-11	s METAL, CHIP 220K 0.5% 1/10W
R506	1-211-998-11	s METAL, CHIP 4.7K 0.10% 1/10W
R507	1-211-997-11	s METAL 3K 0.10% 1/10W
R508	1-216-295-91	s RES, CHIP 0
R600	1-211-998-11	s METAL, CHIP 4.7K 0.10% 1/10W
R601	1-211-998-11	s METAL, CHIP 4.7K 0.10% 1/10W
R602	1-216-687-11	s METAL, CHIP 33K 0.5% 1/10W
R603	1-216-689-11	s METAL, CHIP 39K 0.5% 1/10W
R604	1-218-760-11	s METAL, CHIP 220K 0.5% 1/10W
R605	1-216-655-11	s METAL, CHIP 1.5K 0.5% 1/10W
R606	1-219-710-11	s METAL, CHIP 100 0.10% 1/10W
R607	1-211-998-11	s METAL, CHIP 4.7K 0.10% 1/10W
R608	1-219-218-11	s METAL 24K 0.10% 1/10W
R609	1-216-667-11	s METAL, CHIP 4.7K 0.5% 1/10W
R700	1-211-998-11	s METAL, CHIP 4.7K 0.10% 1/10W
R701	1-211-998-11	s METAL, CHIP 4.7K 0.10% 1/10W
R702	1-216-687-11	s METAL, CHIP 33K 0.5% 1/10W
R703	1-216-691-11	s METAL, CHIP 47K 0.5% 1/10W

(RE-118/118A BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R704	1-216-295-91	s RES, CHIP 0
R706	1-216-684-11	s METAL, CHIP 24K 0.50% 1/10W
R707	1-218-760-11	s METAL, CHIP 220K 0.5% 1/10W
R708	1-219-219-11	s METAL 33K 0.10% 1/10W
R709	1-211-997-11	s METAL 3K 0.10% 1/10W
R710	1-216-696-11	s METAL, CHIP 75K 0.5% 1/10W
R711	1-216-661-11	s METAL, CHIP 2.7K 0.5% 1/10W
[Lot No. 711 and higher, except DNV-5]		
R711	1-216-295-91	s RES, CHIP 0
[Lot No. 604 through 710, except DNV-5]		



RE-119/119A BOARD

Ref. No. or Q'ty	Part No.	SP Description
2pcs	3-729-061-01	s SCREW M2X4.5 (TYPE 1)
C1	1-127-513-00	s ALUMN SOLID 15uF 20% 25V
C2	1-164-004-11	s CERAMIC, CHIP 0.1uF 10% 25V
C3	1-126-399-11	s ELECT, CHIP 10uF 20% 35V
C4	1-164-004-11	s CERAMIC, CHIP 0.1uF 10% 25V
C5	1-126-399-11	s ELECT, CHIP 10uF 20% 35V
C6	1-164-004-11	s CERAMIC, CHIP 0.1uF 10% 25V
C7	1-107-686-11	s TANTALUM, CHIP 4.7uF 20% 16V
C8	1-163-009-11	s CERAMIC, CHIP 0.001uF 10% 50V
C100	1-164-004-11	s CERAMIC, CHIP 0.1uF 10% 25V
C101	1-127-513-00	s ALUMN SOLID 15uF 20% 25V
C102	1-164-004-11	s CERAMIC, CHIP 0.1uF 10% 25V
C103	1-113-577-11	s ELECT SOLID 47uF 20% 16V
C104	1-164-004-11	s CERAMIC, CHIP 0.1uF 10% 25V
C105	1-111-008-11	s ELECT 180uF 20% 10V
C200	1-164-004-11	s CERAMIC, CHIP 0.1uF 10% 25V
C201	1-127-513-00	s ALUMN SOLID 15uF 20% 25V
C202	1-164-004-11	s CERAMIC, CHIP 0.1uF 10% 25V
C203	1-113-577-11	s ELECT SOLID 47uF 20% 16V
C204	1-164-004-11	s CERAMIC, CHIP 0.1uF 10% 25V
C205	1-115-733-11	s ELECT 470uF 20% 10V [Lot No. 612 and higher]
	1-111-008-11	s ELECT 180uF 20% 10V [Lot No. 604 through 611]
C300	1-164-004-11	s CERAMIC, CHIP 0.1uF 10% 25V
C301	1-163-037-11	s CERAMIC, CHIP 0.022uF 10% 25V
C302	1-163-037-11	s CERAMIC, CHIP 0.022uF 10% 25V
C303	1-127-513-00	s ALUMN SOLID 15uF 20% 25V
C304	1-164-004-11	s CERAMIC, CHIP 0.1uF 10% 25V
C305	1-113-577-11	s ELECT SOLID 47uF 20% 16V
C306	1-164-004-11	s CERAMIC, CHIP 0.1uF 10% 25V
C307	1-164-004-11	s CERAMIC, CHIP 0.1uF 10% 25V
C308	1-111-034-11	s ELECT 220uF 20% 16V
C309	1-111-034-11	s ELECT 220uF 20% 16V
C400	1-164-004-11	s CERAMIC, CHIP 0.1uF 10% 25V
C401	1-163-037-11	s CERAMIC, CHIP 0.022uF 10% 25V
C402	1-163-037-11	s CERAMIC, CHIP 0.022uF 10% 25V
C403	1-127-513-00	s ALUMN SOLID 15uF 20% 25V
C404	1-164-004-11	s CERAMIC, CHIP 0.1uF 10% 25V
C405	1-113-577-11	s ELECT SOLID 47uF 20% 16V
C406	1-164-004-11	s CERAMIC, CHIP 0.1uF 10% 25V
C407	1-111-034-11	s ELECT 220uF 20% 16V
C500	1-164-004-11	s CERAMIC, CHIP 0.1uF 10% 25V
C501	1-163-037-11	s CERAMIC, CHIP 0.022uF 10% 25V
C502	1-163-037-11	s CERAMIC, CHIP 0.022uF 10% 25V
C503	1-127-513-00	s ALUMN SOLID 15uF 20% 25V
C504	1-164-004-11	s CERAMIC, CHIP 0.1uF 10% 25V
C505	1-113-577-11	s ELECT SOLID 47uF 20% 16V
C506	1-164-004-11	s CERAMIC, CHIP 0.1uF 10% 25V
C507	1-111-034-11	s ELECT 220uF 20% 16V
C600	1-164-004-11	s CERAMIC, CHIP 0.1uF 10% 25V
C601	1-163-037-11	s CERAMIC, CHIP 0.022uF 10% 25V
C602	1-163-037-11	s CERAMIC, CHIP 0.022uF 10% 25V
C603	1-127-513-00	s ALUMN SOLID 15uF 20% 25V
C604	1-164-004-11	s CERAMIC, CHIP 0.1uF 10% 25V
C605	1-113-577-11	s ELECT SOLID 47uF 20% 16V
C606	1-164-004-11	s CERAMIC, CHIP 0.1uF 10% 25V
C607	1-111-034-11	s ELECT 220uF 20% 16V
C608	1-164-004-11	s CERAMIC, CHIP 0.1uF 10% 25V

(RE-119/119A BOARD)

Ref. No. or Q'ty	Part No.	SP Description
C700	1-164-004-11	s CERAMIC, CHIP 0.1uF 10% 25V
C701	1-127-513-00	s ALUMN SOLID 15uF 20% 25V
C702	1-164-004-11	s CERAMIC, CHIP 0.1uF 10% 25V
C703	1-164-004-11	s CERAMIC, CHIP 0.1uF 10% 25V
C704	1-113-577-11	s ELECT SOLID 47uF 20% 16V
C705	1-113-577-11	s ELECT SOLID 47uF 20% 16V
C706	1-164-004-11	s CERAMIC, CHIP 0.1uF 10% 25V
C707	1-111-110-11	s ELECT 39uF 20% 50V
C708	1-164-004-11	s CERAMIC, CHIP 0.1uF 10% 25V
C709	1-164-004-11	s CERAMIC, CHIP 0.1uF 10% 25V
C710	1-115-757-11	s ELECT 330uF 20% 16V [Lot No. 612 and higher]
	1-111-032-11	s ELECT 120uF 20% 16V [Lot No. 604 through 611]
C711	1-115-757-11	s ELECT 330uF 20% 16V [Lot No. 612 and higher]
	1-111-032-11	s ELECT 120uF 20% 16V [Lot No. 604 through 611]
C712	1-111-110-11	s ELECT 39uF 20% 50V
C713	1-164-004-11	s CERAMIC, CHIP 0.1uF 10% 25V
CN1	1-573-309-11	o CONNECTOR, BOARD TO BOARD 18P
CN2	1-573-309-11	o CONNECTOR, BOARD TO BOARD 18P
CN3	1-695-453-11	s CONNECTOR, BOARD TO BOARD 50P
D1	8-719-104-34	s DIODE 1S2835
D2	8-719-104-34	s DIODE 1S2835
D3	8-719-104-34	s DIODE 1S2835
D4	8-719-104-34	s DIODE 1S2835
D5	8-719-104-34	s DIODE 1S2835
D6	8-719-104-34	s DIODE 1S2835
D100	8-719-048-17	s DIODE MBRS130LT3
D200	8-719-048-17	s DIODE MBRS130LT3
D300	8-719-938-75	s DIODE SB05-05CP
D301	8-719-938-75	s DIODE SB05-05CP
D400	8-719-938-75	s DIODE SB05-05CP
D401	8-719-938-75	s DIODE SB05-05CP
D500	8-719-938-75	s DIODE SB05-05CP
D501	8-719-938-75	s DIODE SB05-05CP
D600	8-719-938-75	s DIODE SB05-05CP
D601	8-719-938-75	s DIODE SB05-05CP
D700	8-719-989-93	s DIODE SB01-15CP
D701	8-719-938-75	s DIODE SB05-05CP
D702	8-719-938-75	s DIODE SB05-05CP
IC1	8-759-710-88	s IC NJM431U
IC2	8-759-927-99	s IC MB3761PF
IC100	8-729-021-17	s TRANSISTOR SI9947DY-T1
IC200	8-729-021-17	s TRANSISTOR SI9947DY-T1
IC300	8-729-039-35	s TRANSISTOR SI9435DY-T1
IC400	8-729-039-35	s TRANSISTOR SI9435DY-T1
IC500	8-729-039-35	s TRANSISTOR SI9435DY-T1
IC600	8-729-039-35	s TRANSISTOR SI9435DY-T1
IC700	8-729-039-35	s TRANSISTOR SI9435DY-T1
L100	1-409-579-11	s COIL, CHOKE 8.2uH
L101	1-409-722-11	s COIL, CHOKE 220uH
L102	1-409-579-11	s COIL, CHOKE 8.2uH
L200	1-409-579-11	s COIL, CHOKE 8.2uH
L201	1-409-722-11	s COIL, CHOKE 220uH
L202	1-409-579-11	s COIL, CHOKE 8.2uH
L300	1-409-579-11	s COIL, CHOKE 8.2uH
L301	1-411-967-11	s COIL, CHOKE 33uH

(RE-119/119A BOARD)

Ref. No. or Q'ty	Part No.	SP Description
L302	1-409-579-11	s COIL, CHOKE 8.2uH
L303	1-409-579-11	s COIL, CHOKE 8.2uH
L400	1-409-579-11	s COIL, CHOKE 8.2uH
L401	1-411-967-11	s COIL, CHOKE 33uH
L402	1-409-579-11	s COIL, CHOKE 8.2uH
L500	1-409-579-11	s COIL, CHOKE 8.2uH
L501	1-411-967-11	s COIL, CHOKE 33uH
L502	1-409-579-11	s COIL, CHOKE 8.2uH
L600	1-409-579-11	s COIL, CHOKE 8.2uH
L601	1-411-967-11	s COIL, CHOKE 33uH
L602	1-409-579-11	s COIL, CHOKE 8.2uH
L700	1-409-579-11	s COIL, CHOKE 8.2uH
L701	1-424-642-11	s COIL, CHOKE 47uH
L702	1-409-579-11	s COIL, CHOKE 8.2uH
L703	1-409-579-11	s COIL, CHOKE 8.2uH
Q1	8-729-118-56	s TRANSISTOR 2SK852-X2
Q2	8-729-027-38	s TRANSISTOR DTA144EKA-T146
Q3	8-729-120-28	s TRANSISTOR 2SC1623-L5L6
Q4	8-729-216-22	s TRANSISTOR 2SA1162
Q5	8-729-120-28	s TRANSISTOR 2SC1623-L5L6
Q6	8-729-120-28	s TRANSISTOR 2SC1623-L5L6
Q100	8-729-120-28	s TRANSISTOR 2SC1623-L5L6
Q101	8-729-112-65	s TRANSISTOR 2SA1462-Y33
Q200	8-729-120-28	s TRANSISTOR 2SC1623-L5L6
Q201	8-729-112-65	s TRANSISTOR 2SA1462-Y33
Q300	8-729-012-35	s TRANSISTOR 2SK711-BL
Q301	8-729-120-28	s TRANSISTOR 2SC1623-L5L6
Q302	8-729-112-65	s TRANSISTOR 2SA1462-Y33
Q303	8-729-031-39	s TRANSISTOR MTD20N03HDL
Q400	8-729-012-35	s TRANSISTOR 2SK711-BL
Q401	8-729-120-28	s TRANSISTOR 2SC1623-L5L6
Q402	8-729-112-65	s TRANSISTOR 2SA1462-Y33
Q403	8-729-031-39	s TRANSISTOR MTD20N03HDL
Q500	8-729-012-35	s TRANSISTOR 2SK711-BL
Q501	8-729-120-28	s TRANSISTOR 2SC1623-L5L6
Q502	8-729-112-65	s TRANSISTOR 2SA1462-Y33
Q503	8-729-031-39	s TRANSISTOR MTD20N03HDL
Q600	8-729-012-35	s TRANSISTOR 2SK711-BL
Q601	8-729-120-28	s TRANSISTOR 2SC1623-L5L6
Q602	8-729-112-65	s TRANSISTOR 2SA1462-Y33
Q603	8-729-031-39	s TRANSISTOR MTD20N03HDL
Q604	8-729-120-28	s TRANSISTOR 2SC1623-L5L6
Q700	8-729-120-28	s TRANSISTOR 2SC1623-L5L6
Q701	8-729-112-65	s TRANSISTOR 2SA1462-Y33
Q702	8-729-012-35	s TRANSISTOR 2SK711-BL
Q703	8-729-120-28	s TRANSISTOR 2SC1623-L5L6
R1	1-216-699-11	s METAL, CHIP 100K 0.5% 1/10W
R2	1-216-686-11	s METAL, CHIP 30K 0.5% 1/10W
R3	1-211-999-11	s METAL 9.1K 0.10% 1/10W
R4	1-219-221-11	s METAL 75K 0.10% 1/10W
R5	1-219-216-11	s METAL 12K 0.10% 1/10W
R6	1-211-996-11	s METAL 1.5K 0.10% 1/10W
R7	1-216-686-11	s METAL, CHIP 30K 0.5% 1/10W
R8	1-216-691-11	s METAL, CHIP 47K 0.5% 1/10W
R9	1-216-691-11	s METAL, CHIP 47K 0.5% 1/10W
R10	1-218-768-11	s METAL 470K 0.5% 1/10W
R11	1-216-699-11	s METAL, CHIP 100K 0.5% 1/10W
R12	1-216-691-11	s METAL, CHIP 47K 0.5% 1/10W

(RE-119/119A BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R13	1-216-603-11	s METAL, CHIP 10 0.5% 1/10W
R100	1-216-675-11	s METAL, CHIP 10K 0.5% 1/10W
R101	1-216-603-11	s METAL, CHIP 10 0.5% 1/10W
R102	1-216-693-11	s METAL, CHIP 56K 0.5% 1/10W
R103	1-216-683-11	s METAL, CHIP 22K 0.5% 1/10W
R200	1-216-675-11	s METAL, CHIP 10K 0.5% 1/10W
R201	1-216-603-11	s METAL, CHIP 10 0.5% 1/10W
R202	1-216-693-11	s METAL, CHIP 56K 0.5% 1/10W
R203	1-216-683-11	s METAL, CHIP 22K 0.5% 1/10W
R300	1-216-623-11	s METAL, CHIP 68 0.5% 1/10W
R301	1-216-679-11	s METAL, CHIP 15K 0.5% 1/10W
R302	1-216-675-11	s METAL, CHIP 10K 0.5% 1/10W
R303	1-216-619-11	s METAL, CHIP 47 0.5% 1/10W
R304	1-216-627-11	s METAL, CHIP 100 0.5% 1/10W
R305	1-216-675-11	s METAL, CHIP 10K 0.5% 1/10W
R306	1-216-675-11	s METAL, CHIP 10K 0.5% 1/10W
R307	1-216-687-11	s METAL, CHIP 33K 0.5% 1/10W
R308	1-216-683-11	s METAL, CHIP 22K 0.5% 1/10W
R309	1-216-687-11	s METAL, CHIP 33K 0.5% 1/10W
R310	1-216-683-11	s METAL, CHIP 22K 0.5% 1/10W
R400	1-216-623-11	s METAL, CHIP 68 0.5% 1/10W
R401	1-216-689-11	s METAL, CHIP 39K 0.5% 1/10W
R402	1-216-675-11	s METAL, CHIP 10K 0.5% 1/10W
R403	1-216-619-11	s METAL, CHIP 47 0.5% 1/10W
R404	1-216-619-11	s METAL, CHIP 47 0.5% 1/10W
R405	1-216-675-11	s METAL, CHIP 10K 0.5% 1/10W
R406	1-216-675-11	s METAL, CHIP 10K 0.5% 1/10W
R407	1-216-675-11	s METAL, CHIP 10K 0.5% 1/10W
R408	1-216-690-11	s METAL, CHIP 43K 0.5% 1/10W
R500	1-216-623-11	s METAL, CHIP 68 0.5% 1/10W
R501	1-216-689-11	s METAL, CHIP 39K 0.5% 1/10W
R502	1-216-675-11	s METAL, CHIP 10K 0.5% 1/10W
R503	1-216-619-11	s METAL, CHIP 47 0.5% 1/10W
R504	1-216-627-11	s METAL, CHIP 100 0.5% 1/10W
R505	1-216-675-11	s METAL, CHIP 10K 0.5% 1/10W
R506	1-216-675-11	s METAL, CHIP 10K 0.5% 1/10W
R507	1-216-683-11	s METAL, CHIP 22K 0.5% 1/10W
R508	1-216-691-11	s METAL, CHIP 47K 0.5% 1/10W
R600	1-216-623-11	s METAL, CHIP 68 0.5% 1/10W
R601	1-216-689-11	s METAL, CHIP 39K 0.5% 1/10W
R602	1-216-683-11	s METAL, CHIP 22K 0.5% 1/10W
R603	1-216-619-11	s METAL, CHIP 47 0.5% 1/10W
R604	1-216-627-11	s METAL, CHIP 100 0.5% 1/10W
R605	1-216-675-11	s METAL, CHIP 10K 0.5% 1/10W
R606	1-216-675-11	s METAL, CHIP 10K 0.5% 1/10W
R607	1-216-692-11	s METAL, CHIP 51K 0.5% 1/10W
R608	1-216-685-11	s METAL, CHIP 27K 0.5% 1/10W
R609	1-216-685-11	s METAL, CHIP 27K 0.5% 1/10W
R700	1-216-623-11	s METAL, CHIP 68 0.5% 1/10W
R703	1-216-603-11	s METAL, CHIP 10 0.5% 1/10W
R704	1-216-603-11	s METAL, CHIP 10 0.5% 1/10W
R705	1-216-603-11	s METAL, CHIP 10 0.5% 1/10W
R706	1-216-691-11	s METAL, CHIP 47K 0.5% 1/10W
R707	1-216-661-11	s METAL, CHIP 2.7K 0.5% 1/10W
R708	1-216-691-11	s METAL, CHIP 47K 0.5% 1/10W
R709	1-216-675-11	s METAL, CHIP 10K 0.5% 1/10W
R710	1-216-695-11	s METAL, CHIP 68K 0.5% 1/10W
R711	1-216-685-11	s METAL, CHIP 27K 0.5% 1/10W
R712	1-216-685-11	s METAL, CHIP 27K 0.5% 1/10W

(RE-119/119A BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R713	1-216-295-91	s RES, CHIP 0 [For DNV-5]
R714	1-216-295-91	s RES, CHIP 0 [Except DNV-5]
T700	1-431-714-11	s TRANSFORMER, DC-DC CONVERTER

RX-26 BOARD

Ref. No. or Q'ty	Part No.	SP Description
1pc	1-662-328-11	o PRINTED CIRCUIT BOARD, RX-26
C101	1-104-919-11	s TANTALUM, CHIP 10uF 20% 25V
C102	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C103	1-163-037-11	s CERAMIC, CHIP 0.022uF 10% 25V
C104	1-104-913-11	s TANTALUM, CHIP 10uF 20% 16V
C105	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C106	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
CN101	1-569-775-21	s PIN, CONNECTOR (1.5MM) (SMD) 5P
CN102	1-568-230-11	o SOCKET, CONNECTOR 15P, FEMALE
IC101	8-759-700-84	s IC NJM2041M-D
R101	1-218-691-11	s METAL, CHIP 910 0.50% 1/16W
R102	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W
R103	1-218-701-11	s METAL, CHIP 2.4K 0.50% 1/16W
R104	1-218-701-11	s METAL, CHIP 2.4K 0.50% 1/16W
R105	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W
R106	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W
R107	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R108	1-216-627-11	s METAL, CHIP 100 0.5% 1/10W
R109	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R110	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W

SW-780 BOARD

*Except DNV-5

Ref. No. or Q'ty	Part No.	SP Description
1pc	A-8277-748-A	o SW-780 MOUNTED CIRCUIT BOARD
1pc	3-603-713-01	o HOLDER SWITCH
1pc	3-729-013-41	s SCREW M1.4X3.5, WASHERHEAD (+P)
CN18	1-566-767-11	o CONNECTOR 12P, MALE
R100	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R101	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R102	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R103	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R104	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R105	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R106	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R107	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R108	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R110	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R111	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
S100	1-762-001-11	s SWITCH, TOGGLE
S101	1-762-020-11	s SWITCH, TOGGLE
S102	1-762-000-11	s SWITCH, TOGGLE
S103	1-762-019-11	s SWITCH, TOGGLE
S104	1-762-000-11	s SWITCH, TOGGLE
S105	1-762-000-11	s SWITCH, TOGGLE

```

-----
SW-789 BOARD      *Except DNV-5
-----
Ref. No.
or Q'ty    Part No.    SP Description

1pc        1-662-335-11 o PRINTED CIRCUIT BOARD, SW-789

CN20       1-690-107-11 o CONNECTOR, BOARD TO BOARD 12P
CN701      1-565-876-11 o CONNECTOR 4P, MALE

FB1        1-412-694-11 s INDUCTOR, BEAD
FB2        1-412-694-11 s INDUCTOR, BEAD

RV201      1-225-340-11 s RES, VAR, CARBON 10K

S201       1-570-995-11 s SWITCH, KEY BOARD
S202       1-571-679-11 s SWITCH, TOGGLE
S203       1-571-416-11 s SWITCH, TOGGLE

```

```

-----
SW-808 BOARD      *Except DNV-5
-----
Ref. No.
or Q'ty    Part No.    SP Description

1pc        1-662-334-11 o PRINTED CIRCUIT BOARD, SW-808

CN701      1-566-759-11 o CONNECTOR 4P, MALE

SW1        1-473-315-11 s ENCODER, ROTARY

```

```

-----
SW-823 BOARD      *Except DNV-5
-----
Ref. No.
or Q'ty    Part No.    SP Description

1pc        1-662-331-11 o PRINTED CIRCUIT BOARD, SW-823

CN1        1-564-718-11 o CONNECTOR, 2P, MALE
CN3        1-580-055-21 s PIN, CONNECTOR (1.5MM) (SMD) 2P

S1         1-762-002-11 s SWITCH, TOGGLE

```

```

-----
SW-873 BOARD      *For DNV-5
-----
Ref. No.
or Q'ty    Part No.    SP Description

1pc        A-8311-245-A o MOUNTED CIRCUIT BOARD, SW-873

CN1        1-565-877-11 s CONNECTOR, PC BOARD 5P, MALE
CN2        1-565-875-11 o CONNECTOR 3P, MALE

R100       1-216-651-11 s METAL, CHIP 1K 0.5% 1/10W
R101       1-216-651-11 s METAL, CHIP 1K 0.5% 1/10W
R102       1-216-651-11 s METAL, CHIP 1K 0.5% 1/10W
R103       1-216-651-11 s METAL, CHIP 1K 0.5% 1/10W
R104       1-216-651-11 s METAL, CHIP 1K 0.5% 1/10W

R105       1-216-651-11 s METAL, CHIP 1K 0.5% 1/10W

S100       1-570-986-11 s SWITCH, TOGGLE
S101       1-571-396-11 s SWITCH, TOGGLE
S102       1-570-984-11 s SWITCH, TOGGLE

```

```

-----
SW-882 BOARD      *For DNV-5
-----
Ref. No.
or Q'ty    Part No.    SP Description

1pc        1-662-479-11 o PRINTED CIRCUIT BOARD, SW-882

CN701      1-566-759-11 o CONNECTOR 4P, MALE

SW1        1-473-315-11 s ENCODER, ROTARY

```

TC-80/80A BOARD

Ref. No. or Q'ty	Part No.	SP Description
1pc	A-8277-539-A	o MOUNTED CIRCUIT BOARD, TC-80A [For DNV-5]
1pc	A-8277-565-A	o MOUNTED CIRCUIT BOARD, TC-80 [Except DNV-5]
BT801	1-528-229-11	o BATTERY, LITHIUM CR-2450
C1	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V [For DNV-5]
C2	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V [For DNV-5]
C3	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V [For DNV-5]
C4	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V [For DNV-5]
C5	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V [For DNV-5]
C6	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V [For DNV-5]
C101	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C102	1-115-581-11	s TANTALUM, CHIP 100uF 20% 16V
C103	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C104	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C105	1-104-914-11	s TANTALUM, CHIP 22uF 20% 16V [For DNV-5]
C106	1-104-914-11	s TANTALUM, CHIP 22uF 20% 16V [For DNV-5]
C107	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V [For DNV-5]
C108	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V [For DNV-5]
C110	1-162-921-11	s CERAMIC, CHIP 33PF 5% 50V [For DNV-5]
C111	1-162-921-11	s CERAMIC, CHIP 33PF 5% 50V [For DNV-5]
C112	1-113-642-11	s TANTALUM, CHIP 47uF 20% 10V
C113	1-115-581-11	s TANTALUM, CHIP 100uF 20% 16V
C114	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C115	1-162-921-11	s CERAMIC, CHIP 33PF 5% 50V
C116	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C117	1-162-923-11	s CERAMIC, CHIP 47PF 5% 50V
C118	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C119	1-107-686-11	s TANTALUM, CHIP 4.7uF 20% 16V
C120	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C121	1-110-569-11	s TANTALUM, CHIP 47uF 20% 6.3V
C122	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C123	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C125	1-104-553-11	s FILM, CHIP 0.015uF 5% 16V
C126	1-162-923-11	s CERAMIC, CHIP 47PF 5% 50V
C127	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C128	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C129	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C130	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C131	1-135-181-21	s TANTALUM, CHIP 4.7uF 10% 6.3V [Lot No. 703 and higher]
	1-107-686-11	s TANTALUM, CHIP 4.7uF 20% 16V [Lot No. 604 through 702]
C132	1-135-181-21	s TANTALUM, CHIP 4.7uF 10% 6.3V [Lot No. 703 and higher]
	1-107-686-11	s TANTALUM, CHIP 4.7uF 20% 16V [Lot No. 604 through 702]
C133	1-162-969-11	s CERAMIC, CHIP 0.0068uF 10% 25V
C134	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V

(TC-80/80A BOARD)

Ref. No. or Q'ty	Part No.	SP Description
C135	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C150	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C151	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C152	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C153	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C154	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C155	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C156	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C157	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C158	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C159	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C160	1-162-964-11	s CERAMIC, CHIP 0.001uF 10% 50V
C162	1-162-964-11	s CERAMIC, CHIP 0.001uF 10% 50V
C163	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C164	1-162-966-11	s CERAMIC, CHIP 0.0022uF 10% 50V
C165	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C166	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C167	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C201	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C202	1-115-581-11	s TANTALUM, CHIP 100uF 20% 16V
C203	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V [For DNV-5]
C204	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V [For DNV-5]
C205	1-104-914-11	s TANTALUM, CHIP 22uF 20% 16V [For DNV-5]
C206	1-104-914-11	s TANTALUM, CHIP 22uF 20% 16V [For DNV-5]
C207	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V [For DNV-5]
C208	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V [For DNV-5]
C209	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V [For DNV-5]
C210	1-162-921-11	s CERAMIC, CHIP 33PF 5% 50V [For DNV-5]
C211	1-162-921-11	s CERAMIC, CHIP 33PF 5% 50V [For DNV-5]
C212	1-113-642-11	s TANTALUM, CHIP 47uF 20% 10V
C213	1-115-581-11	s TANTALUM, CHIP 100uF 20% 16V
C214	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C215	1-162-921-11	s CERAMIC, CHIP 33PF 5% 50V
C216	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C217	1-162-923-11	s CERAMIC, CHIP 47PF 5% 50V
C218	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C219	1-107-686-11	s TANTALUM, CHIP 4.7uF 20% 16V
C220	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C221	1-110-569-11	s TANTALUM, CHIP 47uF 20% 6.3V
C222	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C223	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C224	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C225	1-104-553-11	s FILM, CHIP 0.015uF 5% 16V
C226	1-162-923-11	s CERAMIC, CHIP 47PF 5% 50V
C227	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C228	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C229	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C230	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C231	1-135-181-21	s TANTALUM, CHIP 4.7uF 10% 6.3V [Lot No. 703 and higher]
	1-107-686-11	s TANTALUM, CHIP 4.7uF 20% 16V [Lot No. 604 through 702]

(TC-80/80A BOARD)

Ref. No. or Q'ty	Part No.	SP Description
C232	1-135-181-21	s TANTALUM, CHIP 4.7uF 10% 6.3V [Lot No. 703 and higher]
	1-107-686-11	s TANTALUM, CHIP 4.7uF 20% 16V [Lot No. 604 through 702]
C233	1-162-969-11	s CERAMIC, CHIP 0.0068uF 10% 25V
C234	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C235	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C301	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C302	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C303	1-115-581-11	s TANTALUM, CHIP 100uF 20% 16V
C304	1-162-921-11	s CERAMIC, CHIP 33PF 5% 50V
C305	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C306	1-162-923-11	s CERAMIC, CHIP 47PF 5% 50V
C307	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C308	1-107-686-11	s TANTALUM, CHIP 4.7uF 20% 16V
C309	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C310	1-110-569-11	s TANTALUM, CHIP 47uF 20% 6.3V
C311	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C312	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C314	1-104-553-11	s FILM, CHIP 0.015uF 5% 16V
C315	1-162-923-11	s CERAMIC, CHIP 47PF 5% 50V
C316	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C317	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C318	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C319	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C320	1-135-181-21	s TANTALUM, CHIP 4.7uF 10% 6.3V [Lot No. 703 and higher]
	1-107-686-11	s TANTALUM, CHIP 4.7uF 20% 16V [Lot No. 604 through 702]
C321	1-135-181-21	s TANTALUM, CHIP 4.7uF 10% 6.3V [Lot No. 703 and higher]
	1-107-686-11	s TANTALUM, CHIP 4.7uF 20% 16V [Lot No. 604 through 702]
C322	1-162-969-11	s CERAMIC, CHIP 0.0068uF 10% 25V
C350	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C351	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C352	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C353	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C354	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C355	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C356	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C357	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C358	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C359	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C360	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C361	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C362	1-162-964-11	s CERAMIC, CHIP 0.001uF 10% 50V
C363	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C364	1-162-964-11	s CERAMIC, CHIP 0.001uF 10% 50V
C365	1-162-966-11	s CERAMIC, CHIP 0.0022uF 10% 50V
C370	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C371	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C372	1-115-581-11	s TANTALUM, CHIP 100uF 20% 16V
C373	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C374	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C390	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V [For DNV-5]
C391	1-107-686-11	s TANTALUM, CHIP 4.7uF 20% 16V [For DNV-5]
C392	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V [For DNV-5]

(TC-80/80A BOARD)

Ref. No. or Q'ty	Part No.	SP Description
C403	1-115-581-11	s TANTALUM, CHIP 100uF 20% 16V
C404	1-162-921-11	s CERAMIC, CHIP 33PF 5% 50V
C405	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C406	1-162-923-11	s CERAMIC, CHIP 47PF 5% 50V
C407	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C408	1-107-686-11	s TANTALUM, CHIP 4.7uF 20% 16V
C409	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C410	1-110-569-11	s TANTALUM, CHIP 47uF 20% 6.3V
C411	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C412	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C413	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C414	1-104-553-11	s FILM, CHIP 0.015uF 5% 16V
C415	1-162-923-11	s CERAMIC, CHIP 47PF 5% 50V
C416	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C417	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C418	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C419	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C420	1-135-181-21	s TANTALUM, CHIP 4.7uF 10% 6.3V [Lot No. 703 and higher]
	1-107-686-11	s TANTALUM, CHIP 4.7uF 20% 16V [Lot No. 604 through 702]
C421	1-135-181-21	s TANTALUM, CHIP 4.7uF 10% 6.3V [Lot No. 703 and higher]
	1-107-686-11	s TANTALUM, CHIP 4.7uF 20% 16V [Lot No. 604 through 702]
C422	1-162-969-11	s CERAMIC, CHIP 0.0068uF 10% 25V
C470	1-115-581-11	s TANTALUM, CHIP 100uF 20% 16V
C473	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C474	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C502	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C503	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C504	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C505	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C506	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C507	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C510	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C511	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C514	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C517	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C518	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C519	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C520	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C521	1-104-539-11	s FILM, CHIP 0.001uF 5% 50V
C522	1-104-543-11	s FILM, CHIP 0.0022uF 5% 50V
C523	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C524	1-162-966-11	s CERAMIC, CHIP 0.0022uF 10% 50V
C525	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C526	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C527	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C528	1-115-581-11	s TANTALUM, CHIP 100uF 20% 16V
C529	1-162-919-11	s CERAMIC, CHIP 22PF 5% 50V
C530	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C531	1-162-923-11	s CERAMIC, CHIP 47PF 5% 50V
C532	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C533	1-107-686-11	s TANTALUM, CHIP 4.7uF 20% 16V
C534	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C535	1-115-581-11	s TANTALUM, CHIP 100uF 20% 16V
C536	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C537	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C538	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V

(TC-80/80A BOARD)

Ref. No. or Q'ty	Part No.	SP Description
C539	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C540	1-135-215-21	s TANTALUM, CHIP 6.8uF 10% 16V
C541	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C542	1-104-913-11	s TANTALUM, CHIP 10uF 20% 16V
C543	1-104-913-11	s TANTALUM, CHIP 10uF 20% 16V
C544	1-126-396-11	s ELECT, CHIP 47uF 20% 16V
C545	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C546	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C547	1-135-177-21	s TANTALUM, CHIP 1uF 10% 25V
C548	1-113-994-11	s TANTALUM, CHIP 6.8uF 20% 16V
C549	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C550	1-128-394-11	s ELECT 220uF 20% 10V
C551	1-135-166-21	s TANTALUM, CHIP 47uF 10% 10V
C552	1-135-166-21	s TANTALUM, CHIP 47uF 10% 10V
C553	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C559	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C560	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C561	1-164-677-11	s CERAMIC, CHIP 0.033uF 10% 16V
C562	1-164-677-11	s CERAMIC, CHIP 0.033uF 10% 16V
C563	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C564	1-165-176-11	s CERAMIC 0.047uF 10% 16V
C566	1-115-581-11	s TANTALUM, CHIP 100uF 20% 16V
C567	1-115-581-11	s TANTALUM, CHIP 100uF 20% 16V
C569	1-128-391-11	s ELECT 330uF 20% 6.3V
C570	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V [For DNV-5]
C571	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V [For DNV-5]
C610	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C611	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C614	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C617	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C618	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C619	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C620	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C621	1-104-539-11	s FILM, CHIP 0.001uF 5% 50V
C622	1-104-543-11	s FILM, CHIP 0.0022uF 5% 50V
C623	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C624	1-162-966-11	s CERAMIC, CHIP 0.0022uF 10% 50V
C625	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C626	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C627	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C628	1-115-581-11	s TANTALUM, CHIP 100uF 20% 16V
C629	1-162-919-11	s CERAMIC, CHIP 22PF 5% 50V
C630	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C631	1-162-923-11	s CERAMIC, CHIP 47PF 5% 50V
C632	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C633	1-107-686-11	s TANTALUM, CHIP 4.7uF 20% 16V
C634	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C635	1-115-581-11	s TANTALUM, CHIP 100uF 20% 16V
C636	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C637	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C701	1-162-919-11	s CERAMIC, CHIP 22PF 5% 50V
C702	1-162-919-11	s CERAMIC, CHIP 22PF 5% 50V
C703	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C704	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C705	1-115-416-11	s CERAMIC, CHIP 1000PF 5% 25V
C706	1-135-166-21	s TANTALUM, CHIP 47uF 10% 10V
C707	1-135-166-21	s TANTALUM, CHIP 47uF 10% 10V

(TC-80/80A BOARD)

Ref. No. or Q'ty	Part No.	SP Description
C708	1-135-215-21	s TANTALUM, CHIP 6.8uF 10% 16V
C709	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C710	1-135-215-21	s TANTALUM, CHIP 6.8uF 10% 16V
C711	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C712	1-135-215-21	s TANTALUM, CHIP 6.8uF 10% 16V
C713	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C714	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C715	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C716	1-162-915-11	s CERAMIC, CHIP 10PF 50V
C717	1-162-915-11	s CERAMIC, CHIP 10PF 50V
C718	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C719	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C720	1-162-915-11	s CERAMIC, CHIP 10PF 50V
C721	1-162-916-11	s CERAMIC, CHIP 12PF 5% 50V
C722	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C723	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C724	1-162-920-11	s CERAMIC, CHIP 27PF 5% 50V
C727	1-162-920-11	s CERAMIC, CHIP 27PF 5% 50V
C728	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C729	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C730	1-135-215-21	s TANTALUM, CHIP 6.8uF 10% 16V
C731	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C732	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C733	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C734	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C735	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C736	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C739	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C740	1-107-826-11	s CERAMIC, CHIP 0.1uF 10% 16V
C741	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C742	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C743	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C745	1-113-992-11	s TANTALUM, CHIP 3.3uF 20% 35V
C801	1-135-177-21	s TANTALUM, CHIP 1uF 10% 25V
C802	1-126-927-11	s ELECT 2200uF 20% 10V
C803	1-135-215-21	s TANTALUM, CHIP 6.8uF 10% 16V
C804	1-135-177-21	s TANTALUM, CHIP 1uF 10% 25V
C805	1-126-392-11	s ELECT, CHIP 100uF 20% 6.3V
C806	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C811	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C812	1-135-177-21	s TANTALUM, CHIP 1uF 10% 25V
C813	1-135-215-21	s TANTALUM, CHIP 6.8uF 10% 16V
C814	1-135-215-21	s TANTALUM, CHIP 6.8uF 10% 16V
C815	1-135-177-21	s TANTALUM, CHIP 1uF 10% 25V
C816	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C817	1-135-177-21	s TANTALUM, CHIP 1uF 10% 25V
C818	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C819	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C901	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C902	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C903	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C904	1-164-227-11	s CERAMIC, CHIP 0.022uF 10% 25V
C951	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V
C952	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V
CN101	1-764-441-21	s CONNECTOR, FPC 30P
CN102	1-764-441-21	s CONNECTOR, FPC 30P
CN503	1-580-057-11	s PIN, CONNECTOR (1.5MM) (SMD) 4P
CN504	1-580-055-21	s PIN, CONNECTOR (1.5MM) (SMD) 2P
CN901	1-764-007-11	s PIN, CONNECTOR (1.5MM) (SMD) 12P

(TC-80/80A BOARD)

Ref. No. or Q'ty	Part No.	SP Description
CN902	1-750-159-11	s CONNECTOR (FPC) 5P [Except DNV-5]
D101	8-719-941-23	s DIODE DA204U
D102	8-719-941-09	s DIODE DAP202U
D201	8-719-941-23	s DIODE DA204U
D202	8-719-941-09	s DIODE DAP202U
D301	8-719-941-23	s DIODE DA204U
D302	8-719-941-09	s DIODE DAP202U
D390	8-719-941-86	s DIODE DAN202U [For DNV-5]
D401	8-719-941-23	s DIODE DA204U
D402	8-719-941-09	s DIODE DAP202U
D501	8-719-941-23	s DIODE DA204U
D502	8-719-941-23	s DIODE DA204U
D503	8-719-029-63	s DIODE RD4.3UH-T1
D504	8-719-029-63	s DIODE RD4.3UH-T1
D505	8-719-974-51	s DIODE SB20-03P
D506	8-719-941-23	s DIODE DA204U
D507	8-719-941-86	s DIODE DAN202U
D508	8-719-941-86	s DIODE DAN202U
D509	8-719-941-86	s DIODE DAN202U [Lot No. 703 and higher]
D510	8-719-157-36	s DIODE RD6.8M-B
D612	8-719-021-31	s DIODE UZM5.1B
D701	8-719-941-23	s DIODE DA204U
D702	8-719-941-23	s DIODE DA204U
D703	8-719-105-28	s DIODE RD2.4M-B
D704	8-719-105-28	s DIODE RD2.4M-B
D705	8-719-938-72	s DIODE SB01-05CP
D706	8-719-941-86	s DIODE DAN202U
D707	8-719-941-86	s DIODE DAN202U
D708	8-719-941-86	s DIODE DAN202U
D709	8-719-989-22	s LED CL-150R-CD, RED
D710	8-719-989-22	s LED CL-150R-CD, RED
D712	8-719-032-78	s LED GL3UR8, RED
D713	8-719-941-86	s DIODE DAN202U
D714	8-719-941-23	s DIODE DA204U
D801	8-719-941-86	s DIODE DAN202U
D802	8-719-941-86	s DIODE DAN202U
D803	8-719-941-86	s DIODE DAN202U
D804	8-719-941-86	s DIODE DAN202U
D805	8-719-941-86	s DIODE DAN202U
D806	8-719-941-86	s DIODE DAN202U
D807	8-719-938-72	s DIODE SB01-05CP
D810	8-719-941-86	s DIODE DAN202U
D811	8-719-938-72	s DIODE SB01-05CP
D813	8-719-938-72	s DIODE SB01-05CP
D814	8-719-938-72	s DIODE SB01-05CP
IC1	8-759-196-96	s IC TC7SH08FU-TE85R [For DNV-5]
IC2	8-759-196-96	s IC TC7SH08FU-TE85R [For DNV-5]
IC3	8-759-196-97	s IC TC7SH32FU-TE85R [For DNV-5]
IC4	8-759-271-86	s IC TC7SH04FU [For DNV-5]
IC5	8-759-524-19	s IC TC74VHC164FT(EL) [For DNV-5]
IC6	8-759-524-19	s IC TC74VHC164FT(EL)

(TC-80/80A BOARD)

Ref. No. or Q'ty	Part No.	SP Description
IC7	8-759-524-19	s IC TC74VHC164FT(EL) [For DNV-5]
IC8	8-759-524-19	s IC TC74VHC164FT(EL) [For DNV-5]
IC9	8-759-049-98	s IC SN74HC74APW-E05 [For DNV-5]
IC101	8-759-700-84	s IC NJM2041M-D
IC102	8-759-700-84	s IC NJM2041M-D [For DNV-5]
IC103	8-759-633-55	s IC M5222FP [For DNV-5]
IC104	8-759-603-27	s IC M5201FP
IC105	8-759-700-84	s IC NJM2041M-D
IC106	8-759-359-66	s IC TL082CPW-E05
IC107	8-759-700-84	s IC NJM2041M-D
IC108	8-759-331-35	s IC AK5340-VS
IC109	8-759-051-48	s IC SN74HCT541APW-E05
IC110	8-759-196-93	s IC TC7SH00FU-TE85R
IC111	8-759-523-95	s IC TC74VHC74FT(EL)
IC201	8-759-700-84	s IC NJM2041M-D
IC202	8-759-700-84	s IC NJM2041M-D [For DNV-5]
IC203	8-759-633-55	s IC M5222FP [For DNV-5]
IC204	8-759-603-27	s IC M5201FP
IC205	8-759-700-84	s IC NJM2041M-D
IC206	8-759-359-66	s IC TL082CPW-E05
IC207	8-759-700-84	s IC NJM2041M-D
IC301	8-759-700-84	s IC NJM2041M-D
IC302	8-759-700-84	s IC NJM2041M-D
IC303	8-759-359-66	s IC TL082CPW-E05
IC304	8-759-700-84	s IC NJM2041M-D
IC305	8-759-331-35	s IC AK5340-VS
IC306	8-759-196-93	s IC TC7SH00FU-TE85R
IC307	8-759-196-97	s IC TC7SH32FU-TE85R
IC308	8-729-025-54	s TRANSISTOR SI9958DY
IC402	8-759-700-84	s IC NJM2041M-D
IC403	8-759-359-66	s IC TL082CPW-E05
IC404	8-759-700-84	s IC NJM2041M-D
IC470	8-759-700-84	s IC NJM2041M-D
IC503	8-759-271-86	s IC TC7SH04FU
IC504	8-759-344-16	s IC AK4319-VM-E2
IC505	8-759-271-86	s IC TC7SH04FU
IC506	8-759-700-84	s IC NJM2041M-D
IC507	8-759-700-84	s IC NJM2041M-D
IC508	8-759-262-06	s IC TC4052BFS(ELQ)
IC509	8-759-700-84	s IC NJM2041M-D
IC510	8-759-359-66	s IC TL082CPW-E05
IC511	8-759-700-84	s IC NJM2041M-D
IC512	8-759-271-84	s IC TC7SH02FU
IC519	8-759-700-78	s IC NJM082M
IC520	8-759-710-88	s IC NJM431U
IC521	8-759-262-06	s IC TC4052BFS(ELQ)
IC522	8-759-431-97	s IC NJM386M(TE2)
IC523	8-759-700-84	s IC NJM2041M-D [For DNV-5]
IC524	8-759-710-88	s IC NJM431U
IC606	8-759-700-84	s IC NJM2041M-D
IC607	8-759-700-84	s IC NJM2041M-D

(TC-80/80A BOARD)

Ref. No. or Q'ty	Part No.	SP Description
IC609	8-759-700-84	s IC NJM2041M-D
IC610	8-759-359-66	s IC TL082CPW-E05
IC611	8-759-700-84	s IC NJM2041M-D
IC701	8-759-523-80	s IC TC74VHC04FT (EL)
IC702	8-759-050-50	s IC SN74HCT04APW-E05
IC703	8-759-523-80	s IC TC74VHC04FT (EL)
IC704	8-759-173-16	s IC TL062CPW
IC705	8-759-710-28	s IC NJM4565M-A
IC706	8-759-431-95	s IC S-81230SGUP-DQB-T1
IC708	8-759-175-77	s IC CXD8384Q
IC709	8-759-524-88	o IC UPD78P4026GC-3B9-TCV1.40 [Lot No. 604 through 702]
IC710	8-759-071-01	s IC UPD4991AGS
IC711	8-759-431-98	s IC BR9020
IC712	8-759-050-50	s IC SN74HCT04APW-E05
IC713	8-759-050-50	s IC SN74HCT04APW-E05
IC714	8-759-996-51	s IC CXD8125Q
IC715	8-759-081-96	s IC UPD6456GS-620
IC716	8-759-234-77	s IC TC4S66F
IC717	8-759-343-88	s IC DS1302Z
IC801	8-759-431-94	s IC S-81240SGUP-DQJ-T1
IC802	8-759-431-95	s IC S-81230SGUP-DQB-T1
IC803	8-759-431-93	s IC RH5VL33AA-T1
IC804	8-759-349-55	s IC RH5VL25AA-T1
IC805	8-759-431-95	s IC S-81230SGUP-DQB-T1
IC806	8-759-337-40	s IC NJM2904V (TE2)
IC807	8-759-337-40	s IC NJM2904V (TE2)
IC820	8-759-337-40	s IC NJM2904V (TE2)
IC901	8-759-175-04	s IC PCF8574T-T
IC902	8-759-175-04	s IC PCF8574T-T
IC951	8-759-939-41	s IC S-81230AG-RB
IC952	8-759-359-66	s IC TL082CPW-E05
L101	1-412-170-11	s INDUCTOR 0.47uH
L502	1-412-170-11	s INDUCTOR 0.47uH
L503	1-412-170-11	s INDUCTOR 0.47uH
L504	1-412-170-11	s INDUCTOR 0.47uH
L505	1-412-170-11	s INDUCTOR 0.47uH
L506	1-408-798-00	s INDUCTOR, CHIP 1mmH
L701	1-410-389-31	s INDUCTOR CHIP 470H
LCD701	1-810-586-11	s LCD MODULE
Q101	8-729-014-86	s TRANSISTOR 2SC4207-YGRTE85L
Q102	8-729-140-63	s TRANSISTOR 2SA1611-M5M6
Q103	8-729-230-63	s TRANSISTOR 2SC4116YG
Q104	8-729-230-63	s TRANSISTOR 2SC4116YG
Q105	8-729-230-63	s TRANSISTOR 2SC4116YG
Q106	8-729-230-63	s TRANSISTOR 2SC4116YG
Q107	8-729-230-63	s TRANSISTOR 2SC4116YG
Q108	8-729-140-63	s TRANSISTOR 2SA1611-M5M6
Q109	8-729-012-35	s TRANSISTOR 2SK711-BL
Q201	8-729-014-86	s TRANSISTOR 2SC4207-YGRTE85L
Q202	8-729-140-63	s TRANSISTOR 2SA1611-M5M6
Q203	8-729-230-63	s TRANSISTOR 2SC4116YG
Q204	8-729-230-63	s TRANSISTOR 2SC4116YG
Q205	8-729-230-63	s TRANSISTOR 2SC4116YG
Q206	8-729-230-63	s TRANSISTOR 2SC4116YG
Q207	8-729-230-63	s TRANSISTOR 2SC4116YG
Q209	8-729-012-35	s TRANSISTOR 2SK711-BL

(TC-80/80A BOARD)

Ref. No. or Q'ty	Part No.	SP Description
Q301	8-729-014-86	s TRANSISTOR 2SC4207-YGRTE85L
Q302	8-729-230-63	s TRANSISTOR 2SC4116YG
Q303	8-729-230-63	s TRANSISTOR 2SC4116YG
Q304	8-729-230-63	s TRANSISTOR 2SC4116YG
Q305	8-729-140-63	s TRANSISTOR 2SA1611-M5M6
Q306	8-729-012-35	s TRANSISTOR 2SK711-BL
Q307	8-729-029-14	s TRANSISTOR DTC144EUA-T106
Q308	8-729-028-91	s TRANSISTOR DTA144EUA-T106
Q309	8-729-029-14	s TRANSISTOR DTC144EUA-T106
Q401	8-729-014-86	s TRANSISTOR 2SC4207-YGRTE85L
Q402	8-729-230-63	s TRANSISTOR 2SC4116YG
Q403	8-729-230-63	s TRANSISTOR 2SC4116YG
Q404	8-729-230-63	s TRANSISTOR 2SC4116YG
Q406	8-729-012-35	s TRANSISTOR 2SK711-BL
Q501	8-729-140-63	s TRANSISTOR 2SA1611-M5M6
Q502	8-729-014-86	s TRANSISTOR 2SC4207-YGRTE85L
Q503	8-729-230-63	s TRANSISTOR 2SC4116YG
Q504	8-729-230-63	s TRANSISTOR 2SC4116YG
Q505	8-729-230-63	s TRANSISTOR 2SC4116YG
Q507	8-729-020-94	s TRANSISTOR 2SA1314C-TE12L
Q508	8-729-808-42	s TRANSISTOR 2SD1624-T
Q511	8-729-808-42	s TRANSISTOR 2SD1624-T
Q512	8-729-028-91	s TRANSISTOR DTA144EUA-T106
Q513	8-729-209-07	s TRANSISTOR 2SC4213-B
Q514	8-729-140-63	s TRANSISTOR 2SA1611-M5M6
Q602	8-729-014-86	s TRANSISTOR 2SC4207-YGRTE85L
Q603	8-729-230-63	s TRANSISTOR 2SC4116YG
Q604	8-729-230-63	s TRANSISTOR 2SC4116YG
Q605	8-729-230-63	s TRANSISTOR 2SC4116YG
Q701	8-729-029-14	s TRANSISTOR DTC144EUA-T106
Q702	8-729-029-14	s TRANSISTOR DTC144EUA-T106 [For DNV-5]
Q801	8-729-209-07	s TRANSISTOR 2SC4213-B
Q951	8-729-230-63	s TRANSISTOR 2SC4116YG
Q952	8-729-230-63	s TRANSISTOR 2SC4116YG
R1	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W [For DNV-5]
R101	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R102	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R103	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R104	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R105	1-218-706-11	s METAL, CHIP 3.9K 0.50% 1/16W
R106	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W
R107	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W [For DNV-5]
R108	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W [For DNV-5]
R109	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W [For DNV-5]
R110	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W [For DNV-5]
R111	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W [For DNV-5]
R112	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W [For DNV-5]
R113	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W [For DNV-5]
R114	1-218-702-11	s METAL, CHIP 2.7K 0.50% 1/16W [For DNV-5]
R115	1-218-702-11	s METAL, CHIP 2.7K 0.50% 1/16W

(TC-80/80A BOARD)

Ref. No. or Q'ty	Part No.	SP Description
		[For DNV-5]
R116	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
		[For DNV-5]
R117	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
		[For DNV-5]
R118	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
		[For DNV-5]
R119	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
		[For DNV-5]
R120	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R121	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R122	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R123	1-218-697-11	s METAL, CHIP 1.6K 0.50% 1/16W
R124	1-218-727-11	s METAL, CHIP 30K 0.50% 1/16W
R125	1-218-688-11	s METAL, CHIP 680 0.50% 1/16W
R126	1-218-734-11	s METAL, CHIP 56K 0.50% 1/16W
R127	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R128	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R129	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R130	1-218-701-11	s METAL, CHIP 2.4K 0.50% 1/16W
R132	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R133	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R134	1-218-722-11	s METAL, CHIP 18K 0.50% 1/16W
R135	1-218-679-91	s METAL, CHIP 300 0.50% 1/16W
R136	1-218-697-11	s METAL, CHIP 1.6K 0.50% 1/16W
R137	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R138	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R139	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R140	1-218-723-11	s METAL, CHIP 20K 0.50% 1/16W
R141	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R142	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R143	1-218-723-11	s METAL, CHIP 20K 0.50% 1/16W
R144	1-218-702-11	s METAL, CHIP 2.7K 0.50% 1/16W
R145	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R146	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R147	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R148	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R149	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R150	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R151	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R152	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R153	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R154	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R155	1-218-720-11	s METAL, CHIP 15K 0.50% 1/16W
R156	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R157	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R158	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R159	1-216-857-11	s METAL, CHIP 1M 5% 1/16W
R160	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W
R161	1-218-734-11	s METAL, CHIP 56K 0.50% 1/16W
R162	1-218-734-11	s METAL, CHIP 56K 0.50% 1/16W
R163	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R164	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W
R165	1-218-712-11	s METAL, CHIP 6.8K 0.50% 1/16W
R166	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R167	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R168	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R169	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R170	1-218-666-11	s METAL, CHIP 82 0.50% 1/16W

(TC-80/80A BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R171	1-218-666-11	s METAL, CHIP 82 0.50% 1/16W
R172	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R174	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R175	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R176	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R177	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R178	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R179	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R180	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R181	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R182	1-218-699-11	s METAL, CHIP 2K 0.50% 1/16W
R183	1-218-709-11	s METAL, CHIP 5.1K 0.50% 1/16W
R185	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R186	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R201	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R202	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R203	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R204	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R205	1-218-706-11	s METAL, CHIP 3.9K 0.50% 1/16W
R206	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W
R207	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W
		[For DNV-5]
R208	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W
		[For DNV-5]
R209	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
		[For DNV-5]
R210	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
		[For DNV-5]
R211	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
		[For DNV-5]
R212	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
		[For DNV-5]
R213	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
		[For DNV-5]
R214	1-218-702-11	s METAL, CHIP 2.7K 0.50% 1/16W
		[For DNV-5]
R215	1-218-702-11	s METAL, CHIP 2.7K 0.50% 1/16W
		[For DNV-5]
R216	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
		[For DNV-5]
R217	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
		[For DNV-5]
R218	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
		[For DNV-5]
R219	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
		[For DNV-5]
R220	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R221	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R222	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R223	1-218-697-11	s METAL, CHIP 1.6K 0.50% 1/16W
R224	1-218-727-11	s METAL, CHIP 30K 0.50% 1/16W
R225	1-218-688-11	s METAL, CHIP 680 0.50% 1/16W
R226	1-218-734-11	s METAL, CHIP 56K 0.50% 1/16W
R227	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R228	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R229	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R230	1-218-701-11	s METAL, CHIP 2.4K 0.50% 1/16W
R232	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R233	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R234	1-218-722-11	s METAL, CHIP 18K 0.50% 1/16W
R235	1-218-697-11	s METAL, CHIP 1.6K 0.50% 1/16W



(TC-80/80A BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R236	1-218-679-91	s METAL, CHIP 300 0.50% 1/16W
R237	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R238	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R239	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R240	1-218-723-11	s METAL, CHIP 20K 0.50% 1/16W
R241	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R242	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R243	1-218-723-11	s METAL, CHIP 20K 0.50% 1/16W
R244	1-218-702-11	s METAL, CHIP 2.7K 0.50% 1/16W
R245	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R246	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R247	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R248	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R249	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R250	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R251	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R252	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R253	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R257	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R258	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R259	1-216-857-11	s METAL, CHIP 1M 5% 1/16W
R260	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W
R261	1-218-734-11	s METAL, CHIP 56K 0.50% 1/16W
R262	1-218-734-11	s METAL, CHIP 56K 0.50% 1/16W
R263	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R264	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W
R265	1-218-712-11	s METAL, CHIP 6.8K 0.50% 1/16W
R266	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R267	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R268	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R269	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R270	1-218-666-11	s METAL, CHIP 82 0.50% 1/16W
R271	1-218-666-11	s METAL, CHIP 82 0.50% 1/16W
R281	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R282	1-218-699-11	s METAL, CHIP 2K 0.50% 1/16W
R283	1-218-709-11	s METAL, CHIP 5.1K 0.50% 1/16W
R285	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R286	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R301	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R302	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R303	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R304	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R305	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R306	1-218-722-11	s METAL, CHIP 18K 0.50% 1/16W
R307	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R308	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R309	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R310	1-218-723-11	s METAL, CHIP 20K 0.50% 1/16W
R311	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R312	1-218-723-11	s METAL, CHIP 20K 0.50% 1/16W
R313	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R314	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R315	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R316	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R317	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R318	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R319	1-218-697-11	s METAL, CHIP 1.6K 0.50% 1/16W
R320	1-218-679-91	s METAL, CHIP 300 0.50% 1/16W
R321	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W

(TC-80/80A BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R322	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R323	1-218-720-11	s METAL, CHIP 15K 0.50% 1/16W
R324	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R325	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R326	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R327	1-216-857-11	s METAL, CHIP 1M 5% 1/16W
R328	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W
R329	1-218-734-11	s METAL, CHIP 56K 0.50% 1/16W
R330	1-218-734-11	s METAL, CHIP 56K 0.50% 1/16W
R331	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W
R332	1-218-712-11	s METAL, CHIP 6.8K 0.50% 1/16W
R333	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R334	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R335	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R336	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R337	1-218-666-11	s METAL, CHIP 82 0.50% 1/16W
R338	1-218-666-11	s METAL, CHIP 82 0.50% 1/16W
R339	1-218-709-11	s METAL, CHIP 5.1K 0.50% 1/16W
R340	1-218-699-11	s METAL, CHIP 2K 0.50% 1/16W
R341	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R350	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R352	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R353	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R354	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R355	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R356	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R357	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R358	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R359	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R360	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R370	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R371	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R372	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R373	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R374	1-218-706-11	s METAL, CHIP 3.9K 0.50% 1/16W
R375	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W
R390	1-218-726-11	s METAL, CHIP 27K 0.50% 1/16W [For DNV-5]
R391	1-218-722-11	s METAL, CHIP 18K 0.50% 1/16W [For DNV-5]
	1-218-729-11	s METAL, CHIP 36K 0.50% 1/16W [Except DNV-5]
R392	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R393	1-218-726-11	s METAL, CHIP 27K 0.50% 1/16W [For DNV-5]
R401	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R402	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R403	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R404	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R405	1-218-722-11	s METAL, CHIP 18K 0.50% 1/16W
R406	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R407	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R408	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R409	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R410	1-218-723-11	s METAL, CHIP 20K 0.50% 1/16W
R411	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R412	1-218-723-11	s METAL, CHIP 20K 0.50% 1/16W
R413	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R414	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R415	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W

(TC-80/80A BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R416	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R417	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R418	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R419	1-218-697-11	s METAL, CHIP 1.6K 0.50% 1/16W
R420	1-218-679-91	s METAL, CHIP 300 0.50% 1/16W
R421	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R425	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R426	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R427	1-216-857-11	s METAL, CHIP 1M 5% 1/16W
R428	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W
R429	1-218-734-11	s METAL, CHIP 56K 0.50% 1/16W
R430	1-218-734-11	s METAL, CHIP 56K 0.50% 1/16W
R431	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W
R432	1-218-712-11	s METAL, CHIP 6.8K 0.50% 1/16W
R433	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R434	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R435	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R436	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R437	1-218-666-11	s METAL, CHIP 82 0.50% 1/16W
R438	1-218-666-11	s METAL, CHIP 82 0.50% 1/16W
R439	1-218-709-11	s METAL, CHIP 5.1K 0.50% 1/16W
R440	1-218-699-11	s METAL, CHIP 2K 0.50% 1/16W
R441	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R470	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R471	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R472	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R473	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R474	1-218-706-11	s METAL, CHIP 3.9K 0.50% 1/16W
R475	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W
R500	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W [Lot No. 703 and higher]
R501	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R502	1-218-703-11	s METAL, CHIP 3K 0.50% 1/16W [Lot No. 703 and higher]
R504	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R505	1-218-712-11	s METAL, CHIP 6.8K 0.50% 1/16W [Lot No. 703 and higher]
R506	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R507	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R508	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R509	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R510	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R512	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R513	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R514	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W
R515	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R516	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R517	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R518	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R519	1-218-707-11	s METAL, CHIP 4.3K 0.50% 1/16W
R520	1-218-707-11	s METAL, CHIP 4.3K 0.50% 1/16W
R521	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W
R522	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W
R523	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R524	1-218-676-11	s METAL, CHIP 220 0.50% 1/16W
R525	1-218-726-11	s METAL, CHIP 27K 0.50% 1/16W
R526	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R527	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R528	1-218-713-11	s METAL, CHIP 7.5K 0.50% 1/16W

(TC-80/80A BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R529	1-218-713-11	s METAL, CHIP 7.5K 0.50% 1/16W
R530	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R531	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W
R532	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W
R533	1-218-694-11	s METAL, CHIP 1.2K 0.50% 1/16W
R534	1-218-726-11	s METAL, CHIP 27K 0.50% 1/16W
R535	1-218-674-11	s METAL, CHIP 180 0.50% 1/16W
R536	1-218-702-11	s METAL, CHIP 2.7K 0.50% 1/16W
R537	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R538	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R539	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R540	1-218-683-11	s METAL, CHIP 430 0.50% 1/16W
R541	1-218-722-11	s METAL, CHIP 18K 0.50% 1/16W
R542	1-218-677-11	s METAL, CHIP 240 0.50% 1/16W
R543	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R544	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R545	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R546	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R547	1-218-723-11	s METAL, CHIP 20K 0.50% 1/16W
R548	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R549	1-218-723-11	s METAL, CHIP 20K 0.50% 1/16W
R550	1-218-702-11	s METAL, CHIP 2.7K 0.50% 1/16W
R551	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R552	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R553	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R554	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R555	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R556	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R557	1-218-698-11	s METAL, CHIP 1.8K 0.50% 1/16W
R558	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R559	1-218-698-11	s METAL, CHIP 1.8K 0.50% 1/16W
R560	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R561	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R562	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R563	1-218-713-11	s METAL, CHIP 7.5K 0.50% 1/16W
R564	1-218-688-11	s METAL, CHIP 680 0.50% 1/16W
R565	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R566	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R567	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R568	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R569	1-218-702-11	s METAL, CHIP 2.7K 0.50% 1/16W
R570	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R571	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R572	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R573	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R574	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R575	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R576	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R577	1-218-746-11	s METAL, CHIP 180K 0.50% 1/16W
R578	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R579	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R580	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R581	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R582	1-218-713-11	s METAL, CHIP 7.5K 0.50% 1/16W
R584	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R585	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W [For DNV-5]
R586	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R587	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W

(TC-80/80A BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R588	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W [For DNV-5]
R589	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W [For DNV-5]
R590	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R591	1-218-730-11	s METAL, CHIP 39K 0.50% 1/16W
R592	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R600	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W [Lot No. 703 and higher]
R601	1-218-712-11	s METAL, CHIP 6.8K 0.50% 1/16W [Lot No. 703 and higher]
R602	1-218-703-11	s METAL, CHIP 3K 0.50% 1/16W [Lot No. 703 and higher]
R615	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R616	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R617	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R618	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R619	1-218-707-11	s METAL, CHIP 4.3K 0.50% 1/16W
R620	1-218-707-11	s METAL, CHIP 4.3K 0.50% 1/16W
R621	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W
R622	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R623	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W
R624	1-218-726-11	s METAL, CHIP 27K 0.50% 1/16W
R625	1-218-676-11	s METAL, CHIP 220 0.50% 1/16W
R626	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R627	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R628	1-218-712-11	s METAL, CHIP 6.8K 0.50% 1/16W
R629	1-218-712-11	s METAL, CHIP 6.8K 0.50% 1/16W
R631	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W
R632	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W
R633	1-218-694-11	s METAL, CHIP 1.2K 0.50% 1/16W
R634	1-218-726-11	s METAL, CHIP 27K 0.50% 1/16W
R635	1-218-701-11	s METAL, CHIP 2.4K 0.50% 1/16W
R636	1-218-701-11	s METAL, CHIP 2.4K 0.50% 1/16W
R637	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R638	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R639	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R640	1-218-683-11	s METAL, CHIP 430 0.50% 1/16W
R641	1-218-722-11	s METAL, CHIP 18K 0.50% 1/16W
R642	1-218-677-11	s METAL, CHIP 240 0.50% 1/16W
R643	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R644	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R645	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R646	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R647	1-218-723-11	s METAL, CHIP 20K 0.50% 1/16W
R648	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R649	1-218-723-11	s METAL, CHIP 20K 0.50% 1/16W
R650	1-218-702-11	s METAL, CHIP 2.7K 0.50% 1/16W
R651	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R652	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R653	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R654	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R655	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R656	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R657	1-218-698-11	s METAL, CHIP 1.8K 0.50% 1/16W
R658	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R659	1-218-698-11	s METAL, CHIP 1.8K 0.50% 1/16W
R660	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R661	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R662	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W

(TC-80/80A BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R663	1-218-725-11	s METAL, CHIP 24K 0.50% 1/16W
R664	1-218-725-11	s METAL, CHIP 24K 0.50% 1/16W
R700	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W [Lot No. 703 and higher]
R701	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R702	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R703	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R704	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R705	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R706	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R707	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R708	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R709	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R710	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R711	1-216-861-11	s METAL, CHIP 2.2M 5% 1/16W
R712	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R713	1-218-686-11	s METAL, CHIP 560 0.50% 1/16W
R714	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R715	1-216-857-11	s METAL, CHIP 1M 5% 1/16W
R716	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R717	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R718	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R719	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R720	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R721	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R722	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R723	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W
R724	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R725	1-218-703-11	s METAL, CHIP 3K 0.50% 1/16W
R726	1-218-665-11	s METAL, CHIP 75 0.50% 1/16W
R727	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R728	1-218-736-11	s METAL, CHIP 68K 0.50% 1/16W
R729	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R730	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R731	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R732	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R733	1-218-718-11	s METAL, CHIP 12K 0.50% 1/16W
R734	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R735	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R736	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R737	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R738	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Lot No. 703 and higher]
	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W [Lot No. 604 through 702]
R739	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R740	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R741	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R742	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R743	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R744	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R745	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R746	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R747	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R748	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R749	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R750	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R751	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R752	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W

(TC-80/80A BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R753	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R754	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R755	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R756	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R757	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R758	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R759	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W [Lot No. 604 through 702]
	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Lot No. 703 and Higher :Except
DNV-5]		
R760	1-216-864-11	s METAL, CHIP 0 5% 1/16W [For DNV-5]
	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W [Lot No. 703 and higher]
R762	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R763	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R764	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R765	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R766	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R767	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R768	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R770	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R771	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R772	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R773	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R774	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R775	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R776	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R777	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R778	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R779	1-218-680-11	s METAL, CHIP 330 0.50% 1/16W
R780	1-218-680-11	s METAL, CHIP 330 0.50% 1/16W
R781	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R782	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R783	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R784	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R786	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R787	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W [Lot No. 604 through 702]
R788	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R789	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R790	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R791	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R792	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R793	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R794	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R795	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R796	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R797	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R798	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R799	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R800	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R801	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R802	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R803	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R804	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R805	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R806	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R807	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R808	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W

(TC-80/80A BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R809	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R810	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R811	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R812	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R813	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R814	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R815	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R816	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R817	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R818	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R819	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Except DNV-5]
R820	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R821	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R822	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R823	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R824	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W [For DNV-5]
R829	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R830	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R831	1-218-748-11	s METAL, CHIP 220K 0.50% 1/16W
R832	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R833	1-218-713-11	s METAL, CHIP 7.5K 0.50% 1/16W
R834	1-218-720-11	s METAL, CHIP 15K 0.50% 1/16W
R835	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R836	1-218-720-11	s METAL, CHIP 15K 0.50% 1/16W
R837	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R838	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R839	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R840	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R841	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R842	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R843	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R844	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R845	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R910	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R911	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R951	1-218-751-11	s METAL, CHIP 300K 0.50% 1/16W
R952	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R953	1-218-730-11	s METAL, CHIP 39K 0.50% 1/16W
R954	1-218-742-11	s METAL, CHIP 120K 0.50% 1/16W
R955	1-218-751-11	s METAL, CHIP 300K 0.50% 1/16W
R956	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R957	1-218-730-11	s METAL, CHIP 39K 0.50% 1/16W
R958	1-218-742-11	s METAL, CHIP 120K 0.50% 1/16W
R1000	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R1100	1-216-864-11	s METAL, CHIP 0 5% 1/16W [Except DNV-5]
R3000	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W [For DNV-5]
R4000	1-218-692-11	s METAL, CHIP 1.0K 0.50% 1/16W [Except DNV-5]
RB101	1-236-907-11	s NETWORK RESISTOR (CHIP) 100K
RB507	1-239-426-11	s NETWORK RESISTOR (CHIP) 2.2K
RB701	1-239-444-11	s NETWORK RESISTOR (CHIP) 220K
RB702	1-239-444-11	s NETWORK RESISTOR (CHIP) 220K
RB703	1-239-444-11	s NETWORK RESISTOR (CHIP) 220K
RB704	1-239-426-11	s NETWORK RESISTOR (CHIP) 2.2K
RB705	1-239-426-11	s NETWORK RESISTOR (CHIP) 2.2K

(TC-80/80A BOARD)

Ref. No. or Q'ty	Part No.	SP Description
		[Lot No. 604 through 702]
RB706	1-239-426-11	s NETWORK RESISTOR (CHIP) 2.2K
RB708	1-239-444-11	s NETWORK RESISTOR (CHIP) 220K
RB709	1-239-444-11	s NETWORK RESISTOR (CHIP) 220K
		[Lot No. 604 through 702]
RB710	1-239-444-11	s NETWORK RESISTOR (CHIP) 220K
RB711	1-239-444-11	s NETWORK RESISTOR (CHIP) 220K
RB712	1-239-444-11	s NETWORK RESISTOR (CHIP) 220K
RB713	1-239-430-11	s NETWORK RESISTOR (CHIP) 4.7K
RB714	1-239-430-11	s NETWORK RESISTOR (CHIP) 4.7K
RB716	1-236-904-11	s NETWORK RESISTOR (CHIP) 1.0K
RB901	1-239-389-11	s NWTWORK RESISTOR (CHIP) 47K
RB902	1-239-389-11	s NWTWORK RESISTOR (CHIP) 47K
RB903	1-239-389-11	s NWTWORK RESISTOR (CHIP) 47K
RV101	1-223-684-11	s RES, VAR, CARBON 5K
RV201	1-223-684-11	s RES, VAR, CARBON 5K
RV501	1-237-033-11	s RES, ADJ METAL 1K
RV502	1-237-033-11	s RES, ADJ METAL 1K
RV503	1-223-684-11	s RES, VAR, CARBON 5K
RV505	1-223-684-11	s RES, VAR, CARBON 5K
RV951	1-237-039-11	s RES, ADJ METAL 100K
RV952	1-237-039-11	s RES, ADJ METAL 100K
S101	1-571-087-11	s SWITCH, SLIDE
S102	1-571-277-31	s SWITCH, SLIDE
S103	1-570-842-11	s SWITCH, SLIDE
S104	1-571-277-31	s SWITCH, SLIDE
S201	1-571-087-11	s SWITCH, SLIDE
S203	1-570-842-11	s SWITCH, SLIDE
S204	1-571-277-31	s SWITCH, SLIDE
S501	1-571-275-31	s SWITCH, SLIDE
S502	1-570-834-11	s SWITCH, SLIDE
S601	1-571-275-31	s SWITCH, SLIDE
S701	1-570-860-11	s SWITCH, SLIDE
S702	1-570-852-11	s SWITCH, SLIDE
S703	1-570-852-11	s SWITCH, SLIDE
S704	1-570-852-11	s SWITCH, SLIDE
S705	1-570-852-11	s SWITCH, SLIDE
S706	1-572-725-11	s SWITCH, PUSH
S707	1-572-725-11	s SWITCH, PUSH
S708	1-572-725-11	s SWITCH, PUSH
S709	1-572-725-11	s SWITCH, PUSH
S710	1-572-725-11	s SWITCH, PUSH
S711	1-570-860-11	s SWITCH, SLIDE
S901	1-572-725-11	s SWITCH, PUSH
X701	1-760-272-11	s CRYSTAL 13.500000MHZ
X702	1-760-272-11	s CRYSTAL 13.500000MHZ
X703	1-760-622-21	s CRYSTAL 32.768KHz

(TG-161/161(P) BOARD)

*For DNW-7/7P

Ref. No. or Q'ty	Part No.	SP Description
		For DNW-7/7P only
1pc	A-8277-774-A	o MOUNTED CIRCUIT BOARD, TG-161 [For NTSC]
	A-8277-809-A	o MOUNTED CIRCUIT BOARD, TG-161(P) [For PAL]
C1	1-113-985-11	s TANTALUM, CHIP 10uF 20% 20V
C2	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C3	1-162-919-11	s CERAMIC, CHIP 22PF 5% 50V
C4	1-162-919-11	s CERAMIC, CHIP 22PF 5% 50V
C5	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C7	1-162-919-11	s CERAMIC, CHIP 22PF 5% 50V
C9	1-113-985-11	s TANTALUM, CHIP 10uF 20% 20V
C10	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C11	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C12	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C14	1-162-915-11	s CERAMIC, CHIP 10PF 50V
C15	1-162-915-11	s CERAMIC, CHIP 10PF 50V
C16	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C17	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C18	1-113-985-11	s TANTALUM, CHIP 10uF 20% 20V
C19	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V
C20	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C21	1-113-985-11	s TANTALUM, CHIP 10uF 20% 20V
C22	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C23	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C24	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C25	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C27	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C28	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C31	1-162-919-11	s CERAMIC, CHIP 22PF 5% 50V
C32	1-162-917-11	s CERAMIC, CHIP 15PF 5% 50V
C35	1-162-919-11	s CERAMIC, CHIP 22PF 5% 50V
C36	1-162-915-11	s CERAMIC, CHIP 10PF 50V
C38	1-162-915-11	s CERAMIC, CHIP 10PF 50V
C39	1-162-919-11	s CERAMIC, CHIP 22PF 5% 50V
C43	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V [For DNW-7(SY):S/N 10031 and higher] [For DNW-7(J):S/N 30021 and higher] [For DNW-7P(SY):S/N 40031 and higher]
C44	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V [For DNW-7(SY):S/N 10031 and higher] [For DNW-7(J):S/N 30021 and higher] [For DNW-7P(SY):S/N 40031 and higher]
CN1	1-691-943-21	o CONNECTOR, BOARD TO BOARD 30P
CN2	1-568-367-11	s CONNECTOR, BOARD TO BOARD 18P
CN3	1-568-367-11	s CONNECTOR, BOARD TO BOARD 18P
D1	8-719-029-57	s DIODE RD2.4UH-T1
D2	8-719-948-47	s DIODE HSM88AS
D3	8-719-948-47	s DIODE HSM88AS
D4	8-719-948-47	s DIODE HSM88AS
D5	8-719-948-47	s DIODE HSM88AS
IC1	8-752-353-25	s IC CXD1265R
IC2	8-759-079-60	s IC TC74VHC32FS(EL)
IC3	8-759-079-60	s IC TC74VHC32FS(EL)
IC4	8-759-079-49	s IC TC74VHC04FS(EL)
IC5	8-759-079-61	s IC TC74VHC74FS(EL)
IC6	8-759-049-58	s IC SN74HC04APW-E05
IC7	8-759-079-54	s IC TC74VHC10FS(EL)

(TG-161/161(P) BOARD)

Ref. No. or Q'ty	Part No.	SP Description
IC8	8-759-337-40	s IC NJM2904V(TE2)
IC9	8-759-238-88	s IC TC7S02FU
IC10	8-759-196-93	s IC TC7SH00FU-TE85R
IC11	8-759-196-96	s IC TC7SH08FU-TE85R
IC12	8-759-196-96	s IC TC7SH08FU-TE85R
IC13	8-759-050-92	s IC SN74HC164APW-E05 [For DNW-7(SY) :S/N 10031 and higher] [For DNW-7(J) :S/N 30021 and higher] [For DNW-7P(SY):S/N 40031 and higher]
IC14	8-759-392-02	s IC TC7SH86FU-TE85L [For DNW-7(SY) :S/N 10031 and higher] [For DNW-7(J) :S/N 30021 and higher] [For DNW-7P(SY):S/N 40031 and higher]
IC15	8-759-271-86	s IC TC7SH04FU [For DNW-7(SY) :S/N 10031 and higher] [For DNW-7(J) :S/N 30021 and higher] [For DNW-7P(SY):S/N 40031 and higher]
IC16	8-759-196-97	s IC TC7SH32FU-TE85R [For DNW-7(SY) :S/N 10031 and higher] [For DNW-7(J) :S/N 30021 and higher] [For DNW-7P(SY):S/N 40031 and higher]
IC17	8-759-196-93	s IC TC7SH00FU-TE85R [For DNW-7(SY) :S/N 10031 and higher] [For DNW-7(J) :S/N 30021 and higher] [For DNW-7P(SY):S/N 40031 and higher]
IC18	8-759-049-60	s IC SN74HC08APW-E05 [For DNW-7(SY) :S/N 10031 and higher] [For DNW-7(J) :S/N 30021 and higher] [For DNW-7P(SY):S/N 40031 and higher]
Q1	8-729-141-48	s TRANSISTOR 2SB624-BV345
R1	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R2	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R3	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R4	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R5	1-218-667-11	s METAL, CHIP 91 0.50% 1/16W
R6	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R7	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R8	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R9	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R10	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R12	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R13	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R14	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R15	1-218-674-11	s METAL, CHIP 180 0.50% 1/16W
R16	1-218-676-11	s METAL, CHIP 220 0.50% 1/16W
R17	1-218-676-11	s METAL, CHIP 220 0.50% 1/16W
R18	1-218-656-11	s METAL, CHIP 33 0.50% 1/16W
R19	1-218-656-11	s METAL, CHIP 33 0.50% 1/16W
R20	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W [For DNW-7(SY) :S/N 10001 to 10030] [For DNW-7(J) :S/N 30001 to 30020] [For DNW-7P(SY):S/N 40001 to 40030]
R21	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R22	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R23	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R24	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R25	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W [For DNW-7(SY) :S/N 10001 to 10030] [For DNW-7(J) :S/N 30001 to 30020] [For DNW-7P(SY):S/N 40001 to 40030]
R26	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W

(TG-161/161(P) BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R27	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R28	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R29	1-218-703-11	s METAL, CHIP 3K 0.50% 1/16W
R30	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R31	1-218-672-11	s METAL, CHIP 150 0.50% 1/16W
R32	1-218-741-11	s METAL, CHIP 110K 0.5% 1/16W
R33	1-216-791-11	s METAL, CHIP 3.3 5% 1/16W [For DNW-7(SY) :S/N 10001 and higher] [For DNW-7(J) :S/N 30001 and higher] [For DNW-7P(SY):S/N 40031 and higher]
	1-218-656-11	s METAL, CHIP 33 0.50% 1/16W [For DNW-7P(SY):S/N 40001 to 40030]
R34	1-216-791-11	s METAL, CHIP 3.3 5% 1/16W
R35	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R36	1-218-734-11	s METAL, CHIP 56K 0.50% 1/16W
R37	1-218-734-11	s METAL, CHIP 56K 0.50% 1/16W
R38	1-218-726-11	s METAL, CHIP 27K 0.50% 1/16W
R39	1-218-726-11	s METAL, CHIP 27K 0.50% 1/16W
R40	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R41	1-216-864-11	s METAL, CHIP 0 5% 1/16W [For NTSC]
R42	1-216-864-11	s METAL, CHIP 0 5% 1/16W [For PAL]
R43	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R45	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R47	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R48	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R49	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R50	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R51	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R52	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R55	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R56	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R57	1-218-674-11	s METAL, CHIP 180 0.50% 1/16W
R58	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R59	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R61	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R62	1-218-664-11	s METAL, CHIP 68 0.50% 1/16W
R63	1-218-678-11	s METAL, CHIP 270 0.50% 1/16W
R64	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R65	1-218-672-11	s METAL, CHIP 150 0.50% 1/16W
R66	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R67	1-218-676-11	s METAL, CHIP 220 0.50% 1/16W
R68	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W [For DNW-7(SY) :S/N 10031 and higher] [For DNW-7(J) :S/N 30021 and higher] [For DNW-7P(SY):S/N 40031 and higher]
	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W [For DNW-7(SY) :S/N 10001 to 10030] [For DNW-7(J) :S/N 30001 to 30020] [For DNW-7P(SY):S/N 40001 to 40030]
R69	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R72	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R73	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R74	1-218-721-11	s METAL, CHIP 16K 0.50% 1/16W
R75	1-218-702-11	s METAL, CHIP 2.7K 0.50% 1/16W
R76	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R77	1-216-864-11	s METAL, CHIP 0 5% 1/16W [For DNW-7(SY) :S/N 10031 and higher] [For DNW-7(J) :S/N 30021 and higher] [For DNW-7P(SY):S/N 40031 and higher]
R78	1-216-864-11	s METAL, CHIP 0 5% 1/16W [For DNW-7P(SY):S/N 40031 and higher]
R79	1-216-864-11	s METAL, CHIP 0 5% 1/16W

(TG-161/161(P) BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R80	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W [For DNW-7P(SY):S/N 40031 and higher] [For DNW-7(SY) :S/N 10031 and higher] [For DNW-7(J) :S/N 30021 and higher] [For DNW-7P(SY):S/N 40031 and higher]
R81	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W [For DNW-7(SY) :S/N 10031 and higher] [For DNW-7(J) :S/N 30021 and higher] [For DNW-7P(SY):S/N 40031 and higher]
R82	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W [For DNW-7(SY) :S/N 10031 and higher] [For DNW-7(J) :S/N 30021 and higher] [For DNW-7P(SY):S/N 40031 and higher]
X1	1-579-713-11	s VCO, CRYSTAL 28.636000MHz [For NTSC]
	1-767-206-11	s CRYSTAL 28.500000MHz [For PAL]

TG-164/164(P) BOARD

*For DNW-9WS/9WSP/90/90P/90WS/90WSP

Ref. No. or Q'ty	Part No.	SP Description
1pc	A-8311-763-A	o MOUNTED CIRCUIT BOARD, TG-164 [For UC, J]
	A-8311-765-A	o MOUNTED CIRCUIT BOARD, TG-164(P) [For EK]
C1	1-113-985-11	s TANTALUM, CHIP 10uF 20% 20V
C2	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C5	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V
C6	1-162-915-11	s CERAMIC, CHIP 10PF 50V
C9	1-113-985-11	s TANTALUM, CHIP 10uF 20% 20V
C12	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C13	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C14	1-162-917-11	s CERAMIC, CHIP 15PF 5% 50V
C15	1-162-917-11	s CERAMIC, CHIP 15PF 5% 50V
C16	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C17	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C18	1-113-994-11	s TANTALUM, CHIP 6.8uF 20% 16V
C20	1-113-985-11	s TANTALUM, CHIP 10uF 20% 20V
C21	1-113-985-11	s TANTALUM, CHIP 10uF 20% 20V
C22	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C23	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C24	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C31	1-162-917-11	s CERAMIC, CHIP 15PF 5% 50V
C32	1-162-921-11	s CERAMIC, CHIP 33PF 5% 50V
C35	1-162-919-11	s CERAMIC, CHIP 22PF 5% 50V
C36	1-162-915-11	s CERAMIC, CHIP 10PF 50V
C37	1-162-919-11	s CERAMIC, CHIP 22PF 5% 50V
C38	1-162-915-11	s CERAMIC, CHIP 10PF 50V
C39	1-162-919-11	s CERAMIC, CHIP 22PF 5% 50V
C41	1-162-915-11	s CERAMIC, CHIP 10PF 50V
C47	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C48	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C49	1-162-919-11	s CERAMIC, CHIP 22PF 5% 50V
C50	1-113-994-11	s TANTALUM, CHIP 6.8uF 20% 16V
C51	1-162-964-11	s CERAMIC, CHIP 0.001uF 10% 50V
CN1	1-691-943-21	o CONNECTOR, BOARD TO BOARD 30P
CN2	1-568-367-11	s CONNECTOR, BOARD TO BOARD 18P
CN3	1-568-367-11	s CONNECTOR, BOARD TO BOARD 18P
D1	8-719-029-57	s DIODE RD2.4UH-T1
D2	8-719-948-48	s DIODE HSM88AS-TL
D5	8-719-948-48	s DIODE HSM88AS-TL
D6	8-719-948-48	s DIODE HSM88AS-TL
D7	8-719-948-48	s DIODE HSM88AS-TL
D8	8-719-948-48	s DIODE HSM88AS-TL
D9	8-719-948-48	s DIODE HSM88AS-TL
IC1	8-752-374-13	u IC CXD2422R
IC2	8-759-523-94	s IC TC74VHC32FT(EL)
IC3	8-759-523-94	s IC TC74VHC32FT(EL)
IC4	8-759-491-46	s IC TC74VHC04FT(EL)
IC5	8-759-523-95	s IC TC74VHC74FT(EL)
IC6	8-759-523-95	s IC TC74VHC74FT(EL)
IC7	8-759-523-78	s IC TC74VHC00FT(EL)
IC8	8-759-337-40	s IC NJM2904V(TE2)
IC10	8-759-196-93	s IC TC7SH00FU-TE85R
Q1	8-729-141-48	s TRANSISTOR 2SB624-BV345
R1	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R2	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R3	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W

(TG-164/164(P) BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R4	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R5	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R7	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R8	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R9	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R10	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R11	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R12	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R14	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R15	1-218-676-11	s METAL, CHIP 220 0.50% 1/16W
R16	1-218-683-11	s METAL, CHIP 430 0.50% 1/16W
R17	1-218-683-11	s METAL, CHIP 430 0.50% 1/16W
R18	1-218-656-11	s METAL, CHIP 33 0.50% 1/16W
R19	1-218-656-11	s METAL, CHIP 33 0.50% 1/16W
R20	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R21	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R22	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R23	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R24	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R25	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R26	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R27	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R28	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R29	1-218-703-11	s METAL, CHIP 3K 0.50% 1/16W
R30	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R31	1-218-672-11	s METAL, CHIP 150 0.50% 1/16W
R32	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R33	1-216-791-11	s METAL, CHIP 3.3 5% 1/16W
R34	1-216-791-11	s METAL, CHIP 3.3 5% 1/16W
R35	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R36	1-218-734-11	s METAL, CHIP 56K 0.50% 1/16W
R37	1-218-734-11	s METAL, CHIP 56K 0.50% 1/16W
R38	1-218-726-11	s METAL, CHIP 27K 0.50% 1/16W
R39	1-218-726-11	s METAL, CHIP 27K 0.50% 1/16W
R40	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R41	1-216-864-11	s METAL, CHIP 0 5% 1/16W [For UC, J]
R42	1-216-864-11	s METAL, CHIP 0 5% 1/16W [For EK]
R44	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R47	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R48	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R49	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R50	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R51	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R52	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R56	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R57	1-218-670-11	s METAL, CHIP 120 0.50% 1/16W
R59	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R61	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R62	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R63	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R64	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R65	1-218-672-11	s METAL, CHIP 150 0.50% 1/16W
R66	1-218-676-11	s METAL, CHIP 220 0.50% 1/16W
R67	1-218-676-11	s METAL, CHIP 220 0.50% 1/16W
R68	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R70	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R71	1-218-676-11	s METAL, CHIP 220 0.50% 1/16W
R73	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R74	1-218-702-11	s METAL, CHIP 2.7K 0.50% 1/16W

(TG-164/164(P) BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R75	1-218-702-11	s METAL, CHIP 2.7K 0.50% 1/16W
R76	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R79	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R80	1-218-680-11	s METAL, CHIP 330 0.50% 1/16W
R81	1-218-684-11	s METAL, CHIP 470 0.50% 1/16W
R82	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R83	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R84	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R85	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R86	1-216-864-11	s METAL, CHIP 0 5% 1/16W
S1	1-571-275-31	s SWITCH, SLIDE
S2	1-571-275-31	s SWITCH, SLIDE
X1	1-579-715-11	s VCO, CRISTAL 36.000000 MHz [For EK]

VA-167 BOARD

*Except DNV-5

Ref. No. or Q'ty	Part No.	SP Description
C1	1-115-581-11	s TANTALUM, CHIP 100uF 20% 16V
C2	1-115-581-11	s TANTALUM, CHIP 100uF 20% 16V
C6	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C7	1-107-685-11	s TANTALUM, CHIP 15uF 20% 6.3V
C8	1-135-177-21	s TANTALUM, CHIP 1uF 10% 25V
C10	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C11	1-135-177-21	s TANTALUM, CHIP 1uF 10% 25V
C12	1-113-994-11	s TANTALUM, CHIP 6.8uF 20% 16V
C13	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C14	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C15	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C16	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C17	1-135-179-21	s TANTALUM 2.2uF 10% 16V
C18	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C19	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C20	1-164-217-11	s CERAMIC, CHIP 150PF 5% 50V
C21	1-104-563-11	s FILM, CHIP 0.1uF 5% 16V
C22	1-104-563-11	s FILM, CHIP 0.1uF 5% 16V
C23	1-104-563-11	s FILM, CHIP 0.1uF 5% 16V
C24	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C25	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C26	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C27	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C28	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C29	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C30	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C31	1-162-957-11	s CERAMIC, CHIP 220PF 5% 50V
C32	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C33	1-135-210-11	s TANTALUM, CHIP 4.7uF 20% 10V
C34	1-135-210-11	s TANTALUM, CHIP 4.7uF 20% 10V
C35	1-135-210-11	s TANTALUM, CHIP 4.7uF 20% 10V
C36	1-113-994-11	s TANTALUM, CHIP 6.8uF 20% 16V
C37	1-162-907-11	s CERAMIC, CHIP 2PF 50V
C38	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C39	1-162-919-11	s CERAMIC, CHIP 22PF 5% 50V
C40	1-162-919-11	s CERAMIC, CHIP 22PF 5% 50V
C41	1-162-919-11	s CERAMIC, CHIP 22PF 5% 50V
C42	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C43	1-162-970-11	s CERAMIC, CHIP 0.01uF 10% 25V
C101	1-113-990-11	s TANTALUM, CHIP 15uF 20% 16V
C102	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C103	1-113-990-11	s TANTALUM, CHIP 15uF 20% 16V
C104	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C105	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C106	1-135-210-11	s TANTALUM, CHIP 4.7uF 20% 10V
C107	1-135-210-11	s TANTALUM, CHIP 4.7uF 20% 10V
C108	1-162-921-11	s CERAMIC, CHIP 33PF 5% 50V [Lot No. 701 and higher]
	1-162-926-11	s CERAMIC, CHIP 82PF 5% 50V [Lot No. 604 through 612]
C109	1-162-919-11	s CERAMIC, CHIP 22PF 5% 50V [Lot No. 701 and higher]
	1-162-925-11	s CERAMIC, CHIP 68PF 5% 50V [Lot No. 604 through 612]
C111	1-162-907-11	s CERAMIC, CHIP 2PF 50V
C112	1-162-907-11	s CERAMIC, CHIP 2PF 50V
C116	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C117	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C118	1-135-210-11	s TANTALUM, CHIP 4.7uF 20% 10V
C119	1-135-210-11	s TANTALUM, CHIP 4.7uF 20% 10V

(VA-167 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
C120	1-162-909-11	s CERAMIC 4PF 50V
C121	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C123	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C124	1-113-994-11	s TANTALUM, CHIP 6.8uF 20% 16V
C125	1-115-581-11	s TANTALUM, CHIP 100uF 20% 16V
C126	1-135-177-21	s TANTALUM, CHIP 1uF 10% 25V
C127	1-135-177-21	s TANTALUM, CHIP 1uF 10% 25V
C128	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C129	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C132	1-113-682-11	s TANTALUM, CHIP 33uF 20% 10V
C134	1-113-994-11	s TANTALUM, CHIP 6.8uF 20% 16V
C137	1-113-682-11	s TANTALUM, CHIP 33uF 20% 10V
C138	1-135-190-21	s TANTALUM, CHIP 0.1uF 10% 20V
C139	1-135-233-21	s TANTALUM, CHIP 0.33uF 20% 16V
C140	1-135-190-21	s TANTALUM, CHIP 0.1uF 10% 20V
C141	1-135-233-21	s TANTALUM, CHIP 0.33uF 20% 16V
C143	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C201	1-115-581-11	s TANTALUM, CHIP 100uF 20% 16V
C202	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C203	1-115-581-11	s TANTALUM, CHIP 100uF 20% 16V
C204	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C205	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C206	1-135-210-11	s TANTALUM, CHIP 4.7uF 20% 10V
C207	1-135-210-11	s TANTALUM, CHIP 4.7uF 20% 10V
C208	1-162-921-11	s CERAMIC, CHIP 33PF 5% 50V [Lot No. 701 and higher]
	1-162-926-11	s CERAMIC, CHIP 82PF 5% 50V [Lot No. 604 through 612]
C209	1-162-919-11	s CERAMIC, CHIP 22PF 5% 50V [Lot No. 701 and higher]
	1-162-925-11	s CERAMIC, CHIP 68PF 5% 50V [Lot No. 604 through 612]
C211	1-162-907-11	s CERAMIC, CHIP 2PF 50V
C212	1-162-907-11	s CERAMIC, CHIP 2PF 50V
C216	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C217	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C218	1-135-210-11	s TANTALUM, CHIP 4.7uF 20% 10V
C219	1-135-210-11	s TANTALUM, CHIP 4.7uF 20% 10V
C220	1-162-909-11	s CERAMIC 4PF 50V
C221	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C223	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C224	1-113-994-11	s TANTALUM, CHIP 6.8uF 20% 16V
C225	1-115-581-11	s TANTALUM, CHIP 100uF 20% 16V
C226	1-135-177-21	s TANTALUM, CHIP 1uF 10% 25V
C227	1-135-177-21	s TANTALUM, CHIP 1uF 10% 25V
C228	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C229	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C232	1-113-682-11	s TANTALUM, CHIP 33uF 20% 10V
C234	1-113-994-11	s TANTALUM, CHIP 6.8uF 20% 16V
C235	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C237	1-113-682-11	s TANTALUM, CHIP 33uF 20% 10V
C238	1-135-190-21	s TANTALUM, CHIP 0.1uF 10% 20V
C239	1-135-233-21	s TANTALUM, CHIP 0.33uF 20% 16V
C240	1-135-190-21	s TANTALUM, CHIP 0.1uF 10% 20V
C241	1-135-233-21	s TANTALUM, CHIP 0.33uF 20% 16V
C243	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
C301	1-113-990-11	s TANTALUM, CHIP 15uF 20% 16V
C302	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C303	1-113-990-11	s TANTALUM, CHIP 15uF 20% 16V
C304	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V

(VA-167 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
C305	1-104-851-11	s TANTALUM, CHIP 10uF 20% 10V
C306	1-135-210-11	s TANTALUM, CHIP 4.7uF 20% 10V
C307	1-135-210-11	s TANTALUM, CHIP 4.7uF 20% 10V
C308	1-162-921-11	s CERAMIC, CHIP 33PF 5% 50V [Lot No. 701 and higher]
	1-162-926-11	s CERAMIC, CHIP 82PF 5% 50V [Lot No. 604 through 612]
C309	1-162-919-11	s CERAMIC, CHIP 22PF 5% 50V [Lot No. 701 and higher]
	1-162-925-11	s CERAMIC, CHIP 68PF 5% 50V [Lot No. 604 through 612]
C311	1-162-905-11	s CERAMIC, CHIP 1PF 50V
C312	1-162-905-11	s CERAMIC, CHIP 1PF 50V
C316	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C317	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C318	1-135-210-11	s TANTALUM, CHIP 4.7uF 20% 10V
C319	1-135-210-11	s TANTALUM, CHIP 4.7uF 20% 10V
C320	1-162-909-11	s CERAMIC 4PF 50V
C321	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C323	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C324	1-113-994-11	s TANTALUM, CHIP 6.8uF 20% 16V
C325	1-115-581-11	s TANTALUM, CHIP 100uF 20% 16V
C326	1-135-177-21	s TANTALUM, CHIP 1uF 10% 25V
C327	1-135-177-21	s TANTALUM, CHIP 1uF 10% 25V
C328	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C329	1-164-156-11	s CERAMIC, CHIP 0.1uF 25V
C332	1-113-682-11	s TANTALUM, CHIP 33uF 20% 10V
C334	1-113-994-11	s TANTALUM, CHIP 6.8uF 20% 16V
C337	1-113-682-11	s TANTALUM, CHIP 33uF 20% 10V
C338	1-135-190-21	s TANTALUM, CHIP 0.1uF 10% 20V
C339	1-135-233-21	s TANTALUM, CHIP 0.33uF 20% 16V
C340	1-135-190-21	s TANTALUM, CHIP 0.1uF 10% 20V
C341	1-135-233-21	s TANTALUM, CHIP 0.33uF 20% 16V
C343	1-162-927-11	s CERAMIC, CHIP 100PF 5% 50V
CN1	1-568-361-21	s CONNECTOR, BOARD TO BOARD 24P
CN2	1-778-552-11	o CONNECTOR, 30P, MALE
CN3	1-569-607-21	o CONNECTOR, BOARD TO BOARD 24P
D1	8-719-948-48	s DIODE HSM88AS-TL
D2	8-719-029-63	s DIODE RD4.3UH-T1
D3	8-719-029-63	s DIODE RD4.3UH-T1
D4	8-719-820-41	s DIODE 1SS302
D5	8-719-820-41	s DIODE 1SS302
D103	8-719-948-48	s DIODE HSM88AS-TL
D203	8-719-948-48	s DIODE HSM88AS-TL
D303	8-719-948-48	s DIODE HSM88AS-TL
FL101	1-402-639-11	s FILTER, TRAP
FL102	1-239-620-21	s FILTER, TRAP
FL201	1-402-639-11	s FILTER, TRAP
FL202	1-239-620-21	s FILTER, TRAP
FL301	1-402-639-11	s FILTER, TRAP
FL302	1-239-620-21	s FILTER, TRAP
IC1	8-759-970-59	s IC TLC272CPS
IC2	8-759-111-56	s IC UPC4572G2
IC3	8-759-234-77	s IC TC4S66F
IC4	8-759-523-81	s IC TC74VHC08FT(EL)
IC5	8-759-084-79	s IC TC7S14F (TE85R)
IC6	8-759-523-04	s IC TC74HC4538AFT(EL)
IC7	8-759-175-02	s IC TL074CPW

(VA-167 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
IC8	8-759-082-61	s IC TC4W53FU
IC9	8-759-635-27	s IC M62352GP
IC10	8-759-059-50	s IC MB88351PFV
IC11	8-759-086-41	s IC X24C02S-3.0
IC12	8-759-271-86	s IC TC7SH04FU
IC16	8-759-523-02	s IC TC74HC4053AFT(EL)
IC17	8-759-175-02	s IC TL074CPW
IC18	8-759-523-02	s IC TC74HC4053AFT(EL)
IC19	8-759-059-50	s IC MB88351PFV
IC101	8-759-463-81	s IC TLC2272CPW-E05
IC102	8-759-523-02	s IC TC74HC4053AFT(EL)
IC103	8-752-068-64	s IC CXA1486Q-TH
IC104	8-759-082-61	s IC TC4W53FU
IC201	8-759-463-81	s IC TLC2272CPW-E05
IC202	8-759-523-02	s IC TC74HC4053AFT(EL)
IC203	8-752-068-64	s IC CXA1486Q-TH
IC204	8-759-082-61	s IC TC4W53FU
IC301	8-759-463-81	s IC TLC2272CPW-E05
IC302	8-759-523-02	s IC TC74HC4053AFT(EL)
IC303	8-752-068-64	s IC CXA1486Q-TH
IC304	8-759-082-61	s IC TC4W53FU
L1	1-410-385-11	s INDUCTOR, CHIP 22uH
L6	1-412-955-11	s INDUCTOR 22uH
L7	1-412-955-11	s INDUCTOR 22uH
L8	1-412-955-11	s INDUCTOR 22uH
L101	1-412-935-11	s INDUCTOR 0.47uH
L103	1-410-382-31	s INDUCTOR, CHIP 12uH [Lot No. 701 and higher]
	1-410-377-31	s INDUCTOR, CHIP 4.7uH [Lot No. 604 through 612]
L104	1-410-382-31	s INDUCTOR, CHIP 12uH [Lot No. 701 and higher]
	1-410-377-31	s INDUCTOR, CHIP 4.7uH [Lot No. 604 through 612]
L201	1-412-935-11	s INDUCTOR 0.47uH
L203	1-410-382-31	s INDUCTOR, CHIP 12uH [Lot No. 701 and higher]
	1-410-377-31	s INDUCTOR, CHIP 4.7uH [Lot No. 604 through 612]
L204	1-410-382-31	s INDUCTOR, CHIP 12uH [Lot No. 701 and higher]
	1-410-377-31	s INDUCTOR, CHIP 4.7uH [Lot No. 604 through 612]
L301	1-412-935-11	s INDUCTOR 0.47uH
L303	1-410-382-31	s INDUCTOR, CHIP 12uH [Lot No. 701 and higher]
	1-410-377-31	s INDUCTOR, CHIP 4.7uH [Lot No. 604 through 612]
L304	1-410-382-31	s INDUCTOR, CHIP 12uH [Lot No. 701 and higher]
	1-410-377-31	s INDUCTOR, CHIP 4.7uH [Lot No. 604 through 612]
Q2	8-729-141-48	s TRANSISTOR 2SB624-BV345
Q3	8-729-141-75	s TRANSISTOR 2SD596DV345
Q4	8-729-402-78	s TRANSISTOR XN6401
Q5	8-729-402-19	s TRANSISTOR XN6501
Q6	8-729-402-19	s TRANSISTOR XN6501
Q9	8-729-403-29	s TRANSISTOR XN6435
Q10	8-729-403-29	s TRANSISTOR XN6435
Q11	8-729-122-63	s TRANSISTOR 2SA1226
Q12	8-729-122-63	s TRANSISTOR 2SA1226

(VA-167 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
Q13	8-729-122-63	s TRANSISTOR 2SA1226
Q14	8-729-141-75	s TRANSISTOR 2SD596DV345
Q101	8-729-117-32	s TRANSISTOR 2SC4177
Q102	8-729-403-29	s TRANSISTOR XN6435
Q103	8-729-122-63	s TRANSISTOR 2SA1226
Q104	8-729-122-63	s TRANSISTOR 2SA1226
Q105	8-729-403-32	s TRANSISTOR XN6534
Q106	8-729-403-32	s TRANSISTOR XN6534
Q109	8-729-117-32	s TRANSISTOR 2SC4177
Q113	8-729-403-32	s TRANSISTOR XN6534
Q114	8-729-117-32	s TRANSISTOR 2SC4177
Q201	8-729-117-32	s TRANSISTOR 2SC4177
Q202	8-729-403-29	s TRANSISTOR XN6435
Q203	8-729-122-63	s TRANSISTOR 2SA1226
Q204	8-729-122-63	s TRANSISTOR 2SA1226
Q205	8-729-403-32	s TRANSISTOR XN6534
Q206	8-729-403-32	s TRANSISTOR XN6534
Q209	8-729-117-32	s TRANSISTOR 2SC4177
Q213	8-729-403-32	s TRANSISTOR XN6534
Q214	8-729-117-32	s TRANSISTOR 2SC4177
Q301	8-729-117-32	s TRANSISTOR 2SC4177
Q302	8-729-403-29	s TRANSISTOR XN6435
Q303	8-729-122-63	s TRANSISTOR 2SA1226
Q304	8-729-122-63	s TRANSISTOR 2SA1226
Q305	8-729-403-32	s TRANSISTOR XN6534
Q306	8-729-403-32	s TRANSISTOR XN6534
Q309	8-729-117-32	s TRANSISTOR 2SC4177
Q313	8-729-403-32	s TRANSISTOR XN6534
Q314	8-729-117-32	s TRANSISTOR 2SC4177
R1	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R2	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R3	1-218-702-11	s METAL, CHIP 2.7K 0.50% 1/16W
R4	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R5	1-218-701-11	s METAL, CHIP 2.4K 0.50% 1/16W
R6	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R7	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R9	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R10	1-218-702-11	s METAL, CHIP 2.7K 0.50% 1/16W
R11	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R12	1-216-857-11	s METAL, CHIP 1M 5% 1/16W
R13	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R14	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R15	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R16	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R17	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R18	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R19	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R20	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R21	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R22	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R23	1-216-857-11	s METAL, CHIP 1M 5% 1/16W
R24	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R25	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R26	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R27	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R28	1-218-714-11	s METAL, CHIP 8.2K 0.50% 1/16W
R29	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R30	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R31	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W

(VA-167 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R32	1-218-752-11	s METAL, CHIP 330K 0.50% 1/16W
R33	1-218-752-11	s METAL, CHIP 330K 0.50% 1/16W
R34	1-218-752-11	s METAL, CHIP 330K 0.50% 1/16W
R35	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R36	1-218-710-11	s METAL, CHIP 5.6K 0.50% 1/16W
R37	1-218-706-11	s METAL, CHIP 3.9K 0.50% 1/16W
R38	1-218-710-11	s METAL, CHIP 5.6K 0.50% 1/16W
R39	1-218-706-11	s METAL, CHIP 3.9K 0.50% 1/16W
R40	1-218-710-11	s METAL, CHIP 5.6K 0.50% 1/16W
R41	1-218-706-11	s METAL, CHIP 3.9K 0.50% 1/16W
R42	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R43	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R44	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R45	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R46	1-218-703-11	s METAL, CHIP 3K 0.50% 1/16W
R47	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R48	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R49	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R50	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R51	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R53	1-218-689-11	s METAL, CHIP 750 0.50% 1/16W
R57	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W
R58	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R59	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R60	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W
R61	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R62	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R63	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W
R64	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R65	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R66	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R67	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R68	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R69	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R70	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R71	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W
R72	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R73	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R74	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R76	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W
R77	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W
R78	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R79	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R80	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R81	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W
R82	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W
R83	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W
R101	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R102	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R103	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R104	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R105	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R106	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W
R107	1-218-699-11	s METAL, CHIP 2K 0.50% 1/16W [Lot No. 611 and higher]
	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W [Lot No. 604 through 610]
R108	1-218-712-11	s METAL, CHIP 6.8K 0.50% 1/16W
R109	1-218-710-11	s METAL, CHIP 5.6K 0.50% 1/16W

(VA-167 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R110	1-218-710-11	s METAL, CHIP 5.6K 0.50% 1/16W
R111	1-218-751-11	s METAL, CHIP 300K 0.50% 1/16W
R112	1-218-709-11	s METAL, CHIP 5.1K 0.50% 1/16W
R113	1-218-720-11	s METAL, CHIP 15K 0.50% 1/16W [Lot No. 609 and higher]
	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W [Lot No. 604 through 608]
R114	1-218-690-11	s METAL, CHIP 820 0.50% 1/16W
R115	1-218-690-11	s METAL, CHIP 820 0.50% 1/16W
R116	1-218-730-11	s METAL, CHIP 39K 0.50% 1/16W
R117	1-218-730-11	s METAL, CHIP 39K 0.50% 1/16W
R118	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R119	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R120	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R121	1-218-710-11	s METAL, CHIP 5.6K 0.50% 1/16W
R122	1-216-125-00	s METAL, CHIP 1.5M 5% 1/10W
R124	1-218-699-11	s METAL, CHIP 2K 0.50% 1/16W
R125	1-218-706-11	s METAL, CHIP 3.9K 0.50% 1/16W
R126	1-218-706-11	s METAL, CHIP 3.9K 0.50% 1/16W
R127	1-218-736-11	s METAL, CHIP 68K 0.50% 1/16W
R128	1-218-706-11	s METAL, CHIP 3.9K 0.50% 1/16W
R129	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R130	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W
R131	1-218-710-11	s METAL, CHIP 5.6K 0.50% 1/16W
R132	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R133	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R134	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R135	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R136	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R137	1-218-723-11	s METAL, CHIP 20K 0.50% 1/16W
R138	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R139	1-218-714-11	s METAL, CHIP 8.2K 0.50% 1/16W
R150	1-218-712-11	s METAL, CHIP 6.8K 0.50% 1/16W
R151	1-218-706-11	s METAL, CHIP 3.9K 0.50% 1/16W
R152	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W
R153	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R154	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R155	1-218-710-11	s METAL, CHIP 5.6K 0.50% 1/16W
R156	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R157	1-218-727-11	s METAL, CHIP 30K 0.50% 1/16W
R158	1-218-720-11	s METAL, CHIP 15K 0.50% 1/16W
R159	1-218-703-11	s METAL, CHIP 3K 0.50% 1/16W
R160	1-218-725-11	s METAL, CHIP 24K 0.50% 1/16W
R161	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R163	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R164	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R165	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R166	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R167	1-218-689-11	s METAL, CHIP 750 0.50% 1/16W
R168	1-218-710-11	s METAL, CHIP 5.6K 0.50% 1/16W
R169	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R201	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R202	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R203	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R204	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R205	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R206	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W
R207	1-218-703-11	s METAL, CHIP 3K 0.50% 1/16W [Lot No. 611 and higher]
	1-218-698-11	s METAL, CHIP 1.8K 0.50% 1/16W

(VA-167 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
		[Lot No. 604 through 610]
R208	1-218-712-11	s METAL, CHIP 6.8K 0.50% 1/16W
R209	1-218-710-11	s METAL, CHIP 5.6K 0.50% 1/16W
R210	1-218-710-11	s METAL, CHIP 5.6K 0.50% 1/16W
R211	1-218-751-11	s METAL, CHIP 300K 0.50% 1/16W
R212	1-218-709-11	s METAL, CHIP 5.1K 0.50% 1/16W
R213	1-218-720-11	s METAL, CHIP 15K 0.50% 1/16W [Lot No. 609 and higher]
	1-218-724-11	s METAL, CHIP 22K 0.50% 1/16W [Lot No. 604 through 608]
R214	1-218-690-11	s METAL, CHIP 820 0.50% 1/16W
R215	1-218-690-11	s METAL, CHIP 820 0.50% 1/16W
R216	1-218-730-11	s METAL, CHIP 39K 0.50% 1/16W
R217	1-218-730-11	s METAL, CHIP 39K 0.50% 1/16W
R218	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R219	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R220	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R221	1-218-710-11	s METAL, CHIP 5.6K 0.50% 1/16W
R222	1-216-123-11	s METAL, CHIP 1.2M 5% 1/10W
R224	1-218-699-11	s METAL, CHIP 2K 0.50% 1/16W
R225	1-218-706-11	s METAL, CHIP 3.9K 0.50% 1/16W
R226	1-218-706-11	s METAL, CHIP 3.9K 0.50% 1/16W
R227	1-218-736-11	s METAL, CHIP 68K 0.50% 1/16W
R228	1-218-706-11	s METAL, CHIP 3.9K 0.50% 1/16W
R229	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R230	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W
R231	1-218-710-11	s METAL, CHIP 5.6K 0.50% 1/16W
R232	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R233	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R234	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R235	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R236	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R237	1-218-723-11	s METAL, CHIP 20K 0.50% 1/16W
R238	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R239	1-218-714-11	s METAL, CHIP 8.2K 0.50% 1/16W
R250	1-218-712-11	s METAL, CHIP 6.8K 0.50% 1/16W
R251	1-218-706-11	s METAL, CHIP 3.9K 0.50% 1/16W
R252	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W
R253	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R254	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R255	1-218-710-11	s METAL, CHIP 5.6K 0.50% 1/16W
R256	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R257	1-218-727-11	s METAL, CHIP 30K 0.50% 1/16W
R258	1-218-720-11	s METAL, CHIP 15K 0.50% 1/16W
R259	1-218-703-11	s METAL, CHIP 3K 0.50% 1/16W
R260	1-218-725-11	s METAL, CHIP 24K 0.50% 1/16W
R261	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R263	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R264	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R265	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R266	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R267	1-218-689-11	s METAL, CHIP 750 0.50% 1/16W
R268	1-218-710-11	s METAL, CHIP 5.6K 0.50% 1/16W
R269	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R301	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R302	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R303	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R304	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R305	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W

(VA-167 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R306	1-218-694-11	s METAL, CHIP 1.2K 0.50% 1/16W
R307	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W [Lot No. 611 and higher]
	1-218-690-11	s METAL, CHIP 820 0.50% 1/16W [Lot No. 604 through 610]
R308	1-218-712-11	s METAL, CHIP 6.8K 0.50% 1/16W
R309	1-218-710-11	s METAL, CHIP 5.6K 0.50% 1/16W
R310	1-218-710-11	s METAL, CHIP 5.6K 0.50% 1/16W
R311	1-218-747-11	s METAL, CHIP 200K 0.50% 1/16W [Lot No. 703 and higher]
	1-218-749-11	s METAL, CHIP 240K 0.50% 1/16W [Lot No. 604 through 702]
R312	1-218-715-11	s METAL, CHIP 9.1K 0.50% 1/16W [Lot No. 703 and higher]
	1-218-719-11	s METAL, CHIP 13K 0.50% 1/16W [Lot No. 604 through 702]
R313	1-218-715-11	s METAL, CHIP 9.1K 0.50% 1/16W [Lot No. 609 and higher]
	1-218-726-11	s METAL, CHIP 27K 0.50% 1/16W [Lot No. 604 through 608]
R314	1-218-690-11	s METAL, CHIP 820 0.50% 1/16W
R315	1-218-690-11	s METAL, CHIP 820 0.50% 1/16W
R316	1-218-730-11	s METAL, CHIP 39K 0.50% 1/16W
R317	1-218-730-11	s METAL, CHIP 39K 0.50% 1/16W
R318	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R319	1-216-864-11	s METAL, CHIP 0 5% 1/16W
R320	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R321	1-218-710-11	s METAL, CHIP 5.6K 0.50% 1/16W
R322	1-216-129-00	s METAL, CHIP 2.2M 5% 1/10W
R324	1-218-706-11	s METAL, CHIP 3.9K 0.50% 1/16W
R325	1-218-706-11	s METAL, CHIP 3.9K 0.50% 1/16W
R326	1-218-706-11	s METAL, CHIP 3.9K 0.50% 1/16W
R327	1-218-736-11	s METAL, CHIP 68K 0.50% 1/16W
R328	1-218-706-11	s METAL, CHIP 3.9K 0.50% 1/16W
R329	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R330	1-218-696-11	s METAL, CHIP 1.5K 0.50% 1/16W
R331	1-218-710-11	s METAL, CHIP 5.6K 0.50% 1/16W
R332	1-218-740-11	s METAL, CHIP 100K 0.50% 1/16W
R333	1-218-716-11	s METAL, CHIP 10K 0.50% 1/16W
R334	1-218-732-11	s METAL, CHIP 47K 0.50% 1/16W
R335	1-218-728-11	s METAL, CHIP 33K 0.50% 1/16W
R336	1-218-708-11	s METAL, CHIP 4.7K 0.50% 1/16W
R337	1-218-723-11	s METAL, CHIP 20K 0.50% 1/16W
R338	1-218-644-11	s METAL, CHIP 10 0.50% 1/16W
R339	1-218-714-11	s METAL, CHIP 8.2K 0.50% 1/16W
R350	1-218-712-11	s METAL, CHIP 6.8K 0.50% 1/16W
R351	1-218-706-11	s METAL, CHIP 3.9K 0.50% 1/16W
R352	1-218-704-11	s METAL, CHIP 3.3K 0.50% 1/16W
R353	1-218-660-11	s METAL, CHIP 47 0.50% 1/16W
R354	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
R355	1-218-710-11	s METAL, CHIP 5.6K 0.50% 1/16W
R356	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R357	1-218-727-11	s METAL, CHIP 30K 0.50% 1/16W
R358	1-218-720-11	s METAL, CHIP 15K 0.50% 1/16W
R359	1-218-703-11	s METAL, CHIP 3K 0.50% 1/16W
R360	1-218-725-11	s METAL, CHIP 24K 0.50% 1/16W
R361	1-218-692-11	s METAL, CHIP 1K 0.50% 1/16W
R363	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R364	1-218-652-11	s METAL, CHIP 22 0.50% 1/16W
R365	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W
R366	1-218-700-11	s METAL, CHIP 2.2K 0.50% 1/16W

(VA-167 BOARD)

Ref. No. or Q'ty	Part No.	SP Description
R367	1-218-689-11	s METAL, CHIP 750 0.50% 1/16W
R368	1-218-710-11	s METAL, CHIP 5.6K 0.50% 1/16W
R369	1-218-668-11	s METAL, CHIP 100 0.50% 1/16W
RV101	1-237-035-11	s RES, ADJ METAL 5K
RV201	1-237-035-11	s RES, ADJ METAL 5K
RV301	1-237-034-11	s RES, ADJ METAL 2K

 FRAME *For DNV-5

Ref. No. or Q'ty	Part No.	SP Description
1pc	1-504-860-21	s SPEAKER (2.8MC)
1pc	1-541-638-32	s MOTOR, DC FAN
1pc	1-698-003-11	o MOTOR, DC (SHREADING)
1pc	1-766-377-12	s CONNECTOR, BATTERY
1pc	1-810-599-11	s SENSOR, DEW CONDENSATION
1pc	8-825-770-74	s HEAD, FE EF291-21
1pc	8-825-779-61	s HEAD, AU PS244-2103L
1pc	8-825-779-71	s HEAD, CTL PS244-21D
1pc	8-835-553-01	s MOTOR, DC (CAPSTAN)
2pcs	1-777-371-11	o WIRE, FLEXIBLE CARD 30P (CN22/MB-627 board to CN102/TC-80 board) (CN23/MB-627 board to CN101/TC-80 board)
1pc	1-777-443-11	s WIRE, FLEXIBLE CARD 45P (CN1/CI-12 board to CN53/MB-627 board)
HARNESS (50 PIN CN) (CN106/CAMERA connector to CN1/PA-203 board, CN34 and CN35/MB-627 board and CN2/CT-185 board)		
1pc	1-956-532-12	o HARNESS, 50 PIN CN
CN1	1-565-978-11	o HOUSING 6P
5pcs	1-766-387-11	o CONTACT, FEMALE AWG28-26
CN2	1-562-254-00	o HOUSING, 4P
FB	1-543-157-11	s BEAD, FERRITE
4pcs	1-562-260-11	o CONTACT, SOCKET
CN34	1-778-550-11	o HOUSING, 30P
19pcs	1-778-554-11	o CONTACT, FEMALE AWG28-30
CN35	1-778-549-11	o HOUSING, 20P
7pcs	1-778-554-11	o CONTACT, FEMALE AWG28-30
CN106	1-563-907-11	s HOUSING, 50P
11pcs	1-563-910-31	o CONTACT, FEMALE AWG22-24
24pcs	1-563-910-41	o CONTACT, FEMALE AWG26-28
HARNESS (BATT-CNB104) (DC-87 board to CN104/CNB-1 board)		
CN104	1-562-256-00	o HOUSING, 6P
6pcs	1-562-260-11	o CONTACT, SOCKET
HARNESS (BATTINT-MB50) (DC-87 board to CN50/MB-627 board)		
CN50	1-569-618-11	o HOUSING, 3P
HARNESS (CAP1-MDC502) (CAPSTAN motor to CN502/MDC-5 board)		
CAPSTAN	1-695-214-11	o HOUSING, 15P
15pcs	1-695-215-11	o CONTACT, FEMALE 1P AWG26-30
CN502	1-695-214-11	o HOUSING, 15P
15pcs	1-695-215-11	o CONTACT, FEMALE 1P AWG26-30
HARNESS (CNB108-IO1) (CN108/CNB-1 board to CN1/IO-117 board)		
1pc	1-956-448-11	o HARNESS, CNB108-IO1
HARNESS (CNB-CT1) (CNB-1 board to CN1/CT-185 board)		
CN1	1-562-255-11	o HOUSING, 5P
HARNESS (CO1-CNB107) (CN1/CO-22 board to CN107/CNB-1 board)		
1pc	1-956-449-11	o HARNESS, CO1-CNB107
HARNESS (CUE/TCHEAD-HN2) (CN2/HN-224 board to CUE/TC HEAD)		
CN2	1-569-619-11	o HOUSING, 4P

(FRAME)

Ref. No. or Q'ty	Part No.	SP Description
HARNESS (DC OUT-CNB103) (CN103/CNB-1 board to CN105/DC OUT 12V connector)		
CN103	1-562-252-00	o HOUSING, 2P
2pcs	1-562-260-11	o CONTACT, SOCKET
CN105	1-565-072-11	s CONNECTOR, CIRCULAR 4P, FEMALE
HARNESS (EX DC-CNB102) (DC-88 board to CN102/CNB-1 board)		
CN102	1-580-696-11	o HOUSING, 9P
9pcs	1-562-260-11	o CONTACT, SOCKET
HARNESS (FE/CTL-MDC505) (FULL ERASE HEAD to CN505/MDC-5 board)		
CN505	1-569-619-11	o HOUSING, 4P
HARNESS (HP1-TC503) (CN1/HP-70 board to CN503/TC-80 board)		
1pc	1-956-452-11	o HARNESS, HP1-TC503
HARNESS (KY150-MB30) (CN150/KY-293 board to CN30/MB-627 board)		
1pc	1-956-457-12	o HARNESS, KY150-MB30
HARNESS (LIGHT/MB32-PS1) (CN105/LIGHT connector and CN32/MB-627 board to CN102/PS-390 board)		
1pc	1-956-539-11	o HARNESS, LIGHT/MB32-PS1
FB	1-543-157-11	s BEAD, FERRITE
CN102	1-562-256-00	o HOUSING, 6P
6pcs	1-562-260-11	o CONTACT, SOCKET
CN32	1-569-617-11	o HOUSING, 2P
2pcs	1-766-387-11	o CONTACT, FEMALE AWG28-26
1pc	3-709-106-01	o TERMINAL, LIGHT
1pc	3-709-107-01	o CONNECTOR, LIGHT
1pc	3-709-108-01	o HOLDER
HARNESS (MB27-SW2/PWS1) (CN27/MB-627 board to CN2/SW-873 board and CN1/PSW-55 board)		
CN2	1-569-618-11	o HOUSING, 3P
CN27	1-569-619-11	o HOUSING, 4P
HARNESS (MDR3-MDC503) (CN3/MDR-1 board to CN503/MDC-5 board)		
1pc	1-956-451-11	o HARNESS, MDR3-MDC503
HARNESS (MDR4-MDC504) (CN4/MDR-1 board to CN504/MDC-5 board)		
1pc	1-956-450-11	o HARNESS, MDR4-MDC504
HARNESS (PA125-MB25) (CN125/PA-203 board to CN25/MB-627 board)		
1pc	1-956-537-12	o HARNESS, PA125-MB25
CN125	1-569-620-11	o HOUSING, 5P
HARNESS (PS101-CNB105) (CN101/PS-390 board to CN105/CNB-1 board)		
CN101	1-562-254-00	o HOUSING, 4P
4pcs	1-562-260-11	o CONTACT, SOCKET
CN105	1-562-254-00	o HOUSING, 4P
4pcs	1-562-260-11	o CONTACT, SOCKET
HARNESS (REMOTE) (CN102/REMOTE connector to CN31/MB-627 board)		
CN102	1-561-233-21	s CONNECTOR, 6P, FEMALE
CN31	1-565-978-11	o HOUSING 6P
HARNESS (RX101-MB52) (CN101/RX-26 board to CN52/MB-627 board)		
1pc	1-956-458-11	o HARNESS, RX101-MB52

(FRAME)

Ref. No.
or Q'ty Part No. SP Description

HARNESS (SW1-MB51)
(CN101/LP-102 board to CN51/MB-627 board)

HARNESS (SW1-TC901)
(CN1/SW-873 board to CN901/TC-80 board)
1pc 1-956-534-11 o HARNESS, SW1-TC901
CN1 1-569-620-11 o HOUSING, 5P

HARNESS (SW701-MB33)
(CN701/SW-882 board and CN133/PA-203 board to
CN33/MB-627 board)
CN33 1-565-132-11 o HOUSING, 13P
6pcs 1-565-164-21 o CONTACT, FEMALE AWG28-26
CN701 1-569-619-11 o HOUSING, 4P

HARNESS (TAPE SENSOR)
(TAPE TOP SENSOR to CN508/MDC-5 board)
(TAPE END SENSOR to CN509/MDC-5 board)
(FULL TOP SENSOR to CN512/MDC-5 board)
SENSOR 1-543-316-21 s HEAD, SENSING (SMALL TYPE)

HARNESS (TC7-SPK)
(CN504/TC-80 board to SPEAKER)
1pc 1-953-418-11 o HARNESS, TC7-SPK

HARNESS (TM-MDC501)
(LOADING motor to CN501/MDC-5 board)

FRAME *Except DNV-5

Ref. No.
or Q'ty Part No. SP Description

1pc 1-503-293-00 s SPEAKER
1pc 1-541-638-32 s MOTOR, DC FAN
1pc 1-547-259-11 o FILTER UNIT, OPTICAL
1pc 1-698-003-11 o MOTOR, DC (SHREADING)
1pc 1-766-377-12 s CONNECTOR, BATTERY

1pc 1-810-599-11 s SENSOR, DEW CONDENSATION

1pc 8-825-770-74 s HEAD, FE EF291-21
1pc 8-825-779-61 s HEAD, AU PS244-2103L
1pc 8-825-779-71 s HEAD, CTL PS244-21D
1pc 8-835-553-01 s MOTOR, DC (CAPSTAN)

2pcs 1-777-371-11 o WIRE, FLEXIBLE CARD 30P
(CN22/MB-627 board to CN102/TC-80 board)
(CN23/MB-627 board to CN101/TC-80 board)
1pc 1-777-443-11 s WIRE, FLEXIBLE CARD 45P
(CN1/CI-12 board to CN53/MB-627 board)

HARNESS (AIF33-PSW1)
(CN33/AIF-8 board to CN1/PSW-33 board)
CN1 1-569-680-11 o HOUSING, 2P

HARNESS (AIF136-MB33)
(CN136/AIF-8 board to CN33/MB-627 board)
CN33 1-565-132-11 o HOUSING, 13P
13pcs 1-565-164-21 o CONTACT, FEMALE AWG28-26
CN136 1-565-132-11 o HOUSING, 13P
13pcs 1-565-164-21 o CONTACT, FEMALE AWG28-26

HARNESS (AIF137-MB25)
(CN137/AIF-8 board to CN25/MB-627 board)
1pc 1-956-456-11 o HARNESS, AIF137-MB25

HARNESS (BATT-CNB104)
(DC-87 board to CN104/CNB-1 board)
CN104 1-562-256-00 o HOUSING, 6P
6pcs 1-562-260-11 o CONTACT, SOCKET

HARNESS (BATTINT-MB50)
(DC-87 board to CN50/MB-627 board)
CN50 1-569-618-11 o HOUSING, 3P

HARNESS (BC1-MB35)
(CN1/BC-25 board to CN35/MB-627 board)
CN1 1-778-549-11 o HOUSING, 20P
20pcs 1-778-554-11 o CONTACT, FEMALE AWG28-30
CN35 1-778-549-11 o HOUSING, 20P
20pcs 1-778-554-11 o CONTACT, FEMALE AWG28-30

HARNESS (BI)
(CN2/BI-96(B) board to CN1/PA-186 board)
(CN2/BI-96(G) board to CN2/PA-186 board)
(CN2/BI-96(R) board to CN3/PA-186 board)
BI 1-562-735-11 s HOUSING, 2P
PA 1-569-195-11 o HOUSING, 2P
2pcs 1-563-088-11 o CONTACT, FEMALE AWG24-30

HARNESS (CAP1-MDC502)
(CAPSTAN motor to CN502/MDC-5 board)
CAPSTAN 1-695-214-11 o HOUSING, 15P
15pcs 1-695-215-11 o CONTACT, FEMALE 1P AWG26-30
CN502 1-695-214-11 o HOUSING, 15P
15pcs 1-695-215-11 o CONTACT, FEMALE 1P AWG26-30

HARNESS (CNB108-IO1)
(CN108/CNB-1 board to CN1/IO-117 board)
1pc 1-956-448-11 o HARNESS, CNB108-IO1

(FRAME)

Ref. No. or Q'ty	Part No.	SP Description
HARNESS (C01-CNB107) (CN1/CO-22 board to CN107/CNB-1 board)		
1pc	1-956-449-11	o HARNESS, C01-CNB107
HARNESS (CUE/TCHEAD-HN2) (CN2/HN-224 board to CUE/TC HEAD)		
CN2	1-569-619-11	o HOUSING, 4P
HARNESS (DC OUT-CNB103) (CN103/CNB-1 board to CN105/DC OUT 12V connector)		
CN103	1-562-252-00	o HOUSING, 2P
2pcs	1-562-260-11	o CONTACT, SOCKET
CN105	1-565-072-11	s CONNECTOR, CIRCULAR 4P, FEMALE
HARNESS (DR2-MB26) (CN2/DR-291 board to CN26/MB-627 board)		
1pc	1-956-460-11	o HARNESS, DR2-MB26
HARNESS (EX DC-CNB102) (DC-88 board to CN102/CNB-1 board)		
CN102	1-580-696-11	o HOUSING, 9P
9pcs	1-562-260-11	o CONTACT, SOCKET
HARNESS (FE/CTL-MDC505) (FULL ERASE HEAD to CN505/MDC-5 board)		
CN505	1-569-619-11	o HOUSING, 4P
HARNESS (HP1-TC503) (CN1/HP-70 board to CN503/TC-80 board)		
1pc	1-956-452-11	o HARNESS, HP1-TC503
HARNESS (KY150-MB30) (CN150/KY-293 board to CN30/MB-627 board)		
1pc	1-956-457-12	o HARNESS, KY150-MB30
HARNESS (LENS) (CN104/LENS connector to CN300/AIF-8 board)		
CN104	1-562-221-21	s CONNECTOR, 12P, FEMALE
CN300	1-580-584-11	o HOUSING, 16P
12pcs	1-580-599-11	o TERMINAL, SOLDERLESS
HARNESS (LP101-MB51) (CN101/LP-86 board to CN51/MB-627 board)		
1pc	1-956-459-11	o HARNESS, LP101-MB51
HARNESS (MA10-AIF100) (CN10/MA-68 board to CN100/AIF-8 board)		
1pc	1-956-454-11	o HARNESS, MA10-AIF100
HARNESS (MDR3-MDC503) (CN3/MDR-1 board to CN503/MDC-5 board)		
1pc	1-956-451-11	o HARNESS, MDR3-MDC503
HARNESS (MDR4-MDC504) (CN4/MDR-1 board to CN504/MDC-5 board)		
1pc	1-956-450-11	o HARNESS, MDR4-MDC504
HARNESS (PS101-CNB105) (CN101/PS-390 board to CN105/CNB-1 board)		
CN101	1-562-254-00	o HOUSING, 4P
4pcs	1-562-260-11	o CONTACT, SOCKET
CN105	1-562-254-00	o HOUSING, 4P
4pcs	1-562-260-11	o CONTACT, SOCKET

(FRAME)

Ref. No. or Q'ty	Part No.	SP Description
HARNESS (PS102-LIGHT/PS1) (CN102/PS-390 board to CN1/SW-823 board and LIGHT connector)		
1pc	1-956-433-11	o HARNESS, PS102-LIGHT/PS1
FB	1-543-157-11	s BEAD, FERRITE
CN1	1-562-252-00	o HOUSING, 2P
2pcs	1-562-260-11	o CONTACT, SOCKET
CN102	1-562-256-00	o HOUSING, 6P
6pcs	1-562-260-11	o CONTACT, SOCKET
1pc	3-709-106-01	o TERMINAL, LIGHT
1pc	3-709-107-01	o CONNECTOR, LIGHT
1pc	3-709-108-01	o HOLDER
HARNESS (REMOTE) (CN102/REMOTE connector to CN31/MB-627 board)		
CN102	1-561-233-21	s CONNECTOR, 6P, FEMALE
CN31	1-565-978-11	o HOUSING 6P
HARNESS (RX101-MB52) (CN101/RX-26 board to CN52/MB-627 board)		
1pc	1-956-458-11	o HARNESS, RX101-MB52
HARNESS (SW3-MB32) (CN3/SW-823 board to CN32/MB-627 board)		
1pc	1-956-455-11	o HARNESS, SW3-MB32
HARNESS (SW701-SW701) (CN701/SW-789 board to CN701/SW-808 board)		
1pc	1-956-461-11	o HARNESS, SW701-SW701
HARNESS (TAPE SENSOR) (TAPE TOP SENSOR to CN508/MDC-5 board) (TAPE END SENSOR to CN509/MDC-5 board) (FULL TOP SENSOR to CN512/MDC-5 board)		
SENSOR	1-543-316-21	s HEAD, SENSING (SMALL TYPE)
HARNESS (TC7-SPK) (CN504/TC-80 board to SPEAKER)		
1pc	1-953-418-11	o HARNESS, TC7-SPK
HARNESS (TC901-SW18) (CN901/TC-80 board to CN18/SW-780 board)		
1pc	1-956-453-11	o HARNESS, TC901-SW18
HARNESS (TM-MDC501) (LOADING motor to CN501/MDC-5 board)		
HARNESS (VA2-MB34) (CN2/VA-167 board to CN34/MB-627 board)		
CN2	1-778-550-11	o HOUSING, 30P
30pcs	1-778-554-11	o CONTACT, FEMALE AWG28-30
CN34	1-778-550-11	o HOUSING, 30P
30pcs	1-778-554-11	o CONTACT, FEMALE AWG28-30
HARNESS (VF) (CN101/VIEW FINDER connector to CN10/DCP-1 board)		
1pc	1-956-443-11	o HARNESS, VF
CN10	1-778-549-11	o HOUSING, 20P
19pcs	1-778-554-11	o CONTACT, FEMALE AWG28-30
CN101	1-565-051-21	o CONNECTOR, ROUND WITH C 20P, FEMALE

1-4. Supplied Accessories

Ref. No. or Q'ty	Part No.	SP Description
1pc	A-6772-374-A	s BELT ASSY, SHOULDER
1pc	A-8277-622-A	o ARM ASSY, SLIDE [For J except DNV-5]
1pc	1-542-295-11	s MICROPHONE [Except DNV-5]
1pc	3-191-064-01	o COVER, RAIN [For J except DNV-5]
1pc	3-676-269-00	s CAP (SOCKET SIDE), DUST [For DNV-5]
1pc	3-709-104-01	s SCREEN, WINDOW
2pcs	3-741-726-01	o CAP (2), XLR [For SY]
4pcs	3-741-726-01	o CAP (2), XLR [For J]
2pcs	3-741-727-01	o CAP (1), XLR [For SY]
3pcs	7-627-556-58	s SCREW +P 2.6x5

Section 2

Semiconductor Pin Assignments

ここに記載されている半導体は、それぞれの機能を等価的に表したものです。なお、互換性のない型名を併記していることがありますので、部品を交換するときは、Spare Partsの章を参照してください。

等価回路は I C メーカーのデータブックに従いました。

Semiconductors of which functions are equivalent are described here. For parts replacement, refer to the section of Spare Parts in this manual. The circuit diagram of each IC is obtained from the IC data book published by the manufacturer.


DIODE	Page	DIODE	Page	TRANSISTOR	Page	TRANSISTOR	Page
1S2835-T1	2-4	RD15M-T1B1	2-4	2SA1162-G	2-4	2SJ187	2-5
1S2836	2-4	RD2.4M-B	2-4	2SA1226-E4	2-4	2SJ187-TD	2-5
1S2837-T1	2-4	RD2.4M-T1B	2-4	2SA1226-T1E3E4	2-4	2SJ244JY	2-5
1SS123-T1	2-4	RD2.4UH-T1	2-4	2SA1314C-TE12L	2-4	2SJ244JY-TL	2-5
1SS184	2-4	RD3.0UH-T1	2-4	2SA1462-T1Y33Y34	2-4	2SK1113	2-5
1SS226	2-4	RD3.3M-B	2-4	2SA1462-Y33	2-4	2SK1483	2-5
1SS301-TE85L	2-4	RD3.3M-T1B	2-4	2SA1576-R	2-4	2SK1483-T1	2-5
1SS302	2-4	RD3.3UH(1)-T1	2-4	2SA1576T106R	2-4	2SK1579DY-TL	2-5
1SS302-TE85L	2-4	RD3.3UH-T1	2-4	2SA1610-T1Y34	2-4	2SK508-T1K53	2-5
		RD4.3M-B	2-4	2SA1610-Y33	2-4	2SK612	2-5
CL-150D-CD	2-4	RD4.3M-T1B	2-4	2SA1611-M5M6	2-4	2SK620	2-5
CL-150D-CD-T	2-4	RD4.3UH-T1	2-4	2SA1611-M6	2-4	2SK620-TX	2-5
CL-150PG-CD	2-4	RD5.1M-T1B	2-4	2SA1611-T1M6	2-4	2SK663	2-5
CL-150PG-CD-T	2-4	RD6.2M-B	2-4	2SA1611T1-M5M6	2-4	2SK664	2-5
CL-150R-CD	2-4	RD6.2M-T1B	2-4	2SA1808-PT106	2-4	2SK664-TX	2-5
CL-150R-CD-T	2-4	RD6.2UJN-T1	2-4	2SA812-T1-M5M6	2-4	2SK711-BL	2-5
CL-150UR-CD-T	2-4	RD6.8M-B	2-4	2SB1114-T1ZLZK	2-4	2SK711-BL/V-TE85L	2-5
CL-170UR-CD	2-4	RD6.8M-T1B	2-4	2SB1121-ST	2-4	2SK852-T1X2	2-5
CL-170UR-CD-T	2-4			2SB1132-P	2-4	2SK852-T1X3	2-5
CL-200HR-C-TSL	2-4	SB007T03Q	2-4	2SB1132-T100-QR	2-4	2SK852-X2	2-5
CL-200HR-C-TUL	2-4	SB007T03Q-TL	2-4	2SB1440S-TX	2-4	2SK853-K5	2-5
		SB01-05CP	2-4	2SB624-BV345	2-4	2SK853-T1K5	2-5
DA204U	2-4	SB01-05CP-TB	2-4	2SB624-T1BV3	2-4	2SK94-T1X2	2-5
DA204UT106	2-4	SB01-15CP	2-4	2SB798-DL	2-4	2SK94-X4	2-5
DAN202U	2-4	SB01-15CP-TB	2-4	2SB798-T1-DL DK	2-4		
DAN202UT106	2-4	SB05-05CP	2-4	2SC1623	2-4	DTA144EKA-T146	2-5
DAP202U	2-4	SB05-05CP-TB	2-4	2SC1623-T1-L5L6	2-4	DTA144EUA-T106	2-5
DAP202UT106	2-4	SB07-03C	2-4	2SC2713-G	2-4	DTB143EK	2-5
		SB07-03C-TB	2-4	2SC2713G-TE85L	2-4	DTB143EK-T-146	2-5
EC10QS-04	2-4	SB20-03P	2-4	2SC3360-N16	2-4	DTC114ESA	2-5
EC10QS04-TE12L5	2-4	SB20-03P-TD	2-4	2SC3360-T1N17	2-4	DTC114TKA-T146	2-5
ECL06B025-F	2-4			2SC3735-L-B35	2-4	DTC144EKA-T146	2-5
ECL06B025-TE16F2	2-4	UZM5.1B	2-4	2SC3735-T1B-B34	2-4	DTC144ESA	2-5
ERA15	2-4			2SC4081T106R	2-4	DTC144EUA-T106	2-5
ERA15-06	2-4	V09C	2-4	2SC4116-YG	2-4	DTD143EK	2-5
		V11N	2-4	2SC4116YG-TE85L	2-4	DTD143EK-T-146	2-5
GL3UR8	2-4			2SC4176-B34	2-4		
				2SC4176T1B33B34B35	2-4	MTD20N03HDL	2-6
HSM107S	2-4			2SC4177-L6	2-4	MTD20N03HDL-T4	2-6
HSM107S-TL	2-4			2SC4177-T1L6	2-4		
HSM88AS	2-4			2SC4178-F13F14-T1	2-4	SI4435DY-T1	2-6
HSM88AS-TL	2-4			2SC4178-F14	2-4	SI9435DY-T1	2-6
HSM88WA	2-4			2SC4207-YGRTE85L	2-4	SI9936DY	2-6
HSM88WA-TL	2-4			2SC4213-B	2-4	SI9936DY-T1	2-6
				2SC4213A-TE85L	2-4	SI9947DY-T1	2-6
MA141WK	2-4			2SC4213B-TE85L	2-4	SI9958DY	2-6
MA721WA-TX	2-4			2SD1624-T	2-5	SI9958DY-T1	2-6
MBRS130LT3	2-4			2SD1624-T-TD	2-5		
				2SD596DV345	2-4	XN6401	2-6
RD15M-B1	2-4			2SD596T1-DV345	2-4	XN6401-TW	2-6

TRANSISTOR	Page	IC	Page	IC	Page	IC	Page
XN6435	2-6	74LCX240MTCX	2-7	LM334MX	2-25	REF-03GSR	2-34
XN6435-TW	2-6	74LCX244MTCX	2-7	LM35DM	2-28	S-8054HN-CB-S	2-34
XN6501	2-6	74LVX4245QSCX	2-7	LM35DMX	2-28	S-8054HN-CB-T1	2-34
XN6501-TW	2-6			LM4041EIM3-1.2	2-28	S-80740AN-D4-S	2-34
XN6534	2-6	AK4319-VM-E2	2-7	LT1252CS8	2-28	S-80740AN-D4-T1	2-34
XN6534-TW	2-6	AK5340-VS	2-8	LT1252CS8-E2	2-28	S-81230AG-RB-S	2-34
		AK5340-VS-E1	2-8			S-81230AG-RB-T1	2-34
		AT27C512R-15RC	2-8	M27V201-200L6	2-28	SC7S04F	2-34
OTHERS	Page			M5201FP	2-29	SC7S32F	2-34
GP1S33	2-6	BA10358F-E2	2-8	M5201FP-600D	2-29	SN74HC00APW-E05	2-34
GP2S09-C	2-6	BA225F-T2	2-9	M5222FP	2-29	SN74HC00APW-E20	2-34
				M5222FP-E1	2-29	SN74HC04APW-E05	2-35
PR-11-C	2-6	CLC505AJE	2-9	M62352GP	2-29	SN74HC04APW-E20	2-35
PR-11-C-T	2-6	CLC505AJE-T	2-9	M62352GP-75ED	2-29	SN74HC08APW-E05	2-35
		CX22017	2-9	MAX202CSE	2-29	SN74HC10APW-E05	2-35
		CX22017-TH	2-9	MAX202CSE-TE2	2-29	SN74HC163APW-E05	2-35
		CXA1439M	2-9	MAX703CSA-TE2	2-30	SN74HC32APW-E05	2-35
		CXA1439M-TH	2-9	MB3761PF	2-30	SN74HC574APW-E05	2-36
		CXA1486Q	2-10	MB3761PF-T2	2-30	SN74HCT04APW-E05	2-35
		CXA1486Q-TH	2-10	MB3793-42PNF	2-30	SN74HCT08APW-E05	2-35
		CXD1216M	2-11	MB3793-42PNF-ER	2-30	SN74HCT08APW-E20	2-35
		CXD1216M-TH	2-11	MB88351PFV	2-31	SN74HCT244APW-E05	2-7
		CXD1217M	2-12	MB88351PFV-ER	2-31	SN74HCT32APW-E05	2-35
		CXD1217M-TH	2-12	MC34151DR2	2-30	SN74HCT32APW-E20	2-35
		CXD2306Q	2-9	MC34182M	2-31	SN74HCT541APW-E05	2-36
		CXD2307R-T4	2-11	MC34182MEL	2-31	SN74LS123NS	2-36
		CXD2307R-T6	2-11	MP7523JS	2-30	SN74LS123NS-E05	2-36
		CXD2310AR-T4	2-13	MP7523JS-T2	2-30	SN74LVC574APW-E05	2-36
		CXD303-101Q	2-14	MSM6524GS-VKR2	2-32	STK12C68-S45	2-36
		CXD8095Q	2-15				
		CXD8125Q	2-14	NJM082BM(Te2)	2-31	TC4052BFS(ELQ)	2-37
		CXD8384Q	2-18	NJM082M	2-31	TC4053BFS	2-37
		CXD8818R	2-20	NJM2041M-D	2-31	TC4053BFS-EL	2-37
		CXD8820AR	2-16	NJM2041M-D(Te2)	2-31	TC4066BFS-EL	2-37
		CXD8821Q	2-22	NJM2901V(Te2)	2-31	TC4094BF	2-37
		CXD8845Q	2-17	NJM2903M	2-31	TC4094BF-TP2	2-37
		CXK1203AR	2-17	NJM2903M-TE2	2-31	TC4S01F	2-37
		CXK1203AR-T4	2-17	NJM2903V(Te2)	2-31	TC4S01F(Te85R)	2-37
		CXK58257AM-10L	2-19	NJM2904M	2-8	TC4S66F	2-38
		CXK58257BM-10LL	2-19	NJM2904M(Te2)	2-8	TC4S66F(Te85R)	2-38
				NJM2904V(Te2)	2-8	TC4S69F	2-34
		DS1000Z-100	2-23	NJM3403AM	2-31	TC4S69F(Te85R)	2-34
		DS1000Z-100(Te2)	2-23	NJM360M	2-33	TC4S81F(Te85R)	2-38
		DS1302Z	2-23	NJM360M-TE2	2-33	TC4W53F	2-38
		DS1302Z-TE2	2-23	NJM386M	2-33	TC4W53FU	2-38
				NJM386M-T2	2-33	TC4W53FU(Te12R)	2-38
		EL4581CS-TE2	2-23	NJM431U	2-33	TC4W66FU(Te12R)	2-38
				NJM431U-TE1	2-33	TC74AC86F	2-38
		HA11423MP	2-23	NJM4565M-A	2-31	TC74HC4052AFS(EL)	2-38
		HD151015T	2-23	NJM4565M-A(Te2)	2-31	TC74HC4053AFS	2-38
		HD151015TEL	2-23	NJM5532M	2-31	TC74HC4053AFS-EL	2-38
		HD6473308RF10	2-24	NJM5532M(Te2)	2-31	TC74HC4538AFS-EL	2-39
		HD6475368SCG16	2-26	NJU7021V-TE2	2-33	TC74VHC00FS(EL)	2-34
				NJU7024M	2-33	TC74VHC02F	2-39
		LA7205M	2-25	NJU7024V-TE2	2-33	TC74VHC02FS(EL)	2-39
		LA7205M-TE-L	2-25	NJU7034V-TE2	2-33	TC74VHC04FS(EL)	2-35
		LB1843V-TLM	2-25			TC74VHC08FS(EL)	2-35
		LB1857M-TE-L	2-25	PCF8574T-T	2-33	TC74VHC10FS(EL)	2-35
		LC35256AM-10-TLM	2-28				
		LM1881M	2-25				

IC	Page	IC	Page
TC74VHC125FS(EL)	2-39	TL062CPW	2-31
TC74VHC138FS(EL)	2-39	TL062CPW-E05	2-31
TC74VHC139FS(EL)	2-39	TL064CPW	2-42
TC74VHC153FS(EL)	2-39	TL064CPW-E05	2-42
TC74VHC157FS(EL)	2-40	TL074CPW	2-42
TC74VHC163F	2-35	TL074CPW-E05	2-42
TC74VHC163FS(EL)	2-35	TL082CPW-E05	2-31
TC74VHC164F	2-40	TL1451ACPW-E05	2-44
TC74VHC164FS(EL)	2-40	TL5001CD-E1	2-44
TC74VHC174FS(EL)	2-40	TL5001CD-E2	2-44
TC74VHC21F	2-40	TLC272CPS	2-44
TC74VHC21FS(EL)	2-40	TLC272CPS-E05	2-44
TC74VHC221AFS(EL) ...	2-40	TLC272CPW-E05	2-44
TC74VHC240FS(EL)	2-7	TLC274CPW	2-44
TC74VHC244FS(EL)	2-7	TLC274CPW-E05	2-44
TC74VHC245FS(EL)	2-40	TLC2932IPW	2-45
TC74VHC32FS(EL)	2-35	TLC2932IPW-E05	2-45
TC74VHC540FS(EL)	2-41	TLC2932IPW-E20	2-45
TC74VHC541FS(EL)	2-36	TSC426C0A	2-44
TC74VHC573FS(EL)	2-41	TSC426C0A-T2	2-44
TC74VHC574FS(EL)	2-36		
TC74VHC74FS(EL)	2-41	UPC319G2	2-44
TC74VHC86FS(EL)	2-38	UPC358G2-E2	2-8
TC74VHCT541FS(EL) ...	2-36	UPC4572G2-E2	2-8
TC74VHCU04FS(EL)	2-35	UPD16502GS(1)	2-45
TC7S00FU(TE85R)	2-41	UPD16502GS(1)-E2	2-45
TC7S02FU	2-37	UPD42280GU-30	2-46
TC7S02FU-TE85L	2-37	UPD42280GU-30-E2	2-46
TC7S04F(TE85R)	2-34	UPD4516161G5-A12	
TC7S04FU(TE85R)	2-34	-7JF	2-46
TC7S08F	2-38	UPD4516821G5-A12	
TC7S08F(TE85R)	2-38	-7JF	2-51
TC7S08FU(TE85R)	2-38	UPD4702G	2-45
TC7S14F(TE85R)	2-41	UPD485505G-35	2-51
TC7S14F-TE85L	2-41	UPD485505G-35-E2	2-51
TC7S14FU	2-41	UPD6453GT-610	2-47
TC7S32F(TE85R)	2-34	UPD6453GT-610-E2	2-47
TC7S32FU(TE85R)	2-34	UPD6456GS-620	2-48
TC7S66F	2-41	UPD6456GS-620-E2	2-48
TC7S66F(TE85R)	2-41	UPD72002GB-11-3B4	2-49
TC7SH00FU-TE85R	2-41	UPD78014GC-574	
TC7SH02FU	2-37	-AB8	2-50
TC7SH02FU-TE85R	2-37		
TC7SH04FU	2-34	WS57C010F-70C	2-51
TC7SH04FU-TE85R	2-34		
TC7SH08FU-TE85R	2-38	X24164SIC7000	2-51
TC7SH32FU-TE85R	2-34	X24C02P	2-51
TC7W00FU	2-41	X24C02S-3.0	2-51
TC7W00FU(TE12R)	2-41	X24C02S-3.0-C7000	2-51
TC7W02F	2-42	X24C16SI	2-52
TC7W02FU(TE12R)	2-42	X24C16SI-C7000	2-52
TC7W04FU(TE12R)	2-42		
TC7W08FU	2-42		
TC7W08FU(TE12R)	2-42		
TC7W14FU(TE12R)	2-42		
TC7W32FU	2-42		
TC7W32FU(TE12R)	2-42		
TC7W74FU	2-42		
TC7W74FU(TE12R)	2-42		
TE7751	2-43		


DIODE

-TOP VIEW-




1S2835-T1
1S2836
DAP202U
DAP202UT106
HSM88WA
HSM88WA-TL
MA721WA-TX

-TOP VIEW-




1S2837-T1
1SS184
1SS301-TE85L
DAN202U
DAN202UT106
MA141WK


-TOP VIEW-




1SS123-T1
1SS226
1SS302
1SS302-TE85L
DA204U
DA204UT106
HSM107S
HSM107S-TL
HSM88AS
HSM88AS-TL
SB007T03Q
SB007T03Q-TL



CL-150D-CD ;ORANGE
CL-150D-CD-T
CL-150PG-CD ;GREEN
CL-150PG-CD-T
CL-150R-CD ;RED
CL-150R-CD-T
CL-150UR-CD-T ;RED




CL-170UR-CD ;RED
CL-170UR-CD-T




CL-200HR-C-TSL ;RED
CL-200HR-C-TUL

-TOP VIEW-




EC10QS-04
EC10QS04-TE12L5


-TOP VIEW-



ECL06B025-F
ECL06B025-TE16F2
SB20-03P
SB20-03P-TD




ERA15
ERA15-06




GL3UR8 ;RED

-TOP VIEW-



RD15M-B1
RD15M-T1B1
RD2.4M-B
RD2.4M-T1B
RD3.3M-B
RD3.3M-T1B
RD4.3M-B
RD4.3M-T1B
RD5.1M-T1B
RD6.2M-B
RD6.2M-T1B
RD6.8M-B
RD6.8M-T1B
UZM5.1B


-TOP VIEW-



MBRS130LT3

TRANSISTOR

-TOP VIEW-



RD2.4UH-T1
RD3.0UH-T1
RD3.3UH(1)-T1
RD3.3UH-T1
RD4.3UH-T1
RD6.2UJN-T1

-TOP VIEW-



SB01-05CP
SB01-05CP-TB
SB01-15CP
SB01-15CP-TB
SB07-03C
SB07-03C-TB


-TOP VIEW-



TOP VIEW




SB05-05CP
SB05-05CP-TB




V09C
V11N

-TOP VIEW-



2SA1314C-TE12L
2SB1114-T1ZLZK
2SB1121-ST
2SB1132-P
2SB1132-T100-QR
2SB1440S-TX
2SB798-DL
2SB798-T1-DLKD

-TOP VIEW-




2SC1623
2SC1623-T1-L5L6
2SC2713-G
2SC2713G-TE85L
2SC3360-N16
2SC3360-T1N17
2SC3735-L-B35
2SC3735-T1B-B34
2SC4081T106R
2SC4116-YG
2SC4116YG-TE85L
2SC4176-B34
2SC4176T1B33B34B35
2SC4177-L6
2SC4177-T1L6
2SC4178-F13F14-T1
2SC4178-F14
2SC4213-B
2SC4213A-TE85L
2SC4213B-TE85L
2SD596DV345
2SD596T1-DV345


-TOP VIEW-



2SC4207-YGRTE85L




-TOP VIEW-




2SD1624-T
2SD1624-T-TD

-TOP VIEW-




2SK1579DY-TL

-TOP VIEW-




2SK664
2SK664-TX

-TOP VIEW-




2SJ187
2SJ187-TD
2SJ244JY
2SJ244JY-TL

-TOP VIEW-




2SK508-T1K53
2SK663
2SK711-BL
2SK711-BL/V-TE85L
2SK852-T1X2
2SK852-T1X3
2SK852-X2
2SK853-K5
2SK853-T1K5
2SK94-T1X2
2SK94-X4


-TOP VIEW-




DTA144EKA-T146 (R1 = 47 K, R2 = 47 K)
DTA144EUA-T106 (R1 = 47 K, R2 = 47 K)
DTB143EK (R1 = 4.7 K, R2 = 4.7 K)
DTB143EK-T-146



2SK1113




2SK612




DTC114ESA (R1=10K, R2=10K)
DTC144ESA

-TOP VIEW-




DTC114TKA-T146 (R1 = 10 K, R2 = OPEN)
DTC144EKA-T146 (R1 = 47 K, R2 = 47 K)
DTC144EUA-T106 (R1 = 47 K, R2 = 47 K)
DTD143EK (R1 = 4.7 K, R2 = 4.7 K)
DTD143EK-T-146

-TOP VIEW-




2SK1483
2SK1483-T1


-TOP VIEW-



2SK620
2SK620-TX




MTD20N03HDL
MTD20N03HDL-T4




SI9958DY
SI9958DY-T1


OTHERS




GP1S33



SI4435DY-T1
SI9435DY-T1





-TOP VIEW-




XN6401
XN6401-TW
XN6435
XN6435-TW




GP2S09-C



SI9936DY
SI9936DY-T1




-TOP VIEW-




XN6501
XN6501-TW
XN6534
XN6534-TW




PR-11-C
PR-11-C-T







(BOTTOM VIEW)




SI9947DY-T1



IC
**74LCX240MTCX (NS)FLAT PACKAGE
TC74VHC240FS(EL) (TOSHIBA)FLAT PACKAGE**
**C-MOS 3-STATE INVERTER/LINE DRIVER
-TOP VIEW-**

**74LCX244MTCX (NS)FLAT PACKAGE
SN74HCT244APW-E05 (TI)FLAT PACKAGE
TC74VHC244FS(EL) (TOSHIBA)FLAT PACKAGE(SMALL)**
**C-MOS BUS BUFFER WITH 3-STATE OUTPUTS
-TOP VIEW-**

74LVX4245QSCX (NS)FLAT PACKAGE
**C-MOS 8-BIT DUAL SUPPLY VOLTAGE TRANSLATING TRANSCEIVER
-TOP VIEW-**

AK4319-VM-E2 (ASAHIKASEI MICRO)FLAT PACKAGE
**C-MOS 18-BIT D/A CONVERTER
-TOP VIEW-**


AK5340-VS (ASAHIKASEI MICRO)FLAT PACKAGE
AK5340-VS-E1

C-MOS 18-BIT 2 CHANNEL A/D CONVERTER
-TOP VIEW-




AVDD, AGND ; FOR ANALOG BLOCK
DVDD, DGND ; FOR DIGITAL BLOCK

INPUT
AINL+ ; L-CH ANALOG POSITIVE INPUT
AINL- ; L-CH ANALOG NEGATIVE INPUT
AINR+ ; R-CH ANALOG POSITIVE INPUT
AINR- ; R-CH ANALOG NEGATIVE INPUT
CLK ; MASTER CLOCK
(CMODE = H: 384 fs)
(CMODE = L: 256 fs)
CMODE ; MASTER CLOCK SELECT
(L: CLK=256 fs, 12.288 MHz @fs=48 kHz)
(H: CLK=384 fs, 18.432 MHz @fs=48 kHz)
PD ; POWER DOWN FOR DIGITAL SECTION
SEL 18 ; 18/16 BIT SELECT (L: 16-BIT, H: 18-BIT)
SMODE ; INTERFACE CLOCK SELECT
(L: SUB MODE)
(H: MASTER MODE)
TST 2, 4 ; TEST
V REF IN ; REFERENCE VOLTAGE


OUTPUT
SDATA ; SERIAL DATA
V REF ; REFERENCE VOLTAGE (-2.5V)

INPUT/OUTPUT
FSYNC ; FRAME SYNC CLOCK
(SUB MODE : FSYNC INPUT)
(MASTER MODE : FSYNC OUTPUT)
L/R ; INPUT CHANNEL SELECT
(SUB MODE: fs CLK INPUT)
(MASTER MODE: fs CLK OUTPUT)
SCLK ; SERIAL DATA CLOCK
(SUB MODE : SCLK INPUT)
(MASTER MODE : SCLK OUTPUT)
TST 1,3 ; TEST



AT27C512R-15RC (ATMEL)


C-MOS 512K (65536x8) UV-EPROM
-TOP VIEW-



INPUT	CS	OE	DO	OPERATION
1	X	HIGH-Z	STAND BY	0 ; LOW LEVEL
0	1	HIGH-Z	OPERATING	1 ; HIGH LEVEL
0	0	DO	OPERATING	X ; LOW OR HIGH LEVEL


INPUT
A0-A15 ; ADDRESS INPUTS
CS ; CHIP SELECT

OUTPUT
DO0-DO7 ; DATA OUTPUTS
OE ; OUTPUT ENABLE



BA10358F-E2 (ROHM)FLAT PACKAGE
NJM2904M (JRC)FLAT PACKAGE
NJM2904M(TE2)
NJM2904V(TE2) (JRC)FLAT PACKAGE(SMALL)
UPC358G2-E2
UPC4572G2-E2 (NEC)FLAT PACKAGE

DUAL OPERATIONAL AMPLIFIERS
(SINGLE-SUPPLY TYPE)
-TOP VIEW-




TYPE	VCC - VEE
828 TYPE	+5 to +36V
2244 TYPE	+2.5 to +36V
2904 TYPE	+3 to +24V
3404 TYPE	+4 to +32V
3414 TYPE	+3 to +10V
4572 TYPE	+4 to +14V
5216 TYPE	+4 to +32V
7022 TYPE	+3 to +16V
75W01 TYPE	+3 to +10V
33172 TYPE	+3 to +44V
OTHERS	+3 to +36V

BA225F-T2 (ROHM)FLAT PACKAGE

CR TIMER

-TOP VIEW-




CLC505AJE (COMLINEAR)FLAT PACKAGE

CLC505AJE-T

OPERATIONAL AMPLIFIER

— TOP VIEW —




CX22017 (SONY)

CX22017-TH

VIDEO SIGNAL PROCESSOR

-TOP VIEW-




CXA1439M (SONY)FLAT PACKAGE

CXA1439M-TH

CORRELATED DOUBLE SAMPLING


-TOP VIEW-



CXD2306Q (SONY)

C-MOS 10-BIT 75MSPS 1CH D/A CONVERTER


-TOP VIEW-



(AVDD, DVDD=+5V)




PIN No.	I/O	SIGNAL	PIN No.	I/O	SIGNAL
1	I	D3	17	I	IREF
2	I	D4	18	O	SREF
3	I	D5	19	I	VREF
4	I	D6	20	—	AVDD
5	I	D7	21	—	AVDD
6	I	D8	22	O	VG
7	I	D9(MSB)	23	O	IO
8	—	NC	24	O	IO
9	I	CK	25	—	AGND
10	I	BLK	26	—	NC
11	I	CE	27	—	DGND
12	—	NC	28	—	DVDD
13	—	DVDD	29	—	NC
14	O	VB	30	I	D0(LSB)
15	—	DGND	31	I	D1
16	—	NC	32	I	D2

BLK : BLANKING PULSE INPUT
 CE : CHIP ENABLE
 CK : CLOCK INPUT
 D0-7 : DIGITAL DATA INPUTS
 IO : CURRENT OUTPUT
 I0 : INVERT CURRENT OUTPUT
 IREF : CURRENT REFERENCE INPUT
 SREF : INDEPENDENT CONSTANT VOLTAGE OUTPUT
 VB, VG : FOR CAPACITOR
 VREF : VOLTAGE REFERENCE INPUT



CXA1486Q (SONY)
CXA1486Q-TH

VIDEO AMPLIFIER FOR VIDEO CAMERA
- TOP VIEW -




2-11

CXD1217M (SONY) FLAT PACKAGE

CXD1217M-TH

C-MOS SYNC GENERATOR


-TOP VIEW-





SYSTEM	4fsc	CLOCK
NTSC	910fH	910fH
PAL	1135fH+2fV	908fH
PALM	909fH	910fH
SECAM	—	908fH

INPUT	MODE1	MODE2	SYSTEM
0	0	0	NTSC
0	1	0	SECAM
1	0	0	PALM
1	1	1	PAL

0 : LOW LEVEL
1 : HIGH LEVEL




INPUT	OUTPUT
4fsc IN : 4fsc INPUT	4fsc OUT : 4fsc OUTPUT
CL IN : CLOCK INPUT	CL OUT : CLOCK OUTPUT
EXT : SYNC MODE SELECT (L : INTERNAL/H ; EXTERNAL)	H COM : PHASE COMPARTOR
HRI : H RESET	O2fH : 2fH OUTPUT
LALTRI : LINE CHANGE RESET	OBF/COLB : BURST FLAG/COLOR BLANKING
MODE1,2 : SYSTEM SELECT	OBLK : COMPOSITE BLANKING
VRI : V RESET	OFH : H FREQUENCY
	OFLD : EVEN, ODD
	OFLD1 : FIELD1
	OHD : H DRIVE
	OLALT : LINE CHANGE
	OSC : SUB CARRIER
	OSYNC : COMPOSITE SYNC
	OVD : V DRIVE





CXD2310AR-T4 (SONY)

C-MOS 10-BIT 20MSPS VIDEO A/D CONVERTER

—TOP VIEW—



P : PAL, SECAM
N : NTSC, PALM



INPUT


- CAL : CALIBRATION PULSE INPUT
- CE : CHIP ENABLE
- CLK : CLOCK
- LINV : OUTPUT (D0-D8) INVERSION
- MINV : OUTPUT (D9) INVERSION
- OE : DIGITAL DATA OUTPUT ENABLE
- RESET : CALIBRATION CIRCUIT RESET
- SEL : OUTPUT DATA (D5-D9) SELECT FOR CALIBRATION (4-CLOCK) HIGH; THROUGH OUTPUT, LOW; DATA FIXED AS WITH D0-D4
- TIN : TEST SIGNAL INPUT
- TMOD : TEST MODE
- TS : TEST SIGNAL INPUT
- TSTR : TEST SIGNAL INPUT
- VRB : REFERENCE BOTTOM VOLTAGE
- VRT : REFERENCE TOP VOLTAGE

OUTPUT

- AT : TEST SIGNAL OUTPUT
- D0-D9 : DIGITAL DATA OUTPUT
- TO : TEST PIN


CXD303-101Q (SONY)

C-MOS SETUP ADD /REMOVE
—TOP VIEW—




(VDD = +3.3V)

PIN No.	I/O	SIGNAL	PIN No.	I/O	SIGNAL	PIN No.	I/O	SIGNAL	PIN No.	I/O	SIGNAL
1	I	IPA	13	I	IDATA2	25	I	ISCK	37	O	ODATA5
2	I	ICF	14	I	IDATA3	26	I	ISTART	38	O	ODATA4
3	I	IVD	15	I	IDATA4	27	I	ISIN	39	O	ODATA3
4	I	IHD	16	I	IDATA5	28	O	SOUT	40	O	ODATA2
5	I	IDATA0	17	I	IDATA6	29	I	IMODE	41	O	ODATA1
6	—	GND	18	—	GND	30	I	I27CK	42	—	GND
7	I	IDATA1	19	—	VDD	31	—	GND	43	—	VDD
8	I	TCK	20	I	IDATA7	32	—	NC	44	O	ODATA0
9	I	TDI	21	I	IDATA8	33	O	ODATA9	45	O	OHD
10	I	TENA1	22	I	IDATA9	34	O	ODATA8	46	O	OVD
11	O	TDO	23	I	ISUPT	35	O	ODATA7	47	O	OCF
12	—	VST	24	I	IRESET	36	O	ODATA6	48	O	OPA





CXD8125Q (SONY)

C-MOS I/O PORT EXPANDER
—TOP VIEW—



(VDD = +5V)


PIN NO.	I/O	SIGNAL	PIN NO.	I/O	SIGNAL	PIN NO.	I/O	SIGNAL	PIN NO.	I/O	SIGNAL
1	—	NC	17	I/O	PC6	33	—	NC	49	I/O	PX0
2	—	NC	18	I/O	PC7	34	—	NC	50	I/O	PX1
3	I/O	PB1	19	—	NC	35	I/O	D3	51	—	NC
4	I/O	PB2	20	I/O	PD0	36	I/O	D4	52	I/O	PX2
5	I/O	PB3	21	I/O	PD1	37	I/O	D5	53	I/O	PX3
6	I/O	PB4	22	I/O	PD2	38	I/O	D6	54	I/O	PA0
7	I/O	PB5	23	I/O	PD3	39	I/O	D7	55	I/O	PA1
8	I/O	PB6	24	I/O	PD4	40	I	CLR	56	I/O	PA2
9	I/O	PB7	25	—	GND	41	I	RST	57	—	GND
10	—	GND	26	—	VDD	42	—	GND	58	—	VDD
11	I/O	PC0	27	I/O	PD5	43	I	WR	59	I/O	PA3
12	I/O	PC1	28	I/O	PD6	44	I	RD	60	I/O	PA4
13	I/O	PC2	29	I/O	PD7	45	I	CS	61	I/O	PA5
14	I/O	PC3	30	I/O	D0	46	I/O	A0	62	I/O	PA6
15	I/O	PC4	31	I/O	D1	47	I/O	A1	63	I/O	PA7
16	I/O	PC5	32	I/O	D2	48	I/O	A2	64	I/O	PB0



CXD8095Q (SONY) FLAT PACKAGE


C-MOS GATE ARRAY

—TOP VIEW—




(VDD = +5V)

PIN No.	I/O	SYMBOL	PIN No.	I/O	SYMBOL	PIN No.	I/O	SYMBOL	PIN No.	I/O	SYMBOL
1	I	D0	12	O	GP1	23	I	SP	34	I	VD
2	I	D1	13	O	TO0	24	I	CKC	35	I	HD
3	I	D2	14	O	GP2	25	I	FDFM	36	O	INVO
4	I	D3	15	O	TO1	26	O	TO2	37	I	INVI
5	I/O	A2	16	O	GP3	27	O	TO3	38	I	CLK
6	I/O	A1	17	—	GND	28	O	TO4	39	—	VDD
7	I/O	A0	18	I	TST1	29	O	TO5	40	I	XH1
8	I/O	A3	19	I	TST2	30	O	TO6	41	I	XV1
9	O	A4	20	I	TST3	31	O	TO7	42	O	PRTY
10	O	A5	21	I	CR	32	O	TO8	43	I	DCK
11	O	A6	22	I	EIAD	33	O	TO9	44	O	XVCT



CXD8820AR (SONY)
C-MOS VITC READER GENERATOR
—TOP VIEW—



PIN NO.	I/O	SIGNAL	PIN NO.	I/O	SIGNAL	PIN NO.	I/O	SIGNAL	PIN NO.	I/O	SIGNAL
1	O	OVD9	26	I	HRTH	51	I/O	DATA0	76	O	RVITC
2	O	OVD8	27	I	RESET	52	I/O	DATA1	77	O	RLTCH
3	—	VDD	28	—	VDD	53	—	VDD	78	—	VDD
4	—	GND	29	—	GND	54	—	GND	79	—	GND
5	O	OVD7	30	I	27CK	55	I/O	DATA2	80	O	GVITC
6	O	OVD6	31	I	ALLTH	56	I/O	DATA3	81	O	VGATE
7	O	OVD5	32	I	ICAD0	57	I/O	DATA4	82	O	BGATE
8	I	TST0	33	I	ICAD1	58	I/O	DATA5	83	O	XCFI
9	I	TST1	34	I	ICAD2	59	I/O	DATA6	84	O	NT4F
10	I	TST2	35	I	ICAD3	60	I/O	DATA7	85	O	PL4F
11	I	TST3	36	I	IPA	61	I	STS0	86	O	PL8F
12	O	OVD4	37	I	ICF	62	I	STS1	87	O	PM8F
13	O	OVD3	38	I	IVD	63	I	STRB	88	O	HMSK
14	O	OVD2	39	I	IHD	64	I	RD	89	O	VMASK
15	—	GND	40	—	GND	65	—	GND	90	—	GND
16	O	OVD1	41	I	IVD0	66	I	CS	91	O	CK135
17	O	OVD0	42	I	IVD1	67	I	LPARA	92	O	IDEN
18	O	OHD	43	I	IVD2	68	I	SCK	93	O	PERR
19	O	OVD	44	I	IVD3	69	I	START	94	O	IFBUSY
20	O	OCF	45	I	IVD4	70	I	SIN	95	O	RCF
21	O	OPA	46	I	IVD5	71	O	SOUT	96	O	RDF
22	I	TST4	47	I	IVD6	72	O	RINT	97	O	RFM
23	I	TST5	48	I	IVD7	73	O	REND	98	O	RERR
24	I	TST6	49	I	IVD8	74	O	OSVI	99	O	GSAV
25	I	TST7	50	I	IVD9	75	I	ISVI	100	O	EXP0




INPUT/OUTPUT
DATA0-DATA7 ; PARARELL INTERFACE DATA BUS

CXD8845Q (SONY)

C-MOS D1 SUPERIMPOSER


- TOP VIEW -



(VDD=+5V)				
PIN No.	I/O	SIGNAL	PIN No.	I/O
1	I	SLNP	25	O
2	I	VD 9	26	O
3	I	VD 8	27	O
4	I	VD 7	28	O
5	I	VD 6	29	I
6	-	GND	30	I
7	I	VD 5	31	-
8	I	VD 4	32	I
9	I	VD 3	33	O
10	I	VD 2	34	O
11	I	VD 1	35	O
12	I	VD 0	36	O
13	I	Y BLK 4	37	O
14	I	Y BLK 5	38	O
15	I	Y BLK 6	39	O
16	I	Y BLK 7	40	O
17	I	CK 27	41	O
18	-	GND	42	-
19	-	VDD	43	-
20	I	OC 13	44	I
21	I	OC 6	45	I
22	O	GP422	46	I
23	O	SIVD 0	47	I
24	O	SIVD 1	48	I

INPUT
 CFR DLY : DELAY CONTROL OF C FRAME SIGNAL
 CHARA : SUPERIMPOSE CHARACTER SIGNAL
 CK 27 : 27 MHz CLOCK
 FRAME : SUPER IMPOSE CHARACTER FRAME
 SLNP : 525/625 LINE SELECTE
 VD 0-9 : DIGITAL VIDEO PARALLEL DATA
 Y BLK 4-7 : Y BLANKING LEVEL
 Y DLY A, B : DELAY CONTROL OF Y CHARA AND Y FRAME SIGNALS
 Y WHITE 6-8 : Y WHITE LEVEL

OUTPUT
 C FRAME : CHROMA FRAME PULSE
 GP422 : 4:2:2 GROUP PULSE
 OC 13 : 13.5 MHz CLOCK
 OC 6 : 6.75 MHz CLOCK
 SEL A, B : SELECTION SIGNAL OF INNER MULTIPLEXER
 SIVD 0-9 : DIGITAL VIDEO PARALLEL DATA AFTER SUPERIMPOSED
 Y CHARA : Y CHARACTER PULSE
 Y FRAME : Y FRAME PULSE




CXK1203AR (SONY)

CXK1203AR-T4


C-MOS DIGITAL LINE MEMORY

-TOP VIEW-



(VDD = +5V)									
PIN NO.	I/O	SIGNAL	PIN NO.	I/O	SIGNAL	PIN NO.	I/O	SIGNAL	PIN NO.
1	I	D0	13	I	PSW7	25	I	OEN	37
2	I	D1	14	I	PSW6	26	O	DOT9	38
3	I	D2	15	I	PSW5	27	O	DOT8	39
4	I	D3	16	I	PSW4	28	O	DOT7	40
5	I	D4	17	I	PSW3	29	O	DOT6	41
6	-	GND	18	I	PSW2	30	-	GND	42
7	I	D5	19	-	VDD	31	O	DOT5	43
8	I	D6	20	I	PSW1	32	O	DOT4	44
9	I	D7	21	I	PSW0	33	O	DOT3	45
10	I	D8	22	I	PSB2	34	O	DOT2	46
11	I	D9	23	I	PSB1	35	O	DOT1	47
12	I	TINT	24	I	PSB0	36	O	DOT0	48


AEN : LINE MEMORY SELECT
 CLK : CLOCK
 DIN0-DIN9 : VIDEO DATA INPUT
 DOT0-DOT9 : VIDEO DATA OUTPUT
 N/P : NTSC/PAL/SECAM SELECT
 OEN : OUTPUT ENABLE
 PSB0-PSB2 : DELAY STEP SELECT (1 BITXN)
 PSW0-PSW7 : DELAY STEP SELECT (8 BITXN)
 SCLK : CLOCK EDGE SELECT
 TINT : TEST




CXD8384Q (SONY)

C-MOS LTC READER/GENERATOR
-TOP VIEW-

(VDD=+3.3V)





PIN No.	I/O	SIGNAL	PIN No.	I/O	SIGNAL	PIN No.	I/O	SIGNAL	PIN No.	I/O	SIGNAL
1	I/O	D2	26	I	CTL I	51	I	FRMI	76	O	INTG
2	I/O	D3	27	I	FWD	52	I	LSHI	77	O	INTL
3	-	VDD	28	-	VDD	53	-	VDD	78	-	VDD
4	-	GND	29	-	GND	54	-	GND	79	-	GND
5	I/O	D4	30	O	RSYC	55	O	LSHO	80	O	INTC
6	I/O	D5	31	O	LREV	56	O	VCEO	81	O	INTR
7	I/O	D6	32	O	DCLK	57	I	VC11	82	O	INTX
8	I/O	D7	33	O	DATA	58	I	VC12	83	I	TEST1
9	I	CS	34	O	BER	59	O	LTCO	84	I	TEST2
10	I	WR	35	I	DMCK	60	O	CFNG	85	I	TEST3
11	I	RD	36	I	DEMI	61	I	REF	86	I	TEST4
12	I	A0	37	I	K16 I	62	O	XOUT	87	I	ALCK
13	I	A1	38	O	XBK	63	O	PORT	88	O	CK2M
14	I	A2	39	I	BKIN	64	I	NORM	89	I	CK11
15	-	GND	40	-	GND	65	-	GND	90	-	GND
16	I	A3	41	O	BKO	66	O	NT4F	91	O	CK10
17	I	A4	42	I	CSHD	67	O	PL4F	92	O	DCCK
18	I	A5	43	I	CSVD	68	O	PL8F	93	I	INTE
19	O	X1BE	44	I	HD I	69	O	PM8F	94	I	TEST5
20	I	X1TC	45	O	HDO	70	I	TEST11	95	I	TEST6
21	O	REC	46	O	VDD	71	I/O	LRRV	96	I	TEST7
22	O	OUT	47	O	IFRM	72	O	XINT	97	I	TEST8
23	O	READ	48	O	FRAM	73	I	XRES	98	I	TEST9
24	I	PBTC	49	I	DLY I	74	I	BKUP	99	I/O	D0
25	I	LTC I	50	O	DLYO	75	O	INTM	100	I/O	D1




CXK58257AM-10L (SONY) FLAT PACKAGE
CXK58257BM-10LL (SONY)

C-MOS 256K (32,768×8)-BIT STATIC RAM
-TOP VIEW-




CE	OE	WE	MODE	I/O TERMINAL
1	X	X	NOT SELECT	HIGH IMPEDANCE
0	1	1	OUTPUT DISABLE	HIGH IMPEDANCE
0	0	1	READ	OUTPUT DATA
0	X	0	WRITE	INPUT DATA

0 : LOW LEVEL
1 : HIGH LEVEL
X : DON'T CARE




CXD8818R (SONY)

C-MOS MEMORY CONTROLLER
-TOP VIEW-

(VDD L = +3.3V, VDD H = +5V)

PIN NO.	I/O	SIGNAL	PIN NO.	I/O	SIGNAL	PIN NO.	I/O	SIGNAL	PIN NO.	I/O	SIGNAL	PIN NO.	I/O	SIGNAL
1	I	M2CF	49	I	D1D4	97	I	A2D4	145	O	MWC4	193	I/O	MAD2
2	I	M3D9	50	I	D1D3	98	I	A2D3	146	O	MWC3	194	I/O	MAD1
3	I	M3D8	51	I	D1D2	99	I	A2D2	147	O	MWC2	195	I/O	MAD0
4	I	M3D7	52	I	D1D1	100	I	A2D1	148	O	MWC1	196	O	MPUCK
5	I	M3D6	53	I	D1D0	101	-	VDD L	149	O	MWC0	197	-	VDD H
6	-	VDD L	54	-	VDD H	102	-	GND	150	-	GND	198	-	GND
7	-	GND	55	-	GND	103	I	A2D0	151	O	MWCK	199	I	R27
8	I	M3D5	56	I	D1HD	104	I	A2P	152	O	MWRST	200	I	ADVCF
9	I	M3D4	57	I	D1VD	105	O	IVST	153	O	MRCK	201	I	TEST
10	I	M3D3	58	I	D1P	106	I	M1D9	154	O	MRRST	202	O	SRP
11	I	M3D2	59	O	CHO	107	I	M1D8	155	I	RDY9	203	O	REFCF0
12	I	M3D1	60	O	CV0	108	I	M1D7	156	I	RDY8	204	O	REFCF1
13	I	M3D0	61	I	ISY	109	I	M1D6	157	I	RDY7	205	O	REFCF2
14	I	M3HD	62	O	HR	110	I	M1D5	158	I	RDY6	206	I	FNIC
15	I	M3VD	63	I	SFTHR	111	I	M1D4	159	I	RDY5	207	I	RST
16	I	M3CF	64	O	SMPP	112	I	M1D3	160	I	RDY4	208	O	R18
17	O	SAVP	65	O	PCEN	113	I	M1D2	161	O	WRSTL	209	O	SUPT
18	-	VDD H	66	-	VDD L	114	-	VDD H	162	-	VDD L	210	-	GND
19	-	GND	67	-	GND	115	-	GND	163	-	GND	211	O	BD9
20	I	DED9	68	I	W27	116	I	M1D1	164	I	RDY3	212	O	BD8
21	I	DED8	69	O	DTHP	117	I	M1D0	165	I	RDY2	213	O	BD7
22	I	DED7	70	O	CH	118	I	M1HD	166	I	RDY1	214	O	BD6
23	I	DED6	71	O	CLPP	119	I	M1VD	167	I	RDY0	215	O	BD5
24	I	DED5	72	I	A1D9	120	I	M1CF	168	I	RDP	216	O	BD4
25	I	DED4	73	I	A1D8	121	O	ICF0	169	I	RDFIN	217	O	BD3
26	I	DED3	74	I	A1D7	122	O	ICF1	170	I	RDC9	218	O	BD2
27	I	DED2	75	I	A1D6	123	O	ICF2	171	I	RDC8	219	O	BD1
28	I	DED1	76	I	A1D5	124	O	MWY9	172	I	RDC7	220	O	BD0
29	I	DEDO	77	-	VDD H	125	O	MWY8	173	I	RDC6	221	-	VDD L
30	-	GND	78	-	GND	126	-	VDD L	174	-	VDD H	222	-	GND
31	I	DECK	79	I	A1D4	127	-	GND	175	-	GND	223	O	BHD
32	I	DEHD	80	I	A1D3	128	O	MWY7	176	I	RDC5	224	O	BVD
33	I	DEVD	81	I	A1D2	129	O	MWY6	177	I	RDC4	225	O	BCF
34	I	DECF	82	I	A1D1	130	O	MWY5	178	I	RDC3	226	O	BP
35	I	DEP	83	I	A1D0	131	O	MWY4	179	I	RDC2	227	I	M2D9
36	I	DICPST	84	I	A1P	132	O	MWY3	180	I	RDC1	228	I	M2D8
37	I	DICR	85	O	YCER	133	O	MWY2	181	I	RDC0	229	I	M2D7
38	I	DICF2	86	O	BCER	134	O	MWY1	182	O	RDRSTL	230	I	M2D6
39	I	DICF1	87	O	RCER	135	O	MWY0	183	I	ASTB	231	I	M2D5
40	I	DICF0	88	O	COE	136	O	MWP	184	I	WR	232	I	M2D4
41	I	DIFCK	89	O	HFCK	137	O	MWFIN	185	I	RD	233	I	M2D3
42	-	VDD L	90	-	GND	138	-	VDD H	186	-	VDD L	234	-	VDD H
43	-	GND	91	O	QTCK	139	-	GND	187	-	GND	235	-	GND
44	I	D1D9	92	I	A2D9	140	O	MWC9	188	I/O	MAD7	236	I	M2D2
45	I	D1D8	93	I	A2D8	141	O	MWC8	189	I/O	MAD6	237	I	M2D1
46	I	D1D7	94	I	A2D7	142	O	MWC7	190	I/O	MAD5	238	I	M2D0
47	I	D1D6	95	I	A2D6	143	O	MWC6	191	I/O	MAD4	239	I	M2HD
48	I	D1D5	96	I	A2D5	144	O	MWC5	192	I/O	MAD3	240	I	M2VD



INPUT
 A1D0-9 : A/D CONVERTED Y SIGNAL DATA FROM DIGITAL FILTER
 A1P : A/D CONVERTED Y SIGNAL DATA PARITY
 A2D0-9 : A/D CONVERTED R-Y/B-Y SIGNAL DATA FROM DIGITAL FILTER
 A2P : A/D CONVERTED R-Y/B-Y SIGNAL DATA PARITY
 ADVCF : ADVANCED REFERENCE COLOR FRAME
 ASTB : MPU INTERFACE ADDRESS STROBE
 DECK : COMPOSITE DECODER INPUT CLOCK
 DECF : COMPOSITE DECODER INPUT CF
 DED0-9 : COMPOSITE DECODER INPUT DATA
 DEHD : COMPOSITE DECODER INPUT HD
 DEP : COMPOSITE DECODER INPUT PARITY
 DEV0 : COMPOSITE DECODER INPUT VD
 DICF0-2 : DIF (SERIAL DIGITAL) INPUT CF
 DICPST : DIF (SERIAL DIGITAL) INPUT COMPOSITE FLAG (H:COMPOSITE)
 DICR : DIF (SERIAL DIGITAL) INPUT CRCC ERROR FLAG (H:ERROR)
 DID0-9 : DIF (SERIAL DIGITAL) INPUT DATA
 DIFCK : DIF (SERIAL DIGITAL) INPUT CLOCK
 DIHD : DIF (SERIAL DIGITAL) INPUT HD
 DIP : DIF (SERIAL DIGITAL) INPUT PARITY
 DIVD : DIF (SERIAL DIGITAL) INPUT VD
 FNTC : FORCED NTSC MODE
 ISY : ANALOG COMPONENT SYNC INPUT
 M1CF : MULTI-LOOP (1) INPUT CF FOR SELF-DIAG.
 M1D0-9 : MULTI-LOOP (1) INPUT DATA FOR SELF-DIAG.
 M1HD : MULTI-LOOP (1) INPUT HD FOR SELF-DIAG.
 M1VD : MULTI-LOOP (1) INPUT VD FOR SELF-DIAG.
 M2CF : MULTI-LOOP (2) INPUT CF
 M2D0-9 : MULTI-LOOP (2) INPUT DATA
 M2HD : MULTI-LOOP (2) INPUT HD
 M2VD : MULTI-LOOP (2) INPUT VD
 M3CF : MULTI-LOOP (3) INPUT COLOR FRAME FOR SELF-DIAG.
 M3D0-9 : MULTI-LOOP (3) INPUT DATA FOR SELF-DIAG.
 M3HD : MULTI-LOOP (3) INPUT HD FOR SELF-DIAG.
 M3VD : MULTI-LOOP (3) INPUT VD FOR SELF-DIAG.
 R27 : REFERENCE 27MHz CLOCK
 RD : MPU INTERFACE READ REQUEST
 RDC0-9 : MEMORY READ R-Y/B-Y DATA
 RDFIN : MEMORY READ DATA FINISH BLOCK ID BIT
 RDP : MEMORY READ DATA PARITY
 RDY0-9 : MEMORY READ Y DATA
 RST : MASTER RESET
 SFTHR : SHIFTED HR INPUT
 TEST : TEST MODE ENABLE
 W27 : 27MHz CLOCK LOCKED TO ANALOG COMPONENT
 WR : MPU INTERFACE WRITE REQUEST


OUTPUT
 BCER : B-Y SIGNAL CLAMP ERROR
 BCF : BUFFERED CF
 BD0-9 : BUFFERED DATA
 BHD : BUFFERED HD
 BP : BUFFERED PARITY
 BVD : BUFFERED VD
 CH : COUNT H TIMING PULSE FOR PLL
 CHD : ANALOG COMPONENT HD OUTPUT
 CLPP : CLAMP PULSE FOR ANALOG COMPONENT
 COE : ANALOG COMPONENT ODD/EVEN OUTPUT
 CVD : ANALOG COMPONENT VD OUTPUT
 DTHP : DITHER TIMING PULSE FOR A/D DITHER
 HFCK : 13.5MHz CLOCK (W27/2) FOR DIGITAL FILTER
 HR : PHASE COMPARATOR PULSE OUT FOR PLL
 ICFO-2 : SELECTED INPUT SIGNAL COLOR FRAME
 IVST : SELECTED INPUT SIGNAL V-START PULSE
 MPUCK : MPU INTERFACE CLOCK (9MHz)
 MRCK : MEMORY READ CLOCK
 MRRST : MEMORY READ RESET PULSE
 MWCO-9 : MEMORY R-Y/B-Y DATA OUTPUT
 MWCK : MEMORY WRITE CLOCK
 MWFIN : MEMORY WRITE DATA FINISH BLOCK ID BIT
 MWP : MEMORY WRITE DATA PARITY OUTPUT
 MWRST : MEMORY WRITE RESET PULSE
 MWY0-9 : MEMORY WRITE Y DATA OUTPUT
 PCEN : PHASE COMPARE ENABLE
 QCK : 6.75MHz CLOCK (W27/4) FOR DIGITAL FILTER
 R18 : 18MHz CLOCK OUTPUT FOR PLAYER SELF-DIAG.
 RCER : R-Y SIGNAL CLAMP ERROR
 RDRSTL : MEMORY READ RESET LINE
 REFCFO-2 : REFERENCE CF
 SAVP : SELECTED INPUT SIGNAL SAV TIMING PULSE
 SMPP : SAMPLING PULSE FOR PLL
 SRP : SERVO REFERENCE PULSE
 SUPT : TIMING PULSE FOR SET-UP REMOVER
 WRSTL : MEMORY WRITE RESET LINE
 YCER : Y SIGNAL CLAMP ERROR

INPUT/OUTPUT
 MAD0-7 : MPU INTERFACE DATA BUS

CXD8821Q (SONY)



C-MOS AUDIO TIMING GENERATOR
TOP VIEW

—TOP VIEW—




(VDD = +5V)

PIN No.	I/O	SIGNAL	PIN No.	I/O	SIGNAL	PIN No.	I/O	SIGNAL	PIN No.	I/O	SIGNAL
1	—	GND	26	I	T1	51	—	GND	76	O	CLK2
2	—	VDD	27	—	VDD	52	—	VDD	77	—	VDD
3	—	NC	28	—	NC	53	—	NC	78	—	NC
4	—	VDD	29	—	VDD	54	—	VDD	79	—	VDD
5	—	NC	30	—	GND	55	I	CRN	80	—	GND
6	O	FA2	31	—	GND	56	I	CFPI	81	—	GND
7	O	FA1	32	O	DE0	57	I	SA0	82	O	HD2
8	O	FA0	33	O	DE7	58	I	SA1	83	O	VD2
9	O	PC2	34	O	DE8	59	I	SA2	84	O	CF2
10	O	PC1	35	O	FP0	60	I	SA3	85	O	HD3
11	O	PC0	36	O	FP5	61	I	SCK	86	O	VD3
12	O	LOCK	37	O	FP6	62	I	STB	87	O	CF3
13	O	FREF	38	O	FP7	63	I	SI	88	—	NC
14	O	FCOMP	39	—	NC	64	O	SO	89	—	GND
15	—	VDD	40	—	VDD	65	—	GND	90	I	CLK
16	—	GND	41	—	GND	66	—	VDD	91	—	GND
17	I	FSCK	42	—	NC	67	O	TO	92	—	VDD
18	I	FPCK	43	O	FP8	68	—	NC	93	O	CLK4
19	—	NC	44	O	FS0	69	—	NC	94	O	HD4
20	—	NC	45	O	FS5	70	—	NC	95	O	VD4
21	I	ACS	46	O	FS6	71	O	HD0	96	O	CF4
22	I	INCF	47	O	FS7	72	O	VD0	97	O	HD5
23	—	NC	48	O	FS8	73	O	FOE1	98	O	VD5
24	I	T3	49	O	FS9	74	O	HD1	99	O	CF5
25	I	T2	50	—	GND	75	O	VD1	100	—	GND



DS1000Z-100 (DALLAS SEMICONDUCTOR)FLAT PACKAGE DS1000Z-100(TE2)


C-MOS DELAY LINE
- TOP VIEW -



TYPE. NO.	DELAY TIME (ns)				
	TAP1	TAP2	TAP3	TAP4	TAP5
DS1000M-50	10	20	30	40	50
DS1000M-60	12	24	36	48	60
DS1000M-75	15	30	45	60	75
DS1000M-100	20	40	60	80	100
DS1000M-125	25	50	75	100	125
DS1000M-150	30	60	90	120	150
DS1000M-175	35	70	105	140	175
DS1000M-200	40	80	120	160	200
DS1000M-250	50	100	150	200	250
DS1000M-500	100	200	300	400	500
DS1000Z-25	5	10	15	20	25
DS1000Z-100	20	40	60	80	100


DS1302Z (DALLAS)FLAT PACKAGE DS1302Z-TE2

REAL TIME CLOCK
- TOP VIEW -




EL4581CS-TE2 (ELT)FLAT PACKAGE

VIDEO SYNC SEPARATOR
- TOP VIEW -




TIMING CHART



DNV-5
DNW-7/90/90WS


HA11423MP (HITACHI)FLAT PACKAGE

TV H/V SYNC SIGNAL PROCESSOR
- TOP VIEW -




HD151015T (HITACHI)FLAT PACKAGE HD151015TEL

C-MOS 9-BIT LEVEL SHIFTER/TRANSCEIVER WITH 3-STATE OUTPUTS
- TOP VIEW -



EN	DIR	OPERATION
0	0	B to A
0	1	A to B
1	X	HI-Z


0 : LOW LEVEL
1 : HIGH LEVEL
X : DON'T CARE
HI-Z : HIGH IMPEDANCE



HD6473308RF10 (HITACHI) FLAT PACKAGE


C-MOS 8-BIT SINGLE CHIP MICROCOMPUTER

-TOP VIEW-




LA7205M (SANYO) LA7205M-TE-L

TAPE TOP / END DETECTOR
-TOP VIEW-




LB1843V-TLM (SANYO)FLAT PACKAGE

FORWARD/REVERSE MOTOR DRIVER
-TOP VIEW-




INPUT	OUTPUT	MODE
IN2	OUT2/OUT1	
0	0	WAITING
0	1	FWD
1	0	REV
1	1	BRAKING

0 ; LOW LEVEL
1 ; HIGH LEVEL





LM334MX (NS)FLAT PACKAGE

ADJUSTABLE CURRENT SOURCE
-TOP VIEW-




LB1857M-TE-L (SANYO)FLAT PACKAGE

3-PHASE BRUSHLESS MOTOR DRIVER
-TOP VIEW-





LM1881M (NS)FLAT PACKAGE

VIDEO SYNC SEPARATOR
-TOP VIEW-





HD6475368SCG16 (HITACHI)

C-MOS 16-BIT MICROCOMPUTER
-TOP VIEW-



(*)			OPERATION MODE	CONTENTS
MD2	MD1	MD0		
0	0	1	MODE 1	EXTENSION MINIMUM (ROM DISABLE)
0	1	0	MODE 2	EXTENSION MINIMUM (ROM ENABLE)
0	1	1	MODE 3	EXTENSION MAXIMUM (ROM DISABLE)
1	0	0	MODE 4	EXTENSION MAXIMUM (ROM ENABLE)
1	1	1	MODE 7	SINGLE CHIP MODE




(VDD=+5V)

PIN NO.	EXTENSION MINIMUM MODE		EXTENSION MAXIMUM MODE		SINGLE CHIP MODE	
	MODE1	MODE2	MODE3	MODE4	MODE7	
1	I	XTAL	I	XTAL	I	XTAL
2	—	GND	—	GND	—	GND
3	I/O	P10/Ø	I/O	P10/Ø	I/O	P10/Ø
4	I/O	P11/E	I/O	P11/E	I/O	P11/E
5	I/O	P12/BACK	I/O	P12/BACK	I/O	P12
6	I/O	P13/BREQ	I/O	P13/BREQ	I/O	P13
7	I/O	P14/WAIT	I/O	P14/WAIT	I/O	P14
8	I/O	P15/IRQ0	I/O	P15/IRQ0	I/O	P15/IRQ0
9	I/O	P16/IRQ1/ADTRG	I/O	P16/IRQ1/ADTRG	I/O	P16/IRQ1/ADTRG
10	I/O	P17/TMO	I/O	P17/TMO	I/O	P17/TMO
11	O	AS	O	AS	O	P20
12	O	R/W	O	R/W	O	P21
13	O	DS	O	DS	O	P22
14	O	RD	O	RD	O	P23
15	O	WR	O	WR	O	P24
16	—	VDD	—	VDD	—	VDD
17	I	MD0	I	MD0	I	MD0
18	I	MD1	I	MD1	I	MD1
19	I	MD2	I	MD2	I	MD2
20	I	STBY	I	STBY	I	STBY
21	I/O	RES	I/O	RES	I/O	RES
22	I	NMI	I	NMI	I	NMI
23	—	NC	—	NC	—	NC
24	—	GND	—	GND	—	GND
25	I/O	D0	I/O	D0	I/O	P30
26	I/O	D1	I/O	D1	I/O	P31
27	I/O	D2	I/O	D2	I/O	P32
28	I/O	D3	I/O	D3	I/O	P33
29	I/O	D4	I/O	D4	I/O	P34
30	I/O	D5	I/O	D5	I/O	P35
31	I/O	D6	I/O	D6	I/O	P36
32	I/O	D7	I/O	D7	I/O	P37
33	O	A0	O	A0	O	P40
34	O	A1	O	A1	O	P41
35	O	A2	O	A2	O	P42
36	O	A3	O	A3	O	P43
37	O	A4	O	A4	O	P44
38	O	A5	O	A5	O	P45
39	O	A6	O	A6	O	P46
40	O	A7	O	A7	O	P47
41	—	GND	—	GND	—	GND
42	—	GND	—	GND	—	GND



(VDD=+5V)

PIN NO.	EXTENSION MINIMUM MODE		EXTENSION MAXIMUM MODE		SINGLE CHIP MODE	
	MODE1	MODE2	MODE3	MODE4	MODE7	
43	O	A8	O	A8	O	P50
44	O	A9	O	A9	O	P51
45	O	A10	O	A10	O	P52
46	O	A11	O	A11	O	P53
47	O	A12	O	A12	O	P54
48	O	A13	O	A13	O	P55
49	O	A14	O	A14	O	P56
50	O	A15	O	A15	O	P57
51	I/O	P60/IRQ2	I/O	P60/IRQ2	I/O	P60/IRQ2
52	I/O	P61/PW1/IRQ3	I/O	P61/PW1/IRQ3	I/O	P61/PW1/IRQ3
53	I/O	P62/PW2/IRQ4	I/O	P62/PW2/IRQ4	I/O	P62/PW2/IRQ4
54	I/O	P63/PW3/IRQ5	I/O	P63/PW3/IRQ5	I/O	P63/PW3/IRQ5
55	—	VDD	—	VDD	—	VDD
56	I/O	P70/TMC1	I/O	P70/TMC1	I/O	P70/TMC1
57	I/O	P71/FT1	I/O	P71/FT1	I/O	P71/FT1
58	I/O	P72/FT2	I/O	P72/FT2	I/O	P72/FT2
59	I/O	P73/FT3/TMR1	I/O	P73/FT3/TMR1	I/O	P73/FT3/TMR1
60	I/O	P74/FTOB1/FTCl	I/O	P74/FTOB1/FTCl	I/O	P74/FTOB1/FTCl
61	I/O	P75/FTOB2/FTCl2	I/O	P75/FTOB2/FTCl2	I/O	P75/FTOB2/FTCl2
62	I/O	P76/FTOB3/FTCl3	I/O	P76/FTOB3/FTCl3	I/O	P76/FTOB3/FTCl3
63	I/O	P77/FTOA1	I/O	P77/FTOA1	I/O	P77/FTOA1
64	—	AGND	—	AGND	—	AGND
65	—	AGND	—	AGND	—	AGND
66	I	P80/AN0	I	P80/AN0	I	P80/AN0
67	I	P81/AN1	I	P81/AN1	I	P81/AN1
68	I	P82/AN2	I	P82/AN2	I	P82/AN2
69	I	P83/AN3	I	P83/AN3	I	P83/AN3
70	I	P84/AN4	I	P84/AN4	I	P84/AN4
71	I	P85/AN5	I	P85/AN5	I	P85/AN5
72	I	P86/AN6	I	P86/AN6	I	P86/AN6
73	I	P87/AN7	I	P87/AN7	I	P87/AN7
74	—	AVDD	—	AVDD	—	AVDD
75	I/O	P90/FTOA2	I/O	P90/FTOA2	I/O	P90/FTOA2
76	I/O	P91/FTOA3	I/O	P91/FTOA3	I/O	P91/FTOA3
77	I/O	P92/TXD2/PW1	I/O	P92/TXD2/PW1	I/O	P92/TXD2/PW1
78	I/O	P93/RXD2/PW2	I/O	P93/RXD2/PW2	I/O	P93/RXD2/PW2
79	I/O	P94/SCK2/PW3	I/O	P94/SCK2/PW3	I/O	P94/SCK2/PW3
80	I/O	P95/TXD1	I/O	P95/TXD1	I/O	P95/TXD1
81	I/O	P96/RXD1	I/O	P96/RXD1	I/O	P96/RXD1
82	I/O	P97/SCK1	I/O	P97/SCK1	I/O	P97/SCK1
83	—	GND	—	GND	—	GND
84	I	EXTAL	I	EXTAL	I	EXTAL





LC35256AM-10-TLM (SANYO)FLAT PACKAGE

C-MOS 256K (32,768WORD × 8)-BIT STATIC RAM
—TOP VIEW—




LM35DM (NSC)FLAT PACKAGE
LM35DMX

TEMPERATURE SENSOR
—TOP VIEW—




LM4041EIM3-1.2 (NS)

SHUNT VOLTAGE REFERENCE
—TOP VIEW—




LT1252CS8 (LINEAR TECH)FLAT PACKAGE
LT1252CS8-E2

VIDEO AMPLIFIER
—TOP VIEW—



M27V201-200L6 (SGS)CHIP CARRIER

C-MOS 2M (256×8) -BIT UV ERASABLE PROM AND OTP ROM
—TOP VIEW—




A0 - A17 ; ADDRESS INPUTS
Q0 - Q7 ; DATA OUTPUTS
E ; CHIP ENABLE INPUT
G ; OUTPUT ENABLE INPUT
P ; PROGRAM INPUT
VPP ; PROGRAM SUPPLY (12.75 V)

MODE	E	G	P	VPP	VDD	Q0-Q7
READ	0	0	X	X	X	DATA OUT
OUTPUT DISABLE	0	1	X	X	X	HI-Z
PROGRAM	0	1	⌊	X	VPP	DATA IN
VERIFY	0	0	1	X	VPP	DATA OUT
PROGRAM INHIBIT	1	X	X	X	VPP	HI-Z
STANDBY	1	X	X	X	X	HI-Z
ELECTRONIC SIGNATURE	0	0	1	Vid	VDD	CODES

0 ; INPUT LOW VOLTAGE
1 ; INPUT HIGH VOLTAGE
X ; DON'T CARE
Vid ; 12 V ± 0.5 V
HI-Z ; HIGH IMPEDANCE


M5201FP (MITSUBISHI)FLAT PACKAGE M5201FP-600D

DUAL OPERATIONAL AMPLIFIERS WITH SWITCHED OUTPUT
-TOP VIEW-




M5222FP (MITSUBISHI)FLAT PACKAGE M5222FP-E1

DUAL VOLTAGE CONTROL AMPLIFIER
-TOP VIEW-




MAX202CSE (MAXIM) MAX202CSE-TE2

RS-232 TRANSMITTER/RECEIVER
— TOP VIEW —




M62352GP (MITSUBISHI)FLAT PACKAGE M62352GP-75ED

C-MOS 8-BITx12 CHANNEL D/A CONVERTER
(WITH BUFFER OPERATIONAL AMPLIFIER)
— TOP VIEW —




AO1-AO12 ; 8-BIT D/A OUTPUTS
CK ; CLOCK INPUT
DI ; SERIAL DATA INPUT
DO ; DATA OUTPUT

NOTE:
3.5 V < V_{DD} < V_{CC}
-3.5 V < V_{SS} < V_{CC}




MAX703CSA-TE2 (MAXIM)FLAT PACKAGE
MICROPROCESSOR SUPERVISORY CIRCUIT
- TOP VIEW -




INPUT
MR : MANUAL RESET
PFI : POWER FAIL
VBATT : BACKUP BATTERY

OUTPUT
PFO : POWER FAIL
RESET : RESET
Vout : POWER SUPPLY TO CMOS RAM




MB3761PF (FUJITSU)FLAT PACKAGE
MB3761PF-T2

VOLTAGE DETECTOR
-TOP VIEW-




MC34151DR2 (MOTOROLA)FLAT PACKAGE

HIGH SPEED MOS FET DRIVER
-TOP VIEW-




MB3793-42PNF (FUJITSU)FLAT PACKAGE
MB3793-42PNF-ER

BIPOLA SOURCE VOLTAGE SUPERVISOR
-TOP VIEW-




INPUT
CK1 : CLOCK 1
CK2 : CLOCK 2
CTW : POWER ON RESET HOLD TIME PRESET
CTP : WATCHDOG TIMER SUPERVISION TIME PRESET
INH : INHIBIT

OUTPUT
RESET : RESET



MP7523JS (MICRO POWER SYSTEMS)FLAT PACKAGE
MP7523JS-T2


C-MOS 8-BIT D/A CONVERTER
-TOP VIEW-



MP7523 : R=10k
XRD7523 : R=20k

MB88351PFV (FUJITSU)FLAT PACKAGE MB88351PFV-ER

C-MOS 12-BIT D / A CONVERTER WITH OPERATIONAL AMPLIFIER
-TOP VIEW-




INPUT
CLK : CHIFT CLOCK
DI : SERIAL DATA
LD : DECODER AND D/A REGISTER TO LOAD

OUTPUT
AO1 - AO4 : ANALOG DATA
DO : MBS BIT DATA IN 15-BIT SHIFT REGISTER

D12	D13	D14	ADDRESS SELECT
0	0	0	DON'T CARE
0	0	1	AO1 SELECT
0	1	0	AO2 SELECT
0	1	1	AO3 SELECT
1	0	0	AO4 SELECT
1	0	1	DON'T CARE
1	1	0	DON'T CARE
1	1	1	DON'T CARE

0 ; LOW LEVEL
1 ; HIGH LEVEL



MC34182M (MOTOROLA)FLAT PACKAGE

MC34182MEL

NJM082BM(Te2)

NJM082M (JRC)FLAT PACKAGE

NJM2041M-D (JRC)FLAT PACKAGE

NJM2041M-D(Te2)

NJM4565M-A (JRC)FLAT PACKAGE

NJM4565M-A(Te2)

NJM5532M (JRC)FLAT PACKAGE

NJM5532M(Te2)


TL062CPW (TI)FLAT PACKAGE

TL062CPW-E05

TL082CPW-E05 (TI)FLAT PACKAGE

DUAL OPERATIONAL AMPLIFIERS
(DUAL-SUPPLY TYPE)

-TOP VIEW-




TYPE	VCC	VEE
062/072/082/4556A/ M5218/BA15218/ 33178/34182 TYPES	+2 to +16V	-2 to -16V
4580 TYPE	+2 to +18V	-2 to -18V
5532 TYPE	+3 to +20V	-3 to -20V
CXA1297 TYPE	+5 to +12V	-5 to -12V
M5219/M5220 TYPES	+5 to +22.5V	-5 to -22.5V
NJM2100 TYPE	+1 to +3.5V	-1 to -3.5V
OP-297 TYPE	+2 to +20V	-2 to -20V
OTHERS	+5 to +16V	-5 to -16V

NJM2901V(Te2) (JRC)FLAT PACKAGE

SINGLE SUPPLY COMPARATOR

-TOP VIEW-




NJM2903M (JRC)FLAT PACKAGE

NJM2903M-TE2

NJM2903V(Te2) (FSC)

DUAL VOLTAGE COMPARATORS

-TOP VIEW-




NJM3403AM (JRC)FLAT PACKAGE

NJM3403AM(Te2)


QUAD OPERATIONAL AMPLIFIER

-TOP VIEW-



MSM6524GS-VKR2 (OKI)FLAT PACKAGE

C-MOS 12 CHANNELS 8-BITS D-A CONVERTER WITH 96-BIT EEPROM
-TOP VIEW-



PIN NO.	I/O	SIGNAL	PIN NO.	I/O	SIGNAL
1	—	A GND	15	—	Vdd(+5V)
2	O	AO2	16	O	AO12
3	O	AO3	17	I	TST2
4	—	NC	18	—	NC
5	O	AO4	19	I	TST1
6	O	AO5	20	O	OUT
7	O	AO6	21	O	DO
8	O	AO7	22	I	LOAD
9	O	AO8	23	I	DA
10	O	AO9	24	I	CLK
11	—	NC	25	—	NC
12	O	AO10	26	I	CS
13	O	AO11	27	O	AO1
14	—	AVDD(+5V)	28	—	GND

INPUT
CLK : SHIFT CLOCK
CS : WRITE MODE PROTECT
DA : SERIAL DATA
LOAD : LOAD INPUT OF 8-BIT SHIFT REGISTER
TST1, TST2 : TEST PINS


OUTPUT
AO0-AO12 : 8-BIT D/A OUTPUTS
DO : LSB BIT DATA OF 8-BIT SHIFT REGISTER
OUT : MONITOR PIN

1st BYTE								2nd BYTE							
D0	D1	D2	D3	D4	D5	D6	D7	D0	D1	D2	D3	D4	D5	D6	D7
1	0	0	1	A0	A1	A2	A3	10	11	12	13	14	15	16	17
MODE SELECT				ADDRESS SELECT				DA DATA SET							

1st BYTE								2nd BYTE							
D0	D1	D2	D3	D4	D5	D6	D7	D0	D1	D2	D3	D4	D5	D6	D7
1	1	1	1	A0	A1	A2	A3	10	11	12	13	14	15	16	17
MODE SELECT				ADDRESS SELECT				DA DATA SET							

1st BYTE								2nd BYTE							
D0	D1	D2	D3	D4	D5	D6	D7	D0	D1	D2	D3	D4	D5	D6	D7
0	0	1	1	A0	A1	A2	A3	00	01	02	03	04	05	06	07
MODE SELECT				ADDRESS SELECT				MEMORY DATA OUTPUT							

0 ; LOW LEVEL
1 ; HIGH LEVEL




MODE SELECT				MODE SELECT
D0	D1	D2	D3	MODE SELECT
1	0	0	1	MODE1
1	1	1	1	MODE2
0	0	1	1	MODE3
OTHERS				DON'T CARE

ADDRESS SELECT				ADDRESS SELECT
D4	D5	D6	D7	ADDRESS SELECT
A0	A1	A2	A3	ADDRESS SELECT
0	0	0	0	DON'T CARE
1	0	0	0	AO1
0	1	0	0	AO2
1	1	0	0	AO3
0	0	1	0	AO4
1	0	1	0	AO5
0	1	1	0	AO6
1	1	1	0	AO7
0	0	0	1	AO8
1	0	0	1	AO9
0	1	0	1	AO10
1	1	0	1	AO11
0	0	1	1	AO12
1	0	1	1	DON'T CARE
0	1	1	1	DON'T CARE
1	1	1	1	DON'T CARE


D/A OUTPUT																
D0	D1	D2	D3	D4	D5	D6	D7	D/A OUTPUT								
10	11	12	13	14	15	16	17									
0	0	0	0	0	0	0	0	$\approx V_{OL} + (V_{OH} - V_{OL})/256 \times 1$								
1	0	0	0	0	0	0	0	$\approx V_{OL} + (V_{OH} - V_{OL})/256 \times 2$								
0	1	0	0	0	0	0	0	$\approx V_{OL} + (V_{OH} - V_{OL})/256 \times 3$								
1	1	0	0	0	0	0	0	$\approx V_{OL} + (V_{OH} - V_{OL})/256 \times 4$								
0	0	1	0	0	0	0	0	$\approx V_{OL} + (V_{OH} - V_{OL})/256 \times 5$								
...								
0	0	1	1	1	1	1	1	$\approx V_{OL} + (V_{OH} - V_{OL})/256 \times 256$								
1	0	1	1	1	1	1	1	$\approx V_{OL} + (V_{OH} - V_{OL})/256 \times 254$								
0	1	1	1	1	1	1	1	$\approx V_{OL} + (V_{OH} - V_{OL})/256 \times 255$								
1	1	1	1	1	1	1	1	$\approx V_{OLH}$								

0 ; LOW LEVEL
1 ; HIGH LEVEL




NJM360M (JRC)FLAT PACKAGE NJM360M-TE2

HIGH SPEED VOLTAGE COMPARATOR
—TOP VIEW—




NJM386M (JRC)FLAT PACKAGE NJM386M-T2

AUDIO POWER AMPLIFIER
—TOP VIEW—




NJM431U (JRC) NJM431U-TE1

ADJUSTABLE PRECISION SHUNT REGULATOR
—FRONT VIEW—





NJU7021V-TE2 (JRC)FLAT PACKAGE

C-MOS OPERATION AMPLIFIER
—TOP VIEW—




NJU7024M (JRC)FLAT PACKAGE NJU7024V-TE2 NJU7034V-TE2 (JRC)FLAT PACKAGE

C-MOS 4-CIRCUIT OPERATION AMPLIFIER
—TOP VIEW—



PCF8574T-T (PHILIPS)


C-MOS REMOTE 8-BIT I/O EXPANDER
—TOP VIEW—



INPUT
A0 - A2 : ADDRESS INPUTS
SCL : SYSTEM CLOCK LINE


OUTPUT
INT : INTERRUPT OUTPUT
SDA : SERIAL DATA LINE

INPUT/OUTPUT
P0 - P7 : 8-BITS QUASI-BIDIRECTIONAL I/O PORT



REF-03GSR (PMI)FLAT PACKAGE


REFERENCE/TEMPERATURE TRANSDUCER
— TOP VIEW —



V IN ; INPUT VOLTAGE (+4.5 V to +33 V)
TEMP OUT ; TEMPERATURE TRANSDUCER
VOLTAGE OUTPUT
TRIM IN ; OUTPUT SIGNAL TRIMMING
V OUT ; OUTPUT VOLTAGE (+2.5 V)


S-8054HN-CB-S (SEIKO I AND E)
S-8054HN-CB-T1

C-MOS VOLTAGE DETECTOR WITH N-CHANNEL OPEN DRAIN OUTPUT
-TOP VIEW-




S-80740AN-D4-S (SEIKO I&E)
S-80740AN-D4-T1

C-MOS VOLTAGE DETECTOR
-TOP VIEW-




S-81230AG-RB-S (SEIKO I AND E)+3.0V FLAT PACKAGE
S-81230AG-RB-T1

THREE TERMINAL POSITIVE VOLTAGE REGULATOR
—TOP VIEW—



SC7S04F (MOTOROLA)CHIP PACKAGE
TC4S69F (TOSHIBA)CHIP PACKAGE
TC4S69F(TE85R)
TC7S04F(TE85R)
TC7S04FU(TE85R) (TOSHIBA)FLAT PACKAGE
TC7SH04FU (TOSHIBA)CHIP PACKAGE
TC7SH04FU-TE85R


C-MOS INVERTER



TYPE	VDD
7S04F	+2 to +6V
7SU04F	
7SU04FU	
4S69F	+3 to +18V
4SU69F	
7SH04FU	+2 to +5.5V
7SHU04FU	

SC7S32F (MOTOROLA)CHIP PACKAGE
TC7S32F(TE85R)
TC7S32FU(TE85R) (TOSHIBA)FLAT PACKAGE
TC7SH32FU-TE85R (TOSHIBA)FLAT PACKAGE


C-MOS 2-INPUT OR GATE



TYPE	VDD
7S32F	+2 to +6V
7S32FU	
4S71F	+3 to +18V
7SH32FU	+2 to +5.5V

SN74HC00APW-E05
SN74HC00APW-E20 (TI)FLAT PACKAGE
TC74VHC00FS(EL) (TOSHIBA)FLAT PACKAGE(SMALL)

C-MOS QUAD 2-INPUT NAND GATES
-TOP VIEW-




NOTE:

TYPE	VDD
74AC/74VHC	+2 to +5.5V
74ACT/74HCT	+4.5 to +5.5V
74LCX	+2 to +3.6V
OTHER TYPES	+2 to +6V

SN74HC04APW-E05
 SN74HC04APW-E20 (TI)FLAT PACKAGE
 SN74HCT04APW-E05 (TI)FLAT PACKAGE
 TC74VHC04FS(EL) (TOSHIBA)FLAT PACKAGE(SMALL)
 TC74VHC04FS(EL) (TOSHIBA)FLAT PACKAGE

C-MOS HEX INVERTERS -TOP VIEW-



$$A \text{ --- } \text{inverter} \text{ --- } Y = \bar{A}$$

A	Y
0	1
1	0


0 ; LOW LEVEL
1 ; HIGH LEVEL

NOTE:

TYPE	V _{DD}
74AC/74VHC/74VHCT	+2 to +5.5V
74ACT/74HCT	+4.5 to +5.5V
74LCX	+2 to +3.6V
OTHER TYPE	+2 to +6V

SN74HC08APW-E05 (TI)FLAT PACKAGE
 SN74HCT08APW-E05
 SN74HCT08APW-E20 (TI)FLAT PACKAGE
 TC74VHC08FS(EL) (TOSHIBA)FLAT PACKAGE(SMALL)

C-MOS QUAD 2-INPUT AND GATE -TOP VIEW-



$$A \text{ --- } \text{AND} \text{ --- } Y = A \cdot B$$

$$Y = A \cdot B = \overline{\overline{A} + \overline{B}}$$

A	B	Y
0	0	0
0	1	0
1	0	0
1	1	1


0 ; LOW LEVEL
1 ; HIGH LEVEL

NOTE :

TYPE	V _{DD}
AC	+2 to +5.5V
TC40H	+2 to +8V
ACT/HCT	+5V
OTHER TYPES	+2 to +6V

SN74HC10APW-E05 (TI)FLAT PACKAGE
 TC74VHC10FS(EL) (TOSHIBA)FLAT PACKAGE

C-MOS 3-INPUT NAND GATE -TOP VIEW-



$$A \text{ --- } \text{NAND} \text{ --- } Y = \overline{A \cdot B \cdot C}$$

$$Y = \overline{A \cdot B \cdot C} = \overline{A} + \overline{B} + \overline{C}$$

A	B	C	Y
0	0	0	1
0	0	1	1
0	1	0	1
0	1	1	1
1	0	0	1
1	0	1	1
1	1	0	1
1	1	1	0


0 ; LOW LEVEL
1 ; HIGH LEVEL

NOTE :

TYPE	V _{DD}
40H	+2 to +8V
74VHC	+2 to +5.5V
OTHERS	+2 to +6V


SN74HC163APW-E05 (TI)FLAT PACKAGE
 TC74VHC163F (TOSHIBA)FLAT PACKAGE
 TC74VHC163FS(EL)

C-MOS PRESETTABLE SYNCHRONOUS 4-BIT BINARY COUNTER -TOP VIEW-



MODE SELECTION				
CONTROL INPUTS				MODE
RD	LD	EN1	EN2	
0	X	X	X	RESET (SYNCHRONOUS)
1	0	X	X	PRESET (SYNCHRONOUS)
1	1	0	X	NO COUNT
1	1	X	0	NO COUNT
1	1	1	1	COUNT

CARRY OUTPUT "CO"



NOTE:


TYPE	V _{DD}
HC	+2 to +6V
AC/VHC	+2 to +5.5V
HCT/ACT/FCT	+5V

COUNT SEQUENCE

COUNT	QD	QC	QB	QA
0	0	0	0	0
1	0	0	0	1
2	0	0	1	0
3	0	0	1	1
4	0	1	0	0
5	0	1	0	1
6	0	1	1	0
7	0	1	1	1
8	1	0	0	0
9	1	0	0	1
10	1	0	1	0
11	1	0	1	1
12	1	1	0	0
13	1	1	0	1
14	1	1	1	0
15	1	1	1	1

SN74HC32APW-E05 (TI)FLAT PACKAGE
 SN74HCT32APW-E05
 SN74HCT32APW-E20 (TI)FLAT PACKAGE
 TC74VHC32FS(EL) (TOSHIBA)FLAT PACKAGE(SMALL)

C-MOS QUAD 2-INPUT OR GATES -TOP VIEW-



$$A \text{ --- } \text{OR} \text{ --- } Y = A + B$$

$$Y = A + B = \overline{\overline{A} \cdot \overline{B}}$$

A	B	Y
0	0	0
0	1	1
1	0	1
1	1	1


0 ; LOW LEVEL
1 ; HIGH LEVEL

NOTE:

TYPE	V _{DD}
74AC/74VHC	+2 to +5.5V
74HC	+2 to +6V
74HCT	+4.5 to +5.5V

SN74HC574APW-E05
 SN74HC574APW-E20 (TI)
 SN74LVC574APW-E05 (TI) FLAT PACKAGE
 TC74VHC574FS(EL) (TOSHIBA) FLAT PACKAGE (SMALL)

C-MOS 3-STATE D-TYPE EDGE-TRIGGERED FLIP-FLOP
 -TOP VIEW-




NOTE:

TYPE	V _{DD}
74HC	+2 to +6V
74AC/74VHC	+2 to +5.5V
74ACT/74FCT/74HCT	+4.5 to +5.5V
74LCX	+2 to 3.6V
74LVC	+2.7 to 3.6V


SN74HCT541APW-E05 (TI) FLAT PACKAGE
 TC74VHC541FS(EL) (TOSHIBA) FLAT PACKAGE (SMALL)
 TC74VHCT541FS(EL) (TOSHIBA) FLAT PACKAGE

C-MOS BUFFERS AND LINE DRIVERS WITH 3-STATE OUTPUTS
 - TOP VIEW -





STK12C68-S45 (SIMTEK) FLAT PACKAGE

C-MOS 8K × 8-BIT NONVOLATILE STATIC RAM
 - TOP VIEW -




SN74LS123NS (TI) FLAT PACKAGE
 SN74LS123NS-E05

TTL RETRIGGERABLE MONOSTABLE MULTIVIBRATORS WITH DIRECT RESET
 -TOP VIEW-



TC4052BFS(ELQ) (TOSHIBA)FLAT PACKAGE

C-MOS DUAL 4-CHANNEL ANALOG MULTIPLEXERS / DEMULTIPLEXERS
-TOP VIEW-




VEE*: VDD - VEE = +3V to +18V

0 ; LOW LEVEL
1 ; HIGH LEVEL
X ; DON'T CARE

CONTROL INPUTS			"ON" CHANNEL
EN	B	A	
0	0	0	0
0	0	1	1
0	1	0	2
0	1	1	3
1	X	X	OPEN

TC4053BFS (TOSHIBA)FLAT PACKAGE TC4053BFS-EL

C-MOS TRIPLE 2-CHANNEL ANALOG MULTIPLEXERS/DEMULTIPLEXERS
- TOP VIEW -




VEE*: VDD - VEE = +3 V + 18 V

0 ; LOW LEVEL
1 ; HIGH LEVEL
X ; DON'T CARE

CONT. INPUTS			ON CHANNEL
EN	A (X, Y, Z)		
0	0		0
0	1		1
1	X		OPEN

TC4066BFS-EL (TOSHIBA)

C-MOS QUAD BILATERAL ANALOG SWITCH
-TOP VIEW-




CONTROL	SWITCH
0	OFF
1	ON

0 ; LOW LEVEL
1 ; HIGH LEVEL

TC4094BF (TOSHIBA)FLAT PACKAGE TC4094BF-TP2

C-MOS 8-STAGE SHIFT-AND-STORE BUS REGISTER
-TOP VIEW-



SI ; SERIAL DATA INPUT
CK ; CLOCK INPUT
STRB ; STROBE INPUT
EN ; OUTPUT ENABLE INPUT
Q1 - Q8 ; PARALLEL DATA OUTPUTS
Q'S, Q'S ; SERIAL DATA OUTPUTS


INPUTS				PARALLEL OUT		SERIAL OUT	
CK	EN	STRB	SI	Q1	Qn	QS	Q's
0	0	X	X	HI-Z	HI-Z	Q7	NC
0	0	X	X	HI-Z	HI-Z	NC	Q7
1	0	X	X	NC	NC	Q7	NC
1	1	0	0	Qn-1	Q7	NC	NC
1	1	1	1	Qn-1	Q7	NC	NC
1	1	1	1	NC	NC	NC	Q7

1 ; HIGH
0 ; LOW
X ; DON'T CARE
HI-Z ; HIGH IMPEDANCE
NC ; NO CHANGE

TC4S01F (TOSHIBA)CHIP PACKAGE TC4S01F(TE85R) TC7S02FU (TOSHIBA)CHIP PACKAGE TC7S02FU-TE85L TC7SH02FU (TOSHIBA)CHIP PACKAGE TC7SH02FU-TE85R

C-MOS 2-INPUT NOR GATE

(SCALE 6/1)
-TOP VIEW-



$$Y = A + B = \overline{A \cdot B}$$


A	B	Y
0	0	1
0	1	0
1	0	0
1	1	0

0 ; LOW LEVEL
1 ; HIGH LEVEL

TYPE	VDD
4S01F	+3 to +18V
7S02F	
7S02FU	+2 to +6V
7SH02FU	


TC4S66F (TOSHIBA)CHIP PACKAGE
TC4S66F(TE85R)

C-MOS BILATERAL ANALOG SWITCH
—TOP VIEW—




TC4S81F(TE85R) (TOSHIBA)CHIP PACKAGE
TC7S08F(TOSHIBA)CHIP PACKAGE
TC7S08F(TE85R)
TC7S08FU(TE85R) (TOSHIBA)FLAT PACKAGE
TC7SH08FU-TE85R (TOSHIBA)CHIP PACKAGE

C-MOS 2-INPUT AND GATE




TC4W53F (TOSHIBA)CHIP PACKAGE(5.0 X 3.1)
TC4W53FU (TOSHIBA)CHIP PACKAGE
TC4W53FU (TE12R)

C-MOS 2-CHANNEL MULTIPLEXER / DEMULTIPLEXER




TC4W66FU(TE12R) (TOSHIBA)FLAT PACKAGE
C-MOS DUAL BILATERAL SWITCH




TC74AC86F (TOSHIBA)FLAT PACKAGE
TC74VHC86FS(EL) (TOSHIBA)FLAT PACKAGE

C-MOS QUAD EXCLUSIVE OR GATES
-TOP VIEW-




TC74HC4052AFS(EL) (TOSHIBA)FLAT PACKAGE

C-MOS DUAL 4-CHANNEL ANALOG MULTIPLEXER/DEMULTIPLEXER
-TOP VIEW-



TC74HC4053AFS (TOSHIBA)FLAT PACKAGE
TC74HC4053AFS-EL



C-MOS TRIPLE 2-CHANNEL ANALOG MULTIPLEXER/DEMULTIPLEXER
-TOP VIEW-




TC74HC4538AFS-EL (TOSHIBA) FLAT PACKAGE

C-MOS DUAL RETRIGGERABLE / NON-RETRIGGERABLE MONOSTABLE MULTIVIBRATOR


-TOP VIEW-




$$\text{OUTPUT PULSE WIDTH} = k \cdot C \cdot R$$



RETRIGGERABLE M. M. V




NON-RETRIGGERABLE M. M. V

TC74VHC02F (TOSHIBA) FLAT PACKAGE
TC74VHC02FS(EL)

C-MOS QUAD 2-INPUT NOR GATES

-TOP VIEW-



$$Y = A + B = \overline{A \cdot B}$$

A	B	Y
0	0	1
0	1	0
1	0	0
1	1	0

0 : LOW LEVEL
1 : HIGH LEVEL


NOTE:

TYPE	VDD
74HC	+2 to +6V
74AC/74VHC	+2 to +5.5V
74HCT/74ACT	+4.5 to +5.5V
74LCX	+2 to +3.6V

TC74VHC125FS(EL) (TOSHIBA)

C-MOS BUS BUFFER GATES WITH 3-STATE OUTPUT

-TOP VIEW-



$$Y = A \text{ (if } G=0) \text{ or } Y = B \text{ (if } G=1)$$

G	A	Y
0	0	0
0	1	1
1	X	Hi-Z

0 : LOW LEVEL
1 : HIGH LEVEL
X : DON'T CARE
Hi-Z : HIGH IMPEDANCE



NOTE:

TYPE	VDD
74AC/74VHC	+2 to +5.5V
74ACT/74HCT	+4.5 to +5.5V
74LCX	+2 to +3.6V
74LVT/74LVC	+2.7 to +3.6V
OTHER TYPES	+2 to +6V

TC74VHC138FS(EL) (TOSHIBA) FLAT PACKAGE (SMALL)

C-MOS 3-TO-8 LINE DECODER / DEMULTIPLEXER

-TOP VIEW-



NOTE:



TYPE	VDD
74HCT138 TYPE	+5V
74ACT138 TYPE	+4.5 to +5.5V
TC74AC138 TC74VHC138	+2 to +5.5V
OTHER TYPES	+2 to +6V

EN = EN1 · EN2 · EN3
0 : LOW LEVEL
1 : HIGH LEVEL
X : DON'T CARE

TC74VHC139FS(EL) (TOSHIBA) FLAT PACKAGE (SMALL)

C-MOS DUAL 2-TO-4 DECODER/DEMULTIPLEXER

-TOP VIEW-



INPUTS			OUTPUTS			
EN	B	A	Y3	Y2	Y1	Y0
0	0	0	1	1	1	0
0	0	1	1	1	0	1
0	1	0	1	0	1	1
0	1	1	0	1	1	1
1	X	X	1	1	1	1

0 : LOW LEVEL
1 : HIGH LEVEL
X : DON'T CARE



NOTE:

TYPE	VDD
TC74AC/TC74VHC	+2 to +5.5V
HCT/ACT	+5V
OTHER TYPES	+2 to +6V

TC74VHC153FS(EL) (TOSHIBA) FLAT PACKAGE

C-MOS DUAL 4-LINE-TO-1-LINE DATA SELECTOR/MULTIPLEXER

-TOP VIEW-



NOTE:


TYPE	VDD
ACT/HCT/FCT	+5V
40H	+2 to +8V
TC74AC/TC74VHC	+2 to +5.5V
OTHER TYPES	+2 to +6V

CONTROL IN			ON CHANNEL
INH	B	A	
0	0	0	0
0	0	1	1
0	1	0	2
0	1	1	3
1	X	X	GND

0 : LOW LEVEL
1 : HIGH LEVEL
X : DON'T CARE

TC74VHC157FS(EL) (TOSHIBA)

C-MOS QUAD 2-LINE-TO-1-LINE DATA SELECTOR/ DEMULTIPLEXER
—TOP VIEW—



NOTE:


TYPE	V _{DD}
74ACT/74FCT	+5V
TC74AC157P	+2 to +5.5V
TC74AC157	+2 to +8V
TC40H	+2 to +8V
OTHER TYPES	+2 to +6V

CONT.IN	ON CHANNEL
INH	A
0	0
0	1
1	X

0 ; LOW LEVEL
1 ; HIGH LEVEL
X ; DON'T CARE

TC74VHC174FS(EL) (TOSHIBA)FLAT PACKAGE(SMALL)

C-MOS D-TYPE FLIP-FLOP WITH RESET
- TOP VIEW -




NOTE :

TYPE	V _{DD}
ACT/HCT	+5V
TC74AC/TC74VHC	+2 to +5.5V
OTHER TYPES	+2 to +6V

TC74VHC164F (TOSHIBA)FLAT PACKAGE

TC74VHC164FS(EL)

C-MOS 8-BIT SERIAL-IN/PARALLEL-OUT SHIFT REGISTER
—TOP VIEW—




NOTE:

TYPE	V _{DD}
AC/VHC	+2 to +5.5 V
HC	+2 to +6 V
HCT	+5 V


TC74VHC221AFS(EL) (TOSHIBA)FLAT PACKAGE

C-MOS MONOSTABLE MULTIVIBRATOR WITH SCHMITT TRIGGER INPUT
-TOP VIEW-



NOTE:


TYPE	V _{DD}
74AC/74VHC	+2 to +5.5V
74HCT	+4.5 to +5.5V
74HC	+2 to +6V



TC74VHC21F (TOSHIBA)FLAT PACKAGE

TC74VHC21FS(EL)

C-MOS DUAL 4-INPUT POSITIVE AND GATE
—TOP VIEW—



NOTE:


TYPE	V _{DD}
HC	+2V to +6V
VHC	+2V to +5.5V

A	B	C	D	Y
0	0	0	0	0
0	0	0	1	0
0	0	1	0	0
0	0	1	1	0
0	1	0	0	0
0	1	0	1	0
0	1	1	0	0
0	1	1	1	0
1	0	0	0	0
1	0	0	1	0
1	0	1	0	0
1	0	1	1	0
1	1	0	0	0
1	1	0	1	0
1	1	1	0	0
1	1	1	1	1

0 ; LOW LEVEL
1 ; HIGH LEVEL


TC74VHC245FS(EL) (TOSHIBA)FLAT PACKAGE(SMALL)

C-MOS BILATERAL BUS TRANSCEIVERS WITH 3-STATE OUTPUTS
-TOP VIEW-




NOTE:


TYPE	V _{DD}
74HC	+2 to +6V
74ABT	+4.5 to +5.5V
74ACT	+4.5 to +5.5V
74BCT	+4.5 to +5.5V
74HCT	+4.5 to +5.5V
74AC	+2 to +5.5V
74VHC	+2 to +5.5V
74LCX	+2 to +3.6V
74LVT	+2.7 to +3.6V



- TOP VIEW -




- TOP VIEW -




TYPE	VDD
74HC	+2 to +6V
74ABT 74ACT 74HCT/74VHCT	+5V
74AC/74VHC	+2 to +5.5V

-TOP VIEW-




TC7S00FU(TE85R) (TOSHIBA)CHIP PACKAGE
TC7SH00FU-TE85R (TOSHIBA)FLAT PACKAGE

— TOP VIEW —




TC7S14F(TE85R)
TC7S14F-TE85L (TOSHIBA)CHIP PACKAGE
TC7S14FU (TOSHIBA)CHIP PACKAGE

-TOP VIEW-




TC7S66F (TOSHIBA)
TC7S66F(TE85R)

C-MOS ANALOG SWITCH
—TOP VIEW—




TC7W00FU (TOSHIBA)CHIP PACKAGE
TC7W00FU(TE12R)

-TOP VIEW-



TC7W02F (TOSHIBA)FLAT PACKAGE
TC7W02FU(TE12R)


C-MOS DUAL 2-INPUT NOR GATE
—TOP VIEW—



TC7W04FU(TE12R) (TOSHIBA)FLAT PACKAGE

C-MOS HEX INVERTERS


(SCALE 3/1)
—TOP VIEW—



TC7W08FU (TOSHIBA)CHIP PACKAGE
TC7W08FU(TE12R)

C-MOS 2-INPUT AND GATE


(SCALE 3/1)
—TOP VIEW—



TC7W14FU(TE12R) (TOSHIBA)CHIP PACKAGE


C-MOS HEX INVERTERS

-TOP VIEW-




TC7W32FU (TOSHIBA)CHIP PACKAGE
TC7W32FU(TE12R)

C-MOS DUAL 2-INPUT OR GATE
—TOP VIEW—




TC7W74FU (TOSHIBA)CHIP PACKAGE
TC7W74FU(TE12R)

C-MOS D-TYPE FLIP-FLOPS WITH DIRECT SET / RESET
—TOP VIEW—




TL064CPW (TI)FLAT PACKAGE
TL064CPW-E05

OPERATIONAL AMPLIFIER
(J FET INPUT)
—TOP VIEW—





TL074CPW (TI)FLAT PACKAGE
TL074CPW-E05


OPERATIONAL AMPLIFIER
(LOW-NOISE, JFET-INPUT)
—TOP VIEW—



- TOP VIEW -




PIN No.	I/O	SIGNAL	PIN No.	I/O	SIGNAL	PIN No.	I/O	SIGNAL	PIN No.	I/O	SIGNAL
1	I/O	P81	26	I/O	P16	51	I/O	P46	76	I/O	P52
2	I/O	P82	27	I/O	P17	52	I/O	P47	77	I/O	P53
3	I/O	P83	28	I/O	P20	53	I/O	D0	78	I/O	P54
4	I/O	P84	29	I/O	P21	54	I/O	D1	79	I/O	P55
5	I/O	P85	30	I/O	P22	55	I/O	D2	80	I/O	P56
6	I/O	P86	31	I/O	P23	56	I/O	D3	81	I/O	P57
7	I/O	P87	32	I/O	P24	57	I/O	D4	82	I/O	P60
8	—	Vss	33	I/O	P25	58	I/O	D5	83	I/O	P61
9	I/O	P90	34	I/O	P26	59	I/O	D6	84	I/O	P62
10	I/O	P91	35	I/O	P27	60	I/O	D7	85	I/O	P63
11	I/O	P92	36	I/O	P30	61	—	Vss	86	I/O	P64
12	I/O	P93	37	I/O	P31	62	I	RESET	87	I/O	P65
13	—	Vss	38	I/O	P32	63	I	CS	88	I/O	P66
14	I/O	P94	39	I/O	P33	64	I	RD/RW	89	—	VDD
15	I/O	P95	40	—	Vss	65	I	WP/MEN	90	—	Vss
16	—	VDD	41	I/O	P34	66	I	A0	91	I/O	P67
17	I/O	P96	42	I/O	P35	67	I	A1	92	I/O	P70
18	I/O	P97	43	I/O	P36	68	I	A2	93	I/O	P71
19	—	Vss	44	I/O	P37	69	I	A3	94	I/O	P72
20	I/O	P10	45	I/O	P40	70	I	IOS0	95	I/O	P73
21	I/O	P11	46	I/O	P41	71	I	IOS1	96	I/O	P74
22	I/O	P12	47	I/O	P42	72	I	IOS2	97	I/O	P75
23	I/O	P13	48	I/O	P43	73	I	MS	98	I/O	P76
24	I/O	P14	49	I/O	P44	74	I/O	P50	99	I/O	P77
25	I/O	P15	50	I/O	P45	75	I/O	P51	100	I/O	P80



TLC2932IPW (TI)
TLC2932IPW-E05
TLC2932IPW-E20 (TI)

C-MOS VCO AND PHASE FREQUENCY DETECTOR
- TOP VIEW -



INPUT


FA : REFERENCE FREQUENCY
FB : INPUT FREQUENCY FROM OUTSIDE COUNTER
PFD INH : PFD INHIBIT
SELECT : VCO OUTPUT FREQUENCY SELECT
VCO CONT : VCO CONTROL VOLTAGE
VCO INH : VCO INHIBIT

OUTPUT

PFD : PHASE FREQUENCY DETECTOR
VCO : VOLTAGE CONTROLLED OSCILLATOR


OTHER

R BIAS : BIAS RESISTOR FOR VCO OSCILLATION FREQUENCY SETTING





UPD16502GS(1) (NEC) FLAT PACKAGE
UPD16502GS(1)-E2

C-MOS CCD DRIVER
-TOP VIEW-




UPD4702G (NEC)

C-MOS INCREMENTAL ENCODER 8-BIT UP DOWN COUNTER
-TOP VIEW-




UPD6453GT-610 (NEC) FLAT PACKAGE UPD6453GT-610-E2

C-MOS ON-SCREEN CHARACTER DISPLAY —TOP VIEW—




INPUT
CLK : CLOCK
CS : CHIP SELECT
DATA : SERIAL DATA
H SYNC : HORIZONTAL SYNC
OSC IN : OSCILLATOR IN
PCL : POWER ON CLEAR
V SYNC : VERTICAL SYNC

OUTPUT
BBLK, RBLK, GBLK : B, R, G, BLANKING
BUSY : BUSY OUT
CK OUT : CLOCK
MP : MASK PULSE
OSC OUT : OSCILLATOR OUT
VR, VG, VB : R, G, B, CHARACTER DATA
VCBL : VIDEO CUT BLANKING



UPD6456GS-620 (NEC) FLAT PACKAGE
UPD6456GS-620-E2

C-MOS ON SCREEN CHARACTER DISPLAY
-TOP VIEW-




INPUT

CK IN ; CLOCK FOR DATA READ
DATA ; SERIAL DATA
HSYNC ; HORIZONTAL SYNC
OSC IN ; OSCILLATOR FOR DOT CLOCK GENERATOR
PCL ; POWER ON CLEAR
STB ; STROBE
VSYNC ; VERTICAL SYNC


OUTPUT

CK OUT ; CLOCK FOR CHECK
OSC OUT ; OSCILLATOR FOR DOT CLOCK GENERATOR
VBLK1 ; VIDEO BLANKING 1
VBLK2 ; VIDEO BLANKING 2
VC1 ; CHARACTER SIGNAL 1
VC2 ; CHARACTER SIGNAL 2




UPD72002GB-11-3B4 (NEC)

C-MOS MULTI-PROTOCOL SERIAL CONTROLLER
-TOP VIEW-



(VDD = +5V)


PIN No.	I/O	SIGNAL	PIN No.	I/O	SIGNAL
1	—	NC	23	—	NC
2	O	DRQTx	24	I/O	D3
3	I	CLK	25	I/O	D2
4	I	RESET	26	I/O	D1
5	—	NC	27	I/O	D0
6	—	VDD	28	—	GND
7	O	DRQRxD	29	I	WR
8	O	RTS	30	I	RD
9	O	TxD	31	I	C/D
10	I	TRxC	32	I	S/M
11	—	NC	33	—	NC
12	I/O	X12/SYNC	34	O	PRO
13	I	X11/STRxC	35	I	PRI
14	I	RxD	36	I	INTAK
15	I	CTS	37	O	INT
16	I	DCD	38	—	GND
17	—	GND	39	—	GND
18	—	GND	40	I	CS
19	I/O	D7	41	I	DAKRxD
20	I/O	D6	42	I	DAKTx
21	I/O	D5	43	O	DTR
22	I/O	D4	44	—	NC



INPUT
C/D : CONTROL/DATA SELECT
CK : SYSTEM CLOCK
CS : CHIP SELECT
CTS : CLEAR TO SEND
DAKRxD : DMA ACKNOWLEDGE RX
DAKTx : DMA ACKNOWLEDGE TX
DCD : DATA CARRIER DETECT
INTAK : INTERRUPT ACKNOWLEDGE
PRI : PRIORITY
RD : READ ENABLE
RESET : RESET
RxD : RECEIVE DATA
S/M : REGISTER SUB/MAIN SELECT
WR : WRITE ENABLE
X11/STRxC : CRYSTAL INPUT 1/SOURCE OF TRANSMIT RECEIVE CLOCK

OUTPUT
DRQRxD : DMA REQUEST RX
DRQTx : DMA REQUEST TX
DTR : DATA TERMINAL READY
INT : INTERRUPT
PRO : PRIORITY
RTS : REQUEST TO SEND
TxD : TRANSMIT DATA

INPUT/OUTPUT
D0 - D7 : DATA BUS
TRxC : TRANSMIT RECEIVE CLOCK
X12/SYNC : CRYSTAL INPUT 2/SYNCHRONIZATION




IINPUTS					FUNCTION
CS	WR	RD	S/M	C/D	
0	0	1	0	0	TRANSMIT DATA WRITE TO Tx BUFFER
0	1	0	0	0	RECEIVED DATA READ FROM Rx BUFFER
0	0	1	0	1	DATA WRITE TO CONTROL MAIN REGISTER
0	0	1	1	0	DATA WRITE TO CONTROL SUB REGISTER
0	1	0	0	1	DATA READ FROM STATUS MAIN REGISTER
0	1	0	1	0	DATA READ FROM STATUS SUB REGISTER
0	1	1	X	X	HIGH-IMPEDANCE
0	0	0	X	X	INHIBIT



0 : LOW LEVEL
1 : HIGH LEVEL
X : DON'T CARE

UPD78014GC-574-AB8 (NEC)

C-MOS 8-BIT SIGNAL CHIP MICROCOMPUTER WITH MASK ROM
-TOP VIEW-




(AVDD = VDD = +2.7V to +6V)											
PIN NO.	I/O	SIGNAL	PIN NO.	I/O	SIGNAL	PIN NO.	I/O	SIGNAL	PIN NO.	I/O	SIGNAL
1	I/O	P30/TO0	17	I/O	P47/AD7	33	I/O	P66/WAIT	49	I	P12/AN12
2	I/O	P31/TO1	18	I/O	P50/A8	34	I/O	P67/ASTB	50	I	P13/AN13
3	I/O	P32/TO2	19	I/O	P51/A9	35	I	RESET	51	I	P14/AN14
4	I/O	P33/T11	20	I/O	P52/A10	36	I	P00/INTPO/T10	52	I	P15/AN15
5	I/O	P34/T12	21	I/O	P53/A11	37	I/O	P01/INTP1	53	I	P16/AN16
6	I/O	P35/PLC	22	I/O	P54/A12	38	I/O	P02/INTP2	54	I	P17/AN17
7	I/O	P36/BUZ	23	I/O	P55/A13	39	I/O	P03/INTP3	55	—	AVDD
8	I/O	P37	24	—	GND	40	—	VDD	56	—	AVREF
9	—	GND	25	I/O	P56/A14	41	O	X2	57	I/O	P20/S11
10	I/O	P40/A00	26	I/O	P57/A15	42	I	X1	58	I/O	P21/SO1
11	I/O	P41/AD1	27	I/O	P60	43	—	MODE	59	I/O	P22/SCR1
12	I/O	P42/AD2	28	I/O	P61	44	—	XT2	60	I/O	P23/STB
13	I/O	P43/AD3	29	I/O	P62	45	I	P04/XT1	61	I/O	P24/BUSY
14	I/O	P44/AD4	30	I/O	P63	46	—	A_GND	62	I/O	P25/S10/SB0
15	I/O	P45/AD5	31	I/O	P64/RD	47	I	P10/AN10	63	I/O	P26/S00/SB1
16	I/O	P46/AD6	32	I/O	P65/WR	48	I	P11/AN11	64	I/O	P27/SCR0




UPD4516821G5-A12-7JF (NEC)FLAT PACKAGE

C-MOS 16M(1M WORD × 8-BIT × 2)-BIT DYNAMIC RAM
—TOP VIEW—



WS57C010F-70C (WAFERSCALE)

C-MOS 128K × 8-BIT HIGH SPEED UV EPROM
—TOP VIEW—




A0	A9	CE	OE	OUTPUTS	PGM	VCC	VPP	FUNCTION
X	X	0	0	DATA OUT	X	5.0V	X	READ
X	X	X	1	HI-Z	X	5.0V	X	OUTPUT DISABLE
X	X	1	X	HI-Z	X	5.0V	X	STANDBY
X	X	0	1	DATA IN	0	6.25V	VPP	PROGRAMMING
X	X	0	0	DATA OUT	1	6.25V	VPP	PROGRAM VERIFY
X	X	1	X	HI-Z	X	5.0V	VPP	PROGRAM INHIBIT

0 ; LOW LEVEL
1 ; HIGH LEVEL
X ; DON'T CARE
HI-Z ; HIGH IMPEDANCE
VPP ; PROGRAM POWER SUPPLY (12.75 ± 0.25V)


UPD485505G-35 (NEC)FLAT PACKAGE UPD485505G-35-E2

C-MOS 40K (5,048 × 8)-BIT FIFO MEMORY
—TOP VIEW—



X24164SIC7000 (XICOR)(16K BIT)FLAT PACKAGE X24C02P (XICOR) X24C02S-3.0 (XICOR)(2K BIT)FLAT PACKAGE X24C02S-3.0-C7000



C-MOS SERIAL EEPROM
—TOP VIEW—



X24C16SI (XICOR) FLAT PACKAGE
X24C16SI-C7000

C-MOS 16384 (2048x8)-BIT SERIAL EEPROM

—TOP VIEW—




Section 3
Block Diagrams

System Configuration	Board Name	Function Name	Page of Block Diagram	Page of Board Layout	Page of Schematic Diagram
CCD BLOCK	BI-96 ^{*W}	CCD Imager (R, G, B)	3-16	4-29	5-119
	CN-1183 ^{*W}	Connector Board for BI-96	3-16	4-29	5-118
	DR-291 ^{*W}	CCD Driver	3-16	4-30	5-120
	PA-186 ^{*W}	Pre-amp (Sample & Hold)	3-16	4-30	5-122
	TG-161 ^{*W7}	Timing Generator	3-16	4-31	5-126
	TG-164 ^{*W90}	Timing Generator	3-18	4-32	5-128
	VA-167 ^{*W}	Video Amp	3-15	4-31	5-124
CAMERA/VIDEO	CN-1193 ^{*SD}	Connector Board for DCP-1	3-8	4-5	5-19
	CT-187 ^{*V5}	Camera Adaptor Control, 6P-remote Control, Setting Menu	3-12	4-4	5-4
	DCP-1 ^{*W}	Camera Processor	3-8	4-7	5-6
	DVP-1	RF, Digital Audio Processor, Timing Clock Generator, System Controller for VTR Block	3-7	4-9	5-20
	DVP-2	Digital Bit Reduction Decoder, Digital Encoder, Digital Decoder	3-7	4-10	5-34
	ES-11 ^{*W}	Composite Encoder	3-8	4-15	5-46
	IF-634 ^{*V5}	50-pin Interface, Video Input/Output	3-12	4-13	5-50
	PA-203 ^{*V5}	Audio Pre-amp for 50-pin	3-4	4-20	5-59
	RC-61 ^{*WS}	Rate (16:9 to 4:3) Converter	3-8	4-5	5-60
	TC-80	Analog Audio Processor, Time Code Generator	3-10	4-16	5-62 ^{*V5} 5-72 ^{*W}
DRUM/SERVO	HN-224	Harness, TC Amp	3-4	4-20	5-81
	MDC-5	Servo Controller	3-13	4-18	5-82
	MDR-1	Drum Motor Driver	3-4	4-20	5-86
MICROPHONE	AIF-8 ^{*W}	Lens Control, Mic Amp	3-4	4-21	5-87
	MA-68 ^{*W}	Camera Mic Pre-amp	—	4-21	5-88
	SW-789 ^{*W}	Mic Level, Auto White/Black SW, VTR Start/Stop SW, Shutter On/Off Select SW	3-4	4-21	5-134
POWER SUPPLY	DC-87	Battery DC Filter	—	4-22	5-89
	PS-390	Power Supply (Light)	3-4	4-22	5-89
	RE-118	Regulator, Switching Control	3-14	4-23	5-90 ^{*V5} 5-92 ^{*W}
	RE-119	Regulator	3-14	4-23	5-94 ^{*V5} 5-96 ^{*W}
CONNECTOR BOX	AL-40	Audio CH-2 Line Out Amp	—	4-24	5-98
	AXM-14	Connector (AUDIO IN/OUT), Audio Pre-amp	3-4	4-24	5-99
	CNB-1	Circuit Breaker, Audio CH-1 Line Out Amp	3-4	4-24	5-100 ^{*V5} 5-104 ^{*W}
	CO-22	Connector (VBS OUT)	3-4	4-25	5-131, 135
	CT-185 ^{*V5}	Power Supply for 50-pin	3-6	4-24	5-98
	DC-88	External DC Filter	—		5-131, 135
	IO-117	Connector (GEN LOCK IN, TEST OUT, TC IN, TC OUT)	3-4	4-25	5-107


System Configuration	Board Name	Function Name	Page of Block Diagram	Page of Board Layout	Page of Schematic Diagram
OTHERS	CI-12	40-pin Adaptor Interface	3-4	4-25	5-108
	HP-70	Earphone	3-4	4-25	5-131, 135
	KY-293	Function Key	—	4-26	5-130, 134
	LP-86 ^{*W}	Back Tally, Back Tally Switch	—	4-26	5-135
	LP-102 ^{*V5}	Back Tally, Back Tally Switch	—	4-26	5-131
	PSW-33 ^{*W}	Power Switch	3-4	4-26	5-134
	PSW-55 ^{*V5}	Power Switch	3-6	4-26	5-130
	RX-26	Audio Pre-amp for Wireless Microphone	3-4	4-26	5-109
	SW-780 ^{*W}	Switch Panel	3-4	4-26	5-109
	SW-808 ^{*W}	Rotary Encoder Switch	3-4	4-27	5-134
	SW-823 ^{*W}	Menu and Light Auto/Manual Switch	3-4	4-27	5-135
	SW-873 ^{*V5}	Menu and Light Auto/Manual Switch	—	4-27	5-130
	SW-882 ^{*V5}	Rotary Encoder Switch	—	4-27	5-130
	MB-627	Mother Board	—	4-28	5-110 ^{*V5} 5-114 ^{*W}

*SD : For DNW-7/7P/90/90P only
*V5 : For DNV-5 only
*W : For DNW-7/7P/9WS/9WSP/90/90P/90WS/90WSP only
*W7 : For DNW-7/7P only
*W90 : For DNW-9WS/9WSP/90/90P/90WS/90WSP only
*WS : For DNW-9WS/9WSP/90WS/90WSP only


DNW-7/7P/90/90P/90WS/90WSP




DNV-5



DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher






OVERALL (DNW-7/9WS/90/90WS)


LOT NO. DNW-7: 604-
 DNW-9WS: 707-
 DNW-90/90WS: 607-

DNV-5 (SY) : S/N 10001 and Higher
DNV-5 (J) : S/N 30001 and Higher





OVERALL (DNV-5)
LOT NO. DNV-5: 605-

DNV-5 (SY) : S/N 10001 and Higher
DNV-5 (J) : S/N 30001 and Higher
DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher




DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher





DCP-1
ES-11
LOT NO.DNW-7: 604-
DNW-9WS: 707-
DNW-90/90WS: 607-


DNV-5 (SY) : S/N 10001 and Higher
DNV-5 (J) : S/N 30001 and Higher
DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher



TC-80 (1/2)

LOT NO. DNV-5: 605-
DNW-7: 604-
DNW-9WS: 707-
DNW-90/90WS: 607-


DNV-5 (SY) : S/N 10001 and Higher
DNV-5 (J) : S/N 30001 and Higher
DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher



TC-80 (2/2)


LOT NO. DNV-5: 605-
DNW-7: 604-
DNW-9WS: 707-
DNW-90/90WS: 607-

DNV-5 (SY) : S/N 10001 and Higher
DNV-5 (J) : S/N 30001 and Higher




IF-634
CT-187
LOT NO. DNV-5: 605-

DNV-5 (SY) : S/N 10001 and Higher
DNV-5 (J) : S/N 30001 and Higher
DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher




MDC-5
LOT NO. DNV-5: 605-
DNW-7: 604-
DNW-9WS: 707-
DNW-90/90WS: 607-

DNV-5 (SY) : S/N 10001 and Higher
DNV-5 (J) : S/N 30001 and Higher
DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher




DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher




VA-167

CCD BLOCK (1/2)
LOT NO.DNW-7: 604-
DNW-9WS: 707-
DNW-90/90WS: 607-


DNW-7 (SY) : S/N 10001 and Higher
DNW-7 (J) : S/N 30001 and Higher
DNW-7P (SY) : S/N 40001 and Higher




TO MB-627



DNW-9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-9WS/90/90WS (J) : S/N 30001 and Higher
DNW-9WSP/90P/90WSP (SY) : S/N 40001 and Higher








Section 4
Board Layouts

System Configuration	Board Name	Function Name	Page of Block Diagram	Page of Board Layout	Page of Schematic Diagram
CCD BLOCK	BI-96 ^{*W}	CCD Imager (R, G, B)	3-16	4-29	5-119
	CN-1183 ^{*W}	Connector Board for BI-96	3-16	4-29	5-118
	DR-291 ^{*W}	CCD Driver	3-16	4-30	5-120
	PA-186 ^{*W}	Pre-amp (Sample & Hold)	3-16	4-30	5-122
	TG-161 ^{*W7}	Timing Generator	3-16	4-31	5-126
	TG-164 ^{*W90}	Timing Generator	3-18	4-32	5-128
	VA-167 ^{*W}	Video Amp	3-15	4-31	5-124
CAMERA/VIDEO	CN-1193 ^{*SD}	Connector Board for DCP-1	3-8	4-5	5-19
	CT-187 ^{*V5}	Camera Adaptor Control, 6P-remote Control, Setting Menu	3-12	4-4	5-4
	DCP-1 ^{*W}	Camera Processor	3-8	4-7	5-6
	DVP-1	RF, Digital Audio Processor, Timing Clock Generator, System Controller for VTR Block	3-7	4-9	5-20
	DVP-2	Digital Bit Reduction Decoder, Digital Encoder, Digital Decoder	3-7	4-10	5-34
	ES-11 ^{*W}	Composite Encoder	3-8	4-15	5-46
	IF-634 ^{*V5}	50-pin Interface, Video Input/Output	3-12	4-13	5-50
	PA-203 ^{*V5}	Audio Pre-amp for 50-pin	3-4	4-20	5-59
	RC-61 ^{*WS}	Rate (16:9 to 4:3) Converter	3-8	4-5	5-60
	TC-80	Analog Audio Processor, Time Code Generator	3-10	4-16	5-62 ^{*V5} 5-72 ^{*W}
DRUM/SERVO	HN-224	Harness, TC Amp	3-4	4-20	5-81
	MDC-5	Servo Controller	3-13	4-18	5-82
	MDR-1	Drum Motor Driver	3-4	4-20	5-86
MICROPHONE	AIF-8 ^{*W}	Lens Control, Mic Amp	3-4	4-21	5-87
	MA-68 ^{*W}	Camera Mic Pre-amp	—	4-21	5-88
	SW-789 ^{*W}	Mic Level, Auto White/Black SW, VTR Start/Stop SW, Shutter On/Off Select SW	3-4	4-21	5-134
POWER SUPPLY	DC-87	Battery DC Filter	—	4-22	5-89
	PS-390	Power Supply (Light)	3-4	4-22	5-89
	RE-118	Regulator, Switching Control	3-14	4-23	5-90 ^{*V5} 5-92 ^{*W}
	RE-119	Regulator	3-14	4-23	5-94 ^{*V5} 5-96 ^{*W}
CONNECTOR BOX	AL-40	Audio CH-2 Line Out Amp	—	4-24	5-98
	AXM-14	Connector (AUDIO IN/OUT), Audio Pre-amp	3-4	4-24	5-99
	CNB-1	Circuit Breaker, Audio CH-1 Line Out Amp	3-4	4-24	5-100 ^{*V5} 5-104 ^{*W}
	CO-22	Connector (VBS OUT)	3-4	4-25	5-131, 135
	CT-185 ^{*V5}	Power Supply for 50-pin	3-6	4-24	5-98
	DC-88	External DC Filter	—		5-131, 135
	IO-117	Connector (GEN LOCK IN, TEST OUT, TC IN, TC OUT)	3-4	4-25	5-107


System Configuration	Board Name	Function Name	Page of Block Diagram	Page of Board Layout	Page of Schematic Diagram
OTHERS	CI-12	40-pin Adaptor Interface	3-4	4-25	5-108
	HP-70	Earphone	3-4	4-25	5-131, 135
	KY-293	Function Key	—	4-26	5-130, 134
	LP-86 ^{*W}	Back Tally, Back Tally Switch	—	4-26	5-135
	LP-102 ^{*V5}	Back Tally, Back Tally Switch	—	4-26	5-131
	PSW-33 ^{*W}	Power Switch	3-4	4-26	5-134
	PSW-55 ^{*V5}	Power Switch	3-6	4-26	5-130
	RX-26	Audio Pre-amp for Wireless Microphone	3-4	4-26	5-109
	SW-780 ^{*W}	Switch Panel	3-4	4-26	5-109
	SW-808 ^{*W}	Rotary Encoder Switch	3-4	4-27	5-134
	SW-823 ^{*W}	Menu and Light Auto/Manual Switch	3-4	4-27	5-135
	SW-873 ^{*V5}	Menu and Light Auto/Manual Switch	—	4-27	5-130
	SW-882 ^{*V5}	Rotary Encoder Switch	—	4-27	5-130
	MB-627	Mother Board	—	4-28	5-110 ^{*V5} 5-114 ^{*W}

*SD : For DNW-7/7P/90/90P only
*V5 : For DNV-5 only
*W : For DNW-7/7P/9WS/9WSP/90/90P/90WS/90WSP only
*W7 : For DNW-7/7P only
*W90 : For DNW-9WS/9WSP/90/90P/90WS/90WSP only
*WS : For DNW-9WS/9WSP/90WS/90WSP only

DNW-7/7P/90/90P/90WS/90WSP




DNV-5



CT-187 (1-662-333-12,13)


* : B SIDE

C1	C2	L1	C2
C2	C2		
C3	C2	Q1	* C2
C4	* C2	Q2	* B4
C5	C1	Q3	* B6
C6	* C3		
C7	C1	R1	C3
C8	* C2	R2	C1
C9	* A1	R3	C1
C10	A1	R4	C1
C11	* B1	R5	C1
C12	A2	R6	B3
C13	B1	R7	B3
C14	A2	R8	C2
C15	A2	R9	C2
C16	A2	R10	* C2
C17	* B1	R11	* C2
C18	* B1	R13	* C2
C19	A1	R14	* B1
C20	* C2	R15	A2
C21	B2	R16	A2
C22	* C1	R17	* B2
C23	C1	R18	* B2
C24	C1	R19	* B2
C25	C1	R21	* C1
C26	* B2	R22	* A5
C27	* B2	R23	* C3
C28	* B2	R24	* C3
C29	* B2	R25	B3
C30	B3	R26	B3
C31	A3	R27	* B4
C32	A2	R28	* B4
C33	* A3	R29	* B4
C34	* A4	R30	* B5
C35	A3	R31	* B5
C36	* A4	R32	* B4
C37	A3	R33	* B4
C38	A4	R34	* B5
C39	* C4	R35	* B5
C40	* A5	R36	C4
C41	C6	R37	C4
C42	* C6	R38	* B3
C43	* C5	R39	* B6
C44	B3	R40	* B5
C45	* B6	R41	* B6
C46	A2	R42	* B5
C47	A1	R43	* B6
C48	* B1	R44	* B6
C49	* C5	R45	A1
C50	C6	R46	* B1
C51	A1	R47	* C6
CN1	* C3	R48	B1
		R49	* B5
D1	C1	R50	* B5
D2	C1	R51	C1
D3	* B1	R52	C1
D4	A1	R53	* B4
D10	A1	R54	* B4
		R55	A1
IC1	* C3	RB1	C3
IC2	C2	RB2	C2
IC3	* C1	RB3	C2
IC5	* A2	RB4	* B1
IC6	B2	RB5	* B1
IC7	* B2	RB6	* C2
IC8	* A2	RB7	* A6
IC9	* B2	RB8	* A6
IC10	* A2	RB9	* C4
IC11	C6	RB10	* C4
IC12	* B2	RB12	C4
IC14	* A3	RB13	C3
IC15	* A4		
IC16	* A5	S1	C1
IC17	C5	S2	C2
IC18	A5	S3	B4
IC19	* C6		
IC20	C5	X1	A2
IC21	* B4	X2	B1
IC22	C5		
IC23	C3		
IC24	C4		
IC25	B3		
IC26	* B6		
IC27	A2		
IC28	C3		
IC30	A2		




DNV-5 (SY) : S/N 10001 and Higher
DNV-5 (J) : S/N 30001 and Higher


CT-187 -A SIDE-
SUFFIX: -12,13



CT-187 -B SIDE-
SUFFIX: -12,13




DNW-7/90 (SY) : S/N 10001 and Higher
 DNW-7/90 (J) : S/N 30001 and Higher
 DNW-7P/90P (SY) : S/N 40001 and Higher
CN-1193 -A SIDE-
 SUFFIX: -11




CN-1193 -B SIDE-
 SUFFIX: -11

RC-61 (1-662-323-11)	
* : B SIDE	
C1	B1
C2	B1
C3	* B1
C4	* B1
C5	* B1
C6	C2
C7	* B1
C8	* C2
C9	A6
C10	C1
C11	* A6
C13	B4
C16	B2
C18	* D6
C19	* D5
C20	* D4
C21	* B5
C28	* E6
C30	* E5
C32	* E2
C33	E2
C35	B6
C36	* C6
C37	* E4
C38	B4
C45	C5
C47	* B3
C51	E6
CN1	A2
CN2	E4
IC1	* C1
IC2	* D1
IC3	B2
IC4	C2
IC5	* B1
IC6	* A6
IC7	* A5
IC8	* A4
IC9	* A3
IC10	C1
IC11	* A2
IC12	D1
IC13	D6
IC14	D5
IC15	D3
IC16	B5
IC18	* D6
IC19	* D5
IC20	* D3
IC21	* B5
IC23	* E6
IC24	* E5
IC25	* E4
IC26	* D2
IC28	D2
IC27	C6
IC30	B6
IC33	B3
IC35	* C6
IC38	* B3
IC41	* C2
IC42	* B2
R1	B1
R2	B1
R3	B1
R4	* A1
R5	* A1
R6	* A1
R7	B1
R8	B1



DNW-90WS (SY) : S/N 10001 and Higher
 DNW-90WS (J) : S/N 30001 and Higher
 DNW-90WSP (SY) : S/N 40001 and Higher
RC-61 -A SIDE-
 SUFFIX: -11




RC-61 -B SIDE-
 SUFFIX: -11

DCP-1 (1-662-307-15,16)


* : B SIDE

C1	*D1	C102	*E5	C241	*D5	C474	*C1	IC30	E3	L15	*E6	R29	*C3	R131	*F5
C2	*E1	C103	*F4	C242	D4	C475	*C3	IC33	*D4	L16	E6	R30	C2	R132	*F4
C3	*E1	C104	*F4	C244	D4	C476	B4	IC34	D4	L17	*E2	R31	D1	R133	*F4
C4	*E2	C105	*E4	C245	D4	C477	B4	IC35	D4	L18	D6	R32	D1	R134	*F4
C5	*E2	C106	*F4	C246	D4	C478	*C2	IC36	*F4	L19	C2	R33	*D1	R135	*F4
C6	*F1	C107	*F4	C247	*D5	C479	*C2	IC37	*F3	L22	*B6	R34	D1	R136	*F5
C7	*F1	C108	D4	C248	*D5	C480	*B2	IC38	*E3	L23	*B5	R35	D1	R139	*F5
C8	*D1	C109	*E3	C249	*D5	C481	*A2	IC39	*F4	L31	*C2	R36	D1	R141	*F5
C9	*C2	C110	*D5	C259	*D5	C482	*B4	IC40	*E4	L34	*C2	R37	*D1	R142	*F5
C10	*D1	C111	*C2	C292	*E2	C483	*B4	IC41	E2			R38	*D1	R143	*F4
C11	*D1	C112	*D6	C295	*F5	C484	*A3	IC42	E4	Q1	D1	R39	D1	R144	*F5
C12	*F2	C113	*D6	C315	*D4	C485	*B3	IC43	*F4	Q2	*D1	R40	*D1	R145	*F5
C13	*F2	C114	*E6	C316	B5	C486	*B3	IC44	*F5	Q3	*D1	R41	*D1	R146	*F5
C14	*F2	C115	*E6	C317	B5	C487	*B4	IC45	*F6	Q4	D2	R42	*C3	R147	*E5
C15	*F2	C116	C6	C318	B5	C488	*A5	IC46	*F6	Q5	*E2	R43	*D2	R148	C5
C16	*F2	C121	*D5	C319	C4	C499	A4	IC47	*E2	Q6	*E2	R44	*E2	R149	*D4
C17	*F2	C122	*D5	C323	B6			IC49	*E5	Q7	*D2	R45	*E2	R150	D3
C18	*E2	C123	*D3	C324	C5	CL1	*F4	IC50	*E4	Q8	*D1	R46	*E2	R152	*D3
C19	*D1	C124	*D5	C325	C5	CL2	*F4	IC51	*E5	Q9	*D2	R47	*E2	R153	*E3
C20	*D1	C132	*D4	C326	C5	CL3	*E5	IC52	*E6	Q10	D2	R48	*F2	R154	*E5
C21	*D1	C133	*C3	C327	*B5	CL4	*B4	IC53	*E5	Q11	*E2	R49	*D3	R155	*E3
C22	*F2	C134	A5	C328	*C6	CL5	*C5	IC55	*D3	Q12	*D2	R50	*D1	R156	*E3
C23	*F2	C135	*D3	C329	*B6	CL14	*D3	IC56	*E6	Q13	E1	R51	D2	R157	*E5
C24	*F3	C136	*D4	C330	*C5	CL15	*D3	IC57	*E5	Q14	*D2	R52	D2	R158	*E5
C25	*F3	C137	*C3	C331	*B5	CL19	*F2	IC58	*E5	Q15	D2	R53	*D2	R159	*E5
C26	*F3	C138	*D3	C332	*B6	CL20	*F2	IC59	*E5	Q16	*E3	R54	D1	R160	*B6
C27	*F2	C139	*E2	C333	*B5	CL31	*E1	IC60	D5	Q17	E1	R55	D1	R163	*D4
C28	D2	C140	E1	C334	*B6			IC61	D4	Q18	*D1	R56	D1	R164	*D4
C31	*E2	C141	*D3	C335	*B5	CN1	D6	IC62	*E3	Q19	D1	R57	*D1	R165	D4
C32	*E2	C142	E1	C336	*B5	CN2	B6	IC63	*E2	Q20	D3	R58	*D1	R166	D4
C33	*D4	C143	E1	C337	B5	CN4	E3	IC64	*E2	Q21	*D1	R59	D1	R168	C4
C34	*C3	C144	*E2	C338	B5	CN5	E5	IC65	*F1	Q22	D2	R60	*D1	R169	C4
C35	*C4	C145	E1	C340	C5	CN6	F4	IC66	*F1	Q23	*C4	R61	D2	R170	C4
C36	*C4	C146	*F4	C341	*B5	CN7	B4	IC68	*D5	Q24	*C5	R62	*C3	R171	*D4
C37	C2	C147	*F6	C342	*B5	CN8	D5	IC69	*F6	Q25	*C5	R63	*D2	R172	*D4
C38	D4	C148	E4	C343	*C5	CN9	D2	IC70	*D4	Q26	*D1	R64	*E2	R173	*D4
C39	*F2	C149	E4	C344	*C5	CN10	C1	IC71	E5	Q27	*D1	R65	*E2	R175	C5
C40	*E1	C152	*E5	C345	C4			IC72	*A4	Q28	*D2	R66	*E3	R176	C5
C41	*E1	C153	*F3	C346	*B5	CP1	F5	IC73	F6	Q31	C1	R67	*E3	R177	C5
C42	*E1	C154	*F3	C347	*C5			IC75	*E6	Q32	C1	R68	*F2	R178	D5
C43	*E1	C155	*A2	C348	*C5	D1	*E2	IC76	E6	Q33	C1	R69	*D3	R179	D5
C44	*E1	C156	*E6	C349	*C5	D2	E4	IC77	E6	Q34	C1	R70	*D1	R182	*D4
C45	A3	C157	E6	C354	*B5	D3	E4	IC78	*E6	Q37	C1	R71	D3	R183	*F3
C46	*E1	C158	E5	C355	*B6	D4	E4	IC79	E3	Q38	C1	R72	*D3	R185	*F3
C47	*E1	C159	*E6	C356	B5	D5	*D5	IC80	B5	Q39	A4	R73	D3	R187	*F4
C48	*E1	C160	*E6	C357	B4	D6	*D4	IC84	B5	Q40	C1	R74	*C4	R188	*F4
C49	*E1	C161	A4	C358	*C4	D7	C5	IC90	C4	Q43	C1	R75	C5	R190	*E6
C50	*E1	C162	A4	C359	C4	D8	C5	IC93	B5	Q47	C6	R76	*C3	R191	*F3
C51	*E1	C163	*C1	C360	*B5	D9	*D5	IC100	B4	Q48	B6	R77	*C4	R193	*E4
C52	*E1	C164	*E1	C362	*C5	D10	*D5	IC101	*C5	Q50	*B6	R78	*C3	R194	*D1
C53	*E1	C165	*E1	C363	*B5	D11	E4	IC102	*C4	Q53	*B5	R79	*D4	R195	*D1
C54	*B2	C166	*E1	C365	B6	D12	*F5	IC103	C5	Q54	*B5	R80	*F5	R196	*D1
C55	*E1	C167	*E3	C403	*C2	D14	*B2	IC104	*C5	Q55	*B5	R81	*F5	R197	*D1
C56	E1	C168	*E3	C404	*C2	D40	C6	IC105	*B5	Q56	*B5	R82	*F5	R198	D1
C57	A5	C173	*E4	C406	B2	D41	*B5	IC106	C5	Q59	*B5	R83	*C4	R199	*D2
C58	*F1	C174	*E4	C407	C2	D51	C2	IC107	B5	Q60	*B5	R84	*D3	R200	*E4
C59	*F1	C175	D4	C408	C2	D55	B4	IC108	B5	Q61	*B5	R85	*D3	R201	*E4
C60	*F1	C177	*D4	C409	*C2	D56	B4	IC109	C4	Q63	*B5	R86	*D4	R202	*E4
C61	E1	C178	*D6	C410	*C2	D57	*C3	IC122	*C2	Q64	*B5	R88	*C1	R205	E3
C62	*F1	C180	*C5	C411	*D2			IC123	*B2	Q65	C5	R89	*F2	R206	*E3
C63	*F1	C181	*D4	C416	*C1	E1	D2	IC124	A3	Q66	C5	R90	D2	R207	*F3
C64	*F1	C182	C5	C417	*C1	E2	*F5	IC125	*C3	Q67	B5	R91	C2	R208	*F3
C65	*F1	C183	*C4	C420	*C2			IC126	*B2	Q68	C4	R92	*D2	R209	*F3
C66	*E1	C184	*C4	C421	*C1	FL1	D1	IC128	*B1	Q69	C4	R93	C2	R210	*F3
C67	E1	C185	*D4	C423	*C1	FL2	D1	IC129	*C1	Q71	*B4	R94	C2	R211	*F3
C68	*E1	C187	*F4	C424	*C1	FL3	D1	IC130	*C2	Q73	*C4	R95	*E1	R212	*F3
C69	*E1	C188	C5	C425	*C1	FL4	D1	IC131	*C1	Q75	*B4	R96	*E1	R213	*E6
C70	E1	C189	C5	C426	*C1	FL5	D1	IC132	A2	Q91	B2	R97	*E1	R214	*E6
C71	*F2	C190	*C5	C429	*C1	FL6	D1	IC133	*C2	Q332	*B6	R98	*C3	R215	*E6
C72	*F2	C191	*D5	C430	*C1			IC134	B2			R99	E1	R216	*E6
C73	*F1	C193	*F5	C431	D6	IC1	*D2	IC135	A4	R1	D1	R100	E1	R217	*E5
C74	*E1	C194	D5	C432	*C1	IC2	*F2	IC136	*A2	R2	D1	R101	E1	R218	*E4
C75	E1	C195	D5	C433	A2	IC3	C3	IC137	A3	R3	*D1	R102	E1	R219	*D5
C76	*E1	C196	*D5	C434	A2	IC4	C3	IC138	A4	R4	D1	R103	E1	R220	*D5
C77	E1	C199	*F5	C435	*B2	IC5	*F2	IC139	A4	R5	D1	R105	E1	R221	*D5
C78	C2	C200	*F6	C437	B3	IC6	D4	IC140	*C2	R6	D1	R106	*D4	R222	*D5
C79	C3	C201	*F6	C438	B3	IC7	*F3	IC141	A5	R7	*D1	R107	*D4	R223	*D5
C80	*F1	C202	*F6	C439	*B2	IC8	E1	IC142	A6	R8	*D1	R108	E1	R224	*D5
C81	*F1	C203	*F6	C440	*B2	IC9	*E1	IC143	A5	R9	D1	R109	*C3	R225	*E5
C82	*F2	C204	*F6	C441	*A3	IC10	E1	IC144	A5	R10	*D1	R110	E1	R226	*D5
C83	C2	C217	*F5	C443	*B3	IC11	E1	IC145	A6	R11	*D1	R111	E1	R227	*D5
C84	*E1	C219	*F5	C444	*B3	IC12	E1	IC146	*C2	R12	*D1	R112	*F1	R228	*D5
C85	C2	C221	*F5	C445	*B3	IC13	D3	IC147	*A5	R13	*D2	R113	E1	R229	*D5
C86	F2	C222	*E5	C446	*B3	IC14	*E1	IC148	A6	R14	*E2	R115	E1	R230	*D5
C87	*C3	C228	*E6	C447	*B3	IC15	*F1	IC149	*C2	R15	*E2	R116	E1	R231	*D5
C88	*C3	C229	*E6	C448	*B3	IC16	*F2	IC150	*C2	R16	*E2	R117	E1	R232	*D5
C89	*E1	C230	*E6	C449	*B3	IC17	E2	IC152	*A3	R17	*E2	R118	E1	R233	*D5
C90	*E3	C231	*E5	C450	*B3	IC18	D3			R18	*E1	R119	*F1	R234	*D5
C91	*E3	C232	*E5	C451	*A2	IC19	*E4	IS1	A3	R19	*E2	R121	E2	R235	D4
C93	*C3	C233	*E5	C453	*B3	IC20	C4			R20	*E2	R122	E1	R236	D4
C94	*E3	C234	*E5	C462	C3	IC21	C3	L4	*C5	R21	*E2	R123	E1	R237	D4
C95	*F5	C235	*D4	C463	A5	IC22	D4	L7	*D5	R22	*E2	R124	E1	R238	E4
C96	*F5	C236	*D5	C464	*C2	IC23	*C3	L9	*D4	R23	*D1	R125	*F1	R239	*D5
C97	*E3	C237	*D5	C465	A6	IC24	D3	L11	D6	R24	*D1	R127	*F4	R240	*D5
C98	*F5	C238	*D4	C471	*A3	IC25	*E5	L12	D6	R25	*D1	R128	D3	R241	*D5
C99	*F5	C239	*D5	C472	A5	IC28	*F3	L13	D5	R26	*D2	R129	*F5	R242	D4
C100	*F5	C240	*D5	C473	*C1	IC29	E2	L14	F6	R27	*A4	R130	*F4	R243	D4



DNW-7 (SY) : S/N 10526 and Higher
DNW-7 (J) : S/N 30201 and Higher
DNW-7P (SY) : S/N 40760 and Higher
DNW-9WS (SY) : S/N 10001 and Higher
DNW-9WS (J) : S/N 30001 and Higher
DNW-9WSP (SY) : S/N 40001 and Higher
DNW-90 (SY) : S/N 10069 and Higher
DNW-90 (J) : S/N 31001 and Higher
DNW-90P (SY) : S/N 40076 and Higher
DNW-90WS (SY) : S/N 10081 and Higher
DNW-90WS (J) : S/N 30031 and Higher
DNW-90WSP (SY) : S/N 40316 and Higher

DCP-1 -A SIDE-
SUFFIX: -15,16




DCP-1 -B SIDE-
SUFFIX: -15,16

R245	* F5	R361	B6	R458	* E1	RB21	* E6
R246	* E4	R362	B5	R459	* E1	RB22	* E6
R247	* F5	R363	B5	R460	* E6	RB24	* E5
R248	* E6	R364	B6	R461	* E3	RB25	* D3
R249	* E6	R365	* C6	R462	* E3	RB31	B5
R250	C5	R366	* E1	R463	* E3	RB32	* D6
R251	C1	R367	* C6	R464	B5	RB33	B3
R252	C1	R368	* C6	R465	* D1	RB34	* C4
R253	* D3	R369	* C6	R467	* D1	RB35	* B4
R254	* E1	R370	* C5	R468	* D1	RB36	C3
R255	* E1	R371	* C5	R500	A4	RB41	* B2
R257	* F6	R372	* B5	R501	A4	RB42	B3
R258	* F6	R373	* C5	R502	C2	RB43	C2
R259	* F6	R374	* C5	R503	A4	RB44	B1
R260	* F6	R375	* B6	R504	* B4	RB45	* C4
R261	* F6	R376	* B6	R505	* B4	RB46	A6
R262	D3	R377	* B6	R506	C2	RB47	* B6
R263	F5	R378	* B6	R507	B2	RB49	A5
R264	* E1	R379	* B6	R508	B2	RB51	* C6
R267	* F6	R380	* B5	R509	B2	RB52	C3
R269	* F6	R381	* B5	R510	B2	RB53	* D6
R270	* F6	R382	* B6	R511	C2	RB54	D3
R271	B5	R383	* B6	R526	* C1	RB55	E3
R272	B5	R384	* B6	R529	* C1		
R273	* F5	R385	* B6	R532	* C1	S1	B2
R274	* D2	R386	* B5	R533	* C1	S2	B1
R275	* C3	R387	* B6	R536	* C1	S4	B2
R276	A5	R388	* B5	R537	* C1		
R281	* E2	R389	* B5	R538	* C1	X1	B3
R282	* E2	R390	* B5	R539	* C2	X2	* B4
R283	* F2	R391	* B5	R542	* C1		
R284	* F2	R392	* B5	R543	* C1		
R285	* F3	R393	* B5	R544	* C2		
R286	* F3	R394	* B5	R545	* C1		
R287	* D3	R395	* B5	R546	* C1		
R288	* D3	R396	* B5	R547	* C1		
R289	* C3	R397	* E1	R548	* C1		
R290	* D3	R398	* B5	R549	* C1		
R291	* F4	R399	* B5	R560	* C1		
R292	* F4	R400	* B5	R561	* C1		
R293	* F4	R401	C5	R562	* C1		
R294	* F3	R402	C5	R563	* C1		
R295	* F6	R403	B5	R564	* C1		
R296	* F5	R404	* B5	R565	* C1		
R297	* E5	R405	B5	R566	* C1		
R298	* E4	R406	C5	R567	A2		
R299	* E4	R407	C5	R568	A2		
R300	E3	R408	B5	R569	A2		
R301	C1	R409	B5	R570	A2		
R302	E4	R410	B5	R571	A2		
R303	E4	R411	* D6	R572	A2		
R304	* E6	R412	* D6	R573	* B2		
R305	* E6	R413	* C5	R574	A5		
R307	* F5	R414	* C5	R576	A5		
R308	E6	R415	* C5	R577	A4		
R309	C2	R416	* C4	R578	A4		
R310	* B5	R417	C4	R580	A5		
R311	* A2	R418	C4	R583	A5		
R312	D3	R419	C4	R584	A5		
R313	A5	R420	C4	R591	A5		
R316	* B4	R421	C4	R601	A5		
R317	B5	R422	C4	R606	* C1		
R318	* B5	R423	* B4	R607	A4		
R319	* B5	R424	* B5	R608	A4		
R320	* B5	R425	* B4	R609	B4		
R321	B5	R426	* B4	R610	B4		
R322	* C4	R427	C4	R611	* B2		
R323	A6	R428	* C4	R613	A4		
R325	E6	R429	* C4	R614	A5		
R326	* F5	R430	* B4	R615	A6		
R327	* E6	R431	* B4	R622	C2		
R328	* E6	R432	B5	R623	C2		
R329	* E6	R433	* B4	R624	* C2		
R330	E6	R434	* E1	R625	* C2		
R331	* E6	R435	* D6	R626	C1		
R332	C4	R436	* C5	R628	* C3		
R333	* A3	R437	* C5	R631	* D4		
R334	* D6	R438	* C5				
R335	B5	R439	* C5	RB1	* A6		
R336	B5	R440	* C5	RB2	* A6		
R337	B5	R441	B5	RB3	* A6		
R338	B5	R442	B5	RB4	* A6		
R339	B5	R443	C5	RB5	* A6		
R340	B4	R444	C4	RB6	* B6		
R341	B6	R445	C4	RB7	E1		
R349	B6	R446	B5	RB8	E1		
R350	C5	R447	* D1	RB9	E1		
R351	C5	R448	* D1	RB10	F1		
R352	C5	R449	* D2	RB11	F1		
R353	C5	R450	* D1	RB12	F1		
R354	C5	R451	* D1	RB13	D3		
R355	C5	R452	* D2	RB14	E4		
R356	C5	R453	* D1	RB15	E4		
R357	C5	R454	* D1	RB16	* E6		
R358	C6	R455	* D1	RB18	* E5		
R359	B6	R456	* B6	RB19	* E6		
R360	B6	R457	* E1	RB20	* E6		

DCP-1 (1-662-307-13,14)


* : B SIDE

C1	*D1	C102	*E5	C238	*D4	C463	A5	IC28	*F3	L14	F6	R29	*C3	R131	*F5
C2	*E1	C103	*F4	C239	*D5	C464	*C2	IC29	E2	L15	*E6	R30	C2	R132	*F4
C3	*E1	C104	*F5	C240	*D5	C465	A6	IC30	E3	L16	E6	R31	D1	R133	*F4
C4	*E2	C105	*F4	C241	*D5	C471	*A3	IC33	D4	L17	*E2	R32	D1	R134	*F4
C5	*E2	C106	*F4	C242	D4	C472	A5	IC34	D4	L18	D6	R33	*D1	R135	*F4
C6	*F1	C107	*F4	C244	D4	C473	*C1	IC35	D4	L19	C2	R34	D1	R136	*F5
C7	*F1	C108	D4	C245	D4	C474	*C1	IC36	*F4	L22	*B6	R35	D1	R138	*F5
C8	*D1	C109	*E3	C246	D4	C475	*C3	IC37	*F3	L23	*B5	R36	D1	R139	*F5
C9	*C2	C110	*D5	C247	*D5	C476	B4	IC38	*E3	L31	*C2	R37	*D1	R140	*F5
C10	*D1	C111	*C2	C248	*D5	C477	B4	IC39	*F4	L34	*C2	R38	*D1	R141	*F5
C11	*D1	C112	*D6	C249	*D5	C478	*C2	IC40	*E4			R39	*D1	R142	*F5
C12	*F2	C113	*D6	C259	*D5	C479	*C2	IC41	*E2	Q1		R40	*D1	R143	*F4
C13	*F2	C114	*E6	C292	*E2	C480	*B2	IC42	E4	Q2	*D1	R41	*D1	R144	*F5
C14	*F2	C115	*E6	C295	*F5	C481	*A2	IC43	*F4	Q3	*D1	R42	*C3	R145	*F5
C15	*F2	C116	C6	C315	*D4	C482	*B4	IC44	*F5	Q4	D2	R43	*D2	R146	*F5
C16	*F2	C121	*D5	C316	B5	C483	*B4	IC45	*F6	Q5	*E2	R44	*E2	R147	*E5
C17	*F2	C122	*D5	C317	B5	C484	*A3	IC46	*F6	Q6	*E2	R45	*E2	R148	C5
C18	*E2	C123	*D5	C318	B5	C485	*B3	IC47	*E2	Q7	*D2	R46	*E2	R149	*D4
C19	*D1	C124	*D3	C319	C4	C486	*B3	IC49	*E5	Q8	*D1	R47	*E2	R150	D3
C20	*D1	C126	*D1	C320	B5	C487	*B4	IC50	*E4	Q9	*D2	R48	*F2	R152	*D3
C21	*D1	C127	*D1	C321	B6	C488	*A5	IC51	*E5	Q10	D2	R49	*D3	R153	*E3
C22	*F2	C128	*D2	C323	B6	C499	A4	IC52	*E6	Q11	*E2	R50	*D1	R154	*E5
C23	*F2	C129	D1	C324	C5	CL1	*F4	IC53	*E5	Q12	*D2	R51	D2	R155	*E3
C24	*F3	C130	D1	C325	C5	CL2	*F4	IC54	*C6	Q13	E1	R52	D2	R156	*E3
C25	*F3	C131	D1	C326	C5	CL3	*E5	IC55	*D3	Q14	*D2	R53	*D2	R157	*E5
C26	*F3	C132	*D4	C327	*B5	CL14	*D3	IC56	*E6	Q15	D2	R54	D1	R158	*E5
C27	*F2	C133	*C3	C328	*C6	CL15	*D3	IC57	*E5	Q16	*E3	R55	D1	R159	*E5
C28	D2	C134	A5	C329	*B6	CL19	*F2	IC58	*E5	Q17	E1	R56	D1	R160	*B6
C31	*E2	C135	*D3	C330	*C5	CL20	*F2	IC59	*E5	Q18	*D1	R57	*D1	R163	*D4
C32	*E2	C136	*C4	C331	*B5	CL31	E1	IC60	D5	Q19	D1	R58	*D1	R164	*D4
C33	*D4	C137	*D3	C332	*B6	CN1	D6	IC61	D4	Q20	D3	R59	*D1	R165	*D4
C34	*C3	C138	*D3	C333	*B5	CN2	B6	IC62	*E3	Q21	*D1	R60	*D1	R166	D4
C35	*C4	C139	*E2	C334	*B6	CN4	E3	IC63	*E2	Q22	D2	R61	D2	R168	C4
C36	*C4	C140	E1	C335	*B5	CN5	E5	IC64	*E2	Q23	*C4	R62	*C3	R169	C4
C37	C2	C141	*D3	C336	*B5	CN6	F4	IC65	*F1	Q24	*C5	R63	*D2	R170	C4
C38	D4	C142	*E1	C337	B5	CN7	B4	IC66	*F1	Q25	*C5	R64	*E2	R171	*D4
C39	*F2	C143	E1	C338	B5	CN8	D5	IC68	*D5	Q31	C1	R65	*E2	R172	*D4
C40	*E1	C144	*E2	C340	C5	CN9	D2	IC69	*F6	Q32	C1	R66	*E3	R173	*D4
C41	*E1	C145	E1	C341	*B5	CN10	C1	IC70	*D4	Q33	C1	R67	*E3	R175	C5
C42	*E1	C146	*F4	C342	*B5	CP1	F5	IC71	E5	Q34	C1	R68	*F2	R176	C5
C43	*E1	C147	*F6	C343	*C5			IC72	*A4	Q37	C1	R69	*D3	R177	C5
C44	*E1	C148	E4	C344	*C5	D1	*E2	IC73	F6	Q38	C1	R70	*D1	R178	D5
C45	A3	C149	E4	C345	C4	D2	E4	IC75	*E6	Q39	A4	R71	D3	R179	D5
C46	*E1	C152	*E5	C346	*B5	D3	E4	IC76	E6	Q40	C1	R72	*D3	R182	*D4
C47	*E1	C153	*F3	C347	*C5	D4	E4	IC77	E6	Q43	C1	R73	D3	R183	*F3
C48	*E1	C154	*F3	C348	*C5	D5	*D5	IC78	*E6	Q45	B5	R74	*C4	R185	*F3
C49	*E1	C155	*A2	C349	*C5	D6	*D4	IC80	B5	Q46	C6	R75	C5	R187	*F4
C50	*E1	C156	*E6	C350	B6	D7	C5	IC84	B5	Q47	C6	R76	*C3	R188	*F4
C51	*E1	C157	E6	C354	*B5	D8	C5	IC90	C4	Q48	B6	R77	*C4	R190	*E6
C52	*E1	C158	E5	C355	*B6	D9	*D5	IC93	B5	Q50	*B6	R78	*C3	R191	*F3
C53	*E1	C159	*E6	C356	B5	D10	*D5	IC100	B4	Q53	*B5	R79	*D4	R193	*E4
C54	*B2	C160	*E6	C357	B4	D11	E4	IC101	*C5	Q54	*B5	R80	*F5	R194	*D1
C55	*E1	C161	A4	C358	*C4	D12	*F5	IC102	*C4	Q55	*B5	R81	*F5	R195	*D1
C56	E1	C162	A4	C359	C4	D14	*B2	IC103	C5	Q56	*B5	R82	*F5	R196	*D2
C57	A5	C163	*C1	C360	*B5	D39	B6	IC104	*C5	Q59	*B5	R83	*C4	R197	*D1
C58	*F1	C167	*E3	C362	*C5	D40	C6	IC105	*B5	Q60	*B5	R84	*D3	R198	*D1
C59	*F1	C168	*E3	C363	*B5	D41	*B5	IC106	C5	Q61	*B5	R85	*D3	R199	*D2
C60	*F1	C173	*E4	C365	B6	D51	C2	IC107	B5	Q63	*B5	R86	*D4	R200	*E4
C61	E1	C174	*E4	C403	*C2	D55	B4	IC108	B5	Q64	*B5	R88	*B6	R201	*E4
C62	*F1	C175	D4	C404	*C2	D56	B4	IC109	C4	Q65	C5	R89	*F2	R202	*E4
C63	*F1	C177	*D4	C406	B2	D57	*C3	IC122	*C2	Q66	C5	R90	D2	R205	E3
C64	*F1	C178	*D6	C407	C2			IC123	*B2	Q67	B5	R91	C2	R206	*E3
C65	*F1	C180	*C5	C408	C2	E1	D2	IC124	A3	Q68	C4	R92	*D2	R207	*F3
C66	*E1	C181	*D4	C409	*C2	E2	*F5	IC125	*C3	Q69	C4	R93	C2	R208	*F3
C67	E1	C182	C5	C410	*C2			IC126	*B2	Q71	*B4	R94	C2	R209	*F3
C68	*E1	C183	*C4	C411	*D2	FL1	D1	IC128	*B1	Q73	*C4	R95	*E1	R210	*F3
C69	*E1	C184	*C4	C416	*C1	FL2	D1	IC129	*C1	Q75	*B4	R96	*E1	R211	*F3
C70	E1	C185	*D4	C417	*C1	FL3	D1	IC130	*C2	Q91	B2	R97	*E1	R212	*F3
C71	*F2	C187	*F4	C420	*C2	FL4	D1	IC131	*C1	Q332	*B6	R98	*C3	R213	*E6
C72	*F2	C188	C5	C421	*C1	FL5	D1	IC132	A2			R99	E1	R214	*E6
C73	*F1	C189	C5	C423	*C1	FL6	D1	IC133	*C2	R1	D1	R100	E1	R215	*E6
C74	*E1	C190	*C5	C424	*C1			IC134	B2	R2	D1	R101	E1	R216	*E6
C75	E1	C191	*D5	C425	*C1	IC1	*D2	IC135	A4	R3	*D1	R102	E1	R217	*E5
C76	*E1	C193	*F5	C426	*C1	IC2	*F2	IC136	*A2	R4	D1	R103	E1	R218	*E4
C77	E1	C194	*D5	C429	*C1	IC3	C3	IC137	A3	R5	D1	R105	E1	R219	*D5
C78	C2	C195	D5	C430	*C1	IC4	C3	IC138	A4	R6	D1	R106	*D4	R220	*D5
C79	C3	C196	*D5	C431	D6	IC5	*F2	IC139	A4	R7	*D1	R107	*D4	R221	*D5
C80	*F1	C199	*F5	C432	*C1	IC6	D4	IC140	*C2	R8	*D1	R108	E1	R222	*D5
C81	*F1	C200	*F6	C433	A2	IC7	*F3	IC141	A5	R9	*D1	R109	*C3	R223	*D5
C82	*F2	C201	*F6	C434	A2	IC8	E1	IC142	A6	R10	*D1	R110	E1	R224	*D5
C83	C2	C202	*F6	C435	*B2	IC9	*E1	IC143	A5	R11	*D1	R111	E1	R225	*E5
C84	*E1	C203	*F6	C437	B3	IC10	E1	IC144	A5	R12	*D1	R112	*F1	R226	*D5
C85	C2	C204	*F6	C438	B3	IC11	E1	IC145	A6	R13	*D2	R113	E1	R227	*D5
C86	F2	C217	*F5	C439	*B2	IC12	E1	IC146	*C2	R14	*E2	R115	E1	R228	*D5
C87	*C3	C219	*F5	C440	*B2	IC13	D3	IC147	*A5	R15	*E2	R116	E1	R229	*D5
C88	*C3	C221	*F5	C441	*A3	IC14	*E1	IC148	*A6	R16	*E2	R117	E1	R230	*D5
C89	*E1	C222	*E5	C443	*B3	IC15	*F1	IC149	*C2	R17	*E2	R118	E1	R231	*D5
C90	*E3	C228	*E6	C444	*B3	IC16	*F2	IC150	*C2	R18	*E1	R119	*F1	R232	*D5
C91	*E3	C229	*E6	C445	*B3	IC17	E2	IC152	*A3	R19	*E2	R121	E2	R233	*D5
C93	*C3	C230	*E6	C446	*B3	IC18	D3	IS1	A3	R20	*E2	R122	E1	R234	*D5
C94	*E3	C231	*E5	C447	*B3	IC19	*E4			R21	*E2	R123	E1	R235	D4
C95	*F5	C232	*E5	C448	*B3	IC20	C4	L4	*C5	R22	*E2	R124	E1	R236	D4
C96	*F5	C233	*E5	C449	*B3	IC21	C3	L7	*D5	R23	*D1	R125	*F1	R237	D4
C97	*E3	C234	*E5	C450	*B3	IC22	D4	L9	*D4	R24	*D1	R127	*F4	R238	E4
C98	*F5	C235	*D4	C451	*A2	IC23	*C3	L11	D6	R25	*D2	R128	D3	R239	*D5
C99	*F5	C236	*D5	C453	*B3	IC24	D3	L12	D6	R26	*D2	R129	*F5	R240	*D5
C100	*F5	C237	*D5	C462	C3	IC25	*E5	L13	D5	R27	*A4	R130	*F4	R241	*D5



DNW-7 (SY) : S/N 10001 through 10525
DNW-7 (J) : S/N 30001 through 30200
DNW-7P (SY) : S/N 40001 through 40759
DNW-90 (SY) : S/N 10001 through 10068
DNW-90 (J) : S/N 30001 through 31000
DNW-90P (SY) : S/N 40001 through 40075
DNW-90WS (SY) : S/N 10001 through 10080
DNW-90WS (J) : S/N 30001 through 30030
DNW-90WSP (SY) : S/N 40001 through 40315

DCP-1 -A SIDE-
SUFFIX: -13,14




DCP-1 -B SIDE-
SUFFIX: -13,14


R242	D4	R347	B6	R447	*D1	RB22	*E6
R243	D4	R348	B6	R448	*D1	RB24	*E5
R245	*F5	R349	B6	R449	*D2	RB25	*D3
R246	*E4	R350	C5	R450	*D1	RB31	B5
R247	*F5	R351	C5	R451	*D1	RB32	*D6
R248	*E6	R352	C5	R452	*D2	RB33	B3
R249	*E6	R353	C5	R453	D1	RB34	*C4
R250	C5	R354	C5	R454	D1	RB35	*B4
R251	C1	R355	C5	R455	D1	RB36	C3
R252	C1	R356	C5	R456	*B6	RB41	*B2
R253	*D3	R357	C5	R500	A4	RB42	B3
R254	*E1	R358	C6	R501	A4	RB43	C2
R255	*E1	R359	B6	R502	C2	RB44	B1
R257	*F6	R360	B6	R503	A4	RB45	*C4
R258	*F6	R361	B6	R504	*B4	RB46	A6
R259	*F6	R362	B5	R505	*B4	RB47	*B6
R260	*F6	R363	B5	R506	C2	RB49	A5
R261	*F6	R364	B6	R507	B2	RB51	*C6
R262	D3	R365	*C6	R508	B2	RB52	C3
R263	F5	R367	*C6	R509	B2	RB53	*D6
R264	*E1	R368	*C6	R510	B2	RB54	D3
R267	*F6	R369	*C6	R511	C2	RB55	E3
R269	*F6	R370	C5	R526	*C1		
R270	*F6	R371	C5	R529	*C1	S1	B2
R271	B5	R372	*B5	R532	*C1	S2	B1
R272	B5	R373	C5	R533	*C1	S4	B2
R273	*F5	R374	C5	R536	*C1		
R274	*D2	R375	*B6	R537	*C1	X1	B3
R275	*C3	R376	*B6	R538	*C1	X2	*B4
R276	A5	R377	*B6	R539	*C2		
R277	*C5	R378	*B6	R542	*C1		
R278	*C5	R379	*B6	R543	*C1		
R279	*C6	R380	*B5	R544	*C2		
R280	*C6	R381	*B5	R545	*C1		
R281	*E2	R382	*B6	R546	*C1		
R282	*E2	R383	*B6	R547	*C1		
R283	*F2	R384	*B6	R548	*C1		
R284	*F2	R385	*B6	R549	*C1		
R285	*F3	R386	*B5	R560	*C1		
R286	*F3	R387	*B6	R561	*C1		
R287	*D3	R388	*B5	R562	*C1		
R288	*D3	R389	*B5	R563	*C1		
R289	*C3	R390	*B5	R564	*C1		
R290	*D3	R391	*B5	R565	*C1		
R291	*F4	R392	*B5	R566	*C1		
R292	*F4	R393	*B5	R567	A2		
R293	*F4	R394	*B5	R568	A2		
R294	*F3	R395	*B5	R569	A2		
R295	*F6	R396	*B5	R570	A2		
R296	*F5	R398	*B5	R571	A2		
R297	*E5	R399	*B5	R572	A2		
R298	*E4	R400	*B5	R573	*B2		
R299	*E4	R401	C5	R574	A5		
R300	E3	R402	C5	R576	A5		
R301	C1	R403	B5	R577	A4		
R302	E4	R404	*B5	R578	A4		
R303	E4	R405	B5	R580	A5		
R304	*E6	R406	C5	R583	A5		
R305	*E6	R407	C5	R584	A5		
R307	*F5	R408	B5	R591	A5		
R308	E6	R409	B5	R601	A5		
R309	C2	R410	B5	R606	*C1		
R310	*B5	R411	*D6	R607	A4		
R311	*A2	R412	*D6	R608	A4		
R312	*D2	R413	*C5	R609	B4		
R313	A5	R414	*C5	R610	B4		
R314	*C6	R415	*C5	R611	*B2		
R315	*C6	R416	*C4	R613	A4		
R316	*B4	R417	C4	R614	A5		
R317	B5	R418	C4	R615	A6		
R318	*B5	R419	C4	R622	C2		
R319	*B5	R420	C4	R623	C2		
R320	*B5	R421	C4	R624	*C2		
R321	B5	R422	C4	R625	*C2		
R322	*C4	R423	*B4	R626	C1		
R323	A6	R424	*B5	R628	*C3		
R324	*C5	R425	*B4	R631	*D4		
R325	E6	R426	*B4	RB1	*A6		
R326	*E6	R427	C4	RB2	*A6		
R327	*E6	R428	*C4	RB3	*A6		
R328	*E6	R429	*C4	RB4	*A6		
R329	*E6	R430	*B4	RB5	*A6		
R330	E6	R431	*B4	RB6	*B6		
R331	*E6	R432	*B4	RB7	E1		
R332	C4	R433	*B4	RB8	E1		
R335	B5	R435	*D6	RB9	E1		
R336	B5	R436	*C5	RB10	F1		
R337	B5	R437	*C5	RB11	F1		
R338	B5	R438	*C5	RB12	F1		
R339	B5	R439	*C5	RB13	D3		
R340	B5	R440	*C5	RB14	E4		
R341	B6	R441	B5	RB15	E4		
R342	B5	R442	B5	RB16	*E6		
R343	B5	R443	C5	RB18	*E5		
R344	B6	R444	C4	RB19	*E6		
R345	B6	R445	C4	RB20	*E6		
R346	B6	R446	B5	RB21	*E6		

DVP-1 (1-662-305-13,14,15,16)

* : B SIDE

C1	*D1	C337	B4	C524	*D4	C720	*A2	C1005	*C6	FB801	G4	IC902	F4	Q605	*D5
C2	*D1	C338	*B4	C525	*D4	C721	*A3	C1006	*D6			IC903	*F4	Q606	*D5
C3	*E1	C339	*B3	C526	*D4	C722	*B3	C1007	*A3	FL301	B5	IC904	*F4	Q607	D4
C4	*D1	C340	*B4	C527	*C4	C724	*B2	C1008	A3	FL401	C5	IC905	F4	Q608	D4
C5	D1	C341	B5	C528	*C4	C725	*B2	C1009	A3	FL501	C5	IC906	*G4	Q1001	*D6
C6	F1	C342	B5	C529	*C4	C726	*A2	C1010	A3	FL601	D5	IC1001	*E5	Q1002	*D6
C7	D1	C343	*E3	C530	*C4	C727	*A2	C1011	*A4			IC1002	*D6	Q1003	*A3
C8	D1	C344	*B3	C531	C4	C728	*B2	C1012	*E6	IC1	*E2	IC1003	*A3	Q1004	*A3
C9	E2	C345	*B3	C532	*C4	C729	*B2	C1013	*F6	IC2	*E1	IC1004	A4	Q1006	*A4
C10	E2	C346	B5	C533	*C4	C730	*A2	C1014	A4	IC3	*E1	IC1005	*E6	Q1007	*F6
C11	E3	C347	B5	C534	*C4	C731	*A2	C1015	*E6	IC4	*E1	IC1006	*E6	Q1008	*F6
C12	E3	C348	*B4	C535	D4	C732	*B2	C1016	*F6	IC5	E2	IC1007	D6	Q1009	*F6
C13	*C2	C349	B4	C536	*D4	C734	*A4	C1017	*E6	IC6	E2	IC1008	*E5	Q1010	*E6
C14	E2	C350	B3	C537	D4	C735	*C3	C1018	*E6	IC7	D1	IC1009	*E5	Q1011	*D5
C15	G2	C351	B3	C538	*C4	C736	B2	C1019	*E6	IC8	E2	IC1030	*C6	Q1012	*D6
C16	G2	C352	*B4	C539	*D3	C737	*B2	C1020	D6	IC9	D1			Q1013	D5
C17	F2	C353	B3	C540	*D4	C738	B2	C1021	D6	IC10	E2	L1	*C1	Q1014	D5
C18	F3	C354	B4	C541	D5	C739	*A2	C1022	*E5	IC11	D2	L2	*D1	Q1015	*C6
C19	F2	C355	*B3	C542	C5	C740	B3	C1023	C6	IC12	D1	L3	G2	Q1016	*D6
C20	*D2	C356	*B6	C543	D3	C741	*A3	C1024	D6	IC13	D1	L4	F3	Q1030	*C6
C21	*E1	C400	B4	C544	*C3	C742	B3	C1025	C6	IC14	D2	L5	*D2	Q1031	*C6
C22	*G1	C401	B5	C545	*C3	C743	*B3	C1026	C6	IC15	D2	L10	F1		
C23	*F1	C402	B5	C546	D5	C744	B2	C1027	E5	IC16	*B2	L201	*A3	R0	*A6
C25	F1	C403	*B5	C547	D5	C745	B2	C1028	*F5	IC17	F2	L202	*A3	R1	*F3
C26	*E1	C404	*B5	C548	*C4	C746	A2	C1030	*C6	IC18	*F2	L203	B6	R2	*E3
C27	F1	C405	*C5	C549	C4	C747	A2	C1031	*C6	IC19	D1	L204	A5	R3	*E3
C28	*D2	C406	*C4	C550	C3	C748	A2	C1032	C6	IC20	F2	L205	A5	R4	*E3
C29	E3	C407	*B5	C551	*D3	C749	A3	C1033	C6	IC21	D2	L207	A6	R5	*E1
C30	*D2	C408	*C5	C552	*D4	C750	B2			IC22	F2	L210	A5	R6	*D1
C201	*A4	C409	*C5	C553	D3	C751	B3	CL1	B6	IC23	*F1	L213	A5	R7	F1
C202	*A3	C410	*C5	C554	C4	C752	*C2	CL2	B6	IC24	*F1	L301	B4	R8	*D1
C203	A5	C411	*C5	C600	D4	C753	C1	CL5	D6	IC25	D1	L302	*B5	R9	*D1
C204	A5	C412	*C5	C601	D5	C754	*C2	CL6	B6	IC26	*E1	L303	*B5	R10	E1
C205	A5	C413	*C5	C602	D5	C801	G6	CL7	G2	IC27	E1	L401	B4	R11	*F3
C210	*A5	C414	*C4	C603	*D5	C802	G6	CL8	E4	IC28	E2	L402	*B5	R12	*G1
C211	*A5	C415	*B5	C604	*D5	C803	*G5	CL801	*G5	IC29	E1	L403	*C5	R13	*D1
C212	*A4	C416	*C5	C605	*E5	C804	*G5	CL802	*F5	IC30	E1	L501	C4	R14	*A6
C213	*A5	C417	*C5	C606	*E4	C805	G5	CL803	*F5	IC103	*D1	L502	*C5	R15	*F3
C214	A3	C418	C4	C607	*D5	C806	G5	CL804	*F5	IC200	A4	L503	*D5	R16	*D2
C215	A3	C419	*B4	C608	*E5	C807	*G5	CL805	*F5	IC201	A3	L601	D4	R17	*D2
C216	A5	C420	C4	C609	*D5	C808	*G5	CL806	*F4	IC202	A3	L602	*D5	R18	*E1
C217	A5	C421	*C4	C610	*D5	C809	*G5	CL807	*F4	IC210	A4	L603	*D5	R19	*E3
C220	*A4	C422	*C4	C611	*E5	C810	*G5	CL808	*F4	IC211	A4	L701	*B2	R20	*E3
C222	B6	C423	C4	C612	*D5	C811	*G4	CL809	*F5	IC212	*A5	L801	*G5	R21	*D3
C223	A6	C424	*C4	C613	*E5	C812	G5	CL810	*F5	IC214	*A4	L802	E4	R22	*E1
C224	A6	C425	*C4	C614	*E4	C813	G5	CL811	*F5	IC300	B3	L803	*F6	R23	*E3
C226	*A6	C426	*C4	C615	*D5	C814	G4	CL812	*F5	IC301	E3	L901	F3	R24	*E3
C227	A5	C427	*C4	C616	*D5	C815	G4	CL813	*F5	IC302	*B4	L1001	*D6	R25	*D3
C228	A5	C428	*C4	C617	*D5	C816	*F5	CL814	*F5	IC303	B3	L1002	*D6	R26	*D3
C229	*A4	C429	*B4	C618	E4	C817	*F5	CL815	*F5	IC304	A4	L1003	*E6	R27	*E3
C230	A5	C430	*C4	C619	*D4	C818	*F5	CL816	*F5	IC305	*B4	L1004	*E6	R28	*E3
C231	A6	C431	B4	C620	D4	C819	F5	CL817	F5	IC306	*B6	L1005	*E6	R29	*D3
C232	*A5	C432	*B4	C621	*E4	C820	*G4	CL819	B6	IC400	B3	L1006	D6	R30	E1
C233	*E5	C433	*B4	C622	*E4	C821	*F4			IC402	*C4	L1007	D6	R31	*E3
C234	A5	C434	*B4	C623	D4	C822	*F4	CN3	B6	IC403	C3			R32	*E3
C235	A5	C435	*C4	C624	*E4	C823	*F4	CN4	E6	IC404	B4	Q10	A6	R33	*D2
C260	*B6	C436	*C4	C625	*D4	C824	*F5	CN10	E4	IC405	*C4	Q11	A6	R34	*D2
C261	*B6	C437	C4	C626	*D4	C825	*F4	CN11	E1	IC500	C3	Q12	*A6	R35	E1
C262	*B6	C438	*C4	C627	*D4	C826	*F5	CN12	D1	IC502	*C4	Q13	*A6	R36	*E3
C263	B6	C439	*C3	C628	*D4	C827	*E4	CN13	*C1	IC503	D3	Q14	*A6	R37	*E3
C300	A4	C440	*C4	C629	*D4	C828	*F6			IC504	C4	Q15	*A6	R38	*E1
C301	B5	C441	C5	C630	*D4	C829	*F6	CNI1	*E2	IC505	*C4	Q16	A6	R39	*F3
C302	A5	C442	B5	C631	D4	C830	*G5			IC600	D3	Q201	*A6	R40	*F3
C303	*B5	C444	*C3	C632	*D4	C831	*F5	CP801	*F5	IC602	*D4	Q202	*B6	R41	*E3
C304	*B5	C445	*C3	C633	*D4	C832	G6			IC603	D3	Q260	*B6	R42	*F3
C305	*B5	C446	C5	C634	*D4	C833	F3	D1	*E1	IC604	D4	Q261	*B6	R43	*F3
C306	*B4	C447	C5	C635	D4	C834	*F5	D2	F1	IC605	*D4	Q262	*B6	R44	*E3
C307	*B5	C448	*C4	C636	*E4	C835	*F5	D3	F1	IC700	A4	Q263	*B6	R45	E2
C308	*B5	C449	B4	C637	D4	C836	F5	D10	A6	IC701	C2	Q301	B5	R46	E2
C309	*B5	C452	*C4	C638	*D4	C837	F5	D11	A6	IC702	*C2	Q302	B5	R47	*F3
C310	*B5	C453	C3	C639	*D3	C838	*G6	D12	A6	IC703	*C2	Q303	B5	R48	*F3
C311	*B5	C454	B4	C640	*E4	C839	G5	D13	G1	IC704	*C2	Q304	B5	R49	*E1
C312	*B5	C455	*C3	C641	D5	C840	*A6	D310	*A6	IC705	*C2	Q305	*B5	R50	E2
C313	*B5	C500	C4	C642	D5	C841	*G5	D701	*B2	IC706	*C2	Q306	*B5	R51	*D1
C314	*B4	C501	C5	C644	*D3	C901	F4	D702	*A2	IC707	B2	Q307	B4	R52	*D2
C315	*A5	C502	C5	C645	*D3	C902	F4	D703	*A3	IC708	A2	Q308	A4	R53	*E3
C316	*B5	C503	*C5	C646	E5	C903	F4	D704	*B3	IC709	A3	Q310	*A6	R54	E2
C317	*B5	C504	*C5	C647	E5	C904	F4	D705	*D3	IC710	B3	Q401	C5	R55	*D1
C318	B4	C505	*D5	C648	*D4	C905	*F4	D901	*F4	IC711	C1	Q402	C5	R56	*D2
C319	*A4	C506	*D4	C649	D4	C906	*F3			IC801	G5	Q403	C5	R57	*E3
C320	B4	C507	*C5	C650	*D3	C907	*F3	DL301	B4	IC802	G5	Q404	C5	R58	G3
C321	*B4	C508	*D5	C652	*E4	C908	*F4	DL401	C4	IC803	G5	Q405	*B5	R59	F3
C322	*B4	C509	*D5	C653	*E4	C909	F3	DL501	D4	IC804	F5	Q406	*C5	R60	G3
C323	B4	C510	*C5	C654	D4	C910	F3	DL601	D4	IC805	F4	Q407	C4	R61	F3
C324	*B4	C511	*D5	C701	C3	C911	*F4			IC806	*F4	Q408	B4	R62	G3
C325	*B4	C512	*C5	C702	C3	C912	*F4	E1	*B1	IC807	F5	Q501	D5	R63	F3
C326	*B4	C513	*D5	C703	*B3	C913	G3	E2	F2	IC808	F5	Q502	D5	R64	G3
C327	*B4	C514	*D4	C704	B2	C914	G4	E301	*B3	IC810	*F5	Q503	C5	R65	F3
C328	*B4	C515	*C5	C705	B1	C915	*F3	E401	*C3	IC811	F5	Q504	C5	R66	G3
C329	*B4	C516	*C5	C706	C1	C916	*F4	E501	D3	IC812	F5	Q505	*C5	R67	*F3
C330	*B4	C517	*D5	C707	C1	C917	*F3	E601	*E4	IC813	F5	Q506	*D5	R68	G3
C331	B4	C518	D4	C710	*C2	C918	F3	E801	*G4	IC814	*F5	Q507	D4	R69	*G3
C332	*A4	C519	*C4	C711	*C2	C1000	*E5	E901	*F3	IC815	F5	Q508	C4	R70	E2
C333	*A4	C520	D4	C712	*B2	C1001	*D6	E902	G4	IC816	F5	Q601	E5	R71	G2
C334	*A4	C521	*D4	C713	*A2	C1002	*D6			IC817	*G5	Q602	D5	R72	*G3
C335	B4	C522	*D4	C714	*A3	C1003	*C6	F101	A6	IC818	*F5	Q603	D5	R73	G2
C336	*B4	C523	C4	C715	*B3	C1004	*D6			IC901	F4	Q604	D5	R74	*G3






SUFFIX: -13,14,15,16


R75	*G3	R172	*D6	R273	*B6	R406	C5	R534	*D5	R662	D5	R782	*B2	R1014	*F6
R76	*G3	R173	F1	R274	*B6	R407	*E3	R535	*D3	R663	D5	R783	*A2	R1015	*E6
R77	*G3	R174	F1	R275	*B6	R408	C5	R536	*C3	R664	D5	R784	*E4	R1016	*E6
R78	*G3	R175	F1	R276	*B6	R409	C5	R537	D3	R665	D5	R785	*B2	R1017	*F6
R79	*G3	R176	F1	R277	*B6	R410	B5	R539	*C4	R666	E4	R786	*A2	R1018	*F6
R80	*G3	R177	*G1	R278	*B6	R411	B5	R540	D3	R667	E4	R787	*A2	R1019	*D6
R81	*G2	R178	*F1	R279	*B6	R412	C4	R541	D3	R668	E4	R788	*B2	R1020	*D6
R82	*G2	R179	F1	R280	F3	R413	*C5	R542	C4	R669	E3	R789	*B2	R1021	*D6
R83	*F3	R180	F1	R281	F3	R414	C4	R543	*C4	R670	D4	R790	*A2	R1022	*D6
R84	*F3	R181	*E1	R300	*C1	R415	*B5	R544	*C3	R671	D4	R791	*A2	R1023	*D6
R85	*F3	R182	*E1	R301	B5	R416	*B5	R545	C4	R672	*D4	R792	*B2	R1024	*D6
R86	*F3	R183	*E1	R302	B5	R417	*B5	R546	D4	R674	*E4	R793	*B2	R1025	*D6
R87	*A6	R184	F3	R303	B5	R418	*B5	R547	C4	R675	*E4	R794	*A2	R1026	*D6
R88	*A6	R185	F3	R304	B5	R419	*C5	R548	C4	R676	*D3	R795	*A3	R1027	*D6
R89	*A6	R186	F3	R305	B5	R420	*C5	R549	D4	R677	*D3	R796	*B3	R1028	*D6
R90	*A6	R187	F3	R306	B5	R421	*C5	R550	*D3	R678	D4	R801	G5	R1030	*C6
R91	*D1	R188	F2	R307	*E3	R422	*C5	R551	*C3	R682	D4	R802	G5	R1031	*C6
R92	*D1	R189	F2	R308	B5	R423	*C5	R554	*D4	R701	C1	R803	G5	R1032	*C6
R93	*D2	R190	*E1	R309	B5	R424	*C5	R555	C3	R702	C1	R804	*G5	R1033	*C6
R94	*D1	R191	*G1	R310	B5	R425	C4	R556	*C3	R703	C3	R805	*G5	R1034	*C6
R95	E3	R192	*G1	R311	B5	R426	C4	R557	*C3	R704	B3	R806	*G5		
R96	E3	R193	*D1	R312	B4	R427	C4	R558	C3	R705	C1	R807	*G5	RB1	*E6
R97	E3	R194	*E3	R313	*B5	R428	*C4	R559	C3	R706	B1	R808	*G5	RB2	*E6
R98	E3	R195	F3	R314	B4	R429	*B4	R560	*C4	R707	C3	R809	*G5	RB3	*E6
R99	E3	R196	A6	R315	*B5	R430	*C3	R561	*C4	R708	B3	R810	*G5	RB4	*E6
R100	E3	R197	*G2	R316	*B5	R434	*C5	R562	C5	R709	D1	R811	*F4	RB5	*E6
R101	*D2	R198	*G2	R317	*A5	R435	*C3	R563	C5	R710	C1	R812	*F5	RB6	*F6
R102	*D2	R199	A6	R318	*A5	R436	*C3	R564	C5	R711	C1	R813	*G5	RB7	*F6
R103	*D2	R200	A6	R319	*B5	R437	C3	R565	C5	R712	*C3	R814	*F5	RB8	*F6
R104	*D2	R201	C3	R320	*B5	R439	*B4	R566	D4	R713	*C2	R815	*E4	RB9	*D6
R105	*D2	R202	A6	R321	*B5	R440	C3	R567	D4	R714	*D3	R816	*E4	RB10	*G6
R106	*D1	R203	*E4	R322	*B5	R441	C3	R568	D4	R715	*C2	R817	*E4	RB11	*G6
R107	*D2	R204	*E4	R323	*B5	R442	C4	R569	D4	R716	C1	R818	*E4	RB12	*G6
R108	*D2	R206	*A4	R324	*B5	R443	*B4	R570	C4	R717	C1	R819	*E5	RB13	*G6

* : B SIDE

C1	*D1	C337	B4	C524	*D4	C720	*A2	C1005	*C6	IC5	E2	IC1007	D6	Q1009	*F6
C2	*D1	C338	*B4	C525	*D4	C721	*A3	C1006	*D6	IC6	E2	IC1008	*E5	Q1010	*E6
C3	*E1	C339	*B3	C526	*D4	C722	*B3	C1007	*A3	IC7	D1	IC1009	*E5	Q1011	*D5
C4	*D1	C340	*B4	C527	*C4	C724	*B2	C1008	A3	IC8	E2	IC1030	*C6	Q1012	*D6
C5	D1	C341	B5	C528	*C4	C725	*B2	C1009	A3	IC9	D1			Q1013	D5
C6	F1	C342	B5	C529	*C4	C726	*A2	C1010	A3	IC10	E2	L1	*C1	Q1014	*D5
C7	D1	C343	*E3	C530	*C4	C727	*A2	C1011	*A4	IC11	D2	L2	*D1	Q1015	*C6
C8	D1	C344	*B3	C531	C4	C728	*B2	C1012	*E6	IC12	D1	L3	G2	Q1016	*D6
C9	E2	C345	*B3	C532	*C4	C729	*B2	C1013	*F6	IC13	D1	L4	F3	Q1030	*C6
C10	E2	C346	B5	C533	*C4	C730	*A2	C1014	A4	IC14	D2	L5	*D2	Q1031	*C6
C11	E3	C347	B5	C534	*C4	C731	*A2	C1015	*E6	IC15	D2	L10	F1		
C12	E3	C348	*B4	C535	D4	C732	*B2	C1016	*F6	IC16	*B2	L201	*A3	R1	*F3
C13	*C2	C349	B4	C536	*D4	C734	*A4	C1017	*E6	IC17	F2	L202	*A3	R2	*F3
C14	E2	C350	B3	C537	D4	C735	*C3	C1018	*E6	IC18	*F2	L203	B6	R3	*E3
C15	G2	C351	B3	C538	*C4	C736	B2	C1019	*E6	IC19	D1	L204	A5	R4	*E3
C16	G2	C352	*B4	C539	*D3	C737	*B2	C1020	D6	IC20	F2	L205	A5	R5	*E1
C17	F2	C353	B3	C540	*D4	C738	*A2	C1021	D6	IC21	D2	L207	A6	R6	*D1
C18	F3	C354	B4	C541	D5	C739	*A2	C1022	*E5	IC22	F2	L210	A5	R7	F1
C19	F2	C355	*B3	C542	C5	C740	B3	C1023	C6	IC23	*F1	L213	A5	R8	*D1
C20	*D2	C356	*B6	C543	D3	C741	*A3	C1024	D6	IC24	*F1	L301	B4	R9	*D1
C21	*E1	C400	B4	C544	*C3	C742	B3	C1025	C6	IC25	D1	L302	*B5	R10	E1
C22	*G1	C401	B5	C545	*C3	C743	*B3	C1026	C6	IC26	*E1	L303	*B5	R11	*F3
C23	*F1	C402	B5	C546	D5	C744	B2	C1027	E5	IC27	E1	L401	B4	R13	*D1
C25	F1	C403	*B5	C547	D5	C745	B2	C1028	*F5	IC28	E2	L402	*B5	R14	*A6
C26	*E1	C404	*B5	C548	*C4	C746	A2	C1030	*C6	IC29	E1	L403	*C5	R15	*F3
C27	F1	C405	*C5	C549	C4	C747	A2	C1031	*C6	IC30	E1	L501	C4	R16	*D2
C28	*D2	C406	*C4	C550	C3	C748	A2	C1032	C6	IC103	*D1	L502	*C5	R17	*D2
C29	E3	C407	*B5	C551	*D3	C749	A3	C1033	C6	IC200	A4	L503	*D5	R18	*E1
C30	*D2	C408	*C5	C552	*D4	C750	B2	CL1	B6	IC201	A3	L601	D4	R19	*E3
C201	*A4	C409	*C5	C553	D3	C751	B3	CL2	B6	IC202	A3	L602	*D5	R20	*E3
C202	*A3	C410	*C5	C554	C4	C752	*C2	CL5	D6	IC210	A4	L603	*D5	R21	*D3
C203	A5	C411	*C5	C600	D4	C753	C1	CL6	B6	IC211	A4	L701	*B2	R22	*E1
C204	A5	C412	*C5	C601	D5	C754	*C2	CL801	*G5	IC212	*A5	L801	*G5	R23	*E3
C205	A5	C413	*C5	C602	D5	C801	G6	CL802	*F5	IC214	*A4	L802	E4	R24	*E3
C210	*A5	C414	*C4	C603	*D5	C802	G6	CL803	*F5	IC300	B3	L803	*F5	R25	*D3
C211	*A5	C415	*B5	C604	*D5	C803	*G5	CL804	*F5	IC301	E3	L901	F3	R26	*D3
C212	*A4	C416	*C5	C605	*E5	C804	G5	CL805	*F5	IC302	*B4	L1001	*D6	R27	*E3
C213	*A5	C417	*C5	C606	*E4	C805	G5	CL806	*F4	IC303	B3	L1002	*D6	R28	*E3
C214	A3	C418	C4	C607	*D5	C806	G5	CL807	*F4	IC304	A4	L1003	*E6	R29	*D3
C215	A3	C419	*B4	C608	*E5	C807	*G5	CL808	*F4	IC305	*B4	L1004	*E6	R30	E1
C216	A5	C420	C4	C609	*D5	C808	*G5	CL809	*F5	IC306	*B6	L1005	*E6	R31	*E3
C217	A5	C421	*C4	C610	*D5	C809	*G5	CL810	*F5	IC400	B3	L1006	D6	R32	*E3
C220	*A4	C422	*C4	C611	*E5	C810	*G5	CL811	*F5	IC402	*C4	L1007	D6	R33	*D2
C222	B6	C423	C4	C612	*D5	C811	*G4	CL812	*F5	IC403	C3			R34	D2
C223	A6	C424	*C4	C613	*E5	C812	G5	CL813	*F5	IC404	B4	Q10	A6	R35	E1
C224	A6	C425	*C4	C614	*E4	C813	G5	CL814	*F5	IC405	*C4	Q11	A6	R36	*E3
C226	*A6	C426	*C4	C615	*D5	C814	G4	CL815	*F5	IC500	C3	Q12	*A6	R37	*E3
C227	A5	C427	*C4	C616	*D5	C815	F4	CL816	*F5	IC502	*C4	Q13	*A6	R38	*E1
C228	A5	C428	*C4	C617	*D5	C816	*G5	CL819	B6	IC503	D3	Q14	*A6	R39	*F3
C229	*A4	C429	*B4	C618	E4	C817	*F5	CN3	B6	IC504	C4	Q15	*A6	R40	*F3
C230	A5	C430	*C4	C619	*D4	C818	*F5	CN4	E6	IC505	*C4	Q16	A6	R41	*E3
C231	A6	C431	B4	C620	D4	C819	F5	CN10	E4	IC600	D3	Q201	*A6	R42	*F3
C232	*A5	C432	*B4	C621	*E4	C820	*G4	CN11	E1	IC602	*D4	Q202	*B6	R43	*F3
C233	*E5	C433	*B4	C622	*E4	C821	*F4	CN12	D1	IC603	D3	Q260	*B6	R44	*E3
C234	A5	C434	*B4	C623	D4	C822	*F4	CN13	*C1	IC604	D4	Q261	*B6	R45	E2
C235	A5	C435	C4	C624	*E4	C823	*F4	CN11	*E2	IC605	*D4	Q262	*B6	R46	E2
C260	*B6	C436	*C4	C625	*D4	C824	*F5	CP801	*F5	IC700	A4	Q263	*B6	R47	*F3
C261	*B6	C437	C4	C626	*D4	C825	*F4			IC701	C2	Q301	B5	R48	*F3
C262	*B6	C438	*C4	C627	*D4	C826	*F5	D1	*E1	IC702	*C2	Q302	B5	R49	*E1
C263	B6	C439	*C3	C628	*D4	C827	*E4	D2	D2	IC703	*C2	Q303	B5	R50	E2
C300	A4	C440	*C4	C629	*D4	C828	*F6	D3	F1	IC704	*C2	Q304	B5	R51	*D1
C301	B5	C441	C5	C630	*D4	C829	*F6	D10	A6	IC705	*C2	Q305	*B5	R52	*D2
C302	A5	C442	B5	C631	D4	C830	*G5	D11	A6	IC706	*C2	Q306	*B5	R53	*E3
C303	*B5	C444	*C3	C632	*D4	C831	*F5	D12	A6	IC707	B2	Q307	B4	R54	E2
C304	*B5	C445	*C3	C633	*D4	C832	G6	D13	G1	IC708	A2	Q308	A4	R55	*D1
C305	*B5	C446	C5	C634	*D4	C833	*G6	D310	A6	IC709	A3	Q310	*A6	R56	*D2
C306	*B4	C447	C5	C635	D4	C834	*F5	D701	*B2	IC710	B3	Q401	C5	R57	*E3
C307	*B5	C448	*C4	C636	*E4	C835	*F5	D702	*A2	IC711	C1	Q402	C5	R58	G3
C308	*B5	C449	B4	C637	D4	C836	F5	D703	*A3	IC801	G5	Q403	C5	R59	F3
C309	*B5	C452	*C4	C638	*D4	C837	F5	D704	*B3	IC802	G5	Q404	C5	R60	G3
C310	*B5	C453	C3	C639	*D3	C838	*G6	D901	*F4	IC803	G5	Q405	*B5	R61	F3
C311	*B5	C454	B4	C640	*E4	C839	G5	DL301	B4	IC804	G5	Q406	*C5	R62	G3
C312	*B5	C455	*C3	C641	D5	C840	G5	DL401	C4	IC805	F4	Q407	C4	R63	F3
C313	*B5	C500	C4	C642	D5	C841	*G5	DL501	D4	IC806	*F4	Q408	B4	R64	G3
C314	*B4	C501	C5	C644	*D3	C901	F4	DL601	D4	IC807	F5	Q501	D5	R65	F3
C315	*A5	C502	C5	C645	*D3	C902	F4			IC808	F5	Q502	D5	R66	G3
C316	*B5	C503	*C5	C646	E5	C903	F4	E1	*B1	IC810	*F5	Q503	C5	R67	*F3
C317	*B5	C504	*C5	C647	E5	C904	F4	E2	F2	IC811	G5	Q504	C5	R68	G3
C318	B4	C505	*D5	C648	*D4	C905	*F4	E301	*B3	IC812	F5	Q505	*C5	R69	*G3
C319	*A4	C506	*D4	C649	D4	C906	*F3	E401	*C3	IC813	F5	Q506	*D5	R70	E2
C320	B4	C507	*C5	C650	*D3	C907	*F3	E501	D3	IC814	*F5	Q507	D4	R71	G2
C321	*B4	C508	*D5	C652	*E4	C908	*F4	E601	*E4	IC815	F5	Q508	C4	R72	*G3
C322	*B4	C509	*D5	C653	*E4	C909	F3	E801	*G4	IC816	*F5	Q601	E5	R73	G2
C323	B4	C510	*C5	C654	D4	C910	F3	E901	*F3	IC817	*G5	Q602	D5	R74	*G3
C324	*B4	C511	*D5	C701	C3	C911	*F4	E902	G4	IC818	*F5	Q603	D5	R75	*G3
C325	*B4	C512	*C5	C702	C3	C912	*F4			IC901	F4	Q604	D5	R76	*G3
C326	*B4	C513	*D5	C703	*B3	C913	G3	F101	A6	IC902	F4	Q605	*D5	R77	*G3
C327	*B4	C514	*D4	C704	B2	C914	G4	FB801	G4	IC903	*F4	Q606	*D5	R78	*G3
C328	*B4	C515	*C5	C705	B1	C915	F3	FL301	B5	IC904	*F4	Q607	D4	R79	*G3
C329	*B4	C516	*C5	C706	C1	C916	*F4	FL401	C5	IC905	G4	Q608	D4	R80	*G3
C330	*B4	C517	D5	C707	C1	C917	*F3	FL501	C5	IC906	*G4	Q1001	*D6	R81	*G2
C331	B4	C518	D4	C710	*C2	C918	G3	FL601	D5	IC1001	*E5	Q1002	*D6	R82	*G2
C332	*A4	C519	*C4	C711	*C2	C1000	*E5			IC1002	*D6	Q1003	*A3	R83	*F3
C333	*A4	C520	D4	C712	*B2	C1001	*D6	IC1	*E2	IC1003	*A3	Q1004	*A3	R84	*F3
C334	*A4	C521	*D4	C713	*A2	C1002	*D6	IC2	*E1	IC1004	A4	Q1006	*A4	R85	*F3
C335	B4	C522	*D4	C714	*A3	C1003	*C6	IC3	*E1	IC1005	*E6	Q1007	*F6	R86	*F3
C336	*B4	C523	C4	C715	*B3	C1004	*D6	IC4	*E1	IC1006	*E6	Q1008	*F6	R88	*A6



DNV-5 (SY) : S/N 10001 through 10316
DNV-5 (J) : S/N 30001 through 30040
DNW-7 (SY) : S/N 10001 through 10525
DNW-7 (J) : S/N 30001 through 30200
DNW-7P (SY) : S/N 40001 through 40759
DNW-90 (SY) : S/N 10001 through 10068
DNW-90 (J) : S/N 30001 through 31000
DNW-90P (SY) : S/N 40001 through 40075
DNW-90WS (SY) : S/N 10001 through 10080
DNW-90WS (J) : S/N 30001 through 30030
DNW-90WSP (SY) : S/N 40001 through 40




DVP-1 -B SIDE-
SUFFIX: -11,12

R89	* A6	R197	* G2	R316	* B5	R434	* C5	R562	C5	R709	D1	R812	* F5	RB5	E1
R90	* A6	R198	* G2	R317	* A5	R435	* C3	R563	C5	R710	C1	R813	* G5	RB6	F2
R91	* D1	R199	A6	R318	* A5	R436	* C3	R564	C5	R711	C1	R814	* F5	RB7	* F1
R92	* D1	R200	A6	R319	* B5	R437	C3	R565	C5	R712	* C3	R815	* E4	RB8	
R93	* D2	R201	C3	R320	* B5	R439	* B4	R566	D4	R713	* C2	R816	* E4	RB9	* D2
R94	* D1	R202	A6	R321	* B5	R440	C3	R567	D4	R715	* C2	R817	* E4	RB10	* G2
R95	E3	R203	* E4	R322	* B5	R441	C3	R568	D4	R716	C1	R818	* E4	RB11	* G2
R96	E3	R204	* E4	R323	* B5	R442	C4	R569	D4	R717	C1	R819	* E5	RB12	* G2
R97	E3	R206	* A4	R324	* B5	R443	* B4	R570	C4	R718	C1	R820	* F6	RB13	E3
R98	E3	R207	* A4	R325	B4	R444	* B3	R571	C4	R719	C1	R821	* F6	RB14	* D2
R99	E3	R208	* E4	R326	B4	R445	C4	R572	* C4	R720	C1	R822	* F6	RB15	* F2
R100	E3	R209	* E4	R327	B4	R446	C4	R574	* D4	R721	C1	R823	* F6	RB16	G3
R101	* D2	R210	* E4	R328	* B4	R447	C4	R575	D3	R722	* C3	R824	* F6	RB17	G3
R102	* D2	R211	* E4	R329	* A4	R448	C4	R576	* C3	R723	B2	R825	* F6	RB19	F2
R103	* D2	R212	* A5	R330	* B3	R449	C4	R577	* C3	R724	B2	R826	* F6	RB20	F2
R104	* D2	R213	* E4	R331	* A6	R450	* C3	R578	C4	R725	B2	R827	* F6	RB21	F3
R105	* D2	R214	* E4	R332	* A6	R451	* C3	R582	C4	R726	B2	R828	* F6	RB22	E3
R106	* D1	R215	* A5	R333	* B6	R454	* C4	R601	E5	R727	B2	R829	* F6	RB23	* D2
R107	* D2	R216	* E4	R334	* B5	R455	C3	R602	E5	R728	A2	R830	* F6	RB24	F2
R108	* D2	R217	* E4	R335	* B3	R456	* B3	R603	E5	R729	A2	R831	* F6	RB25	F2
R109	* D1	R218	* E4	R336	* B3	R457	* B3	R604	E5	R730	A2	R832	* E5	RB26	F2
R110	* D2	R219	* E4	R337	B3	R458	B3	R605	E5	R731	B3	R833	* E5	RB201	A4
R111	* D1	R220	* A5	R338	* B6	R459	B3	R606	D5	R732	A3	R834	* E5	RB701	* B3
R112	* D2	R221	* A5	R339	* B4	R460	* B4	R607	* E3	R733	A3	R835	G5	RB702	* B3
R113	* D1	R222	* A4	R340	B3	R461	* B4	R608	D5	R734	A3	R836	* E5	RB901	* F4
R114	* D2	R223	* A4	R341	B3	R462	B5	R609	D5	R735	B3	R837	* F5	RB902	F4
R115	* D2	R224	* A4	R342	B4	R463	B5	R610	D5	R736	B3	R838	* F5		
R116	* D2	R225	* A4	R343	* A4	R464	B5	R611	D5	R737	B3	R839	F5	S1	E1
R117	* D2	R226	A5	R344	* B3	R465	B5	R612	E4	R738	B3	R840	F5	S2	D1
R118	* D2	R227	A5	R345	B4	R466	C4	R613	* D5	R739	A2	R841	* F5	S3	F1
R119	* D2	R228	* A5	R346	B4	R467	C4	R614	E4	R740	A3	R842	* F5	S301	* C1
R120	G2	R229	* A5	R347	B4	R468	C4	R615	* D5	R741	B3	R843	* F6	SL1	* E1
R121	G2	R230	A5	R348	B4	R469	C4	R616	* D5	R742	B2	R844	G5	SL2	* E1
R122	G2	R231	A5	R349	B4	R470	B4	R617	* D5	R743	* B2	R845	F5	SL3	* E1
R123	G2	R232	* A5	R350	* B3	R471	B4	R618	* D5	R744	* A2	R846	G5		
R124	* E1	R233	* A5	R351	* B3	R472	* C4	R619	* E5	R745	* A3	R847	G5	TP1	* E1
R125	G2	R234	* A5	R352	* B6	R474	* C4	R620	* D5	R746	* B3	R901	F4	TP2	* D1
R126	G2	R235	* A5	R353	* B6	R475	C3	R621	* D5	R747	A2	R902	F4	TP3	* D1
R127	A6	R236	* A5	R354	* B4	R476	* C3	R622	* D5	R748	B2	R903	F4	TP4	* D1
R128	A6	R237	A5	R355	* B3	R477	* C3	R623	* D5	R749	A3	R904	F4	TP8	* D2
R129	F1	R239	* A5	R356	* B3	R478	B4	R624	* E5	R750	A2	R905	* F4	TP301	* A4
R130	G2	R240	* A4	R357	* A3	R482	B4	R625	D4	R751	B2	R906	* F4	TP302	* B5
R131	G2	R241	* A5	R358	A3	R501	D5	R626	E4	R752	A3	R907	F3	TP303	* A3
R133	F1	R242	* A4	R359	A3	R502	D5	R627	E4	R753	B3	R908	F4	TP304	* B4
R134	G2	R243	* A4	R360	* A4	R503	D5	R628	* E4	R754	B3	R909	* F3	TP401	* B4
R135	G2	R244	A5	R361	* A4	R504	D5	R629	* D4	R755	C1	R910	* F3	TP402	* B5
R136	G2	R245	* A4	R362	B5	R505	D5	R630	* D3	R756	C1	R911	F4	TP403	* B3
R137	G2	R246	* A4	R363	A5	R506	D5	R634	* D5	R757	* C2	R912	F4	TP404	* C4
R138	* D2	R247	A5	R364	B5	R507	* E3	R635	* D3	R759	B3	R913	F4	TP501	* C4
R139	G3	R248	A5	R365	B5	R508	D5	R636	* D3	R760	C3	R914	F4	TP502	* C5
R140	F3	R249	A5	R366	B4	R509	D5	R637	D3	R761	C3	R915	F4	TP503	* C3
R141	F3	R250	E5	R367	B4	R510	C5	R639	* D4	R762	D3	R916	* F4	TP504	* D4
R142	F3	R253	* A6	R368	B4	R511	C5	R640	D3	R763	* B2	R917	* F4	TP601	* D4
R143	G3	R254	* A6	R369	B4	R512	D4	R641	D3	R764	* B2	R918	* F3	TP602	* D5
R144	G3	R255	* A6	R370	B4	R513	* C5	R642	D4	R765	* A2	R919	* F3	TP603	* D3
R145	G3	R256	* A6	R371	A4	R514	D4	R643	* D4	R766	* A2	R920	* F4	TP604	* E4
R146	G3	R257	* A6	R372	* B4	R515	* C5	R644	* D3	R767	* A2	R921	G4	TP801	* F4
R147	* D1	R258	* B6	R373	* B6	R516	* C5	R645	D4	R768	* A2	R922	F3	TP802	* F4
R148	* D1	R259	* B6	R374	* B4	R517	* C5	R646	D4	R769	* B2	R923	F3	TP901	* F4
R149	F3	R260	A5	R375	B3	R518	* C5	R647	D4	R770	* B2	R924	F3	TP902	* F4
R150	F3	R261	A5	R376	* B3	R519	* D5	R648	D4	R771	B2	R925	F3	TP903	* F3
R151	F2	R262	A5	R377	* B3	R520	* D5	R649	E4	R772	B2	R1000	* E5		
R152	F3	R263	A5	R378	B4	R521	* C5	R650	* D3	R773	A2	R1001	* D6	X1	E2
R153	F2	R264	* A4	R379	* B6	R522	* D5	R651	* D3	R774	B2	R1002	* C6	X2	* G1
R154	G2	R265	A6	R380	* B6	R523	* D5	R654	* D4	R775	A2	R1003	* C6		
R155	F3	R266	* A5	R381	* B6	R524	* D5	R655	D3	R776	B2	R1004	* D6		
R156	G2	R267	* B6	R382	A4	R525	C4	R656	* D3	R777	B2	R1005	* A3		
R157	G2	R268	B6	R401	C5	R526	D4	R657	* D3	R778	B2	R1006	A3		
R158	F2	R269	B6	R402	C5	R527	D4	R658	D3	R779	* E4	R1007	* A3		
R159	F2	R270	* B6	R403	C5	R528	* D4	R659	D3	R780	* B2	R1008	* A3		
R160	F2	R271	* B6	R404	C5	R529	* C4	R660	* D4	R781	* A2	R1010	* A4		
R161	F2	R272	* B6	R405	C5	R530	* D3	R661	* D4	R782	* B2	R1011	* A4		
R162	F2	R273	* B6	R406	C5	R534	* D5	R662	D5	R783	* A2	R1013	* F6		
R163	F2	R274	* B6	R407	* E3	R535	* D3	R663	D5	R784	* E4	R1014	* F6		
R164	* F1	R275	* B6	R408	C5	R536	* C3	R664	D5	R785	* B2	R1015	* E6		
R165	G2	R276	* B6	R409	C5	R537	D3	R665	D5	R786	* A2	R1016	* E6		
R166	G2	R277	* B6	R410	B5	R539	* C4	R666	E4	R787	* A2	R1017	* E6		
R167	G2	R278	* B6	R411	B5	R540	D3	R667	E4	R788	* B2	R1018	* F6		
R168	* D1	R279	* B6	R412	C4	R541	D3	R668	E4	R789	* B2	R1019	* D6		
R169	* D1	R280	F3	R413	* C5	R542	C4	R669	E3	R790	* A2	R1020	D5		
R170	* F1	R281	F3	R414	C4	R543	* C4	R670	D4	R791	* A2	R1021	* D5		
R173	F1	R300	* C1	R415	* B5	R544	* C3	R671	D4	R792	* B2	R1022	* D5		
R174	F1	R301	B5	R416	* B5	R545	C4	R672	* D4	R793	* B2	R1023	* D5		
R175	G1	R302	B5	R417	* B5	R546	D4	R674	* E4	R794	* A2	R1024	* D6		
R179	F1	R303	B5	R418	* B5	R547	C4	R675	* E4	R795	* A3	R1025	* D6		
R180	F1	R304	B5	R419	* C5	R548	C4	R676	* D3	R796	* B3	R1026	* D6		
R184	F3	R305	B5	R420	* C5	R549	D4	R677	* D3	R801	G5	R1027	* D6		
R185	F3	R306	B5	R421	* C5	R550	* D3	R678	D4	R802	G5	R1028	* D6		
R186	E1	R307	* F3	R422	* C5	R551	* C3	R682	D4	R803	G5	R1030	* C6		
R187	F3	R308	B5	R423	* C5	R554	* D4	R701	C1	R804	* G5	R1031	* C6		
R188	F2	R309	B5	R424	* C5	R555	* C3	R702	C1	R805	* G5	R1032	* C6		
R189	F2	R310	B5	R425	C4	R556	* C3	R703	C3	R806	* G5	R1033	* C6		
R190	* E1	R311	B5	R426	C4	R557	* C3	R704	B3	R807	* G5	R1034	* C6		
R193	* D1	R312	B4	R427	C4	R558	C3	R705	C1	R808	* G5	RB1	* E3		
R194	* E3	R313	* B5	R428	* C4	R559	C3	R706	B1	R809	* G5	RB2	* E3		
R195	F3	R314	B4	R429	* B4	R560	* C4	R707	C3	R810	* G5	RB3	* E3		
R196	A6	R315	* B5	R430	* C3	R561	* C4	R708	B3	R811	* F4	RB4	E1		

* : B SIDE

C106	F5	C321	*A4	CL301	B4	CN10	*E4	IC507	*F2	R603	*C2
C108	F5	C322	*A4	CL302	B4			IC508	*E1	R604	*C1
C109	F5	C323	*A3	CL303	B4	CP401	*B5	IC601	*C2	R611	*D1
C110	F6	C326	*A3	CL304	B4			IC602	*C1		
C111	F6	C327	A2	CL305	B4	D101	*E3	IC608	*C3	RB101	*E5
C115	*F5	C328	*A3	CL306	B4	D102	*E3	IC609	*D2	RB102	*D5
C116	*F5	C334	A2	CL307	B4	D103	*E3			RB103	*D5
C117	*F5	C337	*A3	CL308	B4	D104	*E3	L401	*C4	RB104	*D5
C118	*F6	C339	A2	CL309	B4	D105	*E3			RB105	*E5
C119	*F6	C340	B3	CL310	B4	D401	F1	Q101	*F6	RB106	*E4
C122	*D5	C341	A2	CL311	B4			Q102	*F6	RB107	*E4
C123	*F5	C342	*C1	CL312	A4	E301	B2	Q106	*F5	RB108	*D3
C124	*D5	C343	*A3	CL313	A4	E501	F2	Q107	*F5	RB109	*D3
C125	*E4	C401	*C3	CL314	A4			Q108	*F5	RB110	*D3
C126	*D5	C402	*B3	CL315	A4	FB307	B3			RB111	*D4
C127	*E4	C403	*B5	CL332	A4	FB308	C1	R102	*F5	RB112	*E4
C128	*F6	C404	*C5	CL333	A4			R103	*F5	RB113	*D3
C129	*E4	C405	*D4	CL334	B4	FL101	E5	R104	*F5	RB114	*D3
C130	*D2	C406	*C4	CL335	B4	FL102	E5	R105	*F6	RB115	*E3
C131	*C3	C407	*B4	CL336	A3	FL103	E6	R106	*F6	RB201	*E4
C132	*B3	C408	*B5	CL337	A3			R109	*E5	RB202	*F4
C133	*C3	C409	*C6	CL338	A3	IC101	F5	R110	*E5	RB203	*F4
C134	*D4	C410	*C6	CL339	A3	IC102	F5	R115	*D5	RB204	*F5
C135	C3	C411	*C5	CL340	A4	IC103	F6	R116	*D4	RB205	*F4
C136	*D2	C412	*C5	CL401	D5	IC105	*E5	R117	*E3	RB206	*F4
C137	*E4	C414	*D4	CL402	D5	IC106	*C5	R118	*D3	RB207	*F4
C138	*E4	C415	*D4	CL403	D5	IC107	*C5	R119	*D5	RB501	*E2
C139	*D5	C416	B6	CL404	D5	IC108	E4	R120	*D5	RB502	*E2
C140	*B6	C417	*C6	CL405	D5	IC109	D5	R122	*D5		
C141	B3	C418	*C6	CL406	D5	IC110	E4	R123	*D5	S401	F1
C201	*E5	C419	*C6	CL407	D5	IC111	D5	R124	*D4		
C202	*F5	C501	*F2	CL408	D5	IC112	E4	R125	*D4	SL601	B1
C203	*F4	C502	*E2	CL416	B5	IC113	E3	R126	*D5	SL602	B2
C204	*F4	C504	*E2	CL425	D5	IC114	D3	R127	*D5		
C205	*C6	C505	*E2	CL426	D5	IC116	C3	R128	*D4		
C206	*D6	C506	*E1	CL427	D4	IC117	B3	R129	*D4		
C207	*A5	C507	*E2	CL428	D4	IC118	C3	R130	*F3		
C208	*A5	C508	*F2	CL429	B4	IC119	D4	R131	*F3		
C209	*A5	C509	F2	CL430	C6	IC120	C3	R132	*E3		
C210	*A4	C510	F1	CL431	C4	IC121	D3	R133	*F3		
C211	*A4	C511	*E1	CL432	C4	IC122	D6	R134	*F3		
C212	*B4	C512	*E1	CL433	D5	IC123	E3	R135	*F3		
C213	*B5	C513	*F3	CL434	D5	IC125	E5	R136	*F3		
C214	*B6	C514	E1	CL435	C6	IC126	*E5	R137	*F3		
C215	*A6	C515	E1	CL436	C6	IC127	F3	R138	*E5		
C216	*A										



DNV-5 (SY)	: S/N 10317 and Higher
DNV-5 (J)	: S/N 30041 and Higher
DNW-7 (SY)	: S/N 10526 and Higher
DNW-7 (J)	: S/N 30201 and Higher
DNW-7P (SY)	: S/N 40760 and Higher
DNW-9WS (SY)	: S/N 10001 and Higher
DNW-9WS (J)	: S/N 30001 and Higher
DNW-9WSP (SY)	: S/N 40001 and Higher
DNW-90 (SY)	: S/N 10069 and Higher
DNW-90 (J)	: S/N 31001 and Higher
DNW-90P (SY)	: S/N 40076 and Higher
DNW-90WS (SY)	: S/N 10081 and Higher
DNW-90WS (J)	: S/N 30031 and Higher
DNW-90WSP (SY)	: S/N 40316 and Higher

DVP-2 -A SIDE-SUFFIX: -14,15




DVP-2 -B SIDE-
SUFFIX: -14,15

DVP-2 (1-662-306-12,13)


* : B SIDE

C106	F5	C327	A2	CL306	B4	D102	*E3	R102	*F5	RB115	*E3
C108	F5	C328	*A3	CL307	B4	D103	*E3	R103	*F5	RB201	*E4
C109	F5	C334	A2	CL308	B4	D104	*E3	R104	*F5	RB202	*F4
C110	F6	C337	*A3	CL309	B4	D401	F1	R105	*F6	RB203	*F4
C111	F6	C339	A2	CL310	B4			R106	*F6	RB204	*F5
C115	*F5	C340	B3	CL311	B4	E301	B2	R109	*E5	RB205	*F4
C116	*F5	C341	A2	CL312	A4	E501	F2	R110	*E5	RB206	*F4
C117	*F5	C342	*C1	CL313	A4			R115	*D5	RB207	*F4
C118	*F6	C343	*A3	CL314	A4	FB307	B3	R116	*D5	RB501	*E2
C119	*F6	C401	*C3	CL315	A4	FB308	C1	R117	*E3	RB502	*E2
C122	*D5	C402	*B3	CL332	A4	FL101	E5	R118	*D3		
C123	*F5	C403	*B5	CL333	A4	FL102	E5	R119	*D5	S401	F1
C124	*D5	C404	*C5	CL334	B4	FL103	E6	R120	*D5	SL601	B1
C125	*E4	C405	*D4	CL335	B4			R122	*D5	SL602	B2
C126	*D5	C406	*C4	CL336	A3	IC101	F5	R123	*D5		
C127	*E4	C407	*B4	CL337	A3	IC102	F5	R124	*D4		
C128	*F6	C408	*B5	CL338	A3	IC103	F6	R125	*D5		
C129	*E4	C409	*C6	CL339	A3	IC105	*E5	R126	*D5		
C130	*D2	C410	*C6	CL340	A4	IC106	*C5	R127	*D5		
C131	*C3	C411	*C5	CL401	D5	IC107	*C5	R128	*D4		
C132	*B3	C412	*C5	CL402	D5	IC108	E4	R129	*D4		
C133	*C3	C414	*D4	CL403	D5	IC109	D5	R130	*F3		
C134	*D4	C415	*D4	CL404	D5	IC110	E4	R131	*F3		
C135	C3	C416	B6	CL405	D5	IC111	D5	R132	*E3		
C136	*D2	C417	*C6	CL406	D5	IC112	E4	R133	*F3		
C137	*E4	C418	*C6	CL407	D5	IC113	E3	R134	*F3		
C138	*E4	C419	*C6	CL408	D5	IC114	D3	R135	*F3		
C139	*D5	C501	*F2	CL416	B5	IC116	C3	R136	*F3		
C201	*E5	C502	*E2	CL425	D5	IC117	B3	R137	*F3		
C202	*F5	C504	*E2	CL426	D5	IC118	C3	R138	*E5		
C203	*F4	C505	*E2	CL427	D5	IC119	D4	R139	*E5		
C204	*F4	C506	*E1	CL428	D4	IC120	C3	R140	*E5		
C205	*D6	C507	*E2	CL429	B4	IC121	D3	R141	*E3		
C206	*D6	C508	*F2	CL430	C6	IC122	D6	R142	*E3		
C207	*A5	C509	F2	CL431	C4	IC123	E3	R143	*E5		
C208	*A5	C510	F1	CL432	C4	IC125	E5	R144	*D6		
C209	*A5	C511	*E1	CL433	D5	IC126	*E5	R145	*D6		
C210	*A4	C512	*E1	CL434	D5	IC127	F3	R148	*D6		
C211	*A4	C513	*F3	CL435	C6	IC128	E4	R149	*D6		
C212	*B4	C514	E1	CL436	C6	IC129	E4	R150	*D5		
C213	*B5	C515	E1	CL437	C6	IC130	D5	R151	*D5		
C214	*B6	C516	E1	CL438	A4	IC131	*E6	R152	*E5		
C215	*A6	C517	F2	CL439	B4	IC132	E3	R153	*E3		
C216	*A6	C518	F2	CL447	D5	IC134	E4	R154	*E3		
C217	A6	C519	F2	CL448	D5	IC201	F4	R200	*B4		
C218	*B4	C601	*D2	CL449	F1	IC202	C6	R209	*B6		
C219	*B4	C602	*D2	CL508	F2	IC203	D6	R210	*B6		
C220	*A5	C603	*C1	CL517	E1	IC204	A5	R211	*D6		
C221	*A4	C604	*B1	CL518	E1	IC205	*B5	R212	*D6		
C222	*A4	C605	*B2	CL530	D2	IC206	B6	R214	*A6		
C223	*B4	C606	*B2	CL531	D2	IC207	*A5	R215	*A6		
C224	*B5	C607	*C2	CL532	D2	IC208	A6	R216	*B5		
C225	*B5	C608	B2	CL533	D2	IC209	E6	R217	*A6		
C226	*B6	C609	*B2	CL534	D2	IC210	D6	R230	*F4		
C227	B6	C611	*C2	CL535	D2	IC211	E6	R231	*E6		
C228	*A6	C612	*C2	CL536	D2	IC212	E6	R232	*E6		
C229	*B6	C614	*D2	CL537	D2	IC213	E6	R316	A2		
C230	*B5	C615	*C1	CL538	D2	IC214	F4	R317	A2		
C231	*A5	C616	*B2	CL539	D2	IC215	F5	R322	A2		
C232	*B5	C617	*D2	CL540	D2	IC216	F3	R323	*A3		
C233	*B6	C619	*D1	CL541	E2	IC302	A3	R324	*C1		
C234	*B6	C620	B3	CL542	E2	IC307	*A3	R325	*C1		
C235	*B6	C621	C3	CL543	E2	IC309	*A2	R326	A2		
C236	*A5	C622	B3	CL544	D2	IC310	C3	R327	*C1		
C237	*A5	C623	*C2	CL546	E1	IC311	*A2	R328	*C1		
C238	*A5	C624	D2	CL548	D2	IC312	*C1	R413	*C5		
C239	*A6	C625	D2	CL549	D2	IC313	*A3	R414	*B5		
C241	*A6	C626	D2	CL551	D2	IC401	*D4	R415	*B5		
C242	*A6	C627	D2	CL552	D2	IC402	*C4	R416	*B4		
C243	*E6	CL101	D6	CL553	E2	IC403	*B5	R417	*C4		
C244	*F4	CL102	D5	CL554	F2	IC404	*C5	R421	F1		
C245	*D6	CL103	D6	CL555	E1	IC405	C5	R423	F1		
C246	*E6	CL104	D6	CL556	D2	IC406	*B5	R501	*E2		
C247	*E6	CL105	E5	CL557	D2	IC407	*C5	R502	*E1		
C248	*F6	CL106	E6	CL558	D2	IC408	D4	R517	*F3		
C249	*F5	CL218	B4	CL559	D2	IC409	B6	R518	*F3		
C250	*F3	CL219	B4	CL560	D2	IC411	*F3	R519	F2		
C251	*F3	CL220	F5	CL561	D2	IC501	*E2	R601	*C2		
C252	*F4	CL221	F4	CL562	D2	IC502	*E2	R602	*C2		
C302	*B3	CL222	D6	CL563	D2	IC504	E2	R603	*C2		
C303	*B3	CL223	D6	CL601	C2	IC505	*E1	R604	*C1		
C304	A2	CL224	B5	CL602	C1	IC506	F3	R611	*D1		
C305	*A3	CL225	B5	CL603	C1	IC507	*F2	RB101	*E5		
C306	*A4	CL226	B5	CL604	C1	IC508	*E1	RB102	*D5		
C307	*B4	CL227	B4	CL605	C1	IC601	C2	RB103	*D5		
C308	*B3	CL228	B5	CL606	B1	IC602	*C1	RB104	*D5		
C309	*B3	CL229	F4	CL608	B1	IC608	*C3	RB105	*E5		
C310	*B3	CL230	B5	CL609	B2	IC609	*D2	RB106	*E4		
C314	*A4	CL231	F3	CL610	C1			RB107	*E4		
C316	*A4	CL232	F3	CL611	C1	L401	*C4	RB108	*D3		
C319	*B3	CL233	F3	CL612	B1			RB109	*D3		
C320	*B4	CL301	B4	CL613	D2	Q101	*F6	RB110	*D3		
C321	*A4	CL302	B4	CN10	*E4	Q102	*F6	RB111	*D4		
C322	*A4	CL303	B4	CP401	*B5	Q106	*F5	RB112	*E4		
C323	*A3	CL304	B4			Q107	*F5	RB113	*D3		
C326	*A3	CL305	B4	D101	*E3	Q108	*F5	RB114	*D3		



DNV-5 (SY) : S/N 10001 through 10316
DNV-5 (J) : S/N 30001 through 30040
DNW-7 (SY) : S/N 10001 through 10525
DNW-7 (J) : S/N 30001 through 30200
DNW-7P (SY) : S/N 40001 through 40759
DNW-90 (SY) : S/N 10001 through 10068
DNW-90 (J) : S/N 30001 through 31000
DNW-90P (SY) : S/N 40001 through 40075
DNW-90WS (SY) : S/N 10001 through 10080
DNW-90WS (J) : S/N 30001 through 30030
DNW-90WSP (SY) : S/N 40001 through 40315


DVP-2 -A SIDE-
SUFFIX: -12,13



IF-634 (1-662-772-14,15)


* : B SIDE

C1	*D1	C323	*B3	C643	*E1	CL3	F1	IC301	B4	IC718	D4	Q908	D5	R222	*B4
C2	*D1	C324	*B3	C644	*F1	CL4	F1	IC304	B3	IC719	D5	Q909	D4	R223	*B4
C3	*D3	C325	*B3	C645	*D2	CL5	F1	IC305	B3	IC721	*E4	Q910	C5	R224	B4
C4	*D2	C326	*B3	C646	*F2	CL6	F1	IC401	C4	IC724	*C5	Q911	C4	R225	B4
C5	*F1	C328	*B3	C700	*D2	CL7	F1	IC403	C2	IC725	*C3	Q912	*C4	R226	B4
C6	*F1	C329	*B3	C701	*C3	CL8	F1	IC404	C2	IC726	*D3	Q913	*C4	R227	*B3
C7	*E4	C400	*C4	C702	*D2	CL9	F1	IC405	*C4	IC727	*D4			R228	*C3
C8	*D3	C402	*C3	C703	*C2	CL10	F1	IC406	C3	IC728	*E3	R1	*D1	R229	*C3
C9	*D3	C403	*C3	C704	*C2	CL11	F1	IC409	C3	IC729	*E3	R2	*D3	R230	*B3
C10	*D4	C404	*C4	C705	*C2	CL12	F1	IC412	A2	IC730	E3	R3	*D4	R231	*B3
C11	*E5	C408	*C2	C706	*C2	CL13	F1	IC414	A2	IC731	*E3	R4	*E3	R232	*C3
C12	*E5	C409	*C2	C707	*D3	CL14	F1	IC418	A2	IC732	*D1	R5	E5	R233	*B4
C13	E5	C412	*C3	C708	D3	CL15	F1	IC419	A3	IC733	*E3	R6	*E5	R234	*B3
C100	*A5	C417	*C3	C709	*C3	CL16	F1	IC420	B3	IC734	D5	R7	E5	R235	*B4
C101	*A5	C420	*A2	C710	D3	CL17	F1	IC421	B3	IC851	E4	R8	E5	R236	*C3
C102	A5	C422	*A2	C711	D3	CL18	F1	IC422	B3	IC852	*E4	R9	*D5	R237	A3
C103	*A5	C423	A2	C712	C3	CL19	F1	IC423	B2	IC853	*E4	R10	*D2	R238	*B5
C104	*A5	C425	*A2	C713	*D5	CL20	F1	IC424	A2	IC854	*E4	R11	*D2	R239	*B5
C105	*A5	C426	*A2	C714	*D3	CL21	F1	IC425	A2	IC858	E4	R12	*D2	R240	*C5
C106	*A3	C427	*B3	C715	*D3	CL500	C2	IC426	B2	IC900	*B2	R13	*D2	R241	*C5
C107	*A5	C428	*B2	C716	*E3	CL501	C1	IC500	*C2	IC901	C5	R14	*D2	R242	*C5
C108	A3	C429	*B3	C717	*D3	CL502	C2	IC501	*B1	IC903	*D5	R15	*D2	R300	*B5
C109	*A3	C430	*A2	C718	*D3	CL503	C1	IC502	*B2	IC904	C5	R16	*D2	R301	*B5
C110	*A3	C431	*B2	C719	D3	CL504	C2	IC503	B1			R17	*D2	R302	*B5
C111	A3	C432	A2	C720	*D4	CL505	C2	IC504	*B1	L600	*F1	R18	E5	R303	*B5
C112	A3	C500	*B2	C721	*D3	CL507	B2	IC505	*C2	L601	*E3	R19	E5	R304	*B5
C113	*A3	C501	*B2	C722	D3			IC506	C2	L602	*F5	R20	E5	R305	*B4
C114	*A3	C502	B2	C732	E4	CN1	B5	IC507	*C2	L603	*F5	R21	E5	R306	*B4
C115	*C3	C503	*B1	C733	*E5	CN2	D5	IC510	E2	L604	*F4	R22	E5	R308	*B4
C116	*C3	C504	*B2	C734	*E5	CN3	F2	IC511	*D1	L605	*F5	R23	*E4	R310	*B4
C117	*A4	C505	*B1	C735	*E5	CN700	C1	IC512	*D1	L606	*F5	R24	*E5	R311	*B4
C118	*A4	C506	*C1	C736	*E5			IC513	*D2	L700	*D3	R25	*E5	R312	*B4
C119	*A3	C507	*C2	C737	*E5	CP600	E3	IC515	*B2	L701	*D4	R26	*E5	R313	*B4
C120	*A3	C508	*C2	C738	*E5			IC516	*B2	L702	*D3	R27	*E5	R314	*B4
C121	*A3	C509	*E2	C739	*D5	D100	*A3	IC517	B2	L703	*D3	R33	*C2	R315	*B4
C122	*A3	C510	*D1	C740	*D4	D200	*A4	IC518	*C2	L704	*E5	R34	*C2	R316	*B4
C123	*A3	C511	*D1	C741	*D4	D300	*B4	IC519	*C2	L900	*D5	R100	*A5	R317	*B4
C124	*A3	C512	*D1	C742	*D5	D500	*C1	IC520	*C1			R101	*A5	R318	*B4
C125	*A3	C513	*D2	C743	D4	D501	*C1	IC521	B2	Q100	*A5	R102	*A5	R319	C4
C126	*A3	C514	*E1	C744	D5	D502	*C1	IC600	*F3	Q101	*A3	R103	*A5	R320	*B4
C127	*A3	C515	*D2	C745	*D4	D503	*B2	IC601	*E1	Q102	*A3	R104	*A5	R321	*B4
C128	*A3	C516	*D2	C746	*D5	D504	*B2	IC602	*E1	Q103	*A3	R105	*A5	R322	*B4
C129	*A2	C517	*D1	C747	*D4	D505	*B2	IC603	*E2	Q104	*A3	R106	*A3	R323	*B4
C130	*A3	C518	*E2	C748	*D4	D700	C4	IC604	*E2	Q105	*A3	R107	*A3	R325	B4
C200	*A5	C519	*E2	C749	*D5	D701	C4	IC605	E3	Q106	*A3	R109	*A3	R326	C4
C201	*B5	C520	*B2	C750	*D5	D702	*D3	IC606	E3	Q200	*B5	R111	*A3	R327	C4
C202	B5	C521	*B2	C751	*D5	D703	*D3	IC608	F4	Q201	*B4	R112	*A3	R328	*B3
C203	*B5	C523	*B2	C752	*E4	D704	*D3	IC609	F3	Q202	*B4	R113	*A3	R329	*C3
C204	*B4	C524	*B2	C753	*C3	D705	*D3	IC610	F4	Q203	*B4	R114	*A3	R330	*C3
C205	*A4	C525	*B2	C754	E4	D710	*D2	IC611	F3	Q204	*B4	R115	*A3	R331	*C3
C206	A4	C526	C2	C755	E4	D900	*C5	IC612	F4	Q205	*B4	R116	*A3	R332	*B3
C207	*B4	C527	C2	C756	D4	D901	*D4	IC613	*C2	Q206	*B3	R117	*A3	R333	*C3
C208	*B4	C528	*C1	C757	B5	D902	*C5	IC614	*F1	Q207	*B5	R118	*A3	R334	*C4
C209	*B4	C529	*B2	C758	*E4	D903	*C4	IC615	D2	Q208	*C5	R119	*A3	R335	*B3
C210	B4	C600	F1	C759	*D5			IC616	D2	Q209	*C5	R120	A3	R336	*B4
C211	*A4	C601	*F1	C760	*D5	E100	A5	IC617	*E3	Q300	*B5	R121	A3	R337	*C3
C212	*A4	C602	*E2	C761	*D5	E101	A3	IC618	*D2	Q301	*B4	R122	*A3	R338	B3
C213	*C3	C603	*E2	C762	*D5	E200	A3	IC621	*D2	Q302	*B4	R123	*A3	R340	*A2
C214	*C3	C604	*E2	C770	*D3	E300	B3	IC622	F5	Q303	*B4	R124	*A3	R341	*A2
C215	*C3	C605	*E2	C851	*E4	E400	F4	IC623	F4	Q304	*B4	R125	*A3	R342	*A2
C216	*C3	C606	*E2	C852	*E4	E500	A2	IC624	F5	Q305	*C4	R126	*C3	R343	*A2
C217	*B3	C607	*E2	C853	E4	E501	*F2	IC625	F5	Q306	*B3	R127	*C3	R344	*A2
C218	*B3	C608	*E2	C854	E4	E700	C1	IC626	*D2	Q600	*F1	R128	*A4	R346	*A2
C219	*B3	C609	F3	C855	*E4	E701	B2	IC627	*E2	Q700	*D3	R129	*A4	R347	*A2
C220	*B3	C610	*F3	C856	E4	E702	B3	IC628	*E2	Q701	*D3	R130	*A4	R348	*B2
C221	*B3	C611	*F2	C857	E4	E703	*D5	IC629	F5	Q702	D3	R131	A3	R349	*A2
C222	*B3	C612	F2	C858	*E4			IC630	*F1	Q703	*D3	R132	A3	R350	*B2
C223	*B3	C613	*E2	C859	*E4	FB100	*A5	IC631	F1	Q704	*D3	R133	A3	R351	*A2
C224	*A3	C614	*E3	C864	*E4	FB200	*B5	IC632	*F4	Q705	*C5	R134	*A3	R352	*A2
C225	*B3	C615	*E3	C865	*E4	FB300	*B5	IC633	*E3	Q706	*D5	R135	*A3	R353	*A2
C226	*B3	C616	*E3	C866	*E4	FB600	*F3	IC634	*F3	Q707	*E5	R136	*A3	R354	*A2
C227	*B3	C617	*F4	C900	*C5			IC635	F3	Q708	E5	R137	*A3	R355	*A2
C228	*B3	C618	*F3	C901	*C5	FL100	A4	IC636	*D1	Q709	D4	R138	*A3	R356	*A2
C229	*C3	C619	*F4	C902	*C4	FL200	B4	IC637	*D1	Q710	D4	R139	*A3	R357	*A2
C300	*B5	C620	*F4	C903	*B2	FL300	B4	IC638	*D1	Q711	D4	R140	A3	R358	*A2
C301	*B5	C621	*E4	C904	*C5	FL600	*C2	IC639	*F1	Q712	*E5	R141	*C3	R359	*A2
C302	C5	C622	*D1	C905	*C5			IC640	*F1	Q713	*E5	R142	*C3	R360	*A2
C303	*B5	C623	*D1	C908	*B2	IC1	*D1	IC641	F2	Q714	*E5	R200	*B5	R361	*A2
C304	*B4	C624	*C1	C909	*C5	IC2	E1	IC642	*F1	Q715	E5	R201	*B5	R362	*A2
C305	*B4	C625	*C1	C910	*D4	IC3	*D2	IC643	*D1	Q716	*E5	R202	*B5	R363	*A2
C306	B4	C626	*D2	C911	*C5	IC4	F1	IC644	*F1	Q717	*E5	R203	*B5	R364	*A2
C307	*B4	C627	*F5	C912	*C4	IC5	F1	IC700	*D2	Q718	*D5	R204	*B5	R365	A2
C308	*B4	C628	*F4	C913	*C5	IC10	*E3	IC701	*C3	Q719	E5	R205	*B4	R366	*B2
C309	*B4	C629	*F5	C914	*C4	IC11	E3	IC702	D3	Q720	*C5	R206	*A4	R367	A2
C310	C4	C630	*F5	C915	*C4	IC100	A3	IC703	D3	Q721	*E4	R208	*B4	R368	*B2
C311	*B4	C631	*F5	C916	*C4	IC101	A3	IC704	C2	Q722	D5	R210	*B4	R369	A2
C312	*B4	C632	*F4	C917	*C4	IC102	C3	IC705	C3	Q723	D5	R211	*B4	R370	*B2
C313	*C3	C633	*F5	C918	*C4	IC103	*A4	IC706	D3	Q724	E4	R212	*A4	R371	A2
C314	*C3	C634	*F5	C919	*C4	IC104	A3	IC707	D3	Q725	*E5	R213	*A4	R372	*B2
C315	*C3	C635	*E1	C920	C4	IC105	A3	IC708	C3	Q726	E5	R214	*B4	R373	A2
C316	*C3	C636	*F5	C921	D5	IC200	B4	IC709	E4	Q727	*E5	R215	*B4	R374	*B2
C317	*C3	C637	*F5	C922	D4	IC201	B4	IC710	*C5	Q728	E5	R216	*B4	R375	A2
C318	*B3	C638	F1	C923	C5	IC202	C3	IC712	D3	Q900	*C5	R217	*B4	R376	*B2
C319	*B3	C639	*C2	C924	C4	IC203	C3	IC713	*E4	Q902	*C5	R218	*B4	R377	A2
C320	*B3	C640	*F3			IC204	B3	IC714	E5	Q904	*C5	R219	B4	R378	*B2
C321	*B3	C641	*D1	CL1	C3	IC205	B3	IC716	E5	Q906	*B2	R220	*B4	R400	*C3
C322	*B3	C642	*E1	CL2	D2	IC300	B4	IC717	D5	Q907	B2	R221	*A4	R401	*C4



DNV-5 (SY) : S/N 10317 and Higher
DNV-5 (J) : S/N 30041 and Higher

IF-634 -A SIDE-
SUFFIX: -14,15




IF-634 -B SIDE-
SUFFIX: -14,15

R418	* C3	R667	* F1	R773	* E5	RB701	* D3
R419	* C3	R668	* F1	R774	* D4	RB702	* D3
R420	* C3	R669	* F1	R775	* D4	RB703	* C3
R421	* C3	R670	* F2	R776	* E5	RB704	* D4
R422	* C3	R671	* F2	R777	* E5		
R423	* C3	R672	* F2	R778	E5	S700	D4
R424	* C3	R673	* F2	R779	* E5		
R425	* C3	R674	* F2	R780	* E5	TP100	A5
R426	* C3	R675	F1	R783	E4	TP101	A3
R427	* C3	R676	* E3	R784	* E5	TP200	B5
R428	* C3	R677	* C2	R785	* D4	TP201	B3
R429	* C3	R678	* D2	R786	* D4	TP300	B5
R430	* C3	R679	* D2	R787	E4	TP301	B3
R431	* C3	R680	* D2	R789	* E5	TP400	C2
R500	* C2	R681	E2	R790	* D4	TP500	D1
R501	* C2	R682	F2	R791	* E5		
R502	* C2	R685	* B5	R792	* E5	X700	D3
R504	* B2	R687	* D2	R793	* D4		
R505	* B2	R689	* D2	R794	* E5		
R506	* B1	R690	* C3	R795	* D4		
R507	* C2	R691	* C3	R796	* D4		
R508	* B2	R692	* F1	R797	* E5		
R509	* C1	R693	* F1	R798	* D1		
R510	* C1	R694	* C3	R799	* E5		
R511	* C1	R695	* C3	R800	* E4		
R512	* C1	R698	* C5	R801	* E5		
R513	* C2	R699	* C5	R802	* D5		
R514	E2	R700	D3	R803	* E5		
R515	E2	R701	* D3	R804	* D5		
R516	* D1	R702	* D2	R805	* E5		
R517	* B1	R703	* D2	R806	* E5		
R518	* B1	R704	* C2	R807	* E5		
R519	* B1	R705	* C3	R808	* E5		
R521	* B2	R706	* D3	R809	* D5		
R522	* B2	R707	* D3	R810	* E5		
R599	* E1	R708	* D3	R811	E5		
R600	* E1	R709	* D3	R812	* D5		
R601	* E1	R710	* D3	R813	* D5		
R602	* E1	R711	* D3	R814	E5		
R603	* E1	R712	* D2	R815	E5		
R604	* E1	R713	* D2	R816	E5		
R605	* E2	R714	* D2	R817	E5		
R606	* E2	R715	* D2	R818	* D4		
R607	* E2	R716	* D2	R819	* D5		
R608	* E2	R717	D2	R820	* D5		
R609	* E2	R718	* C3	R821	* D4		
R610	* E2	R719	* D2	R822	* D5		
R611	* E2	R720	* C3	R823	E5		
R612	* E2	R721	* C3	R824	D5		
R613	E2	R722	* C4	R825	D5		
R614	E2	R723	* C4	R826	D5		
R615	* E3	R725	* C3	R827	D5		
R616	* E3	R726	* D2	R828	D5		
R617	* E3	R727	* D2	R829	* B5		
R618	* E3	R728	* D2	R831	* E3		
R619	* E3	R729	* D3	R834	* D2		
R620	* F3	R730	* D3	R839	C3		
R621	* F4	R731	D3	R840	C3		
R622	* F4	R732	* D2	R851	* E4		
R623	* E4	R733	* D3	R852	* E4		
R624	* E4	R734	* D2	R853	* E4		
R625	* E4	R735	* D3	R854	* E4		
R626	* E4	R736	* D3	R855	E4		
R627	* E4	R737	* D3	R856	E4		
R628	* F4	R738	* D3	R857	E4		
R629	* F4	R739	* D3	R859	E4		
R630	* F4	R740	* E3	R860	E4		
R637	* C2	R741	D3	R861	E4		
R638	* D1	R742	D2	R867	* E4		
R639	* D1	R743	* C3	R900	* C5		
R640	* D2	R744	* C3	R902	* C5		
R641	* E5	R745	* C3	R904	* C5		
R642	* D2	R747	* C5	R905	* C5		
R643	* F1	R748	* C5	R908	* B2		
R644	* F1	R749	* D5	R909	B2		
R645	* F1	R750	* E4	R910	* C5		
R646	* F1	R751	* D5	R911	* C4		
R647	* F1	R752	* D5	R913	* C4		
R648	* F1	R753	* C5	R914	* D4		
R649	* F1	R754	D5	R915	* D5		
R650	* F1	R755	* D5	R916	* C4		
R651	* F1	R756	* D5	R917	* C4		
R652	* F1	R757	* D5	R918	* C5		
R653	* F1	R758	D3	R919	* C4		
R654	* F1	R759	* D3	R920	* C4		
R655	* F1	R760	* D3	R921	* C4		
R656	* F1	R761	* D3	R922	* C4		
R657	* F1	R762	* D3				
R658	* F1	R763	D4	RB500	* C2		
R659	* F1	R764	* A5	RB501	* D2		
R660	* F1	R765	* A5	RB600	* F5		
R661	* F1	R766	* D5	RB601	* F5		
R662	* F1	R767	D3	RB602	* E5		
R663	* F1	R768	* E4	RB603	F5		
R664	* F1	R769	* E4	RB604	F5		
R665	* F1	R771	* D4	RB605	F5		
R666	* F1	R772	* D1	RB700	* C3		

* : B SIDE

C1	*D1	C400	*C4	C638	F1	CN3	F2	IC506	*C2	LA1	D2	R117	*A3	R330	*C3
C2	*D1	C401	*C4	C639	*D2	CN700	F1	IC507	*C2	LA2	D2	R118	*A3	R331	*C3
C4	*D2	C402	*C5	C700	D2	CP600	E3	IC510	E2	LA3	D2	R119	*A3	R332	*B3
C5	*F1	C403	*C5	C701	*C3			IC511	*E1	LA4	D2	R120	A3	R333	*C3
C6	*F1	C404	*C5	C702	*D2	D100	*A3	IC512	*E1	LA5	D1	R121	*A3	R334	*C4
C7	*E4	C405	*C4	C703	*C2	D200	*A4	IC513	*E2	LA6	D1	R122	*A3	R335	*B3
C100	*A5	C406	*C4	C704	*C2	D300	*B4	IC515	*B2			R123	*A3	R336	*B4
C101	*A5	C407	*C4	C705	*C2	D500	*C1	IC516	*B2	Q100	*A5	R124	*A3	R337	*C3
C102	A5	C408	*C2	C706	*C2	D501	*C1	IC517	B2	Q101	*A3	R125	*A3	R338	B3
C103	*A5	C409	*C2	C707	*D3	D502	*C1	IC518	*C2	Q102	*A3	R126	*C3	R400	*C5
C104	*A5	C410	C4	C708	D3	D503	*B1	IC519	*C2	Q103	*A3	R127	*C3	R401	*C5
C105	*A5	C411	*C4	C709	*C3	D504	*B1	IC520	*C1	Q104	*A3	R128	*A4	R402	*C5
C106	*A3	C412	*C3	C710	D3	D505	*B1	IC521	*B2	Q105	*A3	R129	*A4	R403	*C5
C107	*A4	C413	*C4	C711	D3	D700	D4	IC601	*E1	Q106	*A3	R130	*A4	R404	*C4
C108	A3	C414	*C3	C712	C3	D701	D4	IC602	*E1	Q200	*B5	R131	A3	R405	*C4
C109	*A3	C415	*C4	C713	*D5	D702	*D3	IC603	*E2	Q201	*B4	R132	A3	R406	*C4
C110	*A3	C416	*C4	C714	*D3	D703	*D3	IC604	*E2	Q202	*B4	R133	A3	R407	*C4
C111	*A3	C417	*C3	C715	*D3	D704	*D3	IC605	E3	Q203	*B4	R134	*A3	R408	*C4
C112	A3	C418	*C3	C716	*E3	D705	*D3	IC606	E3	Q204	*B4	R135	*A3	R409	*C4
C113	*A3	C420	*A2	C717	*D3	D710	*D2	IC607	*E1	Q205	*B4	R136	*A3	R410	*C4
C114	*A3	C422	*A2	C718	*D3	D900	*D5	IC608	F4	Q206	*B3	R137	*A3	R411	*C4
C115	*C3	C425	*A2	C719	D3	D901	*D4	IC609	F3	Q207	*B5	R138	*A3	R412	C4
C116	*C3	C426	*A2	C720	*D4	D902	*C5	IC610	F4	Q208	*C5	R139	*A3	R413	*C4
C117	*A4	C427	*B2	C721	*D4	D903	*C4	IC611	F3	Q209	*C5	R140	A3	R414	*C4
C118	*A4	C428	*B2	C722	D3			IC612	F4	Q300	*B5	R200	*B5	R415	*C4
C119	*A3	C429	*B2	C732	E4	E100	A5	IC613	*D2	Q301	*B4	R201	*B5	R416	*C4
C120	*A3	C430	B2	C733	E5	E101	A3	IC614	*F1	Q302	*B4	R202	*B5	R417	*C3
C121	*A3	C431	*A2	C734	*E5	E200	A3	IC615	D2	Q303	*B4	R203	*B5	R418	*C3
C122	*A3	C432	*B2	C735	*E5	E300	B3	IC616	D2	Q304	*B4	R204	*B5	R419	*C3
C123	*A3	C500	*B2	C736	*E5	E400	F4	IC617	*E3	Q305	*C4	R205	*B4	R420	*C3
C124	*A3	C501	*B2	C737	*E5	E500	A2	IC618	*D2	Q306	*B3	R206	*A4	R421	*C3
C125	*A3	C502	B2	C738	*E5	E501	*F2	IC621	*D2	Q400	*C5	R207	*B4	R422	*C3
C126	*A3	C503	*B1	C739	*E5	E700	C1	IC622	F5	Q401	*C4	R208	*B4	R423	*C3
C127	*A3	C504	*B2	C740	*D4	E701	B2	IC623	F4	Q600	*F1	R209	*B4	R424	*C3
C128	*A3	C505	*B1	C741	*D4	E702	B3	IC624	F5	Q700	*D3	R210	*B4	R425	*C3
C129	*A2	C506	*C1	C742	*E5	E703	*D5	IC625	F5	Q701	*D3	R211	*B4	R426	*C3
C130	*A3	C507	*C2	C743	D4			IC626	*D2	Q702	D3	R212	*A4	R427	*C3
C200	*A5	C508	*C2	C744	D5	FB100	*A5	IC627	*E2	Q703	*D3	R213	*A4	R428	*C3
C201	*B5	C509	*E2	C745	*D4	FB200	*B5	IC628	F1	Q704	*D3	R214	*B4	R429	*C3
C202	B5	C510	*D1	C746	*D5	FB300	*B5	IC629	F5	Q705	*C5	R215	*B4	R430	*C3
C203	*B5	C511	*D1	C747	*D4	FB600	*F3	IC630	*F1	Q706	*D5	R216	*B4	R431	*C3
C204	*B4	C512	*D1	C748	*D4	FL100	A4	IC631	F1	Q707	*E5	R217	*B4	R432	*C3
C205	*A4	C513	*D2	C749	*D5	FL200	B4	IC632	*F4	Q708	E5	R218	*B4	R500	*C2
C206	A4	C514	*E1	C750	*D5	FL300	B4	IC633	*E3	Q709	D4	R219	B4	R501	*C2
C207	*B4	C515	*D2	C751	*D5	FL600	*D2	IC634	*F3	Q710	D4	R220	*B4	R502	*C2
C208	*B4	C516	*D2	C752	*E4	FL700	D4	IC700	*D2	Q711	D4	R221	*A4	R503	*D1
C209	*B4	C517	*D1	C753	*C3			IC701	*C3	Q712	*E5	R222	*A4	R504	*B2
C210	B4	C518	*E2	C756	D4	IC1	*D1	IC702	D3	Q713	*E5	R223	*B4	R505	*B2
C211	*A4	C519	*D2	C758	*E4	IC2	*E1	IC703	D3	Q714	*E5	R224	B4	R506	*B1
C212	*A4	C520	*B2	C759	*D5	IC3	*D2	IC704	C2	Q715	E5	R225	B4	R507	*C2
C213	*C3	C521	*C2	C760	*D5	IC4	*F1	IC705	C3	Q716	*E5	R226	B4	R508	*C2
C214	*C3	C523	*B2	C761	*D5	IC5	*F1	IC706	D3	Q717	*E5	R227	*B3	R509	*C1
C215	*C3	C524	*B2	C762	*D5	IC10	*E3	IC707	D3	Q718	*E5	R228	*C3	R510	*C1
C216	*C3	C525	*B2	C851	*E4	IC11	E3	IC708	C3	Q719	E5	R229	*C3	R511	*C1
C217	*B3	C526	C2	C852	*E4	IC100	A3	IC709	E4	Q720	*C5	R230	*B3	R512	*C1
C218	*B3	C527	C2	C853	E4	IC101	A3	IC710	*C5	Q721	*E4	R231	*B3	R513	*C2
C219	*B3	C528	*C1	C854	E4	IC102	C3	IC712	D3	Q722	D5	R232	*C3	R514	E2
C220	*B3	C529	B2	C855	*E4	IC103	*A4	IC713	*E4	Q723	D5	R233	*B4	R515	E2
C221	*B3	C600	F1	C856	E4	IC104	A3	IC714	E5	Q900	*C5	R234	*B3	R516	*D1
C222	*B3	C601	*F1	C857	E4	IC105	A3	IC716	E5	Q902	*C5	R235	*B4	R517	*B1
C223	*B3	C602	*E2	C858	*E4	IC200	B4	IC717	E5	Q904	*C5	R236	*C3	R518	*B1
C224	*A3	C603	*E2	C859	*E4	IC201	B4	IC718	D4	Q906	*A2	R237	A3	R519	*B1
C225	*B3	C604	*E2	C864	*E4	IC202	C3	IC719	D5	Q907	B2	R238	*B5	R521	*B2
C226	*B3	C605	*E2	C865	*E4	IC203	C3	IC721	*E4	Q908	D5	R239	*B5	R522	*B2
C227	*B3	C606	*E2	C866	*E4	IC204	B3	IC724	*C5	Q909	D4	R240	*C5	R600	*E1
C228	*B3	C607	*F2	C900	*D5	IC205	B3	IC725	*C3	Q910	C5	R241	*C5	R601	*E1
C229	*C3	C608	*E2	C901	*D5	IC300	B4	IC726	*D3	Q911	C4	R242	*C5	R602	*E1
C300	*B5	C609	F3	C902	*C4	IC301	B4	IC727	*D4	Q912	*C4	R300	*B5	R603	*E1
C301	*B5	C610	*F3	C903	*B2	IC304	B3	IC728	*E3	Q913	*C4	R301	*B5	R604	*E1
C302	C5	C611	*F2	C904	*D5	IC305	B3	IC729	*E3			R302	*B5	R605	*E2
C303	*B5	C612	F2	C905	*D5	IC401	C5	IC730	E3	R1	*E1	R303	*B5	R606	*E2
C304	*B4	C613	*E2	C908	*B2	IC402	C4	IC731	*E3	R10	*D2	R304	*B5	R607	*E2
C305	*B4	C614	*E3	C909	*D5	IC403	C2	IC732	E4	R11	*D2	R305	*B4	R608	*E2
C306	B4	C615	*E3	C910	*D4	IC404	C2	IC733	*E3	R12	*D2	R306	*B4	R609	*E2
C307	*B4	C616	*E3	C911	*D5	IC405	C4	IC734	D5	R13	*D2	R307	*B4	R610	*E2
C308	*B4	C617	*F4	C912	*D4	IC406	C3	IC851	E4	R14	*D2	R308	*B4	R611	*E2
C309	*B4	C618	*F3	C913	*C5	IC407	C4	IC852	*E4	R15	*D2	R309	*B4	R612	*E2
C310	C4	C619	*F4	C914	*C4	IC408	C4	IC853	*E4	R16	*D2	R310	*B4	R613	E2
C311	*B4	C620	*F4	C915	*D4	IC409	C3	IC854	*E4	R17	*D2	R311	*B4	R614	E2
C312	*B4	C621	*E4	C916	*C4	IC410	*C3	IC858	E4	R100	*A5	R312	*B4	R615	*E3
C313	*C3	C622	F1	C917	*C4	IC412	A2	IC900	*B2	R101	*A5	R313	*B4	R616	*E3
C314	*C3	C623	F1	C918	*D4	IC414	A2	IC901	D5	R102	*A5	R314	*B4	R617	*E3
C315	*C3	C624	*D1	C919	*C4	IC418	A2	IC903	*D5	R103	*A5	R315	*B4	R618	*E3
C316	*C3	C625	*C1	C920	C4	IC419	A3	IC904	C5	R104	*A5	R316	*B4	R619	*E3
C317	*C3	C626	*D2	C921	D5	IC420	B3			R105	*A5	R317	*B4	R620	*F3
C318	*B3	C627	*F5	C922	D4	IC421	B3	L600	*F1	R106	*A4	R318	B4	R621	*F4
C319	*B3	C628	*F4	C923	C5	IC422	B3	L601	*E3	R107	*A3	R319	C4	R622	*F4
C320	*B3	C629	*F5	C924	C4	IC423	B2	L602	*F5	R108	*A4	R320	*B4	R623	*E4
C321	*B3	C630	*F5	CL500	C2	IC424	A2	L603	*F5	R109	*A3	R321	*B4	R624	*E4
C322	*B3	C631	*F5	CL501	C1	IC425	B2	L604	*F4	R110	*A4	R322	*B4	R625	*E4
C323	*B3	C632	*F4	CL502	C2	IC500	*C2	L605	*F5	R111	*A3	R323	*B4	R626	*E4
C324	*B3	C633	*F5	CL503	C1	IC501	*B1	L606	*F5	R112	*A3	R325	B4	R627	*E4
C325	*B3	C634	*F5	CL504	C2	IC502	*B2	L700	*D3	R113	*A3	R326	C4	R628	*F4
C326	*B3	C635	*E1	CL505	A2	IC503	C1	L701	*D4	R114	*A3	R327	C4	R629	*F4
C328	*B3	C636	*F5	CN1	B5	IC504	*C1	L704	*E5	R115	*A3	R328	*B3	R630	*F4
C329	*B3	C637	*F5	CN2	D5	IC505	*C2	L900	*D5	R116	*A3	R329	*C3	R631	*E4






R632	* F4	R734	* D2	R831	* E3
R633	* F4	R735	* D3	R834	* D2
R634	* F4	R736	* D3	R839	C3
R635	* F4	R737	* D3	R840	C3
R636	* F4	R738	* D3	R851	* E4
R637	* D2	R739	* D3	R852	* E4
R638	F1	R740	* E3	R853	* E4
R639	F1	R741	D3	R854	* E4
R640	* D2	R742	D2	R855	E4
R641	* E5	R743	* C3	R856	E4
R642	* D2	R744	* C3	R857	E4
R643	F1	R745	* C3	R859	E4
R644	F1	R746	* E4	R860	E4
R645	F1	R747	* C5	R861	E4
R646	F1	R748	* C5	R867	* E4
R647	F1	R749	* D5	R900	* C5
R648	F1	R750	* E4	R902	* D5
R649	F1	R751	* D5	R904	* D5
R650	F1	R752	* D5	R905	* D5
R651	F1	R753	* C5	R908	* A2
R652	* F1	R754	D5	R909	B2
R653	F1	R755	* D5	R910	* D5
R654	* F1	R756	* D5	R911	* C4
R655	F1	R757	* D5	R912	* C4
R656	* F1	R758	D3	R913	* D4
R657	F1	R759	* D3	R914	* D4
R658	* F1	R760	* D3	R915	* D5
R659	F1	R761	* D3	R916	* C4
R660	F1	R762	* D3	R917	* C4
R661	F1	R763	D4	R918	* C5
R662	F1	R764	* A5	R919	* D4
R663	F1	R765	* A5	R920	* D4
R664	F1	R766	* D5	R921	* C4
R665	F1	R767	D3	R922	* C4
R666	F1	R768	* E4	R930	* D2
R667	F1	R769	* E4	R932	* D2
R668	* F1	R770	* D4	R933	* D1
R669	F1	R771	* D4	R934	* D1
R670	* F1	R772	* D4	RB500	* C2
R671	F1	R773	* E5	RB501	* D2
R672	* F1	R774	* D4	RB600	* F5
R673	F1	R775	* D4	RB601	* F5
R674	* F1	R776	* E5	RB602	* E5
R675	F1	R777	* E5	RB603	F5
R676	* E3	R778	E5	RB604	F5
R677	* D2	R779	* E5	RB605	F5
R678	* D2	R780	* E5	RB700	* C3
R679	* D2	R781	* E4	RB701	* D3
R685	* B5	R782	* D4	RB702	* D3
R686	* D4	R783	E4	RB703	* C3
R687	* D2	R784	E4	RB704	* D4
R689	D2	R785	* D4		
R690	* C4	R786	* D4	S700	D4
R691	* C4	R787	E4		
R692	* C4	R788	D4	TP100	A5
R693	* C4	R789	E5	TP101	A3
R694	* C4	R790	* D4	TP200	B5
R695	* C4	R791	* E5	TP201	B3
R696	D4	R792	* E5	TP300	B5
R697	D4	R793	* D4	TP301	B3
R698	* C5	R794	* E5	TP400	C5
R699	* C5	R795	* D4	TP401	C3
R700	D3	R796	* D4	TP500	D1
R701	* D3	R797	E5	TP700	D4
R702	* D2	R798	* E5		
R703	* D2	R799	* E5	X700	D3
R704	* C2	R800	* E4		
R705	* C3	R801	* E5		
R706	* D3	R802	* E5		
R707	* D3	R803	* E5		
R708	* D3	R804	* E5		
R709	* D3	R805	* E5		
R710	* D3	R806	* E5		
R711	* D3	R807	* E5		
R712	* D2	R808	E5		
R713	* D2	R809	* D5		
R714	* D2	R810	* E5		
R715	* D2	R811	* D5		
R716	* D2	R812	* D5		
R717	D2	R813	* D5		
R718	* C3	R814	E5		
R719	* D2	R815	E5		
R720	* C3	R816	E5		
R721	* C3	R817	E5		
R722	* C4	R818	* E4		
R723	* C4	R819	* E5		
R724	* D3	R820	* E4		
R725	* C3	R821	* D4		
R726	* D2	R822	* D5		
R727	* D2	R823	E5		
R728	* D2	R824	E5		
R729	* D3	R825	E5		
R730	* D3	R826	E5		
R731	D3	R827	E5		
R732	* D2	R828	E5		
R733	* D3	R829	E5		

ES-11 (1-662-309-11)
* : B SIDE


C1	* D3	C101	C2	CN2	* D3	Q5	D3	R22	* D2	R118	B3	R214	* A2	R312	C1	R414	* C3
C2	* D3	C102	C2	CN3	* D1	Q6	D2	R23	* D2	R119	C3	R215	* A3	R313	* D2	R415	* C3
C3	* B3	C103	A3	CP1	D1	Q7	D2	R24	* D2	R120	C3	R216	* A2	R314	* D2	R416	* C3
C4	* B3	C104	* A3			Q8	D3	R25	* D2	R121	* B3	R217	* D3	R315	* D1	R417	* D3
C5	* D2	C105	* A3	D1	* C3	Q9	D2	R26	* D3	R122	* A3	R218	* D3	R321	D2	R418	D3
C6	* D2	C106	* A3	D2	C2	Q10	D2	R27	* D3	R123	* A3	R219	* D3	R322	D2	R419	D3
C7	* D2	C107	* A3	D3	C2	Q11	C2	R28	D2	R124	* A3	R220	* D3	R323	* D2	R420	* C2
C8	* D2	C108	* A3	D4	* A2	Q12	C2	R29	* D3	R125	* A3	R221	* D3	R324	* A2	R421	* C2
C9	* D3	C109	* A3	D5	* A2	Q13	C2	R30	* D3	R126	A3	R222	D4	R325	* A1	R422	A2
C10	D3	C110	* A2	D6	* D2	Q14	B2	R31	* D3	R127	* A3	R223	D3	R326	* A2	R423	A2
C11	D3	C111	* A2	D7	* D1	Q15	B3	R32	* D3	R128	A3	R224	D4	R327	* A2	R424	A4
C12	D3	C112	* A2	D8	* D2	Q16	B3	R33	* D3	R129	A3	R225	D3	R328	* A2	R425	* D3
C13	D3	C114	* D2	D9	C2	Q17	B2	R34	* D2	R130	A3	R226	D4	R329	* C1	R426	D4
C14	* C2	C115	* D2	D13	* D1	Q18	C2	R35	* D2	R131	A3	R227	D4	R330	* C1	R427	D4
C15	* D3	C116	* D1	DL1	B3	Q19	C2	R36	* D2	R132	A3	R228	D3	R332	* C1	R428	* B3
C16	D2	C117	* D2	DL2	B3	Q20	* C3	R37	* D2	R133	A3	R229	D3	R333	* C1	R429	* B3
C17	D2	C118	* D2			Q21	* C3	R38	* D2	R134	A4	R230	D3	R334	* C1	R430	* B3
C18	* C2	C119	* C1	FL1	D3	Q22	* C3	R39	* D2	R135	B2	R231	D3	R335	* C1	R431	* D4
C19	* C2	C120	A1	FL2	D3	Q23	* C3	R40	* C2	R136	B3	R232	C4	R336	* C1	R432	D4
C20	C2	C121	D2	FL3	C2	Q24	C3	R41	* D2	R137	* B2	R233	* C4	R337	* C1	R433	D4
C23	B3	C122	* D2	FL4	B2	Q25	C3	R42	* C2	R138	* B2	R234	* C4	R338	* C1	R434	* B3
C24	B2	C123	* D2	FL5	C3	Q26	C3	R43	* C2	R139	* B2	R235	* C4	R339	* C1	R435	* B3
C25	B2	C124	D2	FL6	C3	Q27	B3	R44	* C2	R140	* B2	R236	* C4	R340	* C1	R436	* B3
C26	* B2	C125	A2	FL7	A4	Q28	C3	R45	C2	R141	* B2	R237	* D4	R341	* C1	R437	* C1
C27	* C3	C126	* A2	FL8	B2	Q29	A3	R46	* C2	R142	B2	R238	* D4	R342	* C1	R438	* D1
C28	* C3	C127	* A2	FL9	C3	Q30	A3	R47	* C2	R143	* B2	R239	D4	R343	* B3	R439	* C1
C29	* A2	C128	* C1	FL10	D3	Q31	A3	R48	* C2	R144	* B2	R240	C4	R344	* B3	R440	* B2
C30	* C2	C129	* A2	FL11	C3	Q32	B2	R49	* C2	R145	* B2	R241	B4	R345	* D1	R441	* B2
C31	C3	C130	* C1	FL12	A4	Q33	* B2	R50	* C2	R146	* B2	R242	* B4	R346	D1	R442	A3
C32	* C3	C131	C2	FL13	A3	Q34	* B2	R51	* C4	R147	* B2	R243	* B4	R347	* D1	R443	* D3
C33	C3	C132	* C1	FL14	D4	Q35	D3	R52	* C4	R148	* B2	R244	* D2	R348	* C1	R444	A2
C34	C3	C133	* C1	FL15	D3	Q36	* C3	R53	* C2	R149	* B2	R245	* B4	R349	* D1	R445	* D1
C35	* C3	C134	* C1	FL16	C4	Q37	* C3	R54	* D4	R150	* B2	R246	* B4	R350	* D1	R446	* D2
C36	C3	C135	* C1	FL17	A3	Q38	* C3	R55	* C2	R151	* B2	R247	* B4	R351	* C1	R447	* D1
C37	C3	C136	* D1	FL18	A3	Q39	* D4	R56	* C2	R152	* B2	R248	* B4	R352	* C2	R448	* B3
C38	C3	C137	* D1			Q40	* B3	R57	C3	R153	* B2	R249	* B4	R353	* B2	R449	* B3
C39	C3	C138	D1	IC1	* D3	Q41	* B3	R58	C2	R154	* B2	R250	* B4	R354	* B2	R450	* B4
C40	* A3	C139	* D1	IC2	D3	Q42	* B3	R59	C3	R155	* B2	R251	* B4	R355	* B2	R451	D3
C41	* C3	C140	* A2	IC3	C2	Q43	* A4	R60	C2	R156	* B2	R252	* B4	R356	* A2	R452	* C4
C42	* C3	C141	* A2	IC4	B2	Q44	* A3	R61	C2	R157	* C2	R253	* B4	R357	B2	R453	* C4
C43	* C3	C142	* A2	IC5	D3	Q45	A3	R62	B2	R158	B2	R254	* B3	R358	* B2	R454	* B4
C44	* A3	C143	* A2	IC6	* B4	Q46	A2	R63	B2	R159	D3	R255	A3	R359	* A2	R455	A4
C45	* A3	C144	A2	IC7	B2	Q47	* D3	R64	B2	R160	D3	R257	B2	R360	* A2	RB1	* D2
C46	A3	C145	* A2	IC8	C2	Q48	* D3	R65	B2	R161	D3	R258	B3	R361	* A2		
C47	A3	C146	* A2	IC9	* C4	Q49	* C4	R66	* B2	R162	* D3	R259	B3	R362	* A2		
C48	A3	C147	* A2	IC10	A3	Q50	* C4	R67	B2	R163	* D3	R260	A2	R363	* A2		
C49	A3	C148	A2	IC11	A2	Q51	* D4	R68	* B2	R164	* C3	R261	B2	R364	* A2		
C50	* B2	C149	* A2	IC12	A2	Q52	* B4	R69	B2	R165	* D3	R262	* B2	R365	* A2		
C51	C2	C150	* C1	IC13	* D2	Q53	* B4	R70	* B2	R166	C3	R263	B3	R366	* A2		
C52	B2	C151	C1	IC14	D2	Q54	* B4	R71	* B2	R167	C3	R264	* B2	R367	* A2		
C53	* B2	C152	* C1	IC15	D2	Q55	* A1	R72	C2	R168	* C3	R265	* C2	R368	* A2		
C54	B2	C153	* B3	IC16	D2	Q56	B2	R73	C2	R169	* C3	R266	* C2	R369	* A2		
C55	C2	C154	* C2	IC17	D2	Q57	* C2	R74	C2	R170	* C3	R267	* C2	R370	* A2		
C56	B2	C155	* A2	IC18	* D2	Q58	* C2	R75	C2	R171	* C3	R268	* C2	R371	* A2		
C57	* C3	C156	C4	IC19	D2	Q59	A3	R76	C2	R172	C3	R269	* C2	R372	* A2		
C58	* C3	C157	D4	IC20	* D2	Q60	A3	R77	C2	R173	C3	R270	* C2	R373	* A2		
C59	* D1	C158	* D3	IC21	A2	Q61	A3	R78	* D3	R174	C4	R271	* C2	R374	* A2		
C60	* D1	C159	D3	IC22	* C1	Q62	A3	R79	* D3	R175	* C3	R272	* C2	R375	* A3		
C61	* A3	C160	* C3	IC23	C1	Q63	A3	R80	* D3	R176	* C3	R273	* C2	R376	* C1		
C62	* C4	C161	C3	IC24	* C1	Q64	* A2	R81	* C3	R177	* C4	R274	* C2	R377	* C1		
C63	* B3	C162	D3	IC25	C1	Q65	* A2	R82	* C3	R178	* C4	R275	* C2	R378	* C1		
C64	* B4	C163	* C3	IC26	C1	Q66	* B3	R83	* C3	R179	* D3	R276	* C2	R379	* C1		
C65	* B2	C164	D3	IC27	D1	Q67	* B3	R84	* C3	R180	* D3	R277	C2	R380	* C1		
C66	* B3	C165	D3	IC28	A2	Q68	* B3	R85	* C3	R181	* C3	R278	* A3	R381	* C1		
C67	* A3	C166	D3	IC29	C1	Q69	B2	R86	* C3	R182	* C3	R279	* A3	R382	* C1		
C68	* B4	C167	A4	IC30	C1	Q70	* A3	R87	* C3	R183	* C3	R280	A3	R383	* C1		
C69	B3	C168	A3	IC31	* B3	Q71	* A3	R88	* C3	R184	* B3	R281	* A3	R384	* C1		
C70	B3	C169	* A3	IC32	A2	Q72	* D1	R89	* C3	R185	* B4	R282	* A3	R385	* C1		
C71	A3	C170	A3	IC33	* C4	Q73	* B3	R90	* C3	R186	* B3	R283	* A3	R386	* C1		
C72	A4	C171	A3	IC34	* A2	Q74	* D3	R91	* C3	R187	* A3	R284	* A3	R387	* C1		
C73	* A3	C172	* A3	IC35	* D1	Q75	D3	R92	* C3	R188	* C3	R285	* A3	R388	B3		
C74	* A4	C173	* A2	IC36	* D1	Q76	* D3	R93	* C3	R189	* B4	R286	* A3	R389	* B2		
C75	* A4	C174	* A2	IC37	D4	Q77	* A2	R94	* C3	R190	* B4	R287	* A3	R390	* B3		
C76	* A4	C175	* C2	IC38	D4	Q78	* C1	R95	* C3	R191	* B3	R288	A3	R391	* A3		
C77	* A4	C176	* C3	IC39	D3			R96	* C3	R192	* B3	R289	* A3	R392	* C2		
C78	A2	C177	* C2	IC40	* D1	R1	* D3	R97	* C3	R193	* A3	R290	A3	R393	* C2		
C79	A2	C178	* C1	IC41	B4	R2	* D3	R98	* C3	R194	* A3	R291	* A3	R394	* C1		
C80	* A3	C179	* D1	IC42	* D2	R3	* D3	R99	* C3	R195	* B3	R292	* A3	R395	* D3		
C81	* A3	C182	* D1			R4	* D3	R100	C3	R196	* A3	R293	A3	R396	B2		
C84	D4	C183	* C2	JR1	* C1	R5	D3	R101	* C3	R197	* A3	R294	A2	R397	C2		
C85	D3	C184	* B2	JR2	* C1	R6	D3	R102	C3	R198	* A4	R295	* A3	R398	B2		
C86	* C4	C185	* C2	JR3	* D1	R7	* D3	R103	* C3	R199	* A4	R296	A2	R399	* A2		
C87	* D2	C186	* C2	JR4	* D1	R8	* D3	R104	* C3	R200	* A4	R297	* A2	R400	* A2		
C88	* B2	C187	* D3			R9	D3	R105	* C3	R201	* A4	R298	* A2	R401	* C1		
C89	* C4	C188	* D3	L1	* B3	R10	D3	R106	C3	R202	* A3	R299	* A2	R402	* C1		
C90	* B4	C189	* C3	L2	* B2	R11	* D3	R107	* C3	R203	* A4	R300	A2	R403	* C1		
C91	* B4	C190	* C3	L5	A3	R12	* D3	R108	* C3	R204	* A3	R301	* D1	R404	* C4		
C92	* D2	C191	* C3	L6	A3	R13	* D3	R109	* C3	R205	* A3	R302	* D2	R405	* C4		
C93	B4	C192	* D3	L7	* A2	R14	* D3	R110	* C3	R206	* A3	R303	* D2	R406	* D4		
C94	B4	C193	D4	L8	* A2	R15	* D3	R111	C3	R207	* A3	R305	* D2	R407	* D1		
C95	B4	C194	D3	L10	* A2	R16	* D3	R112	* C3	R208	* A4	R306	* C2	R408	* D1		
C96	* B3	C195	* A2			R17	D3	R113	C3	R209	A3	R307	* C2	R409	B2		
C97	* B3	C196	A3	Q1	* D3	R18	D2	R114	B3	R210	A3	R308	* D1	R410	* D1		
C98	A2	CL1	A4	Q2	* D3	R19	* D2	R115	* B3	R211	A3	R309	* D2	R411	A3		
C99	B2	CL2	B4	Q3	* D3	R20	* D2	R116	C3	R212	A2	R310	* D2	R412	* D3		
C100	C2	CN1															




TC-80 (1-662-324-12)

* : B SIDE

BT801	D6	C354	*E6	C614	E3	D401	*G6	IC709	*C3	R120	*K7
		C355	*E6	C617	*E3	D402	*E6	IC710	*C3	R121	*J6
C101	*J6	C356	*E6	C618	*E3	D501	*G2	IC711	*C2	R122	*H5
C102	J6	C357	*D6	C619	*E3	D502	*G3	IC712	*C3	R123	*H6
C103	*K7	C358	*E6	C620	*E3	D503	G7	IC713	*J2	R124	*H6
C104	K7	C359	*E6	C621	*E4	D504	G7	IC714	*J2	R125	*H6
C112	K7	C360	*E6	C622	*E3	D505	C5	IC715	*B6	R126	*H6
C113	J5	C361	*E6	C623	F4	D506	C6	IC716	*C4	R127	*J6
C114	*J6	C362	E5	C624	*F4	D507	*C6	IC717	*C4	R128	*H5
C115	*H5	C363	E6	C625	*F3	D508	*C5	IC801	*C5	R129	*H5
C116	*H5	C364	E5	C626	*F3	D509	*C6	IC802	*D5	R130	*J6
C117	*H5	C365	E5	C627	A4	D510	*C6	IC803	*D5	R132	*J5
C118	*H4	C370	*H7	C628	F3	D612	*C5	IC804	D5	R133	*H5
C119	J4	C371	*H7	C629	*G3	D701	C5	IC805	*D5	R134	*H5
C120	*J4	C372	H7	C630	*G3	D702	C4	IC806	D4	R135	*J5
C121	J4	C373	*H7	C631	*H3	D703	*C4	IC807	D4	R136	*J5
C122	*J4	C374	*H7	C632	*H2	D704	*D4	IC820	E7	R137	*H5
C123	G4	C403	G6	C633	*H2	D705	*D4	IC901	*B7	R138	*J5
C125	*G4	C404	*G6	C634	*G2	D706	*D4	IC902	*B7	R139	*J5
C126	*G4	C405	*G6	C635	G3	D707	*D5	IC951	*K3	R140	*J5
C127	G4	C406	*G6	C636	*G2	D708	*A3	IC952	*J3	R141	*J5
C128	*G4	C407	G6	C637	*G2	D709	*K2			R142	*J5
C129	*G4	C408	G6	C701	B4	D710	*K1	IS711	*C2	R143	*J5
C130	F4	C409	F6	C702	B4	D712	K1			R144	*J5
C131	F4	C410	F6	C703	C5	D713	C4	JW901	A5	R145	*J4
C132	F4	C411	F6	C704	*C5	D714	*F7	JW902	A5	R146	*J4
C133	*F4	C412	F6	C705	*D4	D801	*D6	JW903	A5	R147	*H4
C134	*H6	C413	*F6	C706	C4	D802	*D6	JW904	A5	R148	*H4
C135	*H6	C414	*F6	C707	D4	D803	*D6	JW905	A5	R149	*J4
C150	*F5	C415	*F6	C708	C6	D804	*C6			R150	*J4
C151	*F4	C416	*F6	C709	C6	D805	*D6	LCD701	J2	R151	*J4
C152	*F5	C417	*F6	C710	C6	D806	*D6			R152	*J4
C153	*F4	C418	*F6	C711	C6	D807	*D5	L101	E4	R153	*G4
C154	*F5	C419	E6	C712	C7	D810	*D5	L502	F7	R154	*F4
C155	*E5	C420	E6	C713	C7	D811	*C5	L503	F7	R155	*F4
C156	*E5	C421	F6	C714	C3	D813	*D4	L504	F7	R156	*G4
C157	*E4	C422	E6	C715	A3	D814	E7	L505	F7	R157	*G4
C158	E4	C470	H7	C716	*B3			L506	A5	R158	*G4
C159	*E4	C473	*H7	C717	*B3	E102	*G4	L701	A6	R159	*G4
C160	F4	C474	*H7	C718	*C2	E202	*G5			R160	*G4
C162	F4	C502	*D3	C719	C2	E501	*E3	Q101	*J5	R161	*G4
C163	E5	C503	D3	C720	C2	E502	*E4	Q102	*J4	R162	*G4
C164	F4	C504	*D3	C721	C2	E801	*C5	Q103	*H4	R163	*G4
C165	*E4	C505	D3	C722	*K1			Q104	J4	R164	*G4
C166	*E4	C506	*D3	C723	*K1	IC101	H6	Q105	*J4	R165	*G4
C167	*E4	C507	E3	C724	A6	IC104	H5	Q106	*J4	R166	*F4
C201	*K6	C510	E3	C727	A6	IC105	H5	Q107	J4	R167	*F4
C202	K6	C511	E3	C728	B6	IC106	H4	Q108	*F4	R168	*F4
C212	K7	C514	E2	C729	*J1	IC107	G4	Q109	*G4	R169	*F4
C213	K5	C517	*E3	C730	*J1	IC108	F4	Q201	*K5	R170	*F4
C214	*K6	C518	*E3	C731	B6	IC109	E5	Q202	*K4	R171	*F4
C215	*J5	C519	*E3	C732	*D3	IC110	*E4	Q203	*J4	R172	*F5
C216	*J5	C520	*E3	C733	B6	IC111	*E5	Q204	K4	R174	*E5
C217	*J5	C521	*E3	C734	*C4	IC201	J6	Q205	*K4	R175	*E4
C218	*J4	C522	*E3	C735	*J2	IC204	K5	Q206	*K4	R176	*E4
C219	K4	C523	F3	C736	E7	IC205	J5	Q207	K4	R177	*E5
C220	*K4	C524	*F3	C739	B4	IC206	J4	Q209	*G4	R178	*E4
C221	K4	C525	*F2	C740	B4	IC207	G5	Q301	*G5	R179	*E5
C222	*K4	C526	*F3	C741	C5	IC301	H6	Q302	*G5	R180	*F4
C223	G5	C527	F2	C742	C5	IC302	G6	Q303	*F6	R181	*H5
C224	*G4	C528	*F2	C743	D7	IC303	G6	Q304	F5	R182	*H5
C225	*G5	C529	*F2	C745	K1	IC304	F6	Q305	F5	R183	*H5
C226	*G5	C530	*F2	C801	D6	IC305	E6	Q306	F6	R185	*J6
C227	G4	C531	*G1	C802	D7	IC306	*E5	Q307	*E6	R186	*J5
C228	*G5	C532	*H1	C803	C6	IC307	D6	Q308	*E6	R201	*J6
C229	*G5	C533	*H1	C804	C5	IC308	E7	Q309	*E6	R202	*J6
C230	F5	C534	*G1	C805	D5	IC402	G6	Q401	*G6	R203	*J6
C231	F5	C535	F2	C806	D5	IC403	G6	Q402	*G6	R204	*J6
C232	F5	C536	*G2	C811	*D5	IC404	F6	Q403	*F6	R205	*K6
C233	*F5	C537	*G2	C812	D5	IC470	H7	Q404	F6	R206	*K6
C234	*J6	C538	F7	C813	*D5	IC503	*D3	Q406	F6	R220	*K7
C235	*J6	C539	F7	C814	*D5	IC504	D3	Q501	*D3	R221	*K6
C301	H6	C540	F6	C815	*C5	IC505	D3	Q502	*F2	R222	*J5
C302	H6	C541	*F7	C816	*D4	IC506	E3	Q503	*H1	R223	*J6
C303	H5	C542	G7	C817	D5	IC507	E2	Q504	*H1	R224	*J6
C304	*G6	C543	G7	C818	*D4	IC508	F3	Q505	*H1	R225	*J6
C305	*G5	C544	C6	C819	E7	IC509	F2	Q507	G7	R226	*J6
C306	*G6	C545	G7	C901	A6	IC510	*H2	Q508	F7	R227	*J5
C307	G6	C546	G7	C902	A5	IC511	G2	Q511	G7	R228	*K6
C308	G5	C547	G7	C903	B6	IC512	D3	Q512	*C5	R229	*J5
C309	F6	C548	G7	C904	B6	IC519	G7	Q513	*B5	R230	*K6
C310	F5	C549	*C5	C951	*J3	IC520	G7	Q514	*C5	R232	*K5
C311	F6	C550	C5	C952	*J3	IC521	A4	Q602	*G3	R233	*J5
C312	F5	C551	H7			IC522	*A4	Q603	*H2	R234	*J5
C314	*F5	C552	H7	CN101	*G7	IC524	F7	Q604	*H2	R235	*K5
C315	*F6	C553	F7	CN102	E7	IC606	E3	Q605	*H2	R236	*K5
C316	*F5	C559	*A5	CN503	F7	IC607	E3	Q701	*K1	R237	*J5
C317	*F6	C560	*A5	CN504	*C2	IC609	G3	Q801	*D5	R238	*K5
C318	*F5	C561	*B5	CN901	*A4	IC610	*H3	Q951	*J3	R239	*K5
C319	E5	C562	*B4	CN902	*A5	IC611	G2	Q952	*J3	R240	*K5
C320	E5	C563	*B5			IC701	*B6			R241	*K5
C321	E6	C564	*A4	D101	*J5	IC702	*B6	R101	*H6	R242	*K5
C322	*E6	C566	A5	D102	*F4	IC703	E7	R102	*H6	R243	*K5
C350	*E6	C567	A5	D201	*K5	IC704	C5	R103	*H6	R244	*K5
C351	*E6	C569	D5	D202	*F5	IC705	D4	R104	*H6	R245	*K4
C352	*E6	C610	E3	D301	*G6	IC706	C6	R105	*J6	R246	*K4
C353	*E6	C611	E3	D302	*E6	IC708	B3	R106	*J6	R247	*J4






TC-80 -B SIDE-
SUFFIX: -12

R248	* J4	R413	* G6	R567	* C6	R723	* D4	R829	* D5	TP803	* C4
R249	* K4	R414	* G6	R568	* G7	R724	* C4	R830	* D5	TP804	* C4
R250	* K4	R415	* F6	R569	* G7	R725	* D4	R831	* D5	TP805	* C4
R251	* K4	R416	* G6	R570	* G7	R726	* D5	R832	* C5		
R252	K4	R417	* F6	R571	* G7	R727	* D5	R833	* D4	X701	* B4
R253	* G4	R418	* F6	R572	* G7	R728	* C4	R834	* D4	X702	* B3
R257	* G4	R419	F6	R573	* B5	R729	* D4	R835	* D4	X703	C2
R258	* G5	R420	F6	R574	* A5	R730	* D4	R836	* D4		
R259	* G5	R421	* F6	R575	* A5	R731	* D4	R837	* D4		
R260	* G5	R425	* F6	R576	* B5	R732	* D4	R838	* D4		
R261	* G5	R426	* F6	R577	* B4	R733	* D4	R839	* D4		
R262	G4	R427	* F6	R578	* B4	R734	* D4	R840	E7		
R263	* G5	R428	* F6	R579	* B5	R735	* D4	R841	E7		
R264	G4	R429	* F6	R580	* B4	R736	* C2	R842	C3		
R265	* G5	R430	* F6	R581	* B5	R737	* C2	R843	C3		
R266	* F5	R431	* F6	R582	* F3	R738	C3	R844	* C3		
R267	* F5	R432	* F6	R584	A5	R739	* B3	R845	* C3		
R268	* F5	R433	* E6	R586	* C5	R740	* B3	R910	A6		
R269	* F5	R434	* E6	R587	* F3	R741	* B3	R911	B7		
R270	* F5	R435	* E6	R590	* F7	R742	A3	R951	* J3		
R271	* F5	R436	* E6	R591	* F7	R743	* A3	R952	* J3		
R281	* J5	R437	* E6	R592	* F7	R744	* A3	R953	* J3		
R282	* J5	R438	* E6	R600	* F4	R745	C4	R954	* J3		
R283	* J5	R439	F6	R601	* F4	R746	* A3	R955	* H3		
R285	* K5	R440	F6	R602	* F4	R747	* J2	R956	* H3		
R286	* K5	R441	* F6	R615	* D3	R748	* J2	R957	* H3		
R301	H6	R470	* H7	R616	* D3	R749	* J1	R958	* H3		
R302	* G6	R471	* J7	R617	* E3	R750	B4	R1000	* D3		
R303	* G6	R472	* H7	R618	* E3	R751	B4	R1100			
R304	* G6	R473	* H7	R619	* E3	R752	* H1	R4000	* E7		
R305	* G5	R474	* H7	R620	* E3	R753	* C3				
R306	* G6	R475	* H7	R621	* E3	R754	B4	RB101	* E5		
R307	* G6	R500	* F3	R622	* E3	R755	* C3	RB507	* J2		
R308	* G5	R501	* E5	R623	* E4	R756	* C2	RB701	C3		
R309	* G5	R502	* F3	R624	* F4	R757	* C3	RB702	C3		
R310	* G5	R504	* D3	R625	* F4	R758	* B2	RB703	B4		
R311	* G5	R505	* F3	R626	E3	R759	* B2	RB704	B3		
R312	* G5	R506	* D3	R627	E3	R761	C3	RB706	* B3		
R313	* G5	R507	* D3	R628	A4	R762	B6	RB708	C4		
R314	* G6	R508	* D3	R629	A4	R763	B6	RB710	C4		
R315	* F6	R509	* D3	R631	* B5	R764	* C5	RB711	C3		
R316	* G5	R510	* D3	R632	* B5	R765	* C5	RB712	* J3		
R317	* F5	R512	* D3	R633	* F3	R766	* C5	RB713	* B3		
R318	* F5	R513	* D3	R634	* F3	R767	* C5	RB714	B3		
R319	F6	R514	F7	R635	* B5	R768	* C5	RB716	C4		
R320	F5	R515	* D3	R636	* B5	R770	* C6	RB901	B6		
R321	* F5	R516	* D3	R637	* G3	R771	* K1	RB902	B7		
R322	* F5	R517	* E3	R638	* G3	R772	* K1	RB903	B7		
R323	* F5	R518	* E3	R639	* G3	R773	* J1				
R324	* F5	R519	* E3	R640	* G3	R774	B6	RV101	J4		
R325	* F5	R520	* E3	R641	* G3	R775	* J1	RV201	K4		
R326	* F6	R521	* E3	R642	* G3	R776	B6	RV501	* E3		
R327	* F6	R522	* E3	R643	* G3	R777	B6	RV502	* E3		
R328	* F5	R523	* E3	R644	* G2	R778	B6	RV503	B4		
R329	* F5	R524	* F3	R645	* H3	R779	* K2	RV505	B5		
R330	* F5	R525	* F3	R646	* G2	R780	* K1	RV951	* K3		
R331	* F5	R526	E3	R647	* H2	R781	* K1	RV952	* H3		
R332	* F6	R527	E2	R648	* H2	R782	* H2				
R333	* E5	R528	* F2	R649	* H2	R783	* H2	S101	J6		
R334	* E5	R529	* F3	R650	* H2	R784	* K1	S102	* J5		
R335	* E5	R530	* F3	R651	* H2	R786	* G1	S103	J5		
R336	* E6	R531	* F2	R652	* G2	R788	* H1	S104	* J4		
R337	* E5	R532	* F3	R653	* H2	R789	* H1	S201	K6		
R338	* E6	R533	* F3	R654	* G2	R790	* J1	S203	K5		
R339	F5	R534	* F3	R655	* G2	R791	* H4	S204	* K4		
R340	F6	R535	* F2	R656	* G2	R792	* H5	S501	* H1		
R341	* F6	R536	* F2	R657	* G2	R793	* H4	S502	A5		
R350	* E6	R537	* F2	R658	* G2	R794	* H5	S601	* H2		
R352	* D6	R538	* F2	R659	* G2	R795	* G4	S701	K1		
R353	* E6	R539	* F2	R660	* G2	R796	* H6	S702	J1		
R354	* E5	R540	* F2	R661	* G2	R797	* G5	S703	H5		
R355	* D6	R541	* F2	R662	* G2	R798	* G4	S704	H6		
R356	* E7	R542	* F2	R663	A4	R799	* G4	S705	G5		
R357	* E6	R543	* F2	R664	* A4	R800	* G6	S706	G1		
R358	* E6	R544	* G1	R700	C3	R801	* F7	S707	H1		
R359	* E7	R545	* G1	R701	B6	R802	E7	S708	H4		
R360	* E6	R546	* G1	R702	B6	R803	E7	S709	G4		
R370	* H7	R547	* H1	R703	B6	R804	E7	S710	G5		
R371	* H7	R548	* H1	R704	B6	R805	E7	S711	G6		
R372	* H7	R549	* H1	R705	B6	R806	E7	S901	A3		
R373	* H7	R550	* H1	R706	B6	R807	F7				
R374	* H7	R551	* H1	R707	B6	R808	E7	TP101	* G3		
R375	* H7	R552	* G1	R708	B6	R809	E7	TP201	* G5		
R391	* H7	R553	* H1	R709	B6	R810	F7	TP301	* F5		
R392	* H7	R554	* G2	R710	B6	R811	F7	TP401	* F6		
R401	H6	R555	* G2	R711	B4	R812	E7	TP501	* F2		
R402	* G6	R556	* G2	R712	* D5	R813	E7	TP502	* F3		
R403	* G6	R557	* G2	R713	B4	R814	* B2	TP603	* B5		
R404	* G6	R558	* G2	R714	* C5	R815	* K1	TP701	* B2		
R405	* G6	R559	* G2	R715	* C4	R816	* K1	TP702	* B2		
R406	* G6	R560	* G2	R716	C5	R817	* K2	TP703	* C4		
R407	* G6	R561	* G2	R717	C5	R818	B6	TP704	* C4		
R408	* G6	R562	* G2	R718	* C4	R819	* E7	TP705	* C4		
R409	* G6	R563	* F2	R719	* B2	R820	* D6	TP706	* C4		
R410	* G6	R564	F7	R720	* C5	R821	* D6	TP707	* K1		
R411	* G6	R565	C6	R721	B6	R822	* D5	TP801	* D5		
R412	* G6	R566	* C6	R722	A3	R823	* K3	TP802	* C4		

TC-80 (1-662-324-11)


* : B SIDE

A103	*A2	C308	G5	C541	*F7	C802	D7	IC301	H6	Q304	F5
A104	*A5	C309	F6	C542	G7	C803	C6	IC302	G6	Q305	F5
		C310	F5	C543	G7	C804	C5	IC303	G6	Q306	F6
BT801	D6	C311	F6	C544	C6	C805	D5	IC304	F6	Q307	*E6
		C312	F5	C545	G7	C806	D5	IC305	E6	Q308	*E6
C101	*J6	C314	*F5	C546	G7	C811	*D5	IC306	*E5	Q309	*E6
C102	*J6	C315	*F6	C547	G7	C812	D5	IC307	*D6	Q401	*G6
C103	*K7	C316	*F5	C548	G7	C813	*D5	IC308	E7	Q402	*G6
C104	K7	C317	*F6	C549	*C5	C814	*D5	IC402	G6	Q403	*F6
C105	J7	C318	*F5	C550	C5	C815	*C5	IC403	G6	Q404	F6
C106	J7	C319	E5	C551	H7	C816	*D4	IC404	F6	Q406	F6
C107	J7	C320	E5	C552	H7	C817	D5	IC470	H7	Q501	*D3
C108	*J7	C321	E6	C553	F7	C818	*D4	IC503	*D3	Q502	*F2
C110	J7	C322	*E6	C559	*A5	C819	E7	IC504	D3	Q503	*H1
C111	*K7	C350	*E6	C560	*A5	C901	A6	IC505	D3	Q504	*H1
C112	K7	C351	*E6	C561	*B5	C902	A5	IC506	E3	Q505	*H1
C113	J5	C352	*E6	C562	*B4	C903	B6	IC507	E2	Q507	G7
C114	*J6	C353	*E6	C563	*B5	C904	B6	IC508	F3	Q508	F7
C115	*H5	C354	*E6	C564	*A4	C951	*J3	IC509	F2	Q511	G7
C116	*H5	C355	*E6	C565	*A4	C952	*J3	IC510	*H2	Q512	*C5
C117	*H5	C356	*E6	C566	A5	CN101	*G7	IC511	G2	Q513	*B5
C118	*H4	C357	*D6	C567	A5	CN102	*E7	IC512	D3	Q514	*C5
C119	J4	C358	*E6	C568	*A4	CN503	F7	IC519	G7	Q602	*G3
C120	*J4	C359	*E6	C569	D5	CN504	*C2	IC520	G7	Q603	*H2
C121	J4	C360	*E6	C570	*A4	CN704	*K2	IC521	A4	Q604	*H2
C122	*J4	C361	*E6	C571	*A4	CN901	*A4	IC522	A4	Q605	*H2
C123	G4	C362	E5	C610	E3	CN902	*A5	IC523	A4	Q701	*K1
C125	*G4	C363	E6	C611	E3			IC524	F7	Q801	*D5
C126	*G4	C364	E5	C614	E3	D101	*J5	IC606	E3	Q951	*J3
C127	G4	C365	E5	C615	*D3	D102	*F4	IC607	E3	Q952	*J3
C128	*G4	C370	*H7	C616	*D3	D201	*K5	IC609	G3		
C129	*G4	C371	*H7	C617	*E3	D202	*F5	IC610	*H3	R101	*H6
C130	F4	C372	H7	C618	*E3	D301	*G6	IC611	G2	R102	*H6
C131	F4	C373	*H7	C619	*E3	D302	*E6	IC701	*B6	R103	*H6
C132	F4	C374	*H7	C620	*E3	D390	H7	IC702	*B6	R104	*H6
C133	*F4	C390	*H7	C621	*E4	D401	*G6	IC703	E7	R105	*J6
C134	*H6	C391	J7	C622	*E3	D402	*E6	IC704	C5	R106	*J6
C135	*H6	C392	H7	C623	F4	D501	*G2	IC705	D4	R107	K7
C150	*F5	C403	G6	C624	*F4	D502	G3	IC706	C6	R108	K7
C151	*F4	C404	*G6	C625	*F3	D503	G7	IC708	B3	R109	K7
C152	*F5	C405	*G6	C626	*F3	D504	G7	IC709	*C3	R110	K7
C153	*F4	C406	*G6	C627	A4	D505	C5	IC710	C3	R111	*J7
C154	*F5	C407	G6	C628	F3	D506	C6	IC711	*C2	R112	*J7
C155	*E5	C408	G6	C629	*G3	D507	*C6	IC712	C3	R113	*J7
C156	*E5	C409	F6	C630	*G3	D508	*C5	IC713	*J2	R114	*J7
C157	*E4	C410	F6	C631	*H3	D510	*C6	IC714	*J2	R115	J7
C158	E4	C411	F6	C632	*H2	D612	*C5	IC715	*B6	R116	J7
C159	*E4	C412	F6	C633	*H2	D701	C5	IC716	*C4	R117	*J7
C160	F4	C413	*F6	C634	*G2	D702	C4	IC717	C4	R118	J7
C162	F4	C414	*F6	C635	G3	D703	*C4	IC801	*C5	R119	*K7
C163	E5	C415	*F6	C636	*G2	D704	*D4	IC802	*D5	R120	*K7
C164	F4	C416	*F6	C637	*G2	D705	*D4	IC803	D5	R121	*J6
C165	*E4	C417	*F6	C701	A4	D706	*D4	IC804	D5	R122	*H5
C166	*E4	C418	*F6	C702	B4	D707	*D5	IC805	D5	R123	*H6
C167	*E4	C419	E6	C703	C5	D708	*A3	IC806	D4	R124	*H6
C201	*K6	C420	E6	C704	*C5	D709	*K2	IC807	D4	R125	*H6
C202	K6	C421	F6	C705	*D4	D710	*K1	IC820	E7	R126	*H6
C203	*K7	C422	*E6	C706	C4	D711	*K1	IC901	*B7	R127	*J6
C204	K7	C470	H7	C707	D4	D712	K1	IC902	*B7	R128	*H5
C205	J7	C473	*H7	C708	C6	D713	C4	IC951	*K3	R129	*H5
C206	J7	C474	*H7	C709	C6	D714	*F7	IC952	*J3	R130	*J6
C207	J7	C502	*D3	C710	C6	D801	*D6			R131	*J6
C208	*J7	C503	D3	C711	C6	D802	*D6	JW901	A5	R132	*J5
C209	*J7	C504	*D3	C712	C7	D803	*D6	JW902	A5	R133	*H5
C210	J7	C505	D3	C713	C7	D804	*C6	JW903	A5	R134	*H5
C211	*K7	C506	*D3	C714	B3	D805	*D6	JW904	A5	R135	*J5
C212	K7	C507	E3	C715	*A3	D806	*D6	JW905	A5	R136	*J5
C213	K5	C510	E3	C716	*B3	D807	*D5			R137	*H5
C214	*K6	C511	E3	C717	*B3	D810	*D5	L101	E4	R138	*J5
C215	*J5	C514	E2	C718	*C2	D811	*C5	L502	F7	R139	*J5
C216	*J5	C515	*	C719	C2	D813	*D4	L503	F7	R140	*J5
C217	*J5			C720	C2	D814	E7	L504	F7	R141	*J5
C218	*J4	C516	*D3	C721	C2			L505	F7	R142	*J5
C219	K4	C517	*E3	C722	*K1	E102	*G4	L506	A5	R143	*J5
C220	*K4	C518	*E3	C723	*K1	E202	*G5	L701	A6	R144	*J5
C221	K4	C519	*E3	C724	A6	E501	*E3	LCD701	J2	R145	*J4
C222	*K4	C520	*E3	C725	B6	E502	*E4			R146	*J4
C223	G5	C521	*E3	C726	B6	E801	*C5	Q101	*J5	R147	*H4
C224	*G4	C522	*E3	C727	A6			Q102	*J4	R148	*H4
C225	*G5	C523	F3	C728	B6	IC101	H6	Q103	*H4	R149	*J4
C226	*G5	C524	*F3	C729	*J1	IC102	*K7	Q104	J4	R150	*J4
C227	G4	C525	*F2	C730	*J1	IC103	*J7	Q105	*J4	R151	*J4
C228	*G5	C526	*F3	C731	B6	IC104	H5	Q106	*J4	R152	J4
C229	*G5	C527	*F2	C732	*D3	IC105	H5	Q107	J4	R153	*G4
C230	F5	C528	F2	C733	B6	IC106	H4	Q108	*F4	R154	*F4
C231	F5	C529	*F2	C734	*C4	IC107	G4	Q109	*G4	R155	*F4
C232	F5	C530	*F2	C735	*J2	IC108	F4	Q201	*K5	R156	*G4
C233	*F5	C531	*G1	C736	E7	IC109	E5	Q202	*K4	R157	*G4
C234	*J6	C532	*H1	C737	C5	IC110	*E4	Q203	*J4	R158	*G4
C235	*J6	C533	*H1	C738	C5	IC111	*E5	Q204	K4	R159	*G4
C301	H6	C534	*G1	C739	B4	IC201	J6	Q205	*K4	R160	*G4
C302	H6	C535	F2	C740	B4	IC202	*K7	Q206	*K4	R161	*G4
C303	H5	C536	*G2	C741	C5	IC203	*J7	Q207	K4	R162	G4
C304	*G6	C537	*G2	C742	C5	IC204	K5	Q209	*G4	R163	*G4
C305	*G5	C538	F7	C743	D7	IC205	J5	Q301	*G5	R164	G4
C306	*G6	C539	F7	C745	K1	IC206	J4	Q302	*G5	R165	*G4
C307	G6	C540	F6	C801	D6	IC207	G5	Q303	*F6	R166	*F4



DNV-5 (SY) : S/N 10001 through 10236
DNV-5 (J) : S/N 30001 through 30040
DNW-7 (SY) : S/N 10001 through 10317
DNW-7 (J) : S/N 30001 through 30150
DNW-7P (SY) : S/N 40001 through 40479
DNW-90 (SY) : S/N 10001 through 10048
DNW-90 (J) : S/N 30001 through 30080
DNW-90P (SY) : S/N 40001 through 40045
DNW-90WS (SY) : S/N 10001 through 10030
DNW-90WS (J) : S/N 30001 through 30030
DNW-90WSP (SY) : S/N 40001 through 40160

TC-80 -A SIDE-
SUFFIX: -11




R167	*F4	R302	*G6	R440	*F6	R593	*F7	R748	*J2	R911	B7
R168	*F4	R303	*G6	R441	*F6	R615	*D3	R749	*J1	R951	*J3
R169	*F4	R304	*G6	R470	*H7	R616	*D3	R750	B3	R952	*J3
R170	*F4	R305	*G5	R471	*J7	R617	*E3	R751	B3	R953	*J3
R171	*F4	R306	*G6	R472	*H7	R618	*E3	R752	*H1	R954	*J3
R172	*F5	R307	*G6	R473	*H7	R619	*E3	R753	*C3	R955	*H3
R173	*F5	R308	*G5	R474	*H7	R620	*E3	R754	B4	R956	*H3
R174	*E5	R309	*G5	R475	*H7	R621	*E3	R755	*C3	R957	*H3
R175	*E4	R310	*G5	R501	*E3	R622	*E3	R756	*C2	R958	*H3
R176	*E4	R311	*G5	R504	*D3	R623	*E4	R757	*C3	R1000	*D3
R177	*E5	R312	*G5	R506	*D3	R624	*F4	R758	*B2	R2000	*D3
R178	*E4	R313	*G5	R507	*D3	R625	*F4	R759	B2	R3000	*C5
R179	*E5	R314	*G6	R508	*D3	R626	E3	R760	B2	R4000	*E7
R180	*F4	R315	*F6	R509	*D3	R627	E3	R761	C2	RB101	*E5
R181	*H5	R316	*G5	R510	*D3	R628	A4	R762	B6	RB507	*J2
R182	*H5	R317	*F5	R511	*D3	R629	A4	R763	B6	RB701	B3
R183	*H5	R318	*F5	R512	*D3	R631	*B5	R764	*C5	RB702	B3
R184	*J5	R319	F6	R513	*D3	R632	*B5	R765	*C5	RB703	B4
R185	*J6	R320	F5	R514	F7	R633	*F3	R766	*C5	RB704	B3
R186	*J5	R321	*F5	R515	*D3	R634	*F3	R767	*C5	RB705	B2
R187	*J6	R322	*F5	R516	*D3	R635	*B5	R768	*C5	RB706	*B3
R201	*J6	R323	*F5	R517	*E3	R636	*B5	R769	*C5	RB708	C4
R202	*J6	R324	*F5	R518	E3	R637	*G3	R770	*C6	RB709	B2
R203	*J6	R325	*F5	R519	*E3	R638	*G3	R771	*K1	RB710	C4
R204	*J6	R326	*F6	R520	*E3	R639	*G3	R772	*K1	RB711	C3
R205	*K6	R327	*F6	R521	*E3	R640	*G3	R773	*J1	RB712	*J3
R206	*K6	R328	*F5	R522	*E3	R641	*G3	R774	B6	RB713	*B3
R207	K7	R329	*F5	R523	*E3	R642	*G3	R775	*J1	RB714	B4
R208	K7	R330	*F5	R524	*F3	R643	*G3	R776	B6	RB716	C4
R209	K7	R331	*F5	R525	*F3	R644	*G2	R777	B6	RB901	B7
R210	K7	R332	*F6	R526	E3	R645	*H3	R778	B6	RB902	B6
R211	*J7	R333	*E5	R527	E2	R646	*G2	R779	*K2	RB903	B7
R212	*J7	R334	*E5	R528	*F2	R647	*H2	R780	*K1	RV101	J4
R213	*J7	R335	*E5	R529	*F3	R648	*H2	R781	*K1	RV201	K4
R214	*J7	R336	*E6	R530	*F3	R649	*H2	R782	*H2	RV501	*E3
R215	J7	R337	*E5	R531	*F2	R650	*H2	R783	*H2	RV502	*E3
R216	J7	R338	*E6	R532	*F3	R651	*H2	R784	*K1	RV503	B4
R217	*J7	R339	F5	R533	*F3	R652	*G2	R785	*K1	RV504	*B5
R218	J7	R340	F6	R534	*F3	R653	*H2	R786	*G1	RV505	B5
R219	*K7	R341	*F6	R535	*F2	R654	*G2	R787	*J1	RV951	*K3
R220	*K7	R350	*E6	R536	*F2	R655	*G2	R788	*H1	RV952	*H3
R221	*K6	R351	*E6	R537	*F2	R656	*G2	R789	*H1		
R222	*J5	R352	*D6	R538	*F2	R657	*G2	R790	*J1	S101	J6
R223	*J6	R353	*E6	R539	*F2	R658	*G2	R791	*H4	S102	*J5
R224	*J6	R354	*E5	R540	*F2	R659	*G2	R792	*H5	S103	J5
R225	*J6	R355	*D6	R541	*F2	R660	*G2	R793	*H4	S104	*J4
R226	*J6	R356	*E7	R542	*F2	R661	*G2	R794	*H5	S201	K6
R227	*J5	R357	*E6	R543	*F2	R662	*G2	R795	*G4	S203	K5
R228	*K6	R358	*E6	R544	*G1	R663	A4	R796	*H6	S204	*K4
R229	*J5	R359	*E7	R545	*G1	R664	*A4	R797	*G5	S501	*H1
R230	*K6	R360	*E6	R546	*G1	R701	B6	R798	*G4	S502	A5
R231	*K6	R370	*H7	R547	*H1	R702	B6	R799	*G4	S601	*H2
R232	*K5	R371	*H7	R548	*H1	R703	B6	R800	*G6	S701	K1
R233	*J5	R372	*H7	R549	*H1	R704	B6	R801	F7	S702	J1
R234	*J5	R373	*H7	R550	*H1	R705	B6	R802	E7	S703	H5
R235	*K5	R374	*H7	R551	*H1	R706	B6	R803	E7	S704	H6
R236	*K5	R375	*H7	R552	*G1	R707	B6	R804	E7	S705	G5
R237	*J5	R390	*H7	R553	*H1	R708	B6	R805	E7	S706	G1
R238	*K5	R391	*H7	R554	*G2	R709	B6	R806	E7	S707	H1
R239	*K5	R392	*H7	R555	*G2	R710	B6	R807	F7	S708	H4
R240	*K5	R393	*H7	R556	*G2	R711	A4	R808	E7	S709	G4
R241	*K5	R401	H6	R557	*G2	R712	*D5	R809	E7	S710	G5
R242	*K5	R402	*G6	R558	*G2	R713	B4	R810	F7	S711	G6
R243	*K5	R403	*G6	R559	*G2	R714	*C5	R811	F7	S712	*J1
R244	*K5	R404	*G6	R560	*G2	R715	*C4	R812	E7	S901	A3
R245	*K4	R405	*G6	R561	*G2	R716	C5	R813	E7	SL102	*J6
R246	*K4	R406	*G6	R562	*G2	R717	C5	R814	*B2	SL103	*J6
R247	*J4	R407	*G6	R563	*F2	R718	*C4	R815	*K1	SL105	*H5
R248	*J4	R408	*G6	R564	F7	R719	*B2	R816	*K1	SL106	*H5
R249	*K4	R409	*G6	R565	C6	R720	*C5	R817	*K2	SL202	*K6
R250	*K4	R410	*G6	R566	*C6	R721	B6	R818	B6	SL203	*K6
R251	*K4	R411	*G6	R567	*C6	R722	*A3	R819	*E7	SL205	*J5
R252	K4	R412	*G6	R568	G7	R723	*D4	R820	*D6	SL206	*J5
R253	*G4	R413	*G6	R569	G7	R724	*C4	R821	*D6	SL301	*F5
R257	*G4	R414	*G6	R570	G7	R725	*D4	R822	D5	SL302	*F6
R258	*G5	R415	*F6	R571	G7	R726	*D5	R823	*K3	SL401	*F6
R259	*G5	R416	*G6	R572	G7	R727	*D5	R824	*K3	SL402	*F6
R260	*G5	R417	*F6	R573	*B5	R728	*C4	R825	*J1	SL506	*F2
R261	*G5	R418	*F6	R574	*A5	R729	*D4	R826	*E7	SL507	*G2
R262	G4	R419	F6	R575	*A5	R730	D4	R829	*D5	SL508	*G2
R263	*G5	R420	F6	R576	*B5	R731	*D4	R830	*D5	SL513	*A5
R264	G4	R421	*F6	R577	*B4	R732	*D4	R831	*D5	SL607	*G2
R265	*G5	R425	*F6	R578	*B4	R733	*D4	R832	*C5	SL608	*G2
R266	*F5	R426	*F6	R579	*B5	R734	*D4	R833	*D4	SL702	*H2
R267	*F5	R427	*F6	R580	*B4	R735	*D4	R834	*D4	SL703	*H2
R268	*F5	R428	*F6	R581	*B5	R736	*C2	R835	*D4	SL704	*H3
R269	*F5	R429	*F6	R582	*F3	R737	*C2	R836	*D4	SL706	*H2
R270	*F5	R430	*F6	R583	*B5	R738	B3	R837	*D4	SL707	*H2
R271	*F5	R431	*F6	R584	A5	R739	*B3	R838	*D4	SL905	*F2
R281	*J5	R432	*F6	R585	B5	R740	*B3	R839	*D4		
R282	*J5	R433	*E6	R586	*C5	R741	*B3	R840	E7	TP101	*G5
R283	*J5	R434	*E6	R587	*F3	R742	*A3	R841	E7	TP201	*G3
R284	*K5	R435	*E6	R588	*A4	R743	*A3	R842	C3	TP301	*F5
R285	*K5	R436	*E6	R589	*A4	R744	*A3	R843	C3	TP401	*F6
R286	*K5	R437	*E6	R590	*F7	R745	C4	R844	*C3	TP501	*F2
R287	*K6	R438	*E6	R591	*F7	R746	*A3	R845	*C3	TP502	*F3
R301	H6	R439	F6	R592	*F7	R747	*J2	R910	A6	TP603	*B5

MDC-5 (1-662-336-12)

* : B SIDE

C100	D1	C500	G3	EP102	F2	R100	B2	R239	G2	R528	F3
C101	E8	C501	G3			R101	B2	R240	J2	R529	F3
C102	D5	C502	G3	IC100	D6	R102	B2	R241	C2	R530	G3
C103	A2	C503	G4	IC101	B2	R103	B2	R242	C2	R531	J4
C104	D6	C504	G3	IC102	D6	R104	B2	R246	E7	R532	J4
C105	E7	C506	G3	IC103	D5	R105	B2	R247	E7	R533	H4
C106	F7	C507	H3	IC104	F7	R106	C6	R248	E7	R534	H4
C107	E7	C508	H3	IC105	E6	R107	C6	R249	F6	R535	G3
C108	E8	C509	J4	IC106	D7	R108	B2	R300	F7	R536	H5
C109	F8	C510	J5	IC107	E6	R109	D6	R301	E7	R537	H5
C110	D5	C511	H4	IC108	F6	R110	D6	R302	G1	R538	H6
C111	D5	C512	F3	IC109	F5	R111	D2	R303	G1	R539	H5
C112	D5	C513	H4	IC112	H2	R112	D2	R304	G1	R540	H6
C113	F7	C514	J5	IC114	H6	R113	D6	R305	G1	R541	H6
C114	D5	C515	F3	IC116	D2	R114	D6	R306	D4	R542	H6
C115	D6	C516	F3	IC117	D7	R115	D2	R307	G3	R543	H5
C116	D6	C517	F3	IC118	G2	R116	D5	R308	J6	R544	H5
C117	D6	C518	E3	IC119	F2	R117	D5	R309	F6	R545	H6
C118	D6	C519	F3	IC120	D2	R118	D2	R310	F3	R546	H6
C119	D7	C520	F3	IC121	H2	R119	E7	R311	D4	R547	H6
C120	D7	C521	F3	IC122	D3	R120	D5	R312	D4	R548	H6
C121	E6	C522	H3	IC124	D3	R121	D6	R313	B6		
C122	E6	C523	H3	IC125	G2	R122	D6	R314	B6	RB100	F7
C123	D6	C524	H6	IC126	F7	R123	D7	R315	H2	RB101	F7
C124	D6	C526	H4	IC300	D4	R124	D6	R316	B3	RB102	E4
C125	H2	C528	H4	IC301	B4	R125	D6	R317	C2	RB103	G3
C126	E6	C529	H5	IC302	C2	R126	D7	R318	B3	RB104	D3
C127	G2	C530	G3	IC303	B5	R127	H2	R319	A3	RB105	E3
C128	H2	C532	H4	IC304	B5	R128	E6	R320	C2	RB106	G3
C129	E6	C533	D6	IC305	B5	R129	D7	R321	C2	RB107	G2
C130	E6	C534	D6	IC306	H2	R131	G2	R322	B2	RB108	G1
C131	G2	C535	G3	IC307	J2	R132	H2	R323	B2	RB109	J2
C132	E6	C536	G3	IC308	A4	R133	F6	R324	A4	RB110	J2
C133	D7	C537	J1	IC309	H2	R134	D7	R325	B2	RB111	E8
C134	D7			IC500	G3	R135	E6	R326	A4	RB112	D3
C135	E6	CL100	E8	IC501	G3	R136	F6	R327	B2	RB113	D3
C136	E6	CL101	F8	IC502	G4	R137	G2	R328	B2	RB114	G1
C137	D6	CL102	E8	IC503	J3	R138	F6	R329	A3	RB115	C2
C138	F6	CL103	F8	IC504	F3	R139	E6	R330	C3	RB116	C2
C139	F5	CL104	F8	IC505	F3	R140	F6	R331	C3	RB300	F6
C140	H2	CL105	E8	IC507	H3	R141	D7	R332	A4	RB301	G1
C147	G6	CL106	F8	IC510	H6	R142	D6	R333	A4	RB302	C2
C150	G6	CL107	E7	IC511	H6	R143	E6	R334	A4	RB303	G1
C153	G2	CL108	B2	IC512	H5	R144	F6	R335	C3		
C155	J3	CL109	F6			R145	E6	R336	C3	RV100	* C2
C157	J2	CL110	F6	L100	E8	R146	E6	R337	A5		
C160	H2	CL111	F5	L101	F8	R147	D7	R338	B4	S100	* F5
C166	D2	CL112	G7	L105	E7	R148	E6	R339	A5	S101	* F1
C175	D2	CL113	D3	L106	D7	R149	D6	R340	A5	S102	* F1
C176	E3	CL114	D3	L107	D7	R150	E6	R341	B5	S103	* F4
C177	E2	CL115	E3	L300	C3	R151	F6	R342	B5	S104	* F4
C178	D2	CL116	E3	L500	J4	R152	D6	R343	A3	S105	* F4
C179	E2	CL117	D2	L501	H4	R153	F6	R344	B5	S106	* F5
C180	E7	CL118	D2	L502	J5	R154	F6	R345	A3	S107	* F4
C181	E7	CL119	F8			R155	F6	R346	A5	S108	* D2
C182	D2	CL120	D7	PD300	* F7	R156	D6	R347	A5	S109	* C2
C183	G6	CL121	D8	PD301	* E6	R157	F1	R348	B6	S110	* C2
C184	D7	CL122	F8	PD302	* E7	R158	F6	R349	D4	S111	H2
C185	F2	CL123	J1	PD303	* E7	R159	F5	R350	D4	S300	G1
C186	F2			PD304	* F2	R160	H3	R351	D4		
C187	F2	CN5	E8	PD305	* F6	R161	F6	R353	D3	SL100	F4
C188	G2	CN501	* B8	PD306	* J6	R162	F5	R354	D5	SL102	E4
C189	C2	CN502	C6			R163	F1	R355	D5	SL103	F2
C190	D7	CN503	E4			R164	H3	R356	J1		
C191	F5	CN504	E5	Q107	F7	R165	F4	R357	A4	TP100	D5
C192	F5	CN505	* A3	Q109	F7	R166	F4	R359	H2	TP101	* A3
C193	F2	CN507	H1	Q110	F6	R167	H2	R360	H1	TP102	* A4
C300	D4	CN508	* D8	Q300	F6	R168	G3	R361	A4	TP103	F1
C301	D4	CN509	* D1	Q301	F6	R169	G3	R362	B4	TP104	E1
C302	D4	CN510	* A2	Q302	G6	R170	G3	R363	B4	TP105	* A4
C303	D4	CN511	* A5	Q303	G6	R182	G6	R500	G3	TP106	* A4
C304	D4	CN512	* D4	Q304	D5	R183	G6	R501	G3	TP107	F1
C305	D4			Q305	D5	R190	H3	R502	F3	TP108	F1
C307	A4	CT300	B3	Q306	J6	R191	H3	R503	G3	TP109	D1
C308	B4			Q307	F6	R196	H2	R504	G3	TP110	F1
C309	B2	D102	F2	Q308	F3	R209	D2	R506	G3	TP111	D1
C310	C2	D103	* C2	Q309	B6	R211	D3	R507	G3	TP112	D1
C311	C3	D104	* C2	Q310	B6	R214	H4	R508	G3	TP113	E2
C312	C3	D105	* D2	Q311	A5	R215	H3	R509	H4	TP114	E2
C313	A4	D106	* C2	Q312	C2	R219	D2	R510	H3	TP300	E1
C314	C3	D107	* C2	Q313	C2	R220	E2	R511	J4	TP301	E1
C315	A4	D108	* D2	Q314	A4	R221	D2	R512	J3	TP302	D2
C316	A5	D300	* C1	Q315	A4	R222	D2	R513	F3		
C317	A5	D301	* C1	Q316	C2	R223	E2	R514	F3	X100	J2
C318	C3	D302	* C1	Q317	C3	R224	E2	R515	F3	X101	E2
C319	C3	D303	* C1	Q318	C3	R225	D2	R516	F3		
C320	A5	D304	D5	Q319	B6	R226	D7	R517	F3		
C321	B4	D305	G1	Q320	C2	R227	D7	R518	F3		
C322	A5	D307	C2	Q321	A4	R230	D7	R519	F3		
C323	B3	D308	B4	Q322	A4	R231	D7	R520	F3		
C324	B3	D500	J3	Q323	A4	R232	F2	R521	F3		
C325	E4	D501	J3	Q324	D5	R233	F2	R522	H4		
C326	A5	D502	H3	Q325	D5	R234	F2	R523	H3		
C327	B5	D503	H3	Q326	D5	R235	G2	R524	H4		
C328	D5			Q500	G3	R236	H2	R525	H3		
C329	E5	EP100	F4	Q501	F3	R237	F2	R526	F3		
C330	H2	EP101	* A4			R238	J2	R527	F3		




DNV-5 (SY) : S/N 10111 and Higher
DNV-5 (J) : S/N 30031 and Higher
DNW-7 (SY) : S/N 10081 and Higher
DNW-7 (J) : S/N 30061 and Higher
DNW-7P (SY) : S/N 40146 and Higher
DNW-9WS (SY) : S/N 10001 and Higher
DNW-9WS (J) : S/N 30001 and Higher
DNW-9WSP (SY) : S/N 40001 and Higher
DNW-90 (SY) : S/N 10026 and Higher
DNW-90 (J) : S/N 30041 and Higher
DNW-90P (SY) : S/N 40016 and Higher
DNW-90WS (SY) : S/N 10001 and Higher
DNW-90WS (J) : S/N 30001 and Higher
DNW-90WSP (SY) : S/N 40031 and Higher


MDC-5 -A SIDE-
SUFFIX: -12



* : B SIDE

C100	D1	C329	E5	IC103	D5	R108	B2	R249	F6	R539	H5
C101	E8	C500	G3	IC104	F7	R109	D6	R300	F7	R540	H6
C102	D5	C501	G3	IC105	E6	R110	D6	R301	E7	R541	H6
C103	A2	C502	G3	IC106	D7	R111	D2	R302	G1	R542	H6
C104	D6	C503	G4	IC107	E6	R112	D2	R303	G1	R543	H5
C105	E7	C504	G3	IC108	F6	R113	D6	R304	G1	R544	H5
C106	F7	C505	G3	IC109	F5	R114	D6	R305	G1	R545	H6
C107	E7	C506	G3	IC112	H2	R115	D2	R306	D4	R546	H6
C108	E8	C507	H3	IC114	H6	R116	D5	R307	G3	R547	H6
C109	F8	C508	H3	IC116	D2	R117	D5	R308	J6	R548	H6
C110	D5	C509	J4	IC117	D7	R118	D2	R309	F6	RB100	F7
C111	D5	C510	J5	IC118	G2	R119	E7	R310	F3	RB101	F7
C112	D5	C511	H4	IC119	F2	R120	D5	R311	D4	RB102	E4
C113	F7	C512	F3	IC120	D2	R121	D6	R312	D4	RB103	G3
C114	D5	C513	H4	IC121	H2	R122	D6	R313	B6	RB104	D3
C115	D6	C514	J5	IC122	D3	R123	D7	R314	B6	RB105	E3
C116	D6	C515	F3	IC124	D3	R124	D6	R315	A3	RB106	G3
C117	D6	C516	F3	IC125	G2	R125	D6	R316	B3	RB107	G2
C118	D6	C517	F3	IC126	F7	R126	D7	R317	C2	RB108	G1
C119	D7	C518	E3	IC300	D4	R127	H2	R318	B3	RB109	J2
C120	D7	C519	F3	IC301	B4	R128	E6	R319	A3	RB110	J2
C121	E6	C520	F3	IC302	C2	R129	D7	R320	C2	RB111	E8
C122	E6	C521	F3	IC303	B5	R131	G2	R321	C2	RB112	D3
C123	D6	C522	H3	IC304	B5	R132	H2	R322	B2	RB113	D3
C124	D6	C523	H3	IC305	B5	R133	F6	R323	B2	RB114	G1
C125	H2	C524	H6	IC500	G3	R134	D7	R324	A4	RB115	C2
C126	E6	C526	H4	IC501	G3	R135	E6	R325	B2	RB116	C2
C127	G2	C528	H4	IC502	G4	R136	F6	R326	A4	RB300	F6
C128	H2	C529	H5	IC503	J3	R137	G2	R327	B2	RB301	G1
C129	E6	C530	G3	IC504	F3	R138	F6	R328	B2	RB302	C2
C130	E6	C532	H4	IC505	F3	R139	E6	R329	A3	RB303	G1
C131	G2	CL100	E8	IC507	H3	R140	F6	R330	C3	RV100	*C2
C132	E6	CL101	F8	IC510	H6	R141	D7	R331	C3		
C133	D7	CL102	E8	IC511	H6	R142	D6	R332	A4	S100	*F5
C134	D7	CL103	F8	IC512	H5	R143	E6	R333	A4	S101	*F1
C135	E6	CL104	F8			R144	F6	R334	A4	S102	*F1
C136	E6	CL105	E8	L100	E8	R145	E6	R335	C3	S103	*F4
C137	D6	CL106	F8	L101	F8	R146	E6	R336	C3	S104	*F4
C138	F6	CL107	E7	L105	E7	R147	D7	R337	A5	S105	*F4
C139	F5	CL108	B2	L106	D7	R148	E6	R338	B4	S106	*F5
C140	H2	CL109	F6	L107	D7	R149	D6	R339	A5	S107	*F4
C147	G6	CL110	F6	L300	C3	R150	E6	R340	A5	S108	*D2
C150	G6	CL111	F5	L500	J4	R151	F6	R341	B5	S109	*C2
C153	G2	CL112	G7	L501	H4	R152	D6	R342	B5	S110	*C2
C155	J3	CL113	D3	L502	J5	R153	F6	R343	A3	S111	H2
C157	J2	CL114	D3			R154	F6	R344	B5	S300	G1
C160	H2	CL115	E3	PD300	*F7	R155	F6	R345	A3	SL100	F4
C166	D2	CL116	E3	PD301	*E6	R156	D6	R346	A5	SL102	E4
C175	D2	CL117	D2	PD302	*E7	R157	F1	R347	A5	SL103	F2
C176	E3	CL118	D2	PD303	*E7	R158	F6	R348	B6	SL300	A4
C177	E2	CL119	F8	PD304	*F2	R159	F5	R349	D4		
C178	D2	CL120	D7	PD305	*F6	R160	H3	R350	D4	TP100	D5
C179	E2	CL121	D8	PD306	*J6	R161	F6	R351	D4	TP101	*A3
C180	E7	CL122	F8			R162	F5	R352	A4	TP102	*A4
C181	E7	CN5	E8	Q107	F7	R163	F1	R353	D3	TP103	F1
C182	D2	CN501	*B8	Q108	E7	R164	H3	R354	D5	TP104	E1
C183	G6	CN502	C6	Q109	F7	R165	F4	R355	D5	TP105	*A4
C184	D7	CN503	E4	Q110	F6	R166	F4	R500	G3	TP106	*A4
C185	F2	CN504	E5	Q300	F6	R167	H2	R501	G3	TP107	F1
C186	F2	CN505	*A3	Q301	F6	R168	G3	R502	F3	TP108	F1
C187	F2	CN507	H1	Q302	G6	R169	G3	R503	G3	TP109	D1
C188	G2	CN508	*D8	Q303	G6	R170	G3	R504	G3	TP110	F1
C189	C2	CN509	*D1	Q304	D5	R182	G6	R505	G3	TP111	D1
C190	D7	CN510	*A2	Q305	D5	R183	G6	R506	G3	TP112	D1
C191	F5	CN511	*A5	Q306	J6	R190	H3	R507	G3	TP113	E2
C192	F5	CN512	*D4	Q307	F6	R191	H3	R508	G3	TP114	E2
C193	F2	CT300	B3	Q308	F3	R196	H2	R509	H4	TP300	E1
C300	D4			Q309	B6	R209	D2	R510	H3	TP301	E1
C301	D4	D102	F2	Q310	B6	R211	D3	R511	J4	TP302	D2
C302	D4	D103	*C2	Q311	A5	R214	H4	R512	J3		
C303	D4	D104	*C2	Q312	C2	R215	H3	R513	F3	X100	J2
C304	D4	D105	*D2	Q313	C2	R219	D2	R514	F3	X101	E2
C305	D4	D106	*C2	Q314	A4	R220	E2	R515	F3		
C306	C2	D107	*C2	Q315	A4	R221	D2	R516	F3		
C307	A4	D108	*D2	Q316	C2	R222	D2	R517	F3		
C308	B4	D300	*C1	Q317	C3	R223	E2	R518	F3		
C309	B2	D301	*C1	Q318	C3	R224	E2	R519	F3		
C310	C2	D302	*C1	Q319	B6	R225	D2	R520	F3		
C311	C3	D303	*C1	Q320	C2	R226	D7	R521	F3		
C312	C3	D304	D5	Q321	A4	R227	D7	R522	H4		
C313	A4	D305	G1	Q322	A4	R230	D7	R523	H3		
C314	C3	D306	C2	Q323	A4	R231	D7	R524	H4		
C315	A4	D307	C2	Q324	D5	R232	F2	R525	H3		
C316	A5	D308	A4	Q325	D5	R233	F2	R526	F3		
C317	A5	D500	J3	Q326	D5	R234	F2	R527	F3		
C318	C3	D501	J3	Q500	G3	R235	G2	R528	F3		
C319	C3	D502	H3	Q501	F3	R236	H2	R529	F3		
C320	A5	D503	H3			R237	F2	R530	G3		
C321	B4			R100	B2	R238	J2	R531	J4		
C322	A5	EP100	F4	R101	B2	R239	G2	R532	J4		
C323	B3	EP101	*A4	R102	B2	R240	J2	R533	H4		
C324	B3	EP102	F2	R103	B2	R241	C2	R534	H4		
C325	E4			R104	B2	R242	C2	R535	G3		
C326	A5	IC100	D6	R105	B2	R246	E7	R536	H5		
C327	B5	IC101	B2	R106	D6	R247	E7	R537	H5		
C328	D5	IC102	D6	R107	D6	R248	E7	R538	H6		





MDC-5 -B SIDE-
SUFFIX: -11

PA-203 (1-662-477-12,13,14)

* : B SIDE

C1 *B1
C100 A1
C101 A2
C102 *B2
C103 *A2
C104 *A1
C105 *A2
C106 B1
C107 B1
C108 *B1
C109 *B2
C110 *B2
C111 *B1
C112 *B2
C113 *A2
C114 B2
C115 *B2
C116 B2
CN1 A2
CN125 B2
CN133 B2


D100 *B1
D101 *B1
D102 *B2
D103 *B1

IC100 *A2
IC101 *B2
IC102 *B2

L100 B2
L101 B2


Q100 B2
Q101 B1
Q102 *A2

R100 *B2
R101 *B2
R102 *B1
R103 *A2
R104 *A2
R105 *A2
R106 *A2
R107 *B1
R108 *B1
R109 *B2
R110 *B2
R111 *B2
R112 *A2
R113 *A2
R114 *B2
R115 *A1
R116 *B2




DNV-5 (SY) : S/N 10001 and Higher
DNV-5 (J) : S/N 30001 and Higher

PA-203 -A SIDE-
SUFFIX: -12,13,14




PA-203 -B SIDE-
SUFFIX: -12,13,14




DNV-5 (SY) : S/N 10001 and Higher
DNV-5 (J) : S/N 30001 and Higher
DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher

HN-224 -A SIDE-
SUFFIX: -11,12




HN-224 -B SIDE-
SUFFIX: -11,12




DNV-5 (SY) : S/N 10001 and Higher
DNV-5 (J) : S/N 30001 and Higher
DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher


MDR-1 -A SIDE-
SUFFIX: -11




MDR-1 -B SIDE-
SUFFIX: -11



DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher
AIF-8 - A SIDE-
SUFFIX: -11




AIF-8 - B SIDE-
SUFFIX: -11




MA-68 - ASIDE-
SUFFIX: -11,12


DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher




MA-68 - BSIDE-
SUFFIX: -11,12



DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher
SW-789 - ASIDE-
SUFFIX: -11




SW-789 - BSIDE-
SUFFIX: -11




DC-87 -A SIDE-SUFFIX: -12

DNV-5 (SY)	: S/N 10001 and Higher
DNV-5 (J)	: S/N 30001 and Higher
DNW-7/9WS/90/90WS (SY)	: S/N 10001 and Higher
DNW-7/9WS/90/90WS (J)	: S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY)	: S/N 40001 and Higher




DC-87 -B SIDE-
SUFFIX: -12



PS-390 -A SIDE-SUFFIX: -11,12

DNV-5 (SY)	: S/N 10001 and Higher
DNV-5 (J)	: S/N 30001 and Higher
DNW-7/9WS/90/90WS (SY)	: S/N 10001 and Higher
DNW-7/9WS/90/90WS (J)	: S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY)	: S/N 40001 and Higher




PS-390 -B SIDE-
SUFFIX: -11,12

RE-118 (1-662-325-12)


* : B SIDE

C1	B1	R10	*A2
C2	*B1	R100	*D2
C3	D1	R101	*D1
C4	D1	R102	*D1
C5	*D2	R103	D2
C6	D2	R104	D2
C7	C1	R105	*D2
C8	*C2	R106	*D2
C9	*B2	R107	*D1
C10	*C2	R200	*D2
C11	C2	R201	*D1
C12	B1	R202	*D1
C13	*B1	R203	D2
C14	*B2	R204	D2
C15	B2	R205	D1
C16	A1	R206	*D1
C17	A1	R301	*C2
C18	*A2	R302	*C1
C19	A2	R304	*C1
C20	A1	R305	B2
C100	D1	R306	B2
C101	D2	R307	B2
C200	D1	R308	B1
C201	D2	R309	B2
C301	C1	R401	*C2
C302	B2	R402	*C1
C401	C1	R403	*C1
C402	C2	R404	*C1
C500	A1	R405	C2
C501	A2	R406	C2
C600	A1	R407	C1
C601	A2	R408	C1
C700	B1	R409	C1
C701	*B2	R500	*A2
C702	B2	R501	*A1
		R502	*A1
CN1	C2	R503	*A1
CN2	A2	R504	A2
		R505	A2
	*B2	R506	*A2
IC1	D2	R507	*A2
IC2	C2	R508	*A1
IC3	B2	R600	*A2
IC4	A2	R601	*A1
IC5		R602	*A1
	*C1	R603	*A1
Q4	*C1	R604	A2
Q6	*A2	R605	A2
Q101	*D1	R606	*A2
Q201	*D2	R607	*A2
Q301	*C1	R608	A1
Q401	*C2	R609	A1
Q501	*A1	R700	*B2
Q601	*A1	R701	*B2
Q701	*B1	R702	*B1
		R703	*B1
R1	D2	R704	*B1
R2	C1	R705	*B2
R3	*C1	R706	B2
R4	C1	R707	B2
R5	*C2	R708	B1
R6	*C2	R709	B1
R7	*B1	R710	*B2
R8	A1	R711	*A2
R9	*B2		



RE-118 -A SIDE-
SUFFIX: -12

DNV-5 (SY) : S/N 10151 and Higher
DNV-5 (J) : S/N 30031 and Higher
DNW-7 (SY) : S/N 10131 and Higher
DNW-7 (J) : S/N 30111 and Higher
DNW-7P (SY) : S/N 40310 and Higher
DNW-9WS (SY) : S/N 10001 and Higher
DNW-9WS (J) : S/N 30001 and Higher
DNW-9WSP (SY) : S/N 40001 and Higher
DNW-90 (SY) : S/N 10036 and Higher
DNW-90 (J) : S/N 30081 and Higher
DNW-90P (SY) : S/N 40046 and Higher
DNW-90WS (SY) : S/N 10031 and Higher
DNW-90WS (J) : S/N 30011 and Higher
DNW-90WSP (SY) : S/N 40071 and Higher




RE-118 -B SIDE-
SUFFIX: -12

RE-119 (1-662-326-11,12)


* : B SIDE

C1	C1	D6	*C3	Q702	*B1
C2	*C1	D100	*A1	Q703	*A3
C3	D4	D200	*D1		
C4	C4	D300	*B2	R1	C4
C5	D4	D301	*B3	R2	C4
C6	*D4	D400	*A1	R3	C4
C7	C4	D401	*A2	R4	C4
C8	*C4	D500	*D2	R5	C4
C100	*A1	D501	*D3	R6	C4
C101	A1	D600	*C2	R7	*C4
C102	*A1	D601	*C3	R8	*C4
C103	A1	D700	*B1	R9	*C4
C104	A4	D701	*B1	R10	*B3
C105	A3	D702	*B3	R11	*C4
C200	*D1			R12	*B3
C201	D1	IC1	*D4	R13	*B3
C202	*D1	IC2	*C4	R100	*B1
C203	D1	IC100	*A1	R101	*A1
C204	*A4	IC200	*D1	R102	*A3
C205	D3	IC300	*B2	R103	*A3
C300	*B1	IC400	*A2	R200	*C1
C301	*A2	IC500	*D2	R201	*D1
C302	*B3	IC600	*C2	R202	C4
C303	B2	IC700	*B1	R203	C4
C304	*B3			R300	*B1
C305	B2	L100	A1	R301	*B2
C306	*A4	L101	A1	R302	*B2
C307	*A4	L102	A3	R303	*A2
C308	B3	L200	D1	R304	*B3
C309	A3	L201	D1	R305	*B2
C400	*A2	L202	D3	R306	*A3
C401	*A2	L300	B1	R307	*B4
C402	*A2	L301	B2	R308	*B4
C403	A2	L302	B3	R309	*B3
C404	*A3	L303	B3	R310	*B3
C405	A2	L400	A2	R400	*A1
C406	*A4	L401	A2	R401	*A1
C407	A3	L402	A3	R402	*A2
C500	*D2	L500	C2	R403	*A1
C501	*D2	L501	D2	R404	*A2
C502	*D3	L502	D3	R405	*A1
C503	D2	L600	C1	R406	*A2
C504	*D3	L601	C2	R407	*A3
C505	D2	L602	C3	R408	*A3
C506	*B4	L700	C1	R500	*D1
C507	C3	L701	C3	R501	*C2
C600	*C1	L702	C3	R502	*D3
C601	*C1	L703	B3	R503	*D2
C602	*C2			R504	*D2
C603	C2	Q1	D4	R505	*D2
C604	*C2	Q2	*C3	R506	*D3
C605	C2	Q3	*D4	R507	*B4
C606	*B3	Q4	*B3	R508	*B4
C607	B3	Q5	*B4	R600	*C1
C608	*A4	Q6	*B3	R601	*C2
C700	*C1	Q100	*A1	R602	*C2
C701	B1	Q101	*A1	R603	*C2
C702	*B1	Q200	*D1	R604	*C3
C703	*B3	Q201	*D1	R605	*C2
C704	B1	Q300	*B1	R606	*C2
C705	B3	Q301	*B1	R607	*B4
C706	*B1	Q302	*B1	R608	*B3
C707	B1	Q303	*B2	R609	*B3
C708	*A4	Q400	*A2	R700	*B1
C709	*A4	Q401	*A1	R703	*C1
C710	C3	Q402	*B1	R704	*A4
C711	B3	Q403	*A2	R705	*A4
C712	C3	Q500	*D1	R706	*A4
C713	*A4	Q501	*D1	R707	*A4
CN1	A1	Q502	*D1	R708	*A3
CN2	C1	Q503	*D2	R709	*A3
CN3	A4	Q600	*C1	R710	*A3
		Q601	*C1	R711	*A3
D1	C4	Q602	*C1	R712	*A3
D2	*A3	Q603	*C2	R713	*B1
D3	*B3	Q604	*B3	R714	*B1
D4	*C4	Q700	*B1		
D5	*A3	Q701	*C1	T700	B2



RE-119 -A SIDE-
SUFFIX: -11,12

DNV-5 (SY) : S/N 10001 and Higher
DNV-5 (J) : S/N 30001 and Higher
DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher




RE-119 -B SIDE-
SUFFIX: -11,12


RE-118 (1-662-325-11)

* : B SIDE

C1	B1	R100	*D2
C2	*B1	R101	*D1
C3	D1	R102	*D1
C4	D1	R103	D2
C5	*D2	R104	D2
C6	D2	R105	*D2
C7	C1	R106	*D2
C8	*C2	R107	*D1
C9	*B2	R200	*D2
C10	*C2	R201	*D1
C100	D1	R202	*D1
C101	D2	R203	D2
C11	C2	R204	D2
C12	B1	R205	D1
C13	*B1	R206	*D1
C14	*B2	R301	*C2
C15	B2	R302	*C1
C16	A1	R304	*C1
C17	A1	R305	B2
C18	*A2	R306	B2
C19	A2	R307	B2
C20	A1	R308	B2
C200	D1	R309	B2
C201	D2	R401	*C2
C301	C1	R402	*C1
C302	B2	R403	*C1
C401	C1	R404	*C1
C402	C2	R405	C2
C500	A1	R406	C2
C501	A2	R407	C1
C600	A1	R408	C1
C601	A2	R409	C1
C700	B1	R500	*A2
C702	B2	R501	*A1
CN1	C2	R502	*A1
CN2	A2	R503	*A1
		R504	A2
IC1	*B2	R505	A2
IC2	D2	R506	*A2
IC3	C2	R507	*A1
IC4	B2	R508	*A1
IC5	A2	R600	*A2
		R601	*A1
Q2	*C1	R602	*A1
Q4	*C1	R603	*A1
Q101	*D1	R604	A2
Q201	*D2	R605	A2
Q301	*C1	R606	*A2
Q401	*C2	R607	*A2
Q501	*A1	R608	A1
Q601	*A1	R609	A1
Q701	*B1	R700	*B2
		R701	*B2
R1	D2	R702	*B1
R2	C1	R703	*B1
R3	*C1	R706	B2
R4	C1	R707	B2
R5	*C2	R708	B1
R6	*C2	R709	B1
R9	*B2	R710	*B2
R10	*A2	R711	*B2




RE-118 -A SIDE-
SUFFIX: -11




RE-118 -B SIDE-
SUFFIX: -11

DNV-5 (SY) : S/N 10001 through 10150
DNV-5 (J) : S/N 30001 through 30030
DNW-7 (SY) : S/N 10001 through 10130
DNW-7 (J) : S/N 30001 through 30110
DNW-7P (SY) : S/N 40001 through 40309
DNW-90 (SY) : S/N 10001 through 10035
DNW-90 (J) : S/N 30001 through 30080
DNW-90P (SY) : S/N 40001 through 40045
DNW-90WS (SY) : S/N 10001 through 10030
DNW-90WS (J) : S/N 30001 through 30010
DNW-90WSP (SY) : S/N 40001 through 40070




AL-40 -A SIDE-
SUFFIX: -11

DNV-5 (SY) : S/N 10001 and Higher
DNV-5 (J) : S/N 30001 and Higher
DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher




AL-40 -B SIDE-
SUFFIX: -11




AXM-14 -A SIDE-
SUFFIX: -11,12

DNV-5 (SY) : S/N 10001 and Higher
DNV-5 (J) : S/N 30001 and Higher
DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher




AXM-14 -B SIDE-
SUFFIX: -11,12




CT-185 -A SIDE-
SUFFIX: -11,12

DNV-5 (SY) : S/N 10001 and Higher
DNV-5 (J) : S/N 30001 and Higher




CT-185 -B SIDE-
SUFFIX: -11,12




CNB-1 -A SIDE-
SUFFIX: -12


DNV-5 (SY) : S/N 10111 and Higher
DNV-5 (J) : S/N 30031 and Higher
DNW-7 (SY) : S/N 10081 and Higher
DNW-7 (J) : S/N 30061 and Higher
DNW-7P (SY) : S/N 40146 and Higher
DNW-9WS (SY) : S/N 10001 and Higher
DNW-9WS (J) : S/N 30001 and Higher
DNW-9WSP (SY) : S/N 40001 and Higher
DNW-90 (SY) : S/N 10026 and Higher
DNW-90 (J) : S/N 30041 and Higher
DNW-90P (SY) : S/N 40016 and Higher
DNW-90WS (SY) : S/N 10001 and Higher
DNW-90WS (J) : S/N 30001 and Higher
DNW-90WSP (SY) : S/N 40031 and Higher



CNB-1 -B SIDE-
SUFFIX: -12




CNB-1 -B SIDE-
SUFFIX: -11




DNV-5 (SY) : S/N 10001 and Higher
DNV-5 (J) : S/N 30001 and Higher
DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher

IO-117 -A SIDE-
SUFFIX: -11,12




IO-117 -B SIDE-
SUFFIX: -11,12




DNV-5 (SY) : S/N 10001 and Higher
DNV-5 (J) : S/N 30001 and Higher
DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher

CI-12 -A SIDE-
SUFFIX: -11,12,13




CI-12 -B SIDE-
SUFFIX: -11,12,13




CO-22 -A SIDE-
SUFFIX: -11,12

DNV-5 (SY) : S/N 10001 and Higher
DNV-5 (J) : S/N 30001 and Higher
DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher




CO-22 -B SIDE-
SUFFIX: -11,12




HP-70 -A SIDE-
SUFFIX: -11

DNV-5 (SY) : S/N 10001 and Higher
DNV-5 (J) : S/N 30001 and Higher
DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher




HP-70 -B SIDE-
SUFFIX: -11




DNV-5 (SY) : S/N 10001 and Higher
DNV-5 (J) : S/N 30001 and Higher
DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher

KY-293 -A SIDE-
SUFFIX: -12



KY-293 -B SIDE-
SUFFIX: -12




PSW-33
-A SIDE-
SUFFIX: -11



PSW-33
-B SIDE-
SUFFIX: -11

DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher




PSW-55
-A SIDE-
SUFFIX: -11




PSW-55
-B SIDE-
SUFFIX: -11

DNV-5 (SY) : S/N 10001 and Higher
DNV-5 (J) : S/N 30001 and Higher




DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher

LP-86 -A SIDE-
SUFFIX: -11




LP-86 -B SIDE-
SUFFIX: -11




DNV-5 (SY) : S/N 10001 and Higher
DNV-5 (J) : S/N 30001 and Higher
DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher

RX-26 -A SIDE-
SUFFIX: -11




RX-26 -B SIDE-
SUFFIX: -11




DNV-5 (SY) : S/N 10001 and Higher
DNV-5 (J) : S/N 30001 and Higher

LP-102 -A SIDE-
SUFFIX: -12




LP-102 -B SIDE-
SUFFIX: -12




DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher

SW-780 -A SIDE-
SUFFIX: -11




SW-780 -B SIDE-
SUFFIX: -11




SW-808 -A SIDE-
SUFFIX: -11

DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher




SW-808 -B SIDE-
SUFFIX: -11




SW-882 -A SIDE-
SUFFIX: -11

DNV-5 (SY) : S/N 10001 and Higher
DNV-5 (J) : S/N 30001 and Higher




SW-882 -B SIDE-
SUFFIX: -11




SW-823 -A SIDE-
SUFFIX: -11


DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher



SW-823 -B SIDE-
SUFFIX: -11



DNV-5 (SY) : S/N 10001 and Higher
DNV-5 (J) : S/N 30001 and Higher
SW-873 -A SIDE-
SUFFIX: -12



SW-873 -B SIDE-
SUFFIX: -12

MB-627 (1-662-310-12,13)

* : B SIDE

- C1

C2

C3

C4

C10

C11

C12

C13

C14

C15

C16

C17

C18

C19

C22

C23

C51

C52

C53

C54

C55

C56

C57

C58

CN1

CN2

CN3

CN4

CN5

CN6

CN20

CN22

CN23

CN25

CN26

CN27

CN30

CN31

CN32

CN33

CN34

CN35

CN50

CN51

CN52

CN53

CN54

E1

L1

L2

R1

R4

R5

R10

R11

R12

R13

R14

R15

R16

R17

R18

R19

RB1
- * D1

* D1

* D1

D1

A1

D2

D2

A1

* C2

C2

A1

A2

C1

C1

C2

C2

* D2

* D2

* D1

* D1

* D1

* D1

A2

B2

A1

B1

B1

D1

* D1

* B1

* C1

* A1

* A1

B2

C2

B2

A1

A1

A2

B2

B2

A2

A2

C2

B1

C1

C1

B1

* D2

D2

D2

B2

B2

A2

A2

A2


C2

B1

C1


C1

B1




DNV-5 (SY) : S/N 10001 and Higher
DNV-5 (J) : S/N 30001 and Higher
DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher


MB-627 -A SIDE-
SUFFIX: -12,13




MB-627 -B SIDE-
SUFFIX: -12,13




DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher
CN-1183 -A SIDE-
SUFFIX: -11




CN-1183 -B SIDE-
SUFFIX: -11



DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher
BI-96 -A SIDE-
SUFFIX: -11




BI-96 -B SIDE-
SUFFIX: -11




DNW-7 (SY) : S/N 10526 and Higher
DNW-7 (J) : S/N 30201 and Higher
DNW-7P (SY) : S/N 40760 and Higher
DNW-9WS (SY) : S/N 10001 and Higher
DNW-9WS (J) : S/N 30001 and Higher
DNW-9WSP (SY) : S/N 40001 and Higher
DNW-90 (SY) : S/N 10069 and Higher
DNW-90 (J) : S/N 31001 and Higher
DNW-90P (SY) : S/N 40076 and Higher
DNW-90WS (SY) : S/N 10081 and Higher
DNW-90WS (J) : S/N 30031 and Higher
DNW-90WSP (SY) : S/N 40316 and Higher

DR-291 -A SIDE-
SUFFIX: -13




DR-291 -B SIDE-
SUFFIX: -13




DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher

PA-186 -A SIDE-
SUFFIX: -12,13,14




PA-186 -B SIDE-
SUFFIX: -12,13,14




DNW-7 (SY) : S/N 10001 through 10525
DNW-7 (J) : S/N 30001 through 30200
DNW-7P (SY) : S/N 40001 through 40759
DNW-90 (SY) : S/N 10001 through 10068
DNW-90 (J) : S/N 30001 through 31001
DNW-90P (SY) : S/N 40001 through 40075
DNW-90WS (SY) : S/N 10001 through 10080
DNW-90WS (J) : S/N 30001 through 30030
DNW-90WSP (SY) : S/N 40001 through 40315

DR-291 -A SIDE-
SUFFIX: -11,12




DR-291 -B SIDE-
SUFFIX: -11,12




DNW-7 (SY) : S/N 10526 and Higher
DNW-7 (J) : S/N 30201 and Higher
DNW-7P (SY) : S/N 40760 and Higher
DNW-9WS (SY) : S/N 10001 and Higher
DNW-9WS (J) : S/N 30001 and Higher
DNW-9WSP (SY) : S/N 40001 and Higher
DNW-90 (SY) : S/N 10069 and Higher
DNW-90 (J) : S/N 31001 and Higher
DNW-90P (SY) : S/N 40076 and Higher
DNW-90WS (SY) : S/N 10081 and Higher
DNW-90WS (J) : S/N 30031 and Higher
DNW-90WSP (SY) : S/N 40316 and Higher

VA-167 -A SIDE-
SUFFIX: -14




VA-167 -B SIDE-
SUFFIX: -14




DNW-7 (SY) : S/N 10171 and Higher
DNW-7 (J) : S/N 30111 and Higher
DNW-7P (SY) : S/N 40310 and Higher

TG-161 -A SIDE-
SUFFIX: -13




TG-161 -B SIDE-
SUFFIX: -13






DNW-7 (SY) : S/N 10001 through 10525
DNW-7 (J) : S/N 30001 through 30200
DNW-7P (SY) : S/N 40001 through 40759
DNW-90 (SY) : S/N 10001 through 10068
DNW-90 (J) : S/N 30001 through 31001
DNW-90P (SY) : S/N 40001 through 40075
DNW-90WS (SY) : S/N 10001 through 10080
DNW-90WS (J) : S/N 30001 through 30030
DNW-90WSP (SY) : S/N 40001 through 40315

VA-167 -A SIDE-
SUFFIX: -12,13




VA-167 -B SIDE-
SUFFIX: -12,13



DNW-7 (SY) : S/N 10001 through 10170
DNW-7 (J) : S/N 30001 through 30110
DNW-7P (SY) : S/N 40001 through 40309

TG-161 -A SIDE-
SUFFIX: -11,12




TG-161 -B SIDE-
SUFFIX: -11,12

TG-164 (1-663-934-11,12,13)

* : B SIDE


C1	B1	R12	*C1
C1	*B1	R14	*A2
C2	*A2	R15	*A2
C3	*B1	R16	*B2
C4	*B1	R17	*B2
C5	*B2	R18	*A2
C6	*B2	R19	*A1
C9	*B2	R20	B1
C12	*A2	R21	*C1
C13	*B2	R22	*C1
C14	*B2	R23	B1
C15	*B2	R24	B1
C16	*A2	R25	*C1
C17	*A2	R26	*C1
C18	*C2	R27	B1
C19	*B2	R28	*A1
C20	*A1	R29	*A1
C21	*B2	R30	*A1
C22	*B2	R31	*A2
C23	*B1	R32	*A2
C24	*A1	R33	*A1
C25	*B2	R34	*B2
C30	*A2	R35	*A1
C31	*A2	R36	*A1
C32	*A2	R37	*A1
C35	*A2	R38	*A1
C36	*A2	R39	*A1
C37	*A2	R40	*B2
C38	*A2	R41	*B2
C39	*A2	R42	*B2
C40	A2	R43	*B2
C41	A2	R44	*B2
C47	*B1	R47	*B1
C48	*A2	R48	*B2
C49	*B1	R49	*B2
C50	*C2	R50	*B1
C51	B2	R51	*B2
		R52	A2
CN1	A2	R53	*B2
CN2	C1	R54	*B1
CN3	C2	R55	*B2
		R56	*B2
D1	*B2	R57	*A2
D2	*A2	R59	A2
D5	*A2	R61	*A2
D6	*B1	R62	*A2
D7	*B1	R63	*A2
D8	*B2	R64	*A2
D9	B1	R65	*A2
		R66	*A2
IC1	B2	R67	*A2
IC2	B1	R68	*A1
IC3	A2	R69	A2
IC4	A2	R70	A2
IC5	A2	R71	A2
IC6	B1	R72	A2
IC7	A2	R73	A2
IC8	*A1	R74	A2
IC10	A2	R75	A2
		R76	*B2
Q1	*C2	R79	*B1
		R80	*B1
R1	*A2	R81	*B1
R2	*B2	R82	*B1
R3	*A1	R83	B2
R4	*A1	R84	*B2
R5	*B2		
R7	*A2	S1	*B1
R8	*A2	S2	*B1
R9	*C1		
R10	*B2	X1	A1
R11	B1		



TG-164 -A SIDE-

SUFFIX: -11,12,13

DNW-9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-9WS/90/90WS (J) : S/N 30001 and Higher
DNW-9WSP/90P/90WSP (SY) : S/N 40001 and Higher



TG-164 -B SIDE-

SUFFIX: -11,12,13


Section 5
Schematic Diagrams

System Configuration	Board Name	Function Name	Page of Block Diagram	Page of Board Layout	Page of Schematic Diagram
CCD BLOCK	BI-96 ^{*W}	CCD Imager (R, G, B)	3-16	4-29	5-119
	CN-1183 ^{*W}	Connector Board for BI-96	3-16	4-29	5-118
	DR-291 ^{*W}	CCD Driver	3-16	4-30	5-120
	PA-186 ^{*W}	Pre-amp (Sample & Hold)	3-16	4-30	5-122
	TG-161 ^{*W7}	Timing Generator	3-16	4-31	5-126
	TG-164 ^{*W90}	Timing Generator	3-18	4-32	5-128
	VA-167 ^{*W}	Video Amp	3-15	4-31	5-124
CAMERA/VIDEO	CN-1193 ^{*SD}	Connector Board for DCP-1	3-8	4-5	5-19
	CT-187 ^{*V5}	Camera Adaptor Control, 6P-remote Control, Setting Menu	3-12	4-4	5-4
	DCP-1 ^{*W}	Camera Processor	3-8	4-7	5-6
	DVP-1	RF, Digital Audio Processor, Timing Clock Generator, System Controller for VTR Block	3-7	4-9	5-20
	DVP-2	Digital Bit Reduction Decoder, Digital Encoder, Digital Decoder	3-7	4-10	5-34
	ES-11 ^{*W}	Composite Encoder	3-8	4-15	5-46
	IF-634 ^{*V5}	50-pin Interface, Video Input/Output	3-12	4-13	5-50
	PA-203 ^{*V5}	Audio Pre-amp for 50-pin	3-4	4-20	5-59
	RC-61 ^{*WS}	Rate (16:9 to 4:3) Converter	3-8	4-5	5-60
	TC-80	Analog Audio Processor, Time Code Generator	3-10	4-16	5-62 ^{*V5} 5-72 ^{*W}
DRUM/SERVO	HN-224	Harness, TC Amp	3-4	4-20	5-81
	MDC-5	Servo Controller	3-13	4-18	5-82
	MDR-1	Drum Motor Driver	3-4	4-20	5-86
MICROPHONE	AIF-8 ^{*W}	Lens Control, Mic Amp	3-4	4-21	5-87
	MA-68 ^{*W}	Camera Mic Pre-amp	—	4-21	5-88
	SW-789 ^{*W}	Mic Level, Auto White/Black SW, VTR Start/Stop SW, Shutter On/Off Select SW	3-4	4-21	5-134
POWER SUPPLY	DC-87	Battery DC Filter	—	4-22	5-89
	PS-390	Power Supply (Light)	3-4	4-22	5-89
	RE-118	Regulator, Switching Control	3-14	4-23	5-90 ^{*V5} 5-92 ^{*W}
	RE-119	Regulator	3-14	4-23	5-94 ^{*V5} 5-96 ^{*W}
CONNECTOR BOX	AL-40	Audio CH-2 Line Out Amp	—	4-24	5-98
	AXM-14	Connector (AUDIO IN/OUT), Audio Pre-amp	3-4	4-24	5-99
	CNB-1	Circuit Breaker, Audio CH-1 Line Out Amp	3-4	4-24	5-100 ^{*V5} 5-104 ^{*W}
	CO-22	Connector (VBS OUT)	3-4	4-25	5-131, 135
	CT-185 ^{*V5}	Power Supply for 50-pin	3-6	4-24	5-98
	DC-88	External DC Filter	—		5-131, 135
	IO-117	Connector (GEN LOCK IN, TEST OUT, TC IN, TC OUT)	3-4	4-25	5-107


System Configuration	Board Name	Function Name	Page of Block Diagram	Page of Board Layout	Page of Schematic Diagram
OTHERS	CI-12	40-pin Adaptor Interface	3-4	4-25	5-108
	HP-70	Earphone	3-4	4-25	5-131, 135
	KY-293	Function Key	—	4-26	5-130, 134
	LP-86 ^{*W}	Back Tally, Back Tally Switch	—	4-26	5-135
	LP-102 ^{*V5}	Back Tally, Back Tally Switch	—	4-26	5-131
	PSW-33 ^{*W}	Power Switch	3-4	4-26	5-134
	PSW-55 ^{*V5}	Power Switch	3-6	4-26	5-130
	RX-26	Audio Pre-amp for Wireless Microphone	3-4	4-26	5-109
	SW-780 ^{*W}	Switch Panel	3-4	4-26	5-109
	SW-808 ^{*W}	Rotary Encoder Switch	3-4	4-27	5-134
	SW-823 ^{*W}	Menu and Light Auto/Manual Switch	3-4	4-27	5-135
	SW-873 ^{*V5}	Menu and Light Auto/Manual Switch	—	4-27	5-130
	SW-882 ^{*V5}	Rotary Encoder Switch	—	4-27	5-130
	MB-627	Mother Board	—	4-28	5-110 ^{*V5} 5-114 ^{*W}

*SD : For DNW-7/7P/90/90P only
*V5 : For DNV-5 only
*W : For DNW-7/7P/9WS/9WSP/90/90P/90WS/90WSP only
*W7 : For DNW-7/7P only
*W90 : For DNW-9WS/9WSP/90/90P/90WS/90WSP only
*WS : For DNW-9WS/9WSP/90WS/90WSP only

DNW-7/7P/90/90P/90WS/90WSP



DNV-5



DNV-5 (SY) : S/N 10001 and Higher
DNV-5 (J) : S/N 30001 and Higher

1

2

3

4

5

A

B

C

5-4

D


5-4

E

F

G

DNV-5
DNW-790/90WS






DNW-7 (SY) : S/N 10526 and Higher
DNW-7 (J) : S/N 30201 and Higher
DNW-7P (SY) : S/N 40760 and Higher

DNW-9WS (SY) : S/N 10001 and Higher
DNW-9WS (J) : S/N 30001 and Higher
DNW-9WSP (SY) : S/N 40001 and Higher

DNW-90 (SY) : S/N 10069 and Higher
DNW-90 (J) : S/N 31001 and Higher
DNW-90P (SY) : S/N 40076 and Higher

DNW-90WS (SY) : S/N 10081 and Higher
DNW-90WS (J) : S/N 30031 and Higher
DNW-90WSP (SY) : S/N 40316 and Higher



5-6 (c)

5-6 (c)




DNW-90WS (SY) : S/N 10081 and Higher
DNW-90WS (J) : S/N 30031 and Higher
DNW-90WSP (SY) : S/N 40316 and Higher


5



DNV-5
NW-7/90/90WS




DNW-90WS (SY) : S/N 10081 and Higher
DNW-90WS (J) : S/N 30031 and Higher
DNW-90WSP (SY) : S/N 40316 and Higher




5-10 (c)


DNV-5
DNW-7/90/90WS



CAMERA PROCESSOR
DCP-1 (3/7)
 BOARD NO. 1-662-307-15
 LOT NO. 707-
 B-YDNW7-DCP1-17


DNW-90WS (SY) : S/N 10081 and Higher
DNW-90WS (J) : S/N 30031 and Higher
DNW-90WSP (SY) : S/N 40316 and Higher





CAMERA PROCESSOR
DCP-1 (4/7)
BOARD NO. 1-662-307-15
LOT NO. 707-
B-VDNW7-DCP1-17

DNW-90WS (SY) : S/N 10081 and Higher
DNW-90WS (J) : S/N 30031 and Higher
DNW-90WSP (SY) : S/N 40316 and Higher



DNW-7 (SY) : S/N 10526 and Higher
DNW-7 (J) : S/N 30201 and Higher
DNW-7P (SY) : S/N 40760 and Higher

DNW-9WS (SY) : S/N 10001 and Higher
DNW-9WS (J) : S/N 30001 and Higher
DNW-9WSP (SY) : S/N 40001 and Higher

DNW-90 (SY) : S/N 10069 and Higher
DNW-90 (J) : S/N 31001 and Higher
DNW-90P (SY) : S/N 40076 and Higher

DNW-90WS (SY) : S/N 10081 and Higher
DNW-90WS (J) : S/N 30031 and Higher
DNW-90WSP (SY) : S/N 40316 and Higher


1

2

3


4

5



5-16 (c)

5-16 (c)




CAMERA PROCESSOR
DCP-1 (6/7)
BOARD NO. 1-662-307-15
LOT NO. 707-
B-YDNW7-DCP1-17

DNW-7 (SY) : S/N 10526 and Higher
DNW-7 (J) : S/N 30201 and Higher
DNW-7P (SY) : S/N 40760 and Higher



DNW-9WS (SY) : S/N 10001 and Higher
DNW-9WS (J) : S/N 30001 and Higher
DNW-9WSP (SY) : S/N 40001 and Higher

DNW-90 (SY) : S/N 10069 and Higher
DNW-90 (J) : S/N 31001 and Higher
DNW-90P (SY) : S/N 40076 and Higher

DNW-90WS (SY) : S/N 10081 and Higher
DNW-90WS (J) : S/N 30031 and Higher
DNW-90WSP (SY) : S/N 40316 and Higher



DNW-7/90 (SY) : S/N 10001 and Higher
DNW-7/90 (J) : S/N 30001 and Higher
DNW-7P/90P (SY) : S/N 40001 and Higher




CONNECTOR BOARD FOR DCP-1
CN-1193
 BOARD NO. 1-662-308-11
 LOT NO. 707-
 B-¥DNW7-CN1193-11

CAMERA PROCESSOR
DCP-1 (7/7)
BOARD NO. 1-662-307-15
LOT NO. 707-
B-¥DNW7-DCP1-17

DNW-7 (SY) : S/N 10081 through 10525
DNW-7 (J) : S/N 30061 through 30200
DNW-7P (SY) : S/N 40146 through 40759


DNW-90 (SY) : S/N 10026 through 10068
DNW-90 (J) : S/N 30041 through 31000
DNW-90P (SY) : S/N 40016 through 40075

DNW-90WS (SY) : S/N 10001 through 10080
DNW-90WS (J) : S/N 30001 through 30030
DNW-90WSP (SY) : S/N 40031 through 40315



5-6 (b)


5-6 (b)



DNW-7 (SY) : S/N 10081 through 10525
DNW-7 (J) : S/N 30061 through 30200
DNW-7P (SY) : S/N 40146 through 40759

DNW-90 (SY) : S/N 10026 through 10068
DNW-90 (J) : S/N 30041 through 31000
DNW-90P (SY) : S/N 40016 through 40075

DNW-90WS (SY) : S/N 10001 through 10080
DNW-90WS (J) : S/N 30001 through 30030
DNW-90WSP (SY) : S/N 40031 through 40315




5-8 (b)

5-8 (b)




B-¥DNW7-DCP1-14

DNW-90WS (SY) : S/N 10001 through 10080
DNW-90WS (J) : S/N 30001 through 30030
DNW-90WSP (SY) : S/N 40031 through 40315



5-10 (b)

DNV-5
DNW-7/90/90WS




CAMERA PROCESSOR
DCP-1 (3/7)
 BOARD NO. 1-662-307-14
 LOT NO. 611-706
 B-YDNW7-DCP1-14

DNW-7 (SY) : S/N 10081 through 10525
DNW-7 (J) : S/N 30061 through 30200
DNW-7P (SY) : S/N 40146 through 40759


DNW-90 (SY) : S/N 10026 through 10068
DNW-90 (J) : S/N 30041 through 31000
DNW-90P (SY) : S/N 40016 through 40075

DNW-90WS (SY) : S/N 10001 through 10080
DNW-90WS (J) : S/N 30001 through 30030
DNW-90WSP (SY) : S/N 40031 through 40315



5-12 (b)

5-12 (b)




CAMERA PROCESSOR
DCP-1 (4/7)
BOARD NO. 1-662-307-14
LOT NO. 611-706
B-YDNW7-DCP1-14

DNW-7 (SY) : S/N 10081 through 10525
DNW-7 (J) : S/N 30061 through 30200
DNW-7P (SY) : S/N 40146 through 40759

DNW-90 (SY) : S/N 10026 through 10068
DNW-90 (J) : S/N 30041 through 31000
DNW-90P (SY) : S/N 40016 through 40075


DNW-90WS (SY) : S/N 10001 through 10080
DNW-90WS (J) : S/N 30001 through 30030
DNW-90WSP (SY) : S/N 40031 through 40315



5-14 (b)

5-14 (b)

DNV-5
DNW-790/90WS



K

L

M


N


O

P

5

DNW-90WS (SY) : S/N 10001 through 10080
DNW-90WS (J) : S/N 30001 through 30030
DNW-90WSP (SY) : S/N 40031 through 40315





B-¥DNW7-DCP1-14

DNW-7 (SY) : S/N 10081 through 10525
DNW-7 (J) : S/N 30061 through 30200
DNW-7P (SY) : S/N 40146 through 40759

DNW-90 (SY) : S/N 10026 through 10068
DNW-90 (J) : S/N 30041 through 31000
DNW-90P (SY) : S/N 40016 through 40075

DNW-90WS (SY) : S/N 10001 through 10080
DNW-90WS (J) : S/N 30001 through 30030
DNW-90WSP (SY) : S/N 40031 through 40315


1

2

3


4


5



5-18 (b)

5-18 (b)






CAMERA PROCESSOR
DCP-1 (7/7)
BOARD NO. 1-662-307-14
LOT NO. 611-706
B-YDNW7-DCP1-14

DNW-7 (SY) : S/N 10001 through 10080
DNW-7 (J) : S/N 30001 through 30060
DNW-7P (SY) : S/N 40001 through 40145

DNW-90 (SY) : S/N 10001 through 10025
DNW-90 (J) : S/N 30001 through 30040
DNW-90P (SY) : S/N 40001 through 40015

DNW-90WSP (SY) : S/N 40001 through 40030



5-6 (a)


5-6 (a)

DNW-90 (SY) : S/N 10001 through 10025
DNW-90 (J) : S/N 30001 through 30040
DNW-90P (SY) : S/N 40001 through 40015

DNW-90WSP (SY) : S/N 40001 through 40030




5-10 (a)



DNW-7 (SY) : S/N 10001 through 10080
DNW-7 (J) : S/N 30001 through 30060
DNW-7P (SY) : S/N 40001 through 40145


DNW-90 (SY) : S/N 10001 through 10025
DNW-90 (J) : S/N 30001 through 30040
DNW-90P (SY) : S/N 40001 through 40015

DNW-90WSP (SY) : S/N 40001 through 40030





5-12 (a)

5-12 (a)



DNW-90WSP (SY) : S/N 40001 through 40030





CAMERA PROCESSOR
DCP-1 (5/7)
BOARD NO. 1-662-307-13
LOT NO. 604-
B-YDNW7-DCP1-13

DNW-7 (SY) : S/N 10001 through 10080
DNW-7 (J) : S/N 30001 through 30060
DNW-7P (SY) : S/N 40001 through 40145

DNW-90 (SY) : S/N 10001 through 10025
DNW-90 (J) : S/N 30001 through 30040
DNW-90P (SY) : S/N 40001 through 40015

DNW-90WSP (SY) : S/N 40001 through 40030


1


2

3

4

5






CAMERA PROCESSOR
DCP-1 (6/7)
BOARD NO. 1-662-307-13
LOT NO. 604-
B-¥DNW7-DCP1-13

DNW-7 (SY) : S/N 10001 through 10080
DNW-7 (J) : S/N 30001 through 30060
DNW-7P (SY) : S/N 40001 through 40145


DNW-90 (SY) : S/N 10001 through 10025
DNW-90 (J) : S/N 30001 through 30040
DNW-90P (SY) : S/N 40001 through 40015

DNW-90WSP (SY) : S/N 40001 through 40030



5-18 (a)

5-18 (a)



CAMERA PROCESSOR
DCP-1 (7/7)
BOARD NO. 1-662-307-13
LOT NO. 604-
B-NDNW7-DCP1-13


DNV-5 (SY) : S/N 10317 and Higher
DNV-5 (J) : S/N 30041 and Higher



DNW-7 (SY) : S/N 10526 and Higher
DNW-7 (J) : S/N 30201 and Higher
DNW-7P (SY) : S/N 40760 and Higher

DNW-9WS (SY) : S/N 10001 and Higher
DNW-9WS (J) : S/N 30001 and Higher
DNW-9WSP (SY) : S/N 40001 and Higher

DNW-90 (SY) : S/N 10069 and Higher
DNW-90 (J) : S/N 31001 and Higher
DNW-90P (SY) : S/N 40076 and Higher


DNW-90WS (SY) : S/N 10081 and Higher
DNW-90WS (J) : S/N 30031 and Higher
DNW-90WSP (SY) : S/N 40316 and Higher






DVP-1 (1/7)

DNW-90WS (SY) : S/N 10081 and Higher
DNW-90WS (J) : S/N 30031 and Higher
DNW-90WSP (SY) : S/N 40316 and Higher





DVP-1 (2/7)
BOARD NO. 1-662-305-13,14,15,16
LOT NO. 707-
B-YDNW7-DVP1-16


DNV-5 (SY) : S/N 10317 and Higher
DNV-5 (J) : S/N 30041 and Higher

DNV-7 (SY) : S/N 10526 and Higher
DNV-7 (J) : S/N 30201 and Higher
DNV-7P (SY) : S/N 40760 and Higher

DNV-9WS (SY) : S/N 10001 and Higher
DNV-9WS (J) : S/N 30001 and Higher
DNV-9WSP (SY) : S/N 40001 and Higher


DNV-90 (SY) : S/N 10069 and Higher
DNV-90 (J) : S/N 31001 and Higher
DNV-90P (SY) : S/N 40076 and Higher

DNV-90WS (SY) : S/N 10081 and Higher
DNV-90WS (J) : S/N 30031 and Higher
DNV-90WSP (SY) : S/N 40316 and Higher



5-24 (b)

5-24 (b)



P


DNV-5 (SY) : S/N 10317 and Higher
DNV-5 (J) : S/N 30041 and Higher

DNW-7 (SY) : S/N 10526 and Higher
DNW-7 (J) : S/N 30201 and Higher
DNW-7P (SY) : S/N 40760 and Higher

DNW-9WS (SY) : S/N 10001 and Higher
DNW-9WS (J) : S/N 30001 and Higher
DNW-9WSP (SY) : S/N 40001 and Higher



DNW-90 (SY) : S/N 10069 and Higher
DNW-90 (J) : S/N 31001 and Higher
DNW-90P (SY) : S/N 40076 and Higher

DNW-90WS (SY) : S/N 10081 and Higher
DNW-90WS (J) : S/N 30031 and Higher
DNW-90WSP (SY) : S/N 40316 and Higher




5-26 (b)

5-26 (b)




RF, DIGITAL AUDIO PROCESSOR
TIMING CLOCK GENERATOR
SYSTEM CONTROLLER FOR VTR BLOCK
DVP-1 (4/7)
BOARD NO. 1-662-305-13,14,15,16
LOT NO. 707-
B-NDNW7-DVP1-16


DNW-90WS (SY) : S/N 10081 and Higher
DNW-90WS (J) : S/N 30031 and Higher
DNW-90WSP (SY) : S/N 40316 and Higher



5-28 (b)




5-29 (b)



5-29 (b)

RF, DIGITAL AUDIO PROCESSOR
TIMING CLOCK GENERATOR
SYSTEM CONTROLLER FOR VTR BLOCK
DVP-1 (5/7)
BOARD NO. 1-662-305-13,14,15,16
LOT NO. 707-
B-YDNW7-DVP1-16

DNW-90WS (SY) : S/N 10081 and Higher
DNW-90WS (J) : S/N 30031 and Higher
DNW-90WSP (SY) : S/N 40316 and Higher



SYSTEM CONTROLLER

DVP-1 (6/7)


DNV-5 (SY) : S/N 10317 and Higher
DNV-5 (J) : S/N 30041 and Higher

DNW-7 (SY) : S/N 10526 and Higher
DNW-7 (J) : S/N 30201 and Higher
DNW-7P (SY) : S/N 40760 and Higher

DNW-9WS (SY) : S/N 10001 and Higher
DNW-9WS (J) : S/N 30001 and Higher
DNW-9WSP (SY) : S/N 40001 and Higher


DNW-90 (SY) : S/N 10069 and Higher
DNW-90 (J) : S/N 31001 and Higher
DNW-90P (SY) : S/N 40076 and Higher

DNW-90WS (SY) : S/N 10081 and Higher
DNW-90WS (J) : S/N 30031 and Higher
DNW-90WSP (SY) : S/N 40316 and Higher




5-32 (b)




5-32 (b)



RF, DIGITAL AUDIO PROCESSOR
TIMING CLOCK GENERATOR
SYSTEM CONTROLLER FOR VTR BLOCK
DVP-1 (7/7)
BOARD NO. 1-662-305-13,14,15,16
LOT NO. 707-
B-YDNW7-DVP1-16

DNW-90WS (SY) : S/N 10001 through 10080
DNW-90WS (J) : S/N 30001 through 30030
DNW-90WSP (SY) : S/N 40001 through 40315







DVP-1 (1/7)

BOARD NO. 1-662-305-11,12
LOT NO. 604-706
4-DNW7-DVP1-11

DNW-90WS (SY) : S/N 10001 through 10080
DNW-90WS (J) : S/N 30001 through 30030
DNW-90WSP (SY) : S/N 40001 through 40315





5-22 (a)




SYSTEM CONTROLLED DVP-1 (2/7)

DNW-90WS (SY) : S/N 10001 through 10080
DNW-90WS (J) : S/N 30001 through 30030
DNW-90WSP (SY) : S/N 40001 through 40315






5-25 (a)






5-25 (a)

RF, DIGITAL AUDIO PROCESSOR
TIMING CLOCK GENERATOR
SYSTEM CONTROLLER FOR VTR BLOCK
DVP-1 (3/7)
BOARD NO. 1-662-305-11,12
LOT NO. 604-706
B-YDNW7-DVP1-11

DNW-90WS (SY) : S/N 10001 through 10080
DNW-90WS (J) : S/N 30001 through 30030
DNW-90WSP (SY) : S/N 40001 through 40315




5-26 (a)








RF, DIGITAL AUDIO PROCESSOR
TIMING CLOCK GENERATOR
SYSTEM CONTROLLER FOR VTR BLOCK
DVP-1 (4/7)
BOARD NO. 1-662-305-11,12
LOT NO. 604-706
B-YNW7-DVP1-11

DNW-90WS (SY) : S/N 10001 through 10080
DNW-90WS (J) : S/N 30001 through 30030
DNW-90WSP (SY) : S/N 40001 through 40315





5-28 (a)



RF, DIGITAL AUDIO PROCESSOR
TIMING CLOCK GENERATOR
SYSTEM CONTROLLER FOR VTR BLOCK
DVP-1 (5/7)
BOARD NO. 1-662-305-11,12
LOT NO. 604-706
B-VDNW7-DVP1-11

DNW-90WS (SY) : S/N 10001 through 10080
DNW-90WS (J) : S/N 30001 through 30030
DNW-90WSP (SY) : S/N 40001 through 40315






DNV-5 (SY) : S/N 10001 through 10316
DNV-5 (J) : S/N 30001 through 30040

DNW-7 (SY) : S/N 10001 through 10525
DNW-7 (J) : S/N 30001 through 30200
DNW-7P (SY) : S/N 40001 through 40759

DNW-90 (SY) : S/N 10001 through 10068
DNW-90 (J) : S/N 30001 through 31000
DNW-90P (SY) : S/N 40001 through 40075


DNW-90WS (SY) : S/N 10001 through 10080
DNW-90WS (J) : S/N 30001 through 30030
DNW-90WSP (SY) : S/N 40001 through 40315



5-32 (a)




5-32 (a)


	ENC AU 3/4	10-105	CN10 (105/140)
	ENC AU 1/2	10-106	CN10 (106/140)
	AU D/A DATA 1/2	4-63	CN4 (63/100)
	DIGITAL AU 3/4 OUT	4-80	CN4 (80/100)
	DIGITAL AU 1/2 OUT	4-82	CN4 (82/100)



RF, DIGITAL AUDIO PROCESSOR
TIMING CLOCK GENERATOR
SYSTEM CONTROLLER FOR VTR BLOCK
DVP-1 (7/7)
BOARD NO. 1-662-305-11,12
LOT NO. 604-706
B-YDNW7-DVP1-11


DNV-5 (SY) : S/N 10001 and Higher
DNV-5 (J) : S/N 30001 and Higher
DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher






DIGITAL BIT REDUCTION DECODER
DIGITAL ENCODER
DIGITAL DECODER
DVP-2 (1/6)
BOARD NO. 1-662-306-12,13,14,15
LOT NO. 604-
B-YDNW7-DVP2-15


DNV-5 (SY) : S/N 10001 and Higher
DNV-5 (J) : S/N 30001 and Higher
DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher







DIGITAL BIT REDUCTION DECODER
DIGITAL ENCODER
DIGITAL DECODER
DVP-2 (2/6)
BOARD NO. 1-662-306-12,13,14,15
LOT NO. 604-
B-YDNW7-DVP2-15


DNV-5 (SY)	: S/N 10001 and Higher
DNV-5 (J)	: S/N 30001 and Higher
DNW-7/9WS/90/90WS (SY)	: S/N 10001 and Higher
DNW-7/9WS/90/90WS (J)	: S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY)	: S/N 40001 and Higher







DIGITAL BIT REDUCTION DECODER
DIGITAL ENCODER
DIGITAL DECODER
DVP-2 (3/6)
BOARD NO. 1-662-306-12,13,14,15
LOT NO. 604-
B-WDNW7-DVP2-15

DNV-5 (SY) : S/N 10001 and Higher
DNV-5 (J) : S/N 30001 and Higher
DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher





DIGITAL BIT REDUCTION DECODER
DIGITAL ENCODER
DIGITAL DECODER
DVP-2 (4/6)
BOARD NO. 1-662-306-12,13,14,15
LOT NO. 604-
B-YDNW7-DVP2-15


DNV-5 (SY) : S/N 10001 and Higher


DNV-5 (J) : S/N 30001 and Higher

DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher

DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher

DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher





DIGITAL BIT REDUCTION DECODER
DIGITAL ENCODER
DIGITAL DECODER
DVP-2 (5/6)
BOARD NO. 1-662-306-12,13,14,15
LOT NO. 604-
B-YDNW7-DVP2-15


DNV-5 (SY) : S/N 10001 and Higher


DNV-5 (J) : S/N 30001 and Higher

DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher


DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher

DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher






DIGITAL BIT REDUCTION DECODER
DIGITAL ENCODER
DIGITAL DECODER
DVP-2 (6/6)
BOARD NO. 1-662-306-12,13,14,15
LOT NO. 604-
B-¥DNW7-DVP2-15




		NT	PAL
C88	10P	1-162-915-91	N'M
C65	10P	1-162-915-91	N'M
C149	22P	1-162-919-91	18P 1-162-918-91
C14	33P	1-162-921-91	82P 1-162-926-91
C110	100P	1-162-927-91	56P 1-162-924-91
C60	N'M		47P 1-162-923-91
JR1	0	1-216-864-91	N'M
JR4	0	1-216-864-91	N'M
R347	0	1-216-864-91	N'M
R377	0	1-216-864-91	N'M
R303	47	1-216-860-91	N'M
R333	47	1-216-860-91	N'M
R350	47	1-216-860-91	N'M
R302	100	1-216-668-91	N'M
R185	2.2K	1-216-700-91	1.8K 1-216-698-91
R243	560	1-216-668-91	390 1-216-662-91
R247	3.9K	1-216-706-91	5.1K 1-216-709-91
R196	100K	1-216-740-91	N'M
FL17		1-239-371-21	1-239-374-21
FL7		1-233-737-21	1-233-738-21
FL4		1-239-383-22	1-239-381-21
FL8		1-239-383-22	1-239-381-21
FL3		1-239-528-21	1-239-527-21
FL12		1-402-647-21	1-402-648-21
CP1	14.31818MHZ	1-579-716-11	17.734475MHZ 1-579-718-11
IC15	SN74HC163APW	8-759-050-10	N'M
IC16	SN74HC163APW	8-759-050-10	N'M
IC17	SN74HC163APW	8-759-050-10	N'M
IC13	TLC29321PW	8-759-295-09	N'M
C73	N'M	4.7/10V TA-CA	1-135-210-91
JR5	N'M	0	1-216-864-91
JR2	N'M	0	1-216-864-91
JR3	N'M	0	1-216-864-91
R348	N'M	0	1-216-864-91
R378	N'M	0	1-216-864-91
R244	N'M	47	1-216-860-91
R352	N'M	47	1-216-860-91
R349	N'M	47	1-216-860-91
R389	N'M	1K	1-216-692-91
R197	N'M	22K	1-216-724-91
R188	N'M	27K	1-216-726-91
R305	1K	1-216-692-91	5.6K 1-216-710-91
C116	N'M		47P 1-162-923-91
R438	47	1-216-660-91	6.2K 1-216-711-91
R439	0	1-216-864-91	N'M
R277	47	1-216-660-91	13K 1-216-719-91
R256	N'M		18K 1-216-722-91
R257	1K	1-216-692-91	N'M
R437	47	1-216-860-91	N'M
R445	N'M	0	1-216-864-91
R446	0	1-216-864-91	N'M
D13	1S3302	8-719-820-42	N'M
R312	N'M	0	
R315	N'M	0	
R355	10K		6.8K
R353	3.3K		3.6K

COMPOSITE ENCODER
ES-11 (1/2)
BOARD NO. 1-662-309-11
LOT NO. 604-
B-YDNW7-ES11-X1


DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher






COMPOSITE ENCODER
ES-11 (2/2)
BOARD NO. 1-662-309-11
LOT NO. 604-
B-¥DNW7-ES11-X1

DNV-5 (SY) : S/N 10317 and Higher
DNV-5 (J) : S/N 30041 and Higher




5-50 (c)

5-50 (c)





50-PIN INTERFACE, VIDEO INPUT/
OUTPUT
IF-634 (1/6)
BOARD NO. 1-662-772-15
LOT NO. 804-
B-VDNV5-IF634-15

DNV-5 (SY) : S/N 10317 and Higher
DNV-5 (J) : S/N 30041 and Higher




5-52 (c)

5-52 (c)





50-PIN INTERFACE, VIDEO INPUT/
OUTPUT
IF-634 (2/6)
BOARD NO. 1-662-772-15
LOT NO. 804-
B-VDNV5-IF634-15

DNV-5 (SY) : S/N 10317 and Higher
DNV-5 (J) : S/N 30041 and Higher




5-54 (c)








5-54 (c)



50-PIN INTERFACE, VIDEO INPUT/
OUTPUT
IF-634 (3/6)
BOARD NO. 1-662-772-15
LOT NO. 804-
B-VDNV5-IF634-15

DNV-5 (SY) : S/N 10317 and Higher
DNV-5 (J) : S/N 30041 and Higher





50-PIN INTERFACE, VIDEO INPUT/
OUTPUT
IF-634 (4/6)
BOARD NO. 1-662-772-15
LOT NO. 804-
B-YDNV5-IF634-15

DNV-5 (SY) : S/N 10317 and Higher
DNV-5 (J) : S/N 30041 and Higher


1










2

3

4


5





50-PIN INTERFACE, VIDEO INPUT/
OUTPUT
IF-634 (5/6)
BOARD NO. 1-662-772-15
LOT NO. 804-
B-VDNV5-IF634-15








DNV-5 (SY) : S/N 10317 and Higher
DNV-5 (J) : S/N 30041 and Higher



5-58-3 (c)


5

CN2		CN3	
2-4	SCK AT-SY	3-13	SCK AT-SY
2-11	ROTALY PUSH IN	3-10	ROTALY PUSH IN
2-12	ROTALY A SW	3-12	ROTALY A SW
2-13	ROTALY B SW	3-14	ROTALY B SW
2-22	CA ENABLE	3-53	CA ENABLE
2-25	EXT TALLY	3-48	EXT TALLY
2-26	BACK TALLY	3-54	BACK TALLY
2-31	BATT REM	3-21	BATT REM
2-33	CHAR (VTR)	3-22	CHAR (VTR)
2-34	CHAR BLK (VTR)	3-24	CHAR BLK (VTR)
2-35	TEST DET	3-41	TEST DET
2-36	VBS DET	3-43	VBS DET
2-57	SD IN (SY)	3-9	SD IN (SY)
2-58	SD OUT (SY)	3-11	SD OUT (SY)
2-61	SCL (MC)	3-59	SCL (MC)
2-62	SDA (MC) I/O	3-61	SDA (MC) I/O
2-64	SD OUT (RM)	3-17	SD OUT (RM)
2-65	SD IN (RM)	3-15	SD IN (RM)
2-66	CA DATA	3-18	CA DATA
2-81	EXT EN	3-58	EXT EN
2-82	VIDEO DIR	3-60	VIDEO DIR
2-83	SYNC DIR	3-62	SYNC DIR




50-PIN INTERFACE, VIDEO INPUT/
OUTPUT
IF-634 (6/6)
BOARD NO. 1-662-772-15
LOT NO. 804-
B-VDNV5-IF634-15

DNV-5 (SY) : S/N 10237 through 10316




5-50 (b)

5-50 (b)





50-PIN INTERFACE, VIDEO INPUT/
OUTPUT
IF-634 (1/5)
BOARD NO. 1-662-772-13,14
LOT NO. 703-803
B-NDNV5-IF634-13-CD

DNV-5 (SY) : S/N 10237 through 10316




5-52 (b)

5-52 (b)



50-PIN INTERFACE, VIDEO INPUT/
OUTPUT
IF-634 (2/5)
BOARD NO. 1-662-772-13,14
LOT NO. 703-803
B-YDNV5-IF634-13-CD

DNV-5 (SY) : S/N 10237 through 10316




5-54 (b)



IF-634 (3/5)


BOARD NO. 1-662-772-13,14
LOT NO. 703-803
B-VDNV5-IF634-13-CD

DNV-5 (SY) : S/N 10237 through 10316



5-56 (b)

5-56 (b)



IF-634 (4/5)

DNV-5 (SY) : S/N 10237 through 10316


1

2

3

4




5



5-58-1 (b)


5-58-1 (b)

CN2		CN3	
CN2 (4/100)	2-4	SCK AT-SY	3-13
CN2 (11/100)	2-11	ROTALY PUSH IN	3-10
CN2 (12/100)	2-12	ROTALY A SW	3-12
CN2 (13/100)	2-13	ROTALY B SW	3-14
CN2 (22/100)	2-22	CA ENABLE	3-53
CN2 (25/100)	2-25	EXT TALLY	3-48
CN2 (26/100)	2-26	BACK TALLY	3-54
CN2 (31/100)	2-31	BATT REM	3-21
CN2 (33/100)	2-33	CHAR (VTRI)	3-22
CN2 (34/100)	2-34	CHAR BLK (VTRI)	3-24
CN2 (35/100)	2-35	TEST DET	3-41
CN2 (36/100)	2-36	VBS DET	3-43
CN2 (57/100)	2-57	SD IN (SY)	3-9
CN2 (58/100)	2-58	SD OUT (SY)	3-11
CN2 (61/100)	2-61	SCL (MC)	3-59
CN2 (62/100)	2-62	SDA (MC) I/O	3-61
CN2 (64/100)	2-64	SD OUT (RM)	3-17
CN2 (65/100)	2-65	SD IN (RM)	3-15
CN2 (66/100)	2-66	CA DATA	3-18
CN2 (81/100)	2-81	EXT EN	3-58
CN2 (82/100)	2-82	VIDIO DIR	3-60
CN2 (83/100)	2-83	SYNC DIR	3-62




50-PIN INTERFACE, VIDEO INPUT/
OUTPUT
IF-634 (5/5)
BOARD NO. 1-662-772-13,14
LOT NO. 703-803
B-YDNV5-IF634-13-CD

DNV-5 (SY) : S/N 10001 through 10236
DNV-5 (J) : S/N 30001 through 30040




5-50 (a)

5-50 (a)



DNV-5 (SY) : S/N 10001 through 10236
DNV-5 (J) : S/N 30001 through 30040



5-52 (a)



P

DNV-5 (SY) : S/N 10001 through 10236
DNV-5 (J) : S/N 30001 through 30040


1

2

3

4

5




5-54 (a)

5-54 (a)




DNV-5 (SY) : S/N 10001 through 10236
DNV-5 (J) : S/N 30001 through 30040




DNV-5 (SY) : S/N 10001 through 10236
DNV-5 (J) : S/N 30001 through 30040


1



2




3




4



5



CN2		CN3	
CN2 (4/100)	2-4	SCK AT-SY	3-13
CN2 (11/100)	2-11	ROTALY PUSH IN	3-10
CN2 (12/100)	2-12	ROTALY A SW	3-12
CN2 (13/100)	2-13	ROTALY B SW	3-14
CN2 (22/100)	2-22	CA ENABLE	3-53
CN2 (25/100)	2-25	EXT TALLY	3-48
CN2 (26/100)	2-26	BACK TALLY	3-54
CN2 (31/100)	2-31	BATT REM	3-21
CN2 (33/100)	2-33	CHAR (VTRI)	3-22
CN2 (34/100)	2-34	CHAR BLK (VTRI)	3-24
CN2 (35/100)	2-35	TEST DET	3-41
CN2 (36/100)	2-36	VBS DET	3-43
CN2 (57/100)	2-57	SD IN (SY)	3-9
CN2 (58/100)	2-58	SD OUT (SY)	3-11
CN2 (61/100)	2-61	SCL (MC)	3-59
CN2 (62/100)	2-62	SDA (MC) I/O	3-61
CN2 (64/100)	2-64	SD OUT (RM)	3-17
CN2 (65/100)	2-65	SD IN (RM)	3-15
CN2 (66/100)	2-66	CA DATA	3-18
CN2 (81/100)	2-81	EXT EN	3-58
CN2 (82/100)	2-82	VIDIO DIR	3-60
CN2 (83/100)	2-83	SYNC DIR	3-62




50-PIN INTERFACE, VIDEO INPUT/
OUTPUT
IF-634 (5/5)
BOARD NO. 1-662-772-12
LOT NO. 605-702
B-VDNV5-IF634-12

5-58 (a)

5-58 (a)

DNV-5 (SY) : S/N 10001 and Higher
DNV-5 (J) : S/N 30001 and Higher



AUDIO PRE-AMP FOR 50-PIN
PA-203
BOARD NO.1-662-477-12
LOT NO. 605-
B-YDNV5-PA203-12

DNW-9WS/90WS (SY) : S/N 10001 and Higher
DNW-9WS/90WS (J) : S/N 30001 and Higher
DNW-9WSP/90WSP (SY) : S/N 40001 and Higher


1


2

3

4


5






RATE CONVERTER
RC-61
BOARD NO. 1-662-323-11
LOT NO. 609-
B-VDNW90WS-RC61-11

DNV-5 (SY) : S/N 10237 and Higher
DNV-5 (J) : S/N 30041 and Higher



5-62 (b)

5-62 (b)



ANALOG AUDIO PROCESSOR, TIME CODE GENERATOR


TC-80 (1/5)

BOARD NO. 1-662-324-12

LOT NO. 703-

B-¥DNV5-TC80-12


DNV-5 (SY) : S/N 10237 and Higher
DNV-5 (J) : S/N 30041 and Higher



5-64 (b)


5-64 (b)

DNV-5 (SY) : S/N 10237 and Higher
DNV-5 (J) : S/N 30041 and Higher



5-66 (b)

5-66 (b)



ANALOG AUDIO PROCESSOR, TIME CODE GENERATOR
TC-80 (3/5)
 BOARD NO. 1-662-324-12
 LOT NO. 703-
 B-YDNV-5-TC80-12

DNV-5 (SY) : S/N 10237 and Higher
DNV-5 (J) : S/N 30041 and Higher


1


2

3

4


5






ANALOG AUDIO PROCESSOR, TIME CODE GENERATOR
TC-80 (4/5)
 BOARD NO. 1-662-324-12
 LOT NO. 703-
 B-YDNV-5-TC80-12

DNV-5 (SY) : S/N 10237 and Higher
DNV-5 (J) : S/N 30041 and Higher



ANALOG AUDIO PROCESSOR, TIME CODE GENERATOR
TC-80 (5/5)
BOARD NO. 1-662-324-12
LOT NO. 703-
B-YDNV-5-TC80-12

DNV-5 (SY) : S/N 10001 through 10236
DNV-5 (J) : S/N 30001 through 30040





DNV-5 (SY) : S/N 10001 through 10236
 DNV-5 (J) : S/N 30001 through 30040


1

2

3


4

5




5-64 (a)

5-64 (a)




DNV-5 (SY) : S/N 10001 through 10236
DNV-5 (J) : S/N 30001 through 30040




5-66 (a)

5-66 (a)



ANALOG AUDIO PROCESSOR, TIME CODE GENERATOR
TC-80 (3/5)
BOARD NO. 1-662-324-11
LOT NO. 605-702
B-DNV-5-TC80-X1


DNV-5 (SY) : S/N 10001 through 10236
DNV-5 (J) : S/N 30001 through 30040



5-68 (a)

5-68 (a)

DNV-5 (SY) : S/N 10001 through 10236
DNV-5 (J) : S/N 30001 through 30040




ANALOG AUDIO PROCESSOR, TIME CODE GENERATOR
TC-80 (5/5)
BOARD NO. 1-662-324-11
LOT NO. 605-702
B-YDNV-5-TC80-X1


DNW-7 (SY) : S/N 10526 and Higher
DNW-7 (J) : S/N 30201 and Higher
DNW-7P (SY) : S/N 41071 and Higher

DNW-9WS (SY) : S/N 10061 and Higher
DNW-9WS (J) : S/N 30011 and Higher
DNW-9WSP (SY) : S/N 40111 and Higher

DNW-90 (SY) : S/N 10069 and Higher
DNW-90 (J) : S/N 31001 and Higher
DNW-90P (SY) : S/N 40136 and Higher

DNW-90WS (SY) : S/N 10089 and Higher
DNW-90WSP (SY) : S/N 40316 and Higher






ANALOG AUDIO PROCESSOR, TIME CODE GENERATOR
TC-80 (1/5)
BOARD NO. 1-662-324-12
LOT NO. 803-
B-YDNW7-TC80-12-S/M

DNW-7 (SY) : S/N 10526 and Higher
DNW-7 (J) : S/N 30201 and Higher
DNW-7P (SY) : S/N 41071 and Higher

DNW-9WS (SY) : S/N 10061 and Higher
DNW-9WS (J) : S/N 30011 and Higher
DNW-9WSP (SY) : S/N 40111 and Higher

DNW-90 (SY) : S/N 10069 and Higher
DNW-90 (J) : S/N 31001 and Higher
DNW-90P (SY) : S/N 40136 and Higher


DNW-90WS (SY) : S/N 10089 and Higher
DNW-90WSP (SY) : S/N 40316 and Higher




5-74 (c)

5-74 (c)

DNW-90WS (SY) : S/N 10089 and Higher
DNW-90WSP (SY) : S/N 40316 and Higher





ANALOG AUDIO PROCESSOR, TIME CODE GENERATOR
TC-80 (3/5)
 BOARD NO. 1-662-324-12
 LOT NO. 803-
 B-YDNW7-TC80-12-S/M

DNW-7 (SY) : S/N 10526 and Higher
DNW-7 (J) : S/N 30201 and Higher
DNW-7P (SY) : S/N 41071 and Higher

DNW-9WS (SY) : S/N 10061 and Higher
DNW-9WS (J) : S/N 30011 and Higher
DNW-9WSP (SY) : S/N 40111 and Higher

DNW-90 (SY) : S/N 10069 and Higher
DNW-90 (J) : S/N 31001 and Higher
DNW-90P (SY) : S/N 40136 and Higher

DNW-90WS (SY) : S/N 10089 and Higher
DNW-90WSP (SY) : S/N 40316 and Higher


1

2


3


4

5



DNW-90WS (SY) : S/N 10089 and Higher
DNW-90WSP (SY) : S/N 40316 and Higher






ANALOG AUDIO PROCESSOR, TIME CODE GENERATOR
TC-80 (1/5)
BOARD NO. 1-662-324-12
LOT NO. 703-802
B-YDNW7-TC80-12


DNW-7 (SY) : S/N 10318 through 10525
DNW-7 (J) : S/N 30151 through 30200
DNW-7P (SY) : S/N 40480 through 41070

DNW-9WS (SY) : S/N 10001 through 10060
DNW-9WS (J) : S/N 30001 through 30010
DNW-9WSP (SY) : S/N 40001 through 40110


DNW-90 (SY) : S/N 10049 through 10068
DNW-90 (J) : S/N 30081 through 31000
DNW-90P (SY) : S/N 40046 through 40135


DNW-90WS (SY) : S/N 10031 through 10088
DNW-90WS (J) : S/N 30031 and Higher
DNW-90WSP (SY) : S/N 40161 through 40315





DNW-90WS (SY) : S/N 10031 through 10088
DNW-90WS (J) : S/N 30031 and Higher
DNW-90WSP (SY) : S/N 40161 through 40315





ANALOG AUDIO PROCESSOR, TIME CODE GENERATOR
TC-80 (3/5)
BOARD NO. 1-662-324-12
LOT NO. 703-802
B-NDW7-TC80-12

DNW-7 (SY) : S/N 10318 through 10525
 DNW-7 (J) : S/N 30151 through 30200
 DNW-7P (SY) : S/N 40480 through 41070

DNW-9WS (SY) : S/N 10001 through 10060
 DNW-9WS (J) : S/N 30001 through 30010
 DNW-9WSP (SY) : S/N 40001 through 40110

DNW-90 (SY) : S/N 10049 through 10068
 DNW-90 (J) : S/N 30081 through 31000
 DNW-90P (SY) : S/N 40046 through 40135

DNW-90WS (SY) : S/N 10031 through 10088
 DNW-90WS (J) : S/N 30031 and Higher
 DNW-90WSP (SY) : S/N 40161 through 40315


1



2

3

4

5





ANALOG AUDIO PROCESSOR, TIME CODE GENERATOR
TC-80 (4/5)
BOARD NO. 1-662-324-12
LOT NO. 703-802
B-VDNW7-TC80-12

DNW-7 (SY) : S/N 10318 through 10525

DNW-7 (J) : S/N 30151 through 30200

DNW-7P (SY) : S/N 40480 through 41070

DNW-9WS (SY) : S/N 10001 through 10060

DNW-9WS (J) : S/N 30001 through 30010

DNW-9WSP (SY) : S/N 40001 through 40110

DNW-90 (SY) : S/N 10049 through 10068


DNW-90 (J) : S/N 30081 through 31000

DNW-90P (SY) : S/N 40046 through 40135

DNW-90WS (SY) : S/N 10031 through 10088


DNW-90WS (J) : S/N 30031 and Higher


DNW-90WSP (SY) : S/N 40161 through 40315



ANALOG AUDIO PROCESSOR, TIME CODE GENERATOR
TC-80 (5/5)
BOARD NO. 1-662-324-12
LOT NO. 703-802
B-VDNW7-TC80-12

DNW-90WS (SY) : S/N 10001 through 10030
DNW-90WS (J) : S/N 30001 through 30030
DNW-90WSP (SY) : S/N 40001 through 40160






DNW-7 (SY) : S/N 10001 through 10317
DNW-7 (J) : S/N 30001 through 30150
DNW-7P (SY) : S/N 40001 through 40479


DNW-90 (SY) : S/N 10001 through 10048
DNW-90 (J) : S/N 30001 through 30080
DNW-90P (SY) : S/N 40001 through 40045

DNW-90WS (SY) : S/N 10001 through 10030
DNW-90WS (J) : S/N 30001 through 30030
DNW-90WSP (SY) : S/N 40001 through 40160



5-74 (a)

5-74 (a)




ANALOG AUDIO PROCESSOR, TIME CODE GENERATOR
TC-80 (2/5)
BOARD NO. 1-662-324-11
LOT NO. 604-702
B-YDNW7-TC80-X1

DNW-7 (SY) : S/N 10001 through 10317
DNW-7 (J) : S/N 30001 through 30150
DNW-7P (SY) : S/N 40001 through 40479


DNW-90 (SY) : S/N 10001 through 10048
DNW-90 (J) : S/N 30001 through 30080
DNW-90P (SY) : S/N 40001 through 40045

DNW-90WS (SY) : S/N 10001 through 10030
DNW-90WS (J) : S/N 30001 through 30030
DNW-90WSP (SY) : S/N 40001 through 40160




5-76 (a)

5-76 (a)




ANALOG AUDIO PROCESSOR, TIME CODE GENERATOR
TC-80 (3/5)
BOARD NO. 1-662-324-11
LOT NO. 604-702
B-VDNW7-TC80-X1



DNW-7 (SY) : S/N 10001 through 10317
DNW-7 (J) : S/N 30001 through 30150
DNW-7P (SY) : S/N 40001 through 40479


DNW-90 (SY) : S/N 10001 through 10048
DNW-90 (J) : S/N 30001 through 30080
DNW-90P (SY) : S/N 40001 through 40045

DNW-90WS (SY) : S/N 10001 through 10030
DNW-90WS (J) : S/N 30001 through 30030
DNW-90WSP (SY) : S/N 40001 through 40160



ANALOG AUDIO PROCESSOR, TIME CODE GENERATOR
TC-80 (5/5)
BOARD NO. 1-662-324-11
LOT NO. 604-702
B-YDNW7-TC80-X1

DNV-5 (SY) : S/N 10001 and Higher
DNV-5 (J) : S/N 30001 and Higher
DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher



HW TC AMP
HN-224
BOARD NO. 1-662-315-11,12
LOT NO. 604-
B-YDNW7-HN224-12

DNV-5 (SY) : S/N 10001 and Higher
DNV-5 (J) : S/N 30001 and Higher
DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher


1



2

3


4

5






DNV-5 (SY)	: S/N 10001 and Higher
DNV-5 (J)	: S/N 30001 and Higher
DNW-7/9WS/90/90WS (SY)	: S/N 10001 and Higher
DNW-7/9WS/90/90WS (J)	: S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY)	: S/N 40001 and Higher




DRUM MOTOR DRIVER
MDR-1
BOARD NO. 1-662-314-11
LOT NO. 604-
B-¥DNW7-MDR1-11

DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher



LENS CONTROL, MIC AMP
AIF-8
BOARD NO. 1-662-313-11
LOT NO. 604-
B-YDNW7-AIF8-X1



DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher




CAMERA MIC PRE-AMP
MA-68
BOARD NO. 1-662-329-11
LOT NO. 604-
B-YDNW7-MA68-11


DNV-5 (SY) : S/N 10001 and Higher
DNV-5 (J) : S/N 30001 and Higher
DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher

DNV-5 (SY) : S/N 10001 and Higher
DNV-5 (J) : S/N 30001 and Higher
DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher





DNV-5 (SY) : S/N 10001 and Higher
DNV-5 (J) : S/N 30001 and Higher







DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher






DNV-5 (SY) : S/N 10001 and Higher
DNV-5 (J) : S/N 30001 and Higher






REGULATOR
RE-119
BOARD NO.1-662-326-11
LOT NO. 605-
B-V DNV5-RE119-11


DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher






DNV-5 (SY) : S/N 10001 and Higher
DNV-5 (J) : S/N 30001 and Higher
DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher

DNV-5 (SY) : S/N 10001 and Higher
DNV-5 (J) : S/N 30001 and Higher




AUDIO CH-2 LINE OUT AMP
AL-40
BOARD NO. 1-662-343-11
LOT NO. 604-
B-VDNW7-AL40-11



POWER SUPPLY FOR 50-PIN
CT-185
BOARD NO. 1-662-480-11
LOT NO. 605-
B-VDNV5-CT185-11

DNV-5 (SY) : S/N 10001 and Higher
DNV-5 (J) : S/N 30001 and Higher
DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher




	UC/EK	J
R121	0	:N'M
R122	0	:N'M
R123	:N'M	0
R124	:N'M	0
R221	0	:N'M
R222	0	:N'M
R223	:N'M	0
R224	:N'M	0
C109	:N'M	100P
C110	100P	:N'M
C209	:N'M	100P
C210	100P	:N'M
Q3	2SC2713G	:N'M
Q4	2SC2713G	:N'M
CN100	1-573-594-11	1-573-593-11
CN200	1-573-594-11	1-573-593-11

2	UC/EK	J
CN300	1-573-594-11	1-573-593-11
R316	0	:N'M
R317	0	:N'M
R318	:N'M	0
R319	:N'M	0

CONNECTOR (AUDIO IN/OUT), AUDIO PRE-AMP
AXM-14
BOARD NO. 1-662-339-11
LOT NO. 604-
B-VDNW7-AXM14-X1

DNV-5 (SY) : S/N 10001 and Higher
DNV-5 (J) : S/N 30001 and Higher



CIRCUIT BREAKER, AUDIO CH-1 LINE OUT AMP
CNB-1 (1/3)
BOARD NO. 1-662-342-11,12
LOT NO. 605-
B-YDNV5-CNB-X1

1


2

3

4

5

DNV-5 (SY) : S/N 10001 and Higher
DNV-5 (J) : S/N 30001 and Higher



CIRCUIT BREAKER, AUDIO CH-1 LINE OUT AMP
CNB-1 (2/3)
BOARD NO. 1-662-342-11,12
LOT NO. 605-
B-YDNV5-CNB1-X1

DNV-5 (SY) : S/N 10001 and Higher
DNV-5 (J) : S/N 30001 and Higher



1

2

3


4

5




CIRCUIT BREAKER, AUDIO CH-1 LINE OUT AMP
CNB-1 (3/3)
BOARD NO. 1-662-342-11,12
LOT NO. 605-
B-VDNV5-CNB1-X1

DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher





CIRCUIT BREAKER, AUDIO CH-1 LINE OUT AMP
CNB-1 (1/3)
BOARD NO. 1-662-342-11,12
LOT NO. 604-
B-YDNW7-CNB1-12

DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher



CIRCUIT BREAKER, AUDIO CH-1 LINE OUT AMP
CNB-1 (2/3)
BOARD NO. 1-662-342-11,12
LOT NO. 604-
B-YDNW7-CNB1-12

DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher



CIRCUIT BREAKER, AUDIO CH-1 LINE OUT AMP
CNB-1 (3/3)
BOARD NO. 1-662-342-11,12
LOT NO. 604-
B-YDNW7-CNB1-12


DNV-5 (SY) : S/N 10001 and Higher

DNV-5 (J) : S/N 30001 and Higher

DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher

DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher

DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher



CONNECTOR (GEN LOCK IN, TEST OUT, TC IN, TC OUT)


IO-117

BOARD NO. 1-662-338-11

LOT NO. 604-

B-4DNW7-IO117-11

DNV-5 (SY) : S/N 10001 and Higher
 DNV-5 (J) : S/N 30001 and Higher
 DNV-7/9WS/90/90WS (SY) : S/N 10001 and Higher
 DNV-7/9WS/90/90WS (J) : S/N 30001 and Higher
 DNV-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher



40-PIN ADAPTOR INTERFACE

CI-12


BOARD NO.1-662-327-11

LOT NO. 604-


B-¥DNW7-CI12-11

DNV-5 (SY) : S/N 10001 and Higher
DNV-5 (J) : S/N 30001 and Higher
DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher

DNV-5 (SY) : S/N 10001 and Higher
DNV-5 (J) : S/N 30001 and Higher
DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher













AUDIO PRE-AMP FOR WIRELESS MICROPHONE
RX-26
BOARD NO. 1-662-328-11
LOT NO. 604-
B-YDNW7-RX26-11



SWITCH PANEL
SW-780
BOARD NO. 1-662-346-11
LOT NO. 604-
B-YDNW7-SW780-11

DNV-5 (SY) : S/N 10001 and Higher
DNV-5 (J) : S/N 30001 and Higher



KY-293		
CN30 10P		
1	+5V	
2	GND	
3	L:PLAY KEY	CN4-47
4	L:REW KEY	CN4-46
5	L:EJECT KEY	CN4-45
6	L:FF KEY	CN4-44
7	L:STOP KEY	CN4-43
8	L:FF LAMP	CN4-42
9	L:REW LAMP	CN4-41
10	L:PLAY LAMP	CN4-40

REMOTE		
CN31 6P		
1	SD (RM)	CN2-65
2	SD I/O (RM)	CN2-64
3	UNREG GND	
4	RM TEST (X)	CN2-47
5	GND	
6	UNREG +12V	

PS-390 (AGL GRAY)		
CN32 2P		
1	POWER SW	CN20-35 /CN25-11 /CN27-1
2	LIGHT CONT (PS)	R14 /R15

50PIN CONNECTOR		
CN34 30P		
30	B-Y VIDEO (G)	CN1-2
28	GND	
26	B BSH ※A=NC	CN1-6
24	ENCODE VIDEO (G)	CN1-8
22	LUMINANCE (G)	CN1-10
20	GND	
18	B WSH ※A=NC	CN1-14
16	REW CONT	CN1-16
14	AU MON	CN1-18 /R11
12	GND	
10	R-Y (GND) ※A=NC	CN1-22
8	B FB ※A=NC	CN1-24
6	PB/CAM	CN1-26
4	REC/TALLY	CN1-28
2	GND	
29	B-Y VIDEO	CN1-1
27	LD (VAB) ※A=NC	CN1-3
25	SRL SY/IF TO TC	CN1-43 /CN35-7 /RB1-3
23	ENCODE VIDEO	CN1-46 /CN35-6
21	LUMINANCE	CN1-9
19	GND	
17	COLOR FRAMING	CN1-13
15	SYNC	CN1-15
13	H:SAVE	CN1-17
11	AU CH-1 CONT	CN1-19
9	R-Y VIDEO	CN1-21
7	R GND ※A=NC	CN1-23
5	BATT IND	CN1-25
3	TAPE IND 2	CN1-27
1	TAPE IND 1	CN1-29

50PIN CONNECTOR		
CN35 20P		
19	GND	
17	GND	
15	SG FLD ※A=NC	CN1-35
13	HTSG ※A=NC	CN1-37
11	VCO CONT (G) ※A=NC	CN1-39
9	L:50P VITC SCI	CN1-41 /RB1-1
7	SRL SY/IF TO TC	CN1-43 /CN34-25 /RB1-3
5	L:50P VITC CS	CN1-45 /RB1-7
3	H:+9V CAM	CN1-47
1	GND	CN1-49
20	AU LEVEL IND	CN1-32 /R10
18	PB VIDEO	CN1-34
16	VD ※A=NC	CN1-36
14	SERIAL CONT	CN1-38
12	GENLOCK IN (G)	CN1-40
10	SRL TC CK	CN1-42 /R17
8	SRL TC TO SY/IF	CN1-44 /RB1-5
6	ENCODE VIDEO	CN1-46 /CN34-23
4	GENLOCK IN (X)	CN1-48
2	GND	CN1-50

IF-634		
CN1 50P		
1	B-Y VIDEO	CN34-29
3	LD (VAB) ※A=NC	CN34-27
5	MIC CONT	CN33-13 /R12
7	MIC CONT (G)	CN33-12
9	LUMINANCE	CN34-21
11	GND	
13	COLOR FRAMING	CN34-17
15	SYNC	CN34-15
17	H:SAVE	CN34-13
19	AU CH-1 CONT	CN34-11
21	R-Y VIDEO	CN34-9
23	R GND ※A=NC	CN34-7
25	BATT IND	CN34-5
27	TAPE IND 2	CN34-3
29	TAPE IND 1	CN34-1
31	GND	
33	GND	
35	SG FLD ※A=NC	CN35-15
37	HTSG ※A=NC	CN35-13
39	VCO CONT (G) ※A=NC	CN35-11
41	L:50P VITC SCI	CN35-9 /RB1-1
43	SRL SY/IF TO TC	CN35-7 /CN34-25 /RB1-3
45	L:50P VITC CS	CN35-5 /RB1-7
47	H:+9V CAM	CN35-3
49	GND	
2	B-Y VIDEO (G)	CN34-30
4	GND	
6	B BSH ※A=NC	CN34-26
8	ENCODE VIDEO (G)	CN34-24
10	LUMINANCE (G)	CN34-22
12	GND	
14	B WSH ※A=NC	CN34-18
16	REW CONT	CN34-16
18	AU MON	CN34-14 /R11
20	GND	
22	R-Y (GND)	CN34-10
24	B FB ※A=NC	CN34-8
26	PB/CAM	CN34-6
28	REC/TALLY	CN34-4
30	GND	
32	AU LEVEL IND	CN35-20 /R10
34	PB VIDEO	CN35-18
36	VD ※A=NC	CN35-16
38	SERIAL CONT	CN35-14
40	GENLOCK IN (G)	CN35-12
42	SRL TC CK	CN35-10 /R17 /R20
44	SRL TC TO SY/IF	CN35-8 /RB1-5
46	ENCODE VIDEO	CN35-6 /CN34-23
48	GENLOCK IN (X)	CN35-4
50	GND	


IF-634		
CN2 100P		
1	GND	
3	L:REC ENABLE	CN4-4
5	REF 4	CN4-6
7	ROTARY PUSH ※A=NC	CN25-12
9	ROTARY A ※A=NC	CN25-10
11	ROTARY PUSH SW	CN33-5
13	ROTARY B SW	CN33-3
15	LENS TX	CN33-11
17	+9.3V	
19	UNREG +12V	
21	H:BATT ALARM	CN4-22
23	L:UC/H:J	CN20-31
25	EXT TALLY	CN53-31
27	GND	
29	GND	
31	BATT REM	CN50-1
33	CHAR (VTR)	CN22-29
35	TEST DET	CN20-11
37	H CONT (X)	CN53-29
39	RET VIDEO (X)	CN53-27
41	GENLOCK (X)	CN20-6
43	GND (TEST GND)	
45	GND (VBS GND)	
47	RM TEST (X)	CN31-4
49	-5V	
51	+7V	
53	+5V	
55	+5V	
57	SCI SY TO AT	CN4-26
59	CK27	
61	SCL (MC)	CN22-3
63	VF AU	CN22-9/R10
65	SD (RM)	CN31-1
67	GND	
69	VTR EN	CN4-69
71	+3V	
73	+3V	
75	GND	
77	GND	
79	GND	
81	EXT EN	CN53-22 /CN3-36
83	SYNC DIR	CN53-20
85	CAM HD	CN4-86 /CN53-18
87	CAM SY	CN22-18 /CN4-88 /CN53-16
89	VIDEO DATA 0	CN4-90 /CN53-11
91	VIDEO DATA 2	CN4-92 /CN53-9
93	VIDEO DATA 4	CN4-94 /CN53-7
95	VIDEO DATA 6	CN4-96 /CN53-5
97	VIDEO DATA 8	CN4-98 /CN53-3
99	GND	
2	GND	
4	SCK AT-SY	CN4-3
6	CAM SYNC DET	CN4-5
8	L:TC V RST	CN22-6
10	ROTARY B ※A=NC	CN25-9
12	ROTARY A SW	CN33-4
14	VTR S/S SW	CN33-6
16	LENS RX	CN33-10
18	+9.3V	
20	UNREG +12V	
22	H:CA ENABLE	CN4-21
24	H:VTR SAVE LAMP	CN4-23
26	BACK TALLY	CN51-2 /L1
28	GND	
30	GND	
32	V RESET IN/CF	CN53-30
34	CHAR BLK (VTR)	CN22-28
36	VBS DET	CN20-15
38	H CONT (G)	CN53-28
40	RET VIDEO (G)	CN53-26
42	GENLOCK (G)	CN20-7
44	TEST OUT (X)	CN20-9
46	VBS OUT (X)	CN20-13
48	-5V	
50	-5V	
52	+7V	
54	+5V	
56	VTR SAVE	CN4-1
58	SCI AT TO SY	CN4-25
60	H:NT/L:PAL	CN3-35 /CN22-1
62	SDA (MC) I/O	CN22-4
64	SD I/O (RM)	CN31-2
66	CA DATA	CN53-25
68	GND	
70	+3V	
72	+3V	
74	+3V	
76	GND	
78	GND	
80	BLKG	CN53-23
82	VIDEO DIR	CN53-21
84	CAM CK27	R16/R18
86	CAM VD	CN4-85 /CN53-17
88	CAM CF	CN22-17 /CN4-87 /CN53-15
90	VIDEO DATA 1	CN4-89 /CN53-10
92	VIDEO DATA 3	CN4-91 /CN53-8
94	VIDEO DATA 5	CN4-93 /CN53-6
96	VIDEO DATA 7	CN4-95 /CN53-4
98	VIDEO DATA 9	CN4-97 /CN53-2
100	GND	

DVP-1				CN3
CN3 50P				
1	VTR S/S SW	CN33-7	2	L:LIGHT ON CN27-3 /R14
3	L:RETURN CONT	CN33-2	4	REC A ENABLE CN5-59
5	MDC/DVP	CN5-61	6	SERIAL SV CK CN5-62
7	SERIAL SV TO SY	CN5-63	8	SERIAL SY TO SV CN5-64
9	L:SV READY	CN5-65	10	L:SERVO CS CN5-66
11	PB SEL D	CN5-43	12	PB SEL C CN5-44
13	PB SEL B	CN5-45	14	PB SEL A CN5-46
15	SST VD	CN5-49	16	CAP SPEED CN5-48
17	REF VD	CN5-52	18	SST CF CN5-50
19	MDC/DVP1	CN5-51	20	MDC/DVP0 CN5-60
21	FAN DRIVE	R5	22	SV BNK3 CN5-42
23	SV BNK2	CN5-41	24	SV BNK1 CN5-40
25	SV BNK0	CN5-39	26	EDIT AUDIO ID1 CN5-37
27	EDIT AUDIO ID0	CN5-38	28	NT PULS CN5-35
29	EDIT AUDIO ID2	CN5-36	30	OUT BUSY CN5-33
31	READ START	CN5-34	32	TRACK START CN5-31
33	GOP START	CN5-32	34	PB ACH ENV CN5-23
35	H:NT/L:PAL	CN2-60 /CN22-1	36	EXT EN CN53-22 /CN2-81
37	REC A PB	CN5-80	38	REC A PB ENV CN5-79
39	GND		40	GND
41	GND		42	GND
43	RF A (Y)	CN5-70	44	RF A (X) CN5-69
45	RF B (Y)	CN5-74	46	RF B (X) CN5-73
47	RF C (Y)	CN5-72	48	RF C (X) CN5-71
49	RF D (Y)	CN5-76	50	RF D (X) CN5-75
F MIC CONT				
DVP-1				CN4
CN4 100P				
1	VTR SAVE	CN2-56	2	SV REF FRAME CN5-24
3	SCK AT-SY	CN2-4	4	L:REC ENABLE CN2-3
5	CAM SYNC DET	CN2-6	6	REF 4 CN2-5
7	GATED PB CTL	CN5-18 /CN22-21	8	RF ALARM WINDOW CN5-47
9	REC AUDIO ID0	CN5-30	10	REC AUDIO ID1 CN5-29
11	REC AUDIO ID2	CN5-28	12	SV VD CN5-27
13	SV CF	CN5-26	14	SV 1/2 GOP CN5-25
15	TAPE DIRECTION	CN5-19 /CN22-22	16	1/2 VD EQV CN5-17 /CN22-20
17	+9.3V		18	
19	UNREG +12V		20	UNREG +12V
21	H:CA ENABLE	CN2-22	22	H:BATT ALARM CN2-21
23	H:VTR SAVE LAMP	CN2-24	24	
25	SCI AT TO SY	CN2-58	26	SCI SY TO AT CN2-57
27	L:V RESET	CN22-16 /CN5-15	28	L:VITC SCI CN22-15 /RB1-2
29	SERIAL TC CK	CN22-14 /R17	30	SERIAL SV/IF TO TC CN22-13 /RB1-4
31	SERIAL TC TO SY/IF	CN22-12 /RB1-6	32	L:TC CS CN22-11
33	+2.5V		34	+2.5V
35	+2.5V		36	+2.5V
37	L:TC READY	CN22-10	38	
39	L:VITC CS	CN22-8 /RB1-8	40	L:PLAY LAMP CN30-10
41	L:REW LAMP	CN30-9	42	L:FF LAMP CN30-8
43	L:STOP KEY	CN30-7	44	L:FF KEY CN30-6
45	L:EJECT KEY	CN30-5	46	L:REW KEY CN30-4
47	L:PLAY KEY	CN30-3	48	-5V
49	-5V		50	-5V
51	+7V		52	+7V
53	+5V		54	+5V
55	+5V		56	GND
57	GND		58	GND
59	GND		60	GND
61	GND		62	AU A/D DATA 3/4 CN23-24
63	AU D/A DATA 1/2	CN23-23	64	AU A/D DATA 1/2 CN23-25
65	AU FS	CN23-21	66	AU 256 FS CN23-22
67	BATT ID DATA	CN22-30 /L2	68	AU 64 FS CN23-20
69	VTR EN	CN2-69	70	+3V
71	+3V		72	+3V
73	+3V		74	+3V
75	CA FSO	CN53-40	76	CA 512 FSO CN53-39
77	CA 64 FSO	CN53-38	78	DIGITAL AU 3/4 IN CN53-37
79	DIGITAL AU 1/2 IN	CN53-36	80	DIGITAL AU 3/4 OUT CN53-35
81	GND		82	DIGITAL AU 1/2 OUT CN53-34
83	VTR CK27	R18/R19	84	GND
85	CAM VD	CN2-86 /CN53-17	86	CAM HD CN2-85 /CN53-18
87	CAM CF	CN2-88 /CN22-17 /CN53-15	88	CAM SY CN2-87 /CN22-18 /CN53-16
89	VIDEO DATA 1	CN2-90 /CN53-10	90	VIDEO DATA 0 CN2-89 /CN53-11
91	VIDEO DATA 3	CN2-92 /CN53-8	92	VIDEO DATA 2 CN2-91 /CN53-9
93	VIDEO DATA 5	CN2-94 /CN53-6	94	VIDEO DATA 4 CN2-93 /CN53-7
95	VIDEO DATA 7	CN2-96 /CN53-4	96	VIDEO DATA 6 CN2-95 /CN53-5
97	VIDEO DATA 9	CN2-98 /CN53-2	98	VIDEO DATA 8 CN2-97 /CN53-3
99	GND		100	GND

MDC-5				CN5
CN5 80P				
79	REC A PB ENV	CN3-38	80	REC A PB CN3-37
77	GND		78	
75	RF D (X)	CN3-50	76	RF D (Y) CN3-49
73	RF B (X)	CN3-46	74	RF B (Y) CN3-45
71	RF C (X)	CN3-48	72	RF C (Y) CN3-47
69	RF A (X)	CN3-44	70	RF A (Y) CN3-43
67	GND		68	
65	L:SV READY	CN3-9	66	L:SERVO CS CN3-10
63	SERIAL SV TO SY	CN3-7	64	SERIAL SY TO SV CN3-8
61	MDC/DVP	CN3-5	62	SERIAL SV CK CN3-6
59	REC A ENABLE	CN3-4	60	MDC/DVP0 CN3-20
57	+5V		58	+3V
55	+5V		56	+5V
53	-5V		54	-5V
51	MDC/DVP1	CN3-19	52	REF VD CN3-17
49	SST VD	CN3-15	50	SST CF CN3-18
47	RF ALARM WINDOW	CN4-8	48	CAP SPEED CN3-16
45	PB SEL B	CN3-13	46	PB SEL A CN3-14
43	PB SEL D	CN3-11	44	PB SEL C CN3-12
41	SV BNK2	CN3-23	42	SV BNK3 CN3-22
39	SV BNK0	CN3-25	40	SV BNK1 CN3-24
37	EDIT AUDIO ID1	CN3-26	38	EDIT AUDIO ID0 CN3-27
35	NT PULS	CN3-28	36	EDIT AUDIO ID2 CN3-29
33	OUT BUSY	CN3-30	34	READ START CN3-31
31	TRACK START	CN3-32	32	GOP START CN3-33
29	REC AUDIO ID1	CN4-10	30	REC AUDIO ID0 CN4-9
27	SV VD	CN4-12	28	REC AUDIO ID2 CN4-11
25	SV 1/2 GOP	CN4-14	26	SV CF CN4-13
23	PB ACH ENV	CN3-34	24	SV REF FRAME CN4-2
21			22	PB TC CN22-24
19	TAPE DIRECTION	CN4-15 /CN22-22	20	REC TC CN22-23
17	1/2 VD EQV	CN4-16 /CN22-20	18	GATED PB CTL CN22-21 /CN4-7
15	L:V RESET	CN4-27 /CN22-16	16	REGEN INT CN22-19
13	GND		14	GND
11	GND		12	GND
9	GND		10	GND
7	UNREG +12V		8	UNREG +12V
5	UNREG +12V		6	UNREG +12V
3	MOTOR GND		4	MOTOR GND
1	MOTOR GND		2	MOTOR GND
RE-119				CN6
CN6 50P				
50	UNREG GND		49	UNREG GND
48	UNREG GND		47	UNREG GND
46	UNREG GND		45	UNREG GND
44	UNREG GND		43	UNREG GND
42	UNREG +12V		41	UNREG +12V
40	UNREG +12V		39	UNREG +12V
38	UNREG +12V		37	UNREG +12V
36	UNREG +12V		35	UNREG +12V
34	+3V		33	+3V
32	+3V		31	+3V
30	+3V		29	+3V
28	-5V		27	-5V
26	-5V		25	-5V
24	-5V		23	-5V
22	+5V		21	+5V
20	+5V		19	+5V
18	+5V-2		17	+5V-2
16	+7V		15	+7V
14	+15V		13	+15V
12	-11V		11	-11V
10	+48V		9	+48V
8	+2.5V		7	+2.5V
6	+2.5V		5	+2.5V
4	+2.5V		3	+2.5V
2	+9.3V		1	+9.3V

MOTHER BOARD
MB-627 (1/2)
BOARD NO. 1-662-310-12
LOT NO. 605-
B-V DNV5-MB627A-13

DNV-5 (SY) : S/N 10001 and Higher
DNV-5 (J) : S/N 30001 and Higher



CNB-1			CN20
1	EXT TC OUT	CN22-27	
2	GND		
3	EXT TC IN	CN22-25	
4	GND		
5	GND		
6	GENLOCK (X)	CN2-41	
7	GENLOCK (G)	CN2-42	
8	GND		
9	TEST OUT (X)	CN2-44	
10	GND (TEST)		
11	TEST DET	CN2-35	
12	GND		
13	VBS OUT (X)	CN2-46	
14	GND (VBS)		
15	VBS DET	CN2-36	
16	+5V		
17	GND		
18	-5V		
19	UNREG GND		
20	UNREG GND		
21	UNREG GND		
22	UNREG GND		
23	UNREG GND		
24	UNREG GND		
25	UNREG +12V		
26	UNREG +12V		
27	UNREG +12V		
28	UNREG +12V		
29	UNREG +12V		
30	UNREG +12V		
31	L:UC/H:J	CN2-23	
32	+48V		
33	AU PB2 (X)	CN23-12	
34	AU PB2 (Y)	CN23-11	
35	POWER SW	CN25-11 /CN27-1 /CN32-1	
36	GND		
37	GND		
38	GND		
39	AU PB1 (X)	CN23-9	
40	AU PB1 (Y)	CN23-8	
41	GND		
42	H:POWER ON MUTE	CN23-1	
43	GND		
44	GND		
45	CH1 MIC/LINE (X)	CN23-6	
46	CH1 MIC/LINE (Y)	CN23-5	
47	GND		
48	GND		
49	GND		
50	GND		
51	CH2 MIC/LINE (X)	CN23-3	
52	CH2 MIC/LINE (Y)	CN23-2	


CI-12			CN53
45	UNREG GND		
44	UNREG GND		
43	UNREG +12V		
42	UNREG +12V		
41	GND		
40	CA FSO	CN4-75	
39	CA 512 FSO	CN4-76	
38	CA 64 FSO	CN4-77	
37	DIGITAL AU 3/4 IN	CN4-78	
36	DIGITAL AU 1/2 IN	CN4-79	
35	DIGITAL AU 3/4 OUT	CN4-80	
34	DIGITAL AU 1/2 OUT	CN4-82	
33	GND		
32	GND		
31	EXT TALLY	CN2-25	
30	V RESET IN/CF	CN2-32	
29	H CONT (X)	CN2-37	
28	H CONT (G)	CN2-38	
27	RET VIDEO (X)	CN2-39	
26	RET VIDEO (G)	CN2-40	
25	CA DATA	CN2-66	
24	GND		
23	BLKG	CN2-80	
22	EXT EN	CN2-81 /CN3-36	
21	VIDEO DIR	CN2-82	
20	SYNC DIR	CN2-83	
19	+3V		
18	CAM HD	CN2-85 /CN4-86	
17	CAM VD	CN2-86 /CN4-85	
16	CAM SY	CN2-87 /CN4-88 /CN22-18	
15	CAM CF	CN2-88 /CN4-87 /CN22-17	
14	GND		
13	GND		
12	40P CAM CK27	R16	
11	VIDEO DATA 0	CN2-89 /CN4-90	
10	VIDEO DATA 1	CN2-90 /CN4-89	
9	VIDEO DATA 2	CN2-91 /CN4-92	
8	VIDEO DATA 3	CN2-92 /CN4-91	
7	VIDEO DATA 4	CN2-93 /CN4-94	
6	VIDEO DATA 5	CN2-94 /CN4-93	
5	VIDEO DATA 6	CN2-95 /CN4-96	
4	VIDEO DATA 7	CN2-96 /CN4-95	
3	VIDEO DATA 8	CN2-97 /CN4-98	
2	VIDEO DATA 9	CN2-98 /CN4-97	
1			

R18
47

CN2-84 /CN4-83

CAM CK27

1P



MOTHER BOARD
MB-627 (2/2)
BOARD NO. 1-662-310-12
LOT NO. 605-
B-4DNV5-MB627A-13

CN3 50P

DVP-1

CN3

1	VTR S/S SW	CN33-7	2	L:LIGHT ON	CN27-3 /R14
3	L:RETURN CONT	CN33-2	4	REC A ENABLE	CN5-59
5	MDC/DVP	CN5-61	6	SERIAL SV CK	CN5-62
7	SERIAL SV TO SY	CN5-63	8	SERIAL SY TO SV	CN5-64
9	L:SV READY	CN5-65	10	L:SERVO CS	CN5-66
11	PB SEL D	CN5-43	12	PB SEL C	CN5-44
13	PB SEL B	CN5-45	14	PB SEL A	CN5-46
15	SST VD	CN5-49	16	CAP SPEED	CN5-48
17	REF VD	CN5-52	18	SST CF	CN5-50
19	MDC/DVP1	CN5-51	20	MDC/DVP0	CN5-60
21	FAN DRIVE	R5	22	SV BNK3	CN5-42
23	SV BNK2	CN5-41	24	SV BNK1	CN5-40
25	SV BNK0	CN5-39	26	EDIT AUDIO ID1	CN5-37
27	EDIT AUDIO ID0	CN5-38	28	NT PULS	CN5-35
29	EDIT AUDIO ID2	CN5-36	30	OUT BUSY	CN5-33
31	READ START	CN5-34	32	TRACK START	CN5-31
33	GOP START	CN5-32	34	PB ACH ENV	CN5-23
35	H:NT/L:PAL	CN2-60 /CN22-1	36	EXT EN	CN53-22/CN2-81
37	REC A PB	CN5-80	38	REC A PB ENV	CN5-79
39	GND		40	GND	CN34-30
41	GND		42	GND	
43	RF A (Y)	CN5-70	44	RF A (X)	CN5-69
45	RF B (Y)	CN5-74	46	RF B (X)	CN5-73
47	RF C (Y)	CN5-72	48	RF C (X)	CN5-71
49	RF D (Y)	CN5-76	50	RF D (X)	CN5-75

F MIC CONT

DVP-1

CN4

CN4 100P

1	VTR SAVE	CN2-56	2	SV REF FRAME	CN5-24
3	SCK AT-SY	CN2-4	4	L:REC ENABLE	CN2-3
5	CAM SYNC DET	CN2-6	6	REF 4	CN2-5
7	GATED PB CTL	CN5-18 /CN22-21	8	RF ALARM WINDOW	CN5-47
9	REC AUDIO ID0	CN5-30	10	REC AUDIO ID1	CN5-29
11	REC AUDIO ID2	CN5-28	12	SV VD	CN5-27
13	SV CF	CN5-26	14	SV 1/2 GOP	CN5-25
15	TAPE DIRECTION	CN5-19 /CN22-22	16	1/2 VD EQV	CN5-17 /CN22-20
17	+9.3V		18		
19	UNREG +12V		20	UNREG +12V	
21	H:CA ENABLE	CN2-22	22	H:BATT ALARM	CN2-21
23	H:VTR SAVE LAMP	CN2-24	24		
25	SCI AT TO SY	CN2-58	26	SCI SY TO AT	CN2-57
27	L:V RESET	CN22-16 /CN5-15	28	L:VITC SCI	CN22-15 /RB1-2
29	SERIAL TC CK	CN22-14 /R17	30	SERIAL SY/IF TO TC	CN22-13 /RB1-4
31	SERIAL TC TO SY/IF	CN22-12 /RB1-6	32	L:TC CS	CN22-11
33	+2.5V		34	+2.5V	
35	+2.5V		36	+2.5V	
37	L:TC READY	CN22-10	38		
39	L:VITC CS	CN22-8 /RB1-8	40	L:PLAY LAMP	CN30-10
41	L:REW LAMP	CN30-9	42	L:FF LAMP	CN30-8
43	L:STOP KEY	CN30-7	44	L:FF KEY	CN30-6
45	L:EJECT KEY	CN30-5	46	L:REW KEY	CN30-4
47	L:PLAY KEY	CN30-3	48	-5V	
49	-5V		50	-5V	
51	+7V		52	+7V	
53	+5V		54	+5V	
55	+5V		56	GND	
57	GND		58	GND	
59	GND		60	GND	
61	GND		62	AU A/D DATA 3/4	CN23-24
63	AU D/A DATA 1/2	CN23-23	64	AU A/D DATA 1/2	CN23-25
65	AU FS	CN23-21	66	AU 256 FS	CN23-22
67	BATT ID DATA	CN22-30 /L2	68	AU 64 FS	CN23-20
69	VTR EN	CN2-69	70	+3V	
71	+3V		72	+3V	
73	+3V		74	+3V	
75	CA FSO	CN53-40	76	CA 512 FSO	CN53-39
77	CA 64 FSO	CN53-38	78	DIGITAL AU 3/4 IN	CN53-37
79	DIGITAL AU 1/2 IN	CN53-36	80	DIGITAL AU 3/4 OUT	CN53-35
81	GND		82	DIGITAL AU 1/2 OUT	CN53-34
83	VTR CK27	R18 /R19	84	GND	
85	CAM VD	CN2-86 /CN53-17	86	CAM HD	CN2-85 /CN53-18
87	CAM CF	CN2-88 /CN22-17 /CN53-15	88	CAM SY	CN2-87 /CN22-18 /CN53-16
89	VIDEO DATA 1	CN2-90 /CN53-10	90	VIDEO DATA 0	CN2-89 /CN53-11
91	VIDEO DATA 3	CN2-92 /CN53-8	92	VIDEO DATA 2	CN2-91 /CN53-9
93	VIDEO DATA 5	CN2-94 /CN53-6	94	VIDEO DATA 4	CN2-93 /CN53-7
95	VIDEO DATA 7	CN2-96 /CN53-4	96	VIDEO DATA 6	CN2-95 /CN53-5
97	VIDEO DATA 9	CN2-98 /CN53-2	98	VIDEO DATA 8	CN2-97 /CN53-3
99	GND		100	GND	

CN5 80P

MDC-5

CN5

79	REC A PB ENV	CN3-38	80	REC A PB	CN3-37
77	GND		78		
75	RF D (X)	CN3-50	76	RF D (Y)	CN3-49
73	RF B (X)	CN3-46	74	RF B (Y)	CN3-45
71	RF C (X)	CN3-48	72	RF C (Y)	CN3-47
69	RF A (X)	CN3-44	70	RF A (Y)	CN3-43
67	GND		68		
65	L:SV READY	CN3-9	66	L:SERVO CS	CN3-10
63	SERIAL SV TO SY	CN3-7	64	SERIAL SY TO SV	CN3-8
61	MDC/DVP	CN3-5	62	SERIAL SV CK	CN3-6
59	REC A ENABLE	CN3-4	60	MDC/DVP0	CN3-20
57	+5V		58	+3V	
55	+5V		56	+5V	
53	-5V		54	-5V	
51	MDC/DVP1	CN3-19	52	REF VD	CN3-17
49	SST VD	CN3-15	50	SST CF	CN3-18
47	RF ALARM WINDOW	CN4-8	48	CAP SPEED	CN3-16
45	PB SEL B	CN3-13	46	PB SEL A	CN3-14
43	PB SEL D	CN3-11	44	PB SEL C	CN3-12
41	SV BNK2	CN3-23	42	SV BNK3	CN3-22
39	SV BNK0	CN3-25	40	SV BNK1	CN3-24
37	EDIT AUDIO ID1	CN3-26	38	EDIT AUDIO ID0	CN3-27
35	NT PULS	CN3-28	36	EDIT AUDIO ID2	CN3-29
33	OUT BUSY	CN3-30	34	READ START	CN3-31
31	TRACK START	CN3-32	32	GOP START	CN3-33
29	REC AUDIO ID1	CN4-10	30	REC AUDIO ID0	CN4-9
27	SV VD	CN4-12	28	REC AUDIO ID2	CN4-11
25	SV 1/2 GOP	CN4-14	26	SV CF	CN4-13
23	PB ACH ENV	CN3-34	24	SV REF FRAME	CN4-2
21			22	PB TC	CN22-24
19	TAPE DIRECTION	CN4-15 /CN22-22	20	REC TC	CN22-23
17	1/2 VD EQV	CN4-16 /CN22-20	18	GATED PB CTL	CN22-21 /CN4-7
15	L:V RESET	CN4-27 /CN22-16	16	REGEN INT	CN22-19
13	GND		14	GND	
11	GND		12	GND	
9	GND		10	GND	
7	UNREG +12V		8	UNREG +12V	
5	UNREG +12V		6	UNREG +12V	
3	MOTOR GND		4	MOTOR GND	
1	MOTOR GND		2	MOTOR GND	

CN6 50P






RE-119

CN6

50	UNREG GND		49	UNREG GND	
48	UNREG GND		47	UNREG GND	
46	UNREG GND		45	UNREG GND	
44	UNREG GND		43	UNREG GND	
42	UNREG +12V		41	UNREG +12V	
40	UNREG +12V		39	UNREG +12V	
38	UNREG +12V		37	UNREG +12V	
36	UNREG +12V		35	UNREG +12V	
34	+3V		33	+3V	
32	+3V		31	+3V	
30	+3V		29	+3V	
28	-5V		27	-5V	
26	-5V		25	-5V	
24	-5V		23	-5V	
22	+5V		21	+5V	
20	+5V		19	+5V	
18	+5V-2		17	+5V-2	
16	+7V		15	+7V	
14	+15V		13	+15V	
12	-11V		11	-11V	
10	+48V		9	+48V	
8	+2.5V		7	+2.5V	
6	+2.5V		5	+2.5V	
4	+2.5V		3	+2.5V	
2	+9.3V		1	+9.3V	






MOTHER BOARD
MB-627 (1/2)
BOARD NO. 1-662-310-12
LOT NO. 604-
B-VDNW7-MB627-13

DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
 DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
 DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher



CN20 52P		
CNB-1		
CN20		
1	EXT TC OUT	CN22-27
2	GND	
3	EXT TC IN	CN22-25
4	GND	
5	GND	
6	GENLOCK (X)	CN2-41
7	GENLOCK (G)	CN2-42
8	GND	
9	TEST OUT (X)	CN2-44
10	GND (TEST)	
11	TEST DET	CN2-35
12	GND	
13	VBS OUT (X)	CN2-46
14	GND (VBS)	
15	VBS DET	CN2-36
16	+5V	
17	GND	
18	-5V	
19	UNREG GND	
20	UNREG GND	
21	UNREG GND	
22	UNREG GND	
23	UNREG GND	
24	UNREG GND	
25	UNREG +12V	
26	UNREG +12V	
27	UNREG +12V	
28	UNREG +12V	
29	UNREG +12V	
30	UNREG +12V	
31	L-UC/H-J	CN2-23
32	+48V	
33	AU PB2 (X)	CN23-12
34	AU PB2 (Y)	CN23-11
35	POWER SW	CN25-11 /CN27-1 /CN32-1
36	GND	
37	GND	
38	GND	
39	AU PB1 (X)	CN23-9
40	AU PB1 (Y)	CN23-8
41	GND	
42	H-POWER ON MUTE	CN23-1
43	GND	
44	GND	
45	CH1 MIC/LINE (X)	CN23-6
46	CH1 MIC/LINE (Y)	CN23-5
47	GND	
48	GND	
49	GND	
50	GND	
51	CH2 MIC/LINE (X)	CN23-3
52	CH2 MIC/LINE (Y)	CN23-2

CN53 45P		
C1-12		
CN53		
45	UNREG GND	
44	UNREG GND	
43	UNREG +12V	
42	UNREG +12V	
41	GND	
40	CA FSO	CN4-75
39	CA 512 FSO	CN4-76
38	CA 64 FSO	CN4-77
37	DIGITAL AU 3/4 IN	CN4-78
36	DIGITAL AU 1/2 IN	CN4-79
35	DIGITAL AU 3/4 OUT	CN4-80
34	DIGITAL AU 1/2 OUT	CN4-82
33	GND	
32	GND	
31	EXT TALLY	CN2-25
30	V RESET IN/CF	CN2-32
29	H CONT (X)	CN2-37
28	H CONT (G)	CN2-38
27	RET VIDEO (X)	CN2-39
26	RET VIDEO (G)	CN2-40
25	CA DATA	CN2-66
24	GND	
23	BLKG	CN2-80
22	EXT EN	CN2-81 /CN3-36
21	VIDEO DIR	CN2-82
20	SYNC DIR	CN2-83
19	+3V	
18	CAM HD	CN2-85 /CN4-86
17	CAM VD	CN2-86 /CN4-85
16	CAM SY	CN2-87 /CN4-88 /CN22-18
15	CAM CF	CN2-88 /CN4-87 /CN22-17
14	GND	
13	GND	
12	40P CAM CK27	R16
11	VIDEO DATA 0	CN2-89 /CN4-90
10	VIDEO DATA 1	CN2-90 /CN4-89
9	VIDEO DATA 2	CN2-91 /CN4-92
8	VIDEO DATA 3	CN2-92 /CN4-91
7	VIDEO DATA 4	CN2-93 /CN4-94
6	VIDEO DATA 5	CN2-94 /CN4-93
5	VIDEO DATA 6	CN2-95 /CN4-96
4	VIDEO DATA 7	CN2-96 /CN4-95
3	VIDEO DATA 8	CN2-97 /CN4-98
2	VIDEO DATA 9	CN2-98 /CN4-97
1		



DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher


1

2

3

4

5




CONNECTOR BOARD FOR BI-96
CN-1183
BOARD NO. 1-662-322-11
LOT NO. 604-
B-YDNW7-CN1183-X1

5-118

5-118

DNV-5
DNW-7/90/90WS

DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher




DNW-7 (SY) : S/N 10081 and Higher
 DNW-7 (J) : S/N 30061 and Higher
 DNW-7P (SY) : S/N 40146 and Higher

DNW-9WS (SY) : S/N 10001 and Higher
 DNW-9WS (J) : S/N 30001 and Higher
 DNW-9WSP (SY) : S/N 40001 and Higher


DNW-90 (SY) : S/N 10026 and Higher
 DNW-90 (J) : S/N 30041 and Higher
 DNW-90P (SY) : S/N 40016 and Higher

DNW-90WS (SY) : S/N 10001 and Higher
 DNW-90WS (J) : S/N 30001 and Higher
 DNW-90WSP (SY) : S/N 40031 and Higher



5-120 (b)

5-120 (b)




CCD DRIVER
DR-291
BOARD NO. 1-662-316-12,13
LOT NO. 611-
B-WDNW7-DR291-13

DNW-7 (SY) : S/N 10001 through 10080
DNW-7 (J) : S/N 30001 through 30060
DNW-7P (SY) : S/N 40001 through 40145


DNW-90 (SY) : S/N 10001 through 10025
DNW-90 (J) : S/N 30001 through 30040
DNW-90P (SY) : S/N 40001 through 40015

DNW-90WSP (SY) : S/N 40001 through 40030



5-120 (a)

5-120 (a)




CCD DRIVER
DR-291
BOARD NO. 1-662-316-11
LOT NO. 604-610
B-WDNW7-DR291-X1

DNW-7 (SY) : S/N 10171 and Higher
DNW-7 (J) : S/N 30111 and Higher
DNW-7P (SY) : S/N 40310 and Higher

DNW-9WS (SY) : S/N 10001 and Higher
DNW-9WS (J) : S/N 30001 and Higher
DNW-9WSP (SY) : S/N 40001 and Higher


DNW-90 (SY) : S/N 10036 and Higher
DNW-90 (J) : S/N 30081 and Higher
DNW-90P (SY) : S/N 40046 and Higher

DNW-90WS (SY) : S/N 10031 and Higher
DNW-90WS (J) : S/N 30011 and Higher
DNW-90WSP (SY) : S/N 40071 and Higher



5-122 (b)

5-122 (b)




PRE-AMP (SAMPLE&HOLD)
PA-186
BOARD NO. 1-662-317-13
LOT NO. 701-
B-YDNW7-PA186-14

DNW-7 (SY) : S/N 10001 through 10170
 DNW-7 (J) : S/N 30001 through 30110
 DNW-7P (SY) : S/N 40001 through 40309


DNW-90 (SY) : S/N 10001 through 10035
 DNW-90 (J) : S/N 30001 through 30080
 DNW-90P (SY) : S/N 40001 through 40045

DNW-90WS (SY) : S/N 10001 through 10030
 DNW-90WS (J) : S/N 30001 through 30010
 DNW-90WSP (SY) : S/N 40001 through 40070



5-122 (a)

5-122 (a)




B-¥DNW7-PA186-X2

DNW-7 (SY) : S/N 10171 and Higher
 DNW-7 (J) : S/N 30111 and Higher
 DNW-7P (SY) : S/N 40310 and Higher

DNW-9WS (SY) : S/N 10001 and Higher
 DNW-9WS (J) : S/N 30001 and Higher
 DNW-9WSP (SY) : S/N 40001 and Higher


DNW-90 (SY) : S/N 10036 and Higher
 DNW-90 (J) : S/N 30081 and Higher
 DNW-90P (SY) : S/N 40046 and Higher

DNW-90WS (SY) : S/N 10031 and Higher
 DNW-90WS (J) : S/N 30011 and Higher
 DNW-90WSP (SY) : S/N 40071 and Higher



5-124 (b)


5-124 (b)



VIDEO AMP
VA-167
BOARD NO. 1-662-318-13,14
LOT NO. 701-
B-¥DNW7-VA167-14


DNW-90WS (SY) : S/N 10001 through 10030
DNW-90WS (J) : S/N 30001 through 30010
DNW-90WSP (SY) : S/N 40001 through 40070


5-124 (a)



VIDEO AMP
VA-167
BOARD NO. 1-662-318-12
LOT NO. 604-612
B-VDNW7-VA167-X2

DNW-7 (SY) : S/N 10001 and Higher
DNW-7 (J) : S/N 30001 and Higher
DNW-7P (SY) : S/N 40001 and Higher






TIMING GENERATOR
TG-161
BOARD NO. 1-662-319-11,12
LOT NO. 604-
B-YDNW7-TG161-x2



DNW-90WS (SY) : S/N 10001 and Higher
DNW-90WS (J) : S/N 30001 and Higher
DNW-90WSP (SY) : S/N 40001 and Higher



TG-164

DNV-5 (SY) : S/N 10001 and Higher
DNV-5 (J) : S/N 30001 and Higher

1

2

3

4

5

A

B

C


D


E

F

G


H






DNV-5 (SY) : S/N 10001 and Higher
DNV-5 (J) : S/N 30001 and Higher

MB-627 C_{N5}



TEST





FRAME (2/2) (DNV-5)

B-V_{DNV5}-FRAME

DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher


1
2
3
4
5






DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher

MB-627 C_{N5}



TEST



DNW-7/9WS/90/90WS (SY) : S/N 10001 and Higher
DNW-7/9WS/90/90WS (J) : S/N 30001 and Higher
DNW-7P/9WSP/90P/90WSP (SY) : S/N 40001 and Higher

*1
TG-161 : DNW-7/7P
TG-164 : DNW-9WS/9WSP/90/90P/90WS/90WSP

MB-627
(CN34)

VA-167




TG-161 *1

MB-627
(CN26)

BC-25

MB-627
(CN35)



FRAME (3/3) (DNW-7/9WS/90/90WS)

B-YDNW7-FRAME

このマニュアルに記載されている事柄の著作権は当社にあり、説明内容は機器購入者の使用を目的としています。

従って、当社の許可なしに無断で複写したり、説明内容(操作、保守等)と異なる目的で本マニュアルを使用することを禁止します。

The material contained in this manual consists of information that is the property of Sony Corporation and is intended solely for use by the purchasers of the equipment described in this manual.

Sony Corporation expressly prohibits the duplication of any portion of this manual or the use thereof for any purpose other than the operation or maintenance of the equipment described in this manual without the express written permission of Sony Corporation.

Le matériel contenu dans ce manuel consiste en informations qui sont la propriété de Sony Corporation et sont destinées exclusivement à l'usage des acquéreurs de l'équipement décrit dans ce manuel.

Sony Corporation interdit formellement la copie de quelque partie que ce soit de ce manuel ou son emploi pour tout autre but que des opérations ou entretiens de l'équipement à moins d'une permission écrite de Sony Corporation.

Das in dieser Anleitung enthaltene Material besteht aus Informationen, die Eigentum der Sony Corporation sind, und ausschließlich zum Gebrauch durch den Käufer der in dieser Anleitung beschriebenen Ausrüstung bestimmt sind.

Die Sony Corporation untersagt ausdrücklich die Vervielfältigung jeglicher Teile dieser Anleitung oder den Gebrauch derselben für irgendeinen anderen Zweck als die Bedienung oder Wartung der in dieser Anleitung beschriebenen Ausrüstung ohne ausdrückliche schriftliche Erlaubnis der Sony Corporation.

DNW-90WSP (SY)
DNW-90WS (J, SY)
DNW-90P (SY)
DNW-90 (J, SY)
DNW-9WSP (SY)
DNW-9WS (J, SY)
DNW-7P (SY)
DNW-7 (J, SY)
DNV-5 (J, SY) J, E
9-967-681-02

Sony Corporation
Broadcasting & Professional Systems Company

Printed in Japan
1998. 7 08
©1996